
BigFix Compliance 10.0, 11.0 January 2026

The HCL license agreement and any applicable information on the web download page for HCL products refers Licensee to this file for details concerning notices applicable to code included in the products listed above ("the Program"). Notwithstanding the terms and conditions of any other agreement Licensee may have with HCL or any of its related or affiliated entities (collectively "HCL"), the third party code identified below is subject to the terms and conditions of the HCL license agreement for the Program and not the license terms that may be contained in the notices below. The notices are provided for informational purposes.

Please note: This Notices file may identify information that is not used by, or that was not shipped with, the Program as Licensee installed it.

IMPORTANT: HCL does not represent or warrant that the information in this NOTICES file is accurate. Third party websites are independent of HCL and HCL does not represent or warrant that the information on any third party website referenced in this NOTICES file is accurate. HCL disclaims any and all liability for errors and omissions or for any damages accruing from the use of this NOTICES file or its contents, including without limitation URLs or references to any third party websites.

Platform inclusion: The Platform is the base infrastructure for the BigFix product and is included as the foundation of all BigFix products. It is handled as a separate notices file due to the nature of the product delivery.

Latest Version for all Notices can be found here:
<https://support.bigfix.com/thirdparty.html>

<<START OF BigFix Compliance>>

<<Start Compliance Analytics 2.0.15>>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0	addressable-2.8.4.gem	"Addressable is an alternative implementation to the URI implementation that is part of Ruby's standard library. It is flexible, offers heuristic parsing, and additionally provides extensive support for IRIs and URI templates."			
		https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/727124ce-a9e4-489a-ae81-e067b46cc73b	Copyright Bob Aman		
		https://github.com/sporkmonger/addressable			
		https://rubygems.org/gems/addressable-2.8.4.gem		Bob Aman	

Apache 2.0	marcel-1.0.2.gem				
		https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3bef6bfa-cd4e-46dc-8267-fb53b87c114b	2017 Copyright 2017		
Tom Ward		https://github.com/rails/marcel			
		https://rubygems.org/gems/marcel-1.0.2.gem		Tom Ward	

Commercial jcc-11.5.8.0.jar IBM Data Server Driver for JDBC and SQLJ is a pure-Java driver (Type 4) that supports the JDBC 4 specification. You can use this JDBC driver for Java applications that access the Db2® LUW database server.

<https://central.sonatype.com/artifact/com.ibm.db2/jcc/11.5.8.0> 2018
Copyright 2018 name="dcterms.rights" />

<https://repo.maven.apache.org/maven2/com/ibm/db2/jcc/11.5.8.0/jcc-11.5.8.0.jar>

MIT actioncable-7.2.2.2.gem Structure many real-time application concerns into channels over a single WebSocket connection.

[https://github.com/rails/rails/blob/v7.2.2.2/actioncable/MIT-](https://github.com/rails/rails/blob/v7.2.2.2/actioncable/MIT-LICENSE)

LICENSE "Copyright David Heinemeier Hansson

Copyright 37signals LLC" <https://rubyonrails.org>

<https://rubygems.org/gems/actioncable-7.2.2.2.gem> Pratik Naik,
David Heinemeier Hansson

MIT actionmailbox-7.2.2.2.gem Receive and process incoming emails in Rails applications.

[https://github.com/rails/rails/blob/v7.2.2.2/actionmailbox/MIT-](https://github.com/rails/rails/blob/v7.2.2.2/actionmailbox/MIT-LICENSE)

LICENSE "Copyright David Heinemeier Hansson

Copyright 37signals LLC" <https://rubyonrails.org>

<https://rubygems.org/gems/actionmailbox-7.2.2.2.gem> David Heinemeier
Hansson, George Claghorn

MIT actionmailer-7.2.2.2.gem Email on Rails. Compose, deliver, and test emails using the familiar controller/view pattern. First-class support for multipart email and attachments.

[https://github.com/rails/rails/blob/v7.2.2.2/actionmailer/MIT-](https://github.com/rails/rails/blob/v7.2.2.2/actionmailer/MIT-LICENSE)

LICENSE Copyright David Heinemeier Hansson <https://rubyonrails.org>

<https://rubygems.org/gems/actionmailer-7.2.2.2.gem> David Heinemeier
Hansson

MIT actionpack-7.2.2.2.gem Web apps on Rails. Simple, battle-tested conventions for building and testing MVC web applications. Works with any Rack-compatible server.

<https://github.com/rails/rails/blob/v7.2.2.2/actionpack/MIT-LICENSE>

Copyright David Heinemeier Hansson <https://rubyonrails.org>

<https://rubygems.org/gems/actionpack-7.2.2.2.gem> David Heinemeier
Hansson

MIT actiontext-7.2.2.2.gem Edit and display rich text in Rails applications.

<https://github.com/rails/rails/blob/v7.2.2.2/actiontext/MIT-LICENSE>

"Copyright David Heinemeier Hansson

Copyright 37signals LLC" <https://rubyonrails.org>

<https://rubygems.org/gems/actiontext-7.2.2.2.gem> Javan Makhmali,
Sam Stephenson, David Heinemeier Hansson

MIT actionview-7.2.2.2.gem Simple, battle-tested conventions and helpers for building web pages.

<https://github.com/rails/rails/blob/v7.2.2.2/actionview/MIT-LICENSE>

Copyright David Heinemeier Hansson <https://rubyonrails.org>

<https://rubygems.org/gems/actionview-7.2.2.2.gem> David Heinemeier Hansson

MIT `activejob-7.2.2.2.gem` Declare job classes that can be run by a variety of queuing backends.

<https://github.com/rails/rails/blob/v7.2.2.2/activejob/MIT-LICENSE>

Copyright David Heinemeier Hansson <https://rubyonrails.org>

<https://rubygems.org/gems/activejob-7.2.2.2.gem> David Heinemeier Hansson

MIT `activemodel-7.2.2.2.gem` A toolkit for building modeling frameworks like Active Record. Rich support for attributes, callbacks, validations, serialization, internationalization, and testing.

<https://github.com/rails/rails/blob/v7.2.2.2/activemodel/MIT-LICENSE>

Copyright David Heinemeier Hansson <https://rubyonrails.org>

<https://rubygems.org/gems/activemodel-7.2.2.2.gem> David Heinemeier Hansson

MIT `activemodel-serializers-xml-1.0.3.gem`

<https://index.mend.io/gri/app/reader/resource/content/asString/d0a8be7e-10cd-497e-a09b-5aa8c84a8b65> 2015 Copyright 2015 Zachary Scott

<http://github.com/rails/activemodel-serializers-xml>

<https://rubygems.org/gems/activemodel-serializers-xml-1.0.3.gem>

Rails team

MIT `activerecord-7.2.2.2.gem` Databases on Rails. Build a persistent domain model by mapping database tables to Ruby classes. Strong conventions for associations, validations, aggregations, migrations, and testing come baked-in.

<https://github.com/rails/rails/blob/v7.2.2.2/activerecord/MIT-LICENSE>

"Copyright David Heinemeier Hansson

2007-2016 Copyright 2007-2016 Nick Kallen" <https://rubyonrails.org>

<https://rubygems.org/gems/activerecord-7.2.2.2.gem> David Heinemeier Hansson

MIT `activeresource-6.0.0.gem` REST on Rails. Wrap your RESTful web app with Ruby classes and work with them like Active Record models.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d5777ea7-7a14-41e0-bd9b-4751c3dc06cb> 2006-2016 Copyright

2006-2016 David Heinemeier Hansson <http://www.rubyonrails.org>

<https://rubygems.org/gems/activeresource-6.0.0.gem> David Heinemeier Hansson

MIT `activeresource-response-1.4.0.gem` This gem adds possibility to access http response object from result of `ActiveResource::Base` find method

<https://index.mend.io/gri/app/reader/resource/content/asString/f323167f-083f-40b3-8b21-b55d5b66d8b7>

2012 Copyright 2012 Igor Fedoronchuk

<http://fivell.github.com/activeresource-response/>

<https://rubygems.org/gems/activeresource-response-1.4.0.gem> Igor Fedoronchuk

MIT `activestorage-7.2.2.2.gem` Attach cloud and local files in Rails applications.

<https://github.com/rails/rails/blob/v7.2.2.2/activestorage/MIT-LICENSE> "Copyright David Heinemeier Hansson
Copyright David Heinemeier Hansson, 37signals LLC"
<https://rubyonrails.org>
<https://rubygems.org/gems/activestorage-7.2.2.2.gem> David Heinemeier Hansson

MIT `activesupport-7.2.2.2.gem` A toolkit of support libraries and Ruby core extensions extracted from the Rails framework. Rich support for multibyte strings, internationalization, time zones, and testing.
<https://github.com/rails/rails/blob/v7.2.2.2/activesupport/MIT-LICENSE> Copyright David Heinemeier Hansson
<https://rubyonrails.org>
<https://rubygems.org/gems/activesupport-7.2.2.2.gem> David Heinemeier Hansson

MIT `jquery-3.6.0.js` JavaScript library for DOM operations
<https://index.mend.io/gri/app/reader/resource/content/asString/0fc1fb11-e7ba-45b0-aa62-fa9484fdc85a> "Copyright OpenJS Foundation and other contributors
Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>"
<http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.0/jquery.js>
jQuery Foundation and other contributors
<<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>>

Ruby `abstract-1.0.0.d86eb2255aefb5c0ce4dd2351dbbf4b9e22264ad.gem`
kuwata-lab.com

Apache 2.0 `ruby-maven-libs-3.9.9.gem` maven distribution as gem - no ruby executables !
<https://github.com/takari/ruby-maven-libs>
<https://rubygems.org/gems/ruby-maven-libs-3.9.9.gem> Christian Meier

Apache 2.0 `selenium-webdriver-3.142.7.gem` WebDriver is a tool for writing automated tests of websites. It aims to mimic the behaviour of a real user, and as such interacts with the HTML of the application.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c82f60eb-26e4-4699-a46a-b41291f059a2> "2019 Copyright 2019 Software Freedom Conservancy (SFC) 2009-2018 Copyright 2009-2018 Software Freedom Conservancy"
<https://github.com/SeleniumHQ/selenium>
<https://rubygems.org/gems/selenium-webdriver-3.142.7.gem> Alex Rodionov, Titus Fortner, Thomas Walpole

Apache 2.0 `sys-uname-1.2.3.gem` " The sys-uname library provides an interface for gathering information about your current platform. The library is named after the Unix 'uname' command but also works on MS Windows. Available information includes OS name, OS version, system name and so on. Additional information is available for certain platforms."
<https://index.mend.io/gri/app/reader/resource/content/asString/d7773dc0-2917-45fb-aa8b-b4ad4f146ad1> <https://github.com/djberg96/sys-uname>
<https://rubygems.org/gems/sys-uname-1.2.3.gem> Daniel J. Berger

Apache 2.0 `uuidtools-2.1.5.de05809f0c8ad134e3f30aae50959f3b.gem`
<https://github.com/sporkmonger/uuidtools/blob/uuidtools-2.1.5/LICENSE.txt>

Apache 2.0 websocket-driver-0.7.7-java.gem
<https://github.com/faye/websocket-driver-ruby/blob/main/LICENSE.md>

Apache 2.0 websocket-extensions-0.1.5.gem
<https://index.mend.io/gri/app/reader/resource/content/asString/e2de1597-f59c-4eca-a294-21cc1fd6f15c> 2014-2020 Copyright 2014-2020 James Coglan
<https://github.com/faye/websocket-extensions-ruby>
<https://rubygems.org/gems/websocket-extensions-0.1.5.gem> James Coglan

BSD jsch-0.1.55.jar
<https://mvnrepository.com/artifact/com.jcraft/jsch/0.1.55>

BSD 2 base64-0.2.0.gem Support for encoding and decoding binary data using a Base64 representation.
<https://index.mend.io/gri/app/reader/resource/content/asString/81c16946-26c7-4b58-8ec3-d0afd56dfe6e> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto
<https://github.com/ruby/base64>
<https://rubygems.org/gems/base64-0.2.0.gem> Yusuke Endoh

BSD 2 benchmark-0.4.0.gem a performance benchmarking library
<https://index.mend.io/gri/app/reader/resource/content/asString/901d48b0-73c2-4538-afec-af5bb9faaa87> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto
<https://github.com/ruby/benchmark>
<https://rubygems.org/gems/benchmark-0.4.0.gem> Yukihiro Matsumoto

BSD 2 bigdecimal-3.1.9-java.gem
<https://github.com/ruby/bigdecimal/blob/master/LICENSE>

BSD 2 csv-3.2.9.gem The CSV library provides a complete interface to CSV files and data. It offers tools to enable you to read and write to and from Strings or IO objects, as needed.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/388ec2e7-5366-4940-a574-0c3cd6c8429b> "2007-2017 Copyright 2007-2017 Yukihiro Matsumoto
2018 Copyright 2018 Kouhei Sutou
2017 Copyright 2017 Olivier Lacan
2018 Copyright 2018 Tomohiro Ogoke
2005-2016 Copyright 2005-2016 James Edward Gray II. All rights reserved
2017 Copyright 2017 Marcus Stollsteimer
2017 Copyright 2017 SHIBATA Hiroshi
2018 Copyright 2018 Vladislav
2018 Copyright 2018 Mitsutaka Mimura
2017-2018 Copyright 2017-2018 Steven Daniels
2017 Copyright 2017 Espartaco Palma
2017 Copyright 2017 pavel" <https://github.com/ruby/csv>
<https://rubygems.org/gems/csv-3.2.9.gem> James Edward Gray II,
Kouhei Sutou

BSD 2 d3-3.2.8.min.js A JavaScript visualization library for HTML and SVG. <https://github.com/d3/d3/blob/v3.2.8/LICENSE> 2013 Copyright 2013 Michael Bostock <https://d3js.org>
<https://cdnjs.cloudflare.com/ajax/libs/d3/3.2.8/d3.min.js>Mike Bostock <mbostock@gmail.com>

BSD 2 drb-2.2.3.gem Distributed object system for Ruby
<https://index.mend.io/gri/app/reader/resource/content/asString/82d715e1-91b4-4c50-a75c-3e6155cfcee0> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto <https://github.com/ruby/drb> <https://rubygems.org/gems/drb-2.2.3.gem> Masatoshi SEKI

BSD 2 logger-1.6.1.gem Provides a simple logging utility for outputting messages. <https://github.com/ruby/logger>
<https://rubygems.org/gems/logger-1.6.1.gem> Naotoshi Seo, SHIBATA Hiroshi

BSD 2 matrix-0.4.2.gem An implementation of Matrix and Vector classes.
<https://index.mend.io/gri/app/reader/resource/content/asString/a5bcd5-388e-4676-bbfd-34639d455e08> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto <https://github.com/ruby/matrix>
<https://rubygems.org/gems/matrix-0.4.2.gem> Marc-Andre Lafortune

BSD 2 net-imap-0.5.8.gem Ruby client api for Internet Message Access Protocol
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8c59a7e6-b38e-477c-8e4e-cfb2f840bc5b> "Copyright Statement 2003 Copyright 2003 The Internet Society (1993-2013 Copyright 1993-2013 Yukihiro Matsumoto 2021 Copyright 2021 IETF Trust and the persons identified as the"
<https://github.com/ruby/net-imap> <https://rubygems.org/gems/net-imap-0.5.8.gem> Shugo Maeda, nicholas a. evans

BSD 2 net-pop-0.1.2.gem Ruby client library for POP3.
<https://index.mend.io/gri/app/reader/resource/content/asString/98d19f29-52a2-4374-a93b-648db2d2c6c1> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto <https://github.com/ruby/net-pop>
<https://rubygems.org/gems/net-pop-0.1.2.gem> Yukihiro Matsumoto

BSD 2 net-protocol-0.2.2.gem The abstract interface for net-* client.
<https://index.mend.io/gri/app/reader/resource/content/asString/5efa1c09-58f9-41ba-967a-901bfae78efd> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto <https://github.com/ruby/net-protocol>
<https://rubygems.org/gems/net-protocol-0.2.2.gem> Yukihiro Matsumoto

BSD 2 net-smtp-0.5.1.gem Simple Mail Transfer Protocol client library for Ruby.
<https://index.mend.io/gri/app/reader/resource/content/asString/0bc374d8-628d-4823-8582-54f9ada7d21f> <https://github.com/ruby/net-smtp>
<https://rubygems.org/gems/net-smtp-0.5.1.gem> Yukihiro Matsumoto

BSD 2 racc-1.8.1-java.gem
<https://github.com/ruby/racc/blob/master/BSDL>

BSD 2 rexml-3.4.2.gem An XML toolkit for Ruby
<https://index.mend.io/gri/app/reader/resource/content/asString/4dba6276-f8ba-4393-8b64-1fc986a92756> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto
<https://github.com/ruby/rexml>
<https://rubygems.org/gems/rexml-3.4.2.gem> Kouhei Sutou

BSD 2 rubyzip-1.3.0.gem Unspecified Copyright
<http://github.com/rubyzip/rubyzip>
<https://rubygems.org/gems/rubyzip-1.3.0.gem> Alexander Simonov

BSD 2 securerandom-0.4.1.gem Interface for secure random number generator.
<https://index.mend.io/gri/app/reader/resource/content/asString/6189ca43-05cf-453d-96cf-4c0973527ec8> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto
<https://github.com/ruby/securerandom>
<https://rubygems.org/gems/securerandom-0.4.1.gem> Tanaka Akira

BSD 2 timeout-0.4.3.gem Auto-terminate potentially long-running operations in Ruby.
<https://index.mend.io/gri/app/reader/resource/content/asString/5597281a-3b07-495c-958f-9e9c77039700> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto
<https://github.com/ruby/timeout>
<https://rubygems.org/gems/timeout-0.4.3.gem> Yukihiro Matsumoto

BSD 2 webrick-1.8.2.gem WEBrick is an HTTP server toolkit that can be configured as an HTTPS server, a proxy server, and a virtual-host server.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/47cf2da5-c7d1-4c19-bb20-3c4ccca5ce23> 1993-2013 Copyright 1993-2013 Yukihiro Matsumoto
<https://github.com/ruby/webrick>
<https://rubygems.org/gems/webrick-1.8.2.gem> TAKAHASHI Masayoshi, GOTOU YUUZOU, Eric Wong

BSD 3 ffi-1.15.4-java.gem
<https://github.com/ffi/ffi/blob/master/LICENSE>

BSD 3 jquery.easing-1.3.js A jQuery plugin from GSGD to give advanced easing options
<https://index.mend.io/gri/app/reader/resource/content/asString/f1611e25-5edd-47d7-93a5-ba514e0feb4a> 2008 Copyright 2008 George McGinley Smith
<http://gsgd.co.uk/sandbox/jquery/easing/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-easing/1.3/jquery.easing.js> George McGinley Smith <george@gsgd.co.uk>

BSD 3 puma-5.6.8-java.gem
<https://github.com/puma/puma/blob/master/LICENSE>

Common Public 1.0htmllexer.jar
<https://mvnrepository.com/artifact/org.htmlparser/htmllexer>

Eclipse 1.0 jruby-openssl-0.14.3-java.gem
<https://github.com/jruby/jruby-openssl/blob/master/LICENSE.txt>

Eclipse 1.0 ruby-maven-3.9.3.gem maven support for ruby DSL pom files.
MRI needs java/javac installed.
<https://index.mend.io/gri/app/reader/resource/content/asString/7764432a-2526-419e-8607-eeadb47a6d4b> <https://github.com/jruby/ruby-maven>
<https://rubygems.org/gems/ruby-maven-3.9.3.gem> Christian Meier

Eclipse 2.0 jruby-jars-9.4.12.0.gem "This gem includes JRuby core and the Ruby standard library as jar files. It provides a way to have other gems depend on JRuby without including (and freezing to) a specific jruby-complete jar version."
<https://index.mend.io/gri/app/reader/resource/content/asString/00348d3f-a462-4a98-86ea-571f91e031f4>
<https://github.com/jruby/jruby/tree/master/maven/jruby-jars>
<https://rubygems.org/gems/jruby-jars-9.4.12.0.gem> Charles Oliver Nutter

IBM com.ibm.ws.crypto.passwordutil_1.0.1.jar Websphere
Liberty Unspecified Copyright

IBM markdownj-1.0.2b4-0.3.0.jar POM was created by Sonatype Nexus
Websphere Liberty2008 Copyright 2008 Alex Coles
<https://artifacts.alfresco.com/nexus/content/repositories/public/com/petebevin/markdown/markdownj/1.0.2b4-0.3.0/markdownj-1.0.2b4-0.3.0.jar>

IBM pseudolocalizer-0.1.jar Websphere Liberty

Microsoft JDBC Driver 4.0 for SQL Server sqljdbc42.jar
<https://docs.microsoft.com/en-us/sql/connect/jdbc/release-notes-for-the-jdbc-driver?view=sql-server-ver15#42> Unspecified Copyright

MIT bcrypt-3.1.13-java.gem <https://github.com/codahale/bcrypt-ruby/blob/v3.1.13/COPYING>

MIT builder-3.2.4.gem "Builder provides a number of builder objects that make creating structured data simple to do. Currently the following builder objects are supported: * XML Markup * XML Events"
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/05e2e57f-2211-483f-b99d-354b2f8043e2> 2003-2012 Copyright 2003-2012 Jim Weirich (jim.weirich@gmail.com) <http://onestepback.org>
<https://rubygems.org/gems/builder-3.2.4.gem> Jim Weirich

MIT capybara-3.35.3.gem Capybara is an integration testing tool for rack based web applications. It simulates how a user would interact with a website
<https://index.mend.io/gri/app/reader/resource/content/asString/d10d8497-c346-4684-acf0-52cc3827e9f7> 2009-2018 Copyright 2009-2018 Thomas Walpole
<https://github.com/teamcapybara/capybara>

<https://rubygems.org/gems/capybara-3.35.3.gem> Thomas Walpole, Jonas Nicklas

MIT capybara-selenium-0.0.6.gem
<https://index.mend.io/gri/app/reader/resource/content/asString/06541e7f-1a98-4fbe-8715-971aa491c9c4> 2014 Copyright 2014 David Saenz Tagarro
<https://github.com/dsaenztagarro/capybara-selenium>
<https://rubygems.org/gems/capybara-selenium-0.0.6.gem> David Saenz Tagarro

MIT caxlsx-3.1.0.gem " xlsx spreadsheet generation with charts, images, automated column width, customizable styles and full schema validation. Axlsx helps you create beautiful Office Open XML Spreadsheet documents (Excel, Google Spreadsheets, Numbers, LibreOffice) without having to understand the entire ECMA specification. Check out the README for some examples of how easy it is. Best of all, you can validate your xlsx file before serialization so you know for sure that anything generated is going to load on your client's machine."
<https://index.mend.io/gri/app/reader/resource/content/asString/30ba83bb-6a45-45cf-862f-63554c20e3e7> "1904-1900 Copyright 1904-1900 Support for automatically formatted 2011-2012 Copyright 2011-2012 Randy Morgan"
<https://github.com/caxlsx/caxlsx> <https://rubygems.org/gems/caxlsx-3.1.0.gem> Randy Morgan, Jurriaan Prujs

MIT childprocess-3.0.0.gem This gem aims at being a simple and reliable solution for controlling external programs running in the background on any Ruby / OS combination.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a3e9a865-4e18-47d8-80f5-dce47b0f90cc> 2010-2015 Copyright 2010-2015 Jari Bakken <http://github.com/enkessler/childprocess>
<https://rubygems.org/gems/childprocess-3.0.0.gem> Jari Bakken, Eric Kessler, Shane da Silva

MIT chronic-0.10.2.gem Chronic is a natural language date/time parser written in pure Ruby.
<https://index.mend.io/gri/app/reader/resource/content/asString/a625344f-9340-4e2e-adbf-c99a34256482> Copyright Tom Preston-Werner
<http://github.com/mojombo/chronic>
<https://rubygems.org/gems/chronic-0.10.2.gem> Tom Preston-Werner, Lee Jarvis

MIT combine_pdf-1.0.21.gem A nifty gem, in pure Ruby, to parse PDF files and combine (merge) them with other PDF files, number the pages, watermark them or stamp them, create tables, add basic text objects etc` (all using the PDF file format).
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b33483a8-c416-469a-8d2e-d484e8350ab4> "2016 Copyright 2016 Stefan Leitner (@sLeitner) (credit for outline merging code) 2014-2016 Copyright 2014-2016 Boaz Segev"
https://github.com/boazsegev/combine_pdf
https://rubygems.org/gems/combine_pdf-1.0.21.gem Boaz Segev

MIT concurrent-ruby-1.3.5.gem "Modern concurrency tools including agents, futures, promises, thread pools, actors, supervisors, and more.

Inspired by Erlang, Clojure, Go, JavaScript, actors, and classic concurrency patterns."
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/19c994bb-06eb-4c6b-b79f-954a31428554> "2014 It is Copyright © 2014

Copyright extensions on your users Copyright Jerry D'Antonio -- released under the MIT license" <http://www.concurrent-ruby.com>
<https://rubygems.org/gems/concurrent-ruby-1.3.5.gem> Jerry D'Antonio, Petr Chalupa, The Ruby Concurrency Team

MIT `connection_pool-2.5.3.gem` Generic connection pool for Ruby
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a1329427-5b6b-4e13-9932-412195060b44> 2011 Copyright 2011 Mike Perham https://github.com/mperham/connection_pool
https://rubygems.org/gems/connection_pool-2.5.3.gem Mike Perham, Damian Janowski

MIT `crass-1.0.6.gem` Crass is a pure Ruby CSS parser based on the CSS Syntax Level 3 spec.
<https://index.mend.io/gri/app/reader/resource/content/asString/b911ec12-3d5a-4527-bfb3-cb2f9ef5b370> 2020 Copyright 2020 Ryan Grove (ryan@wonko.com) <https://github.com/rgrove/crass/>
<https://rubygems.org/gems/crass-1.0.6.gem> Ryan Grove

MIT `cucumber-7.1.0.gem` Behaviour Driven Development with elegance and joy
<https://index.mend.io/gri/app/reader/resource/content/asString/d47c06db-3d5e-4365-931a-39916bf92182> Copyright Aslak Helleøy
<https://cucumber.io/> <https://rubygems.org/gems/cucumber-7.1.0.gem> Aslak Helleøy, Matt Wynne, Steve Tooke

MIT `cucumber-core-10.1.1.gem` Core library for the Cucumber BDD app
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4ffe7757-a558-4907-adcf-a7fcd10f676e> Copyright The Cucumber Organisation <https://cucumber.io>
<https://rubygems.org/gems/cucumber-core-10.1.1.gem> Aslak Helleøy, Matt Wynne, Steve Tooke, Oleg Sukhodolsky, Tom Brand

MIT `cucumber-create-meta-6.0.4.gem` Produce the meta message for Cucumber Ruby
<https://index.mend.io/gri/app/reader/resource/content/asString/4d7edcd9-d644-4dc8-b1da-34544bee6c4a> Copyright Cucumber Ltd
<https://github.com/cucumber/create-meta>
<https://rubygems.org/gems/cucumber-create-meta-6.0.4.gem> Vincent Prêtre

MIT `cucumber-cucumber-expressions-14.0.0.gem` Cucumber Expressions - a simpler alternative to Regular Expressions
<https://index.mend.io/gri/app/reader/resource/content/asString/d9286dcc-7834-4947-86cc-70997e03d711> Copyright Cucumber Ltd
<https://github.com/cucumber/cucumber-expressions-ruby#readme>
<https://rubygems.org/gems/cucumber-cucumber-expressions-14.0.0.gem> Aslak Helleøy

MIT cucumber-gherkin-22.0.0.gem Gherkin parser
<https://index.mend.io/gri/app/reader/resource/content/asString/68e5fc04-9047-4d85-822e-d6cbd8c720e5> Copyright Cucumber Ltd, Gaspar Nagy, Björn Rasmusson, Peter Sergeant <https://github.com/cucumber/gherkin-ruby> <https://rubygems.org/gems/cucumber-gherkin-22.0.0.gem> Gáspár Nagy, Aslak Hellesøy, Steve Tooke

MIT cucumber-html-formatter-17.0.0.gem HTML formatter for Cucumber
<https://github.com/cucumber/html-formatter-ruby>
<https://rubygems.org/gems/cucumber-html-formatter-17.0.0.gem>
Vincent Prêtre

MIT cucumber-messages-17.1.1.gem Protocol Buffer messages for Cucumber's inter-process communication
<https://index.mend.io/gri/app/reader/resource/content/asString/dd13af09-69b7-410e-8204-962832040649> Copyright Cucumber Ltd
<https://github.com/cucumber/messages-ruby#readme>
<https://rubygems.org/gems/cucumber-messages-17.1.1.gem> Aslak Hellesøy

MIT cucumber-rails-2.5.1.gem Cucumber Generator and Runtime for Rails
<https://index.mend.io/gri/app/reader/resource/content/asString/77f6f3ef-b59d-4fa3-a0e6-cb497add764d> 2008-2020 Copyright 2008-2020 Aslak Helles <https://cucumber.io> <https://rubygems.org/gems/cucumber-rails-2.5.1.gem> Aslak Hellesøy, Dennis Blöte, Rob Holland

MIT cucumber-tag-expressions-4.1.0.gem Cucumber tag expressions for ruby
<https://index.mend.io/gri/app/reader/resource/content/asString/ce05a45d-f5ec-4847-b22d-bc0f851db054> Copyright Cucumber Ltd
<https://cucumber.io/docs/cucumber/api/#tag-expressions>
<https://rubygems.org/gems/cucumber-tag-expressions-4.1.0.gem>
Andrea Nodari, Aslak Hellesøy

MIT cucumber-wire-6.2.1.gem Wire protocol for Cucumber
<https://index.mend.io/gri/app/reader/resource/content/asString/91dd3b7-af71-4dd7-a3f2-0295aeb4a68a> 2015 Copyright 2015 Cucumber Ltd
<http://cucumber.io> <https://rubygems.org/gems/cucumber-wire-6.2.1.gem> Matt Wynne

MIT diff-lcs-1.5.0.gem "Diff::LCS computes the difference between two Enumerable sequences using the McIlroy-Hunt longest common subsequence (LCS) algorithm. It includes utilities to create a simple HTML diff output format and a standard diff-like tool. This is release 1.4.3, providing a simple extension that allows for Diff::LCS::Change objects to be treated implicitly as arrays and fixes a number of formatting issues. Ruby versions below 2.5 are soft-deprecated, which means that older versions are no longer part of the CI test suite. If any changes have been introduced that break those versions, bug reports and patches will be accepted, but it will be up to the reporter to verify any fixes prior to release. The next major release will completely break compatibility."
<https://index.whitesourcesoftware.com/gri/app/reader/resource/conte>

nt/asString/2beb728e-fcee-4c90-ac79-elc0f3e4bc12 2004-2013 Copyright
2004-2013 Copyright <https://github.com/halostatue/diff-lcs>
<https://rubygems.org/gems/diff-lcs-1.5.0.gem> Austin Ziegler

MIT ejs-1.1.1.gem Compile and evaluate EJS (Embedded JavaScript)
templates from Ruby. [https://github.com/sstephenson/ruby-](https://github.com/sstephenson/ruby-ejs/blob/master/LICENSE)
ejs/blob/master/LICENSE 2011 Copyright 2011 Sam Stephenson
<https://github.com/sstephenson/ruby-ejs/>
<https://rubygems.org/gems/ejs-1.1.1.gem> Sam Stephenson

MIT equivalent-xml-0.6.0.gem "Compares two XML Nodes (Documents,
etc.) for certain semantic equivalencies. Currently written for Nokogiri,
but with an eye toward supporting multiple XML libraries"
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0f14bdc8-9cdb-496e-b83d-80f383bcd62d)
nt/asString/0f14bdc8-9cdb-496e-b83d-80f383bcd62d 2011 Copyright 2011
Michael B <http://github.com/mbklein/equivalent-xml>
<https://rubygems.org/gems/equivalent-xml-0.6.0.gem> Michael B. Klein

MIT erubi-1.12.0.gem Erubi is a ERB template engine for ruby. It is a
simplified fork of Erubis
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/566bd5d7-8a29-4b13-ac07-570ea8bca392)
nt/asString/566bd5d7-8a29-4b13-ac07-570ea8bca392 "2016-2021 Copyright
2016-2021 Jeremy Evans
2006-2011 Copyright 2006-2011 kuwata"
<https://github.com/jeremyevans/erubi>
<https://rubygems.org/gems/erubi-1.12.0.gem> Jeremy Evans, kuwata-
lab.com

MIT erubis-2.7.0.1.ed3659f9fdc6659f69fce047e9f57f0289d903d8.gem
<http://www.kuwata-lab.com/erubis/>

MIT et-orbi-1.2.11.gem Time zones for fugit and rufus-scheduler.
Urbi et Orbi.
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58fd3c2a-690d-488a-be9a-ff30b483aba2)
nt/asString/58fd3c2a-690d-488a-be9a-ff30b483aba2 2017-2024 Copyright
2017-2024 John Mettraux <https://github.com/floraison/et-orbi>
<https://rubygems.org/gems/et-orbi-1.2.11.gem> John Mettraux

MIT excon-0.75.0.gem EXtended http(s) CONnections
[https://index.mend.io/gri/app/reader/resource/content/asString/7140](https://index.mend.io/gri/app/reader/resource/content/asString/7140ca68-f717-451d-95bc-ccc4ac2c81b0)
ca68-f717-451d-95bc-ccc4ac2c81b0 2009-2019 Copyright 2009-2019
"CONTRIBUTORS.md"
(<https://github.com/excon/excon/blob/master/CONTRIBUTORS.md>)
<https://github.com/excon/excon> [https://rubygems.org/gems/excon-](https://rubygems.org/gems/excon-0.75.0.gem)
0.75.0.gem dpiddy (Dan Peterson), geemus (Wesley Beary), nextmat (Matt
Sanders)

MIT execjs-2.8.1.gem ExecJS lets you run JavaScript code from Ruby.
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9bb17c4c-a393-422d-a097-clf724b6b3f7)
nt/asString/9bb17c4c-a393-422d-a097-clf724b6b3f7 "2015-2016 Copyright
2015-2016 Josh Peek
2015-2016 Copyright 2015-2016 Sam Stephenson"
<https://github.com/rails/execjs> [https://rubygems.org/gems/execjs-](https://rubygems.org/gems/execjs-2.8.1.gem)
2.8.1.gem Sam Stephenson, Josh Peek

MIT formtastic-4.0.0.gem A Rails form builder plugin/gem with semantically rich and accessible markup
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/897e392d-020e-4f19-9aec-cf58fc99a587> 2007-2021 Copyright 2007-2021 released under the MIT license
<http://github.com/formtastic/formtastic>
<https://rubygems.org/gems/formtastic-4.0.0.gem> Justin French

MIT fortitude-0.9.6.50279f312c5fd940fd9226dc397bfaf77bb023a7-java.gem
<https://github.com/ageweke/fortitude/blob/master/LICENSE.txt>

MIT fugit-1.11.1.gem Time tools for flor and the floraison project. Cron parsing and occurrence computing. Timestamps and more.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bd3f100d-bc8a-4b4f-9912-4b6857f04329> 2017-2024 Copyright 2017-2024 John Mettraux
<https://github.com/floraison/fugit>
<https://rubygems.org/gems/fugit-1.11.1.gem> John Mettraux

MIT globalid-1.2.1.gem URIs for your models makes it easy to pass references around.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/958c75d8-ff8e-41fe-a0a0-8e3cb6a8d939> 2014-2023 Copyright 2014-2023 David Heinemeier Hansson
<http://www.rubyonrails.org>
<https://rubygems.org/gems/globalid-1.2.1.gem> David Heinemeier Hansson

MIT has_scope-0.8.2.gem Maps controller filters to your resource scopes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5a636707-eadc-4c04-b724-7bdce9a52631> "2020-2023 Copyright 2020-2023 Rafael Fran
2009-2019 Copyright 2009-2019 Plataformatec"
https://github.com/heartcombo/has_scope
https://rubygems.org/gems/has_scope-0.8.2.gem José Valim

MIT htmlentities-4.3.4.gem A module for encoding and decoding (X)HTML entities.
<https://index.mend.io/gri/app/reader/resource/content/asString/d2c0015c-fb93-48b4-be79-4b55743eea74> 2005-2013 Copyright 2005-2013 Paul Battley
<https://github.com/threedaymonk/htmlentities>
<https://rubygems.org/gems/htmlentities-4.3.4.gem> Paul Battley

MIT http_accept_language-
1.0.1.1.a75d7431d8bba418294b29d43dd8f546ebbffe23.gem
https://github.com/iaian/http_accept_language

MIT i18n-1.14.1.gem New wave Internationalization support for Ruby.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/12a5776e-f4e1-4776-8f65-72cfla2aadfd> 2008 Copyright 2008 The Ruby I18n team
<https://github.com/ruby-i18n/i18n>
<https://rubygems.org/gems/i18n-1.14.1.gem> Sven Fuchs, Joshua Harvey, Matt Aimonetti, Stephan Soller, Saimon Moore, Ryan Bigg

MIT `il8n-js-3.0.11.gem` It's a small library to provide the Rails I18n translations on the Javascript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fa1059fe-dd24-49a4-a3ca-f30781158052>
<http://rubygems.org/gems/il8n-js> <https://rubygems.org/gems/il8n-js-3.0.11.gem> Nando Vieira

MIT `inherited_resources-`
`1.14.0.15436178fba6d4a9b37f5aa3308ca564c0052a0d.gem`
https://github.com/activeadmin/inherited_resources/blob/master/MIT-LICENSE

MIT `jquery.ba-hashchange-1.2.js` This jQuery plugin enables very basic bookmarkable #hash history via a cross-browser window.onhashchange event.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery-hashchange/package.json> "2010 Copyright 2010 Cowboy" Ben Alman
2010 Copyright 2010 "Cowboy" Ben Alman"
<http://benalman.com/projects/jquery-hashchange-plugin/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-hashchange/1.2/jquery.ba-hashchange.js>

MIT `jquery.json-2.6.0.min.js` jQuery plugin for serialising to and parsing from JSON.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery-json/package.json> <https://cdnjs.cloudflare.com/ajax/libs/jquery-json/2.6.0/jquery.json.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-json/2.6.0/jquery.json.min.js> Brantley Harris <deadwisdom@gmail.com>

MIT `jquery.mousewheel-3.1.13.min.js` A jQuery plugin that adds cross-browser mouse wheel support.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery-mousewheel/package.json> 2015 Copyright 2015 jQuery Foundation and other contributors <https://cdnjs.cloudflare.com/ajax/libs/jquery-mousewheel/3.1.13/jquery.mousewheel.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-mousewheel/3.1.13/jquery.mousewheel.min.js> Brandon Aaron
<hello.brandon@aaron.sh>

MIT `jquery.placeholder-2.3.1.min.js` A jQuery plugin that enables HTML5 placeholder behavior for browsers that aren't trying hard enough yet <https://github.com/mathiasbynens/jquery-placeholder/blob/v2.3.1/package.json> "Copyright Mathias Bynens
<<http://mathiasbynens.be/>>
2015 Copyright 2015 Mathias Bynens" <http://mths.be/placeholder>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-placeholder/2.3.1/jquery.placeholder.min.js> Mathias Bynens
<<https://mathiasbynens.be/>>

MIT `jquery.plugin-5.0.0.min.js` This plugin attaches a popup calendar to your input fields or shows an inline calendar for selecting individual dates or date ranges.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datepick/package.json>

ge.json 2015 Keith Wood <http://keith-wood.name/datepick.HTML>
<https://cdnjs.cloudflare.com/ajax/libs/datepick/5.0.0/js/jquery.plu>
gin.min.js Keith Wood <wood.keith@optusnet.com.au>

MIT jquery.validate-1.20.0.js Client-side form validation made easy
<https://github.com/jquery-validation/jquery-validation/blob/1.20.0/README.md> "Copyright Jörn Zaefferer
Copyright Jörn Zaefferer

2023 Copyright 2023 Jörn Zaefferer" <http://jqueryvalidation.org/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.20.0/jquery.validate.js>Jörn Zaefferer
<jjoern.zaefferer@gmail.com>

MIT jquery-3.6.0.min.js JavaScript library for DOM operations
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json)
.json "Copyright OpenJS Foundation and other contributors |
jquery.org/license */
Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>"
<http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.0/jquery.min.js>
jQuery Foundation and other contributors
<<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>>

MIT jquery-ui-1.13.2.min.js A curated set of user interface
interactions, effects, widgets, and themes built on top of the jQuery
JavaScript Library. <https://github.com/jquery/jquery-ui/blob/1.13.2/LICENSE.txt> "Copyright jQuery Foundation and other
contributors; Licensed MIT */
Copyright jQuery Foundation and other contributors, <https://jquery.org/>"
<http://jqueryui.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.13.2/jquery-ui.min.js> jQuery Foundation and other contributors
<<https://github.com/jquery/jquery-ui/blob/master/AUTHORS.txt>>

MIT jruby-rack-1.1.22.50279f312c5fd940fd9226dc397bfaf77bb023a7.gem
<https://github.com/jruby/jruby-rack/blob/master/LICENSE.txt>

MIT json-schema-2.8.1.gem
[https://index.mend.io/gri/app/reader/resource/content/asString/e62a](https://index.mend.io/gri/app/reader/resource/content/asString/e62a03fb-c270-443b-86c8-116149ac4ea9)
03fb-c270-443b-86c8-116149ac4ea9 2010-2011 Copyright 2010-2011
Lookingglass Cyber Solutions <http://github.com/ruby-json-schema/json-schema/tree/master>
<https://rubygems.org/gems/json-schema-2.8.1.gem>
Kenny Hoxworth

MIT jstree-3.3.4.min.js jQuery tree plugin
<https://github.com/vakata/jstree/blob/3.3.4/README.md>
<http://jstree.com>
<https://cdnjs.cloudflare.com/ajax/libs/jstree/3.3.4/jstree.min.js>
Ivan Bozhanov <jstree@jstree.com>

MIT loofah-2.21.3.gem"Loofah is a general library for manipulating and
transforming HTML/XML documents and fragments, built on top of Nokogiri.

Loofah also includes some HTML sanitizers based on `html5lib`'s safelist, which are a specific application of the general transformation functionality."

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5bcbb953-f8f0-4ca6-a610-ffb0c348f542> 2009-2018 Copyright 2009-2018 by Mike Dalessio <https://github.com/flavorjones/loofah>
<https://rubygems.org/gems/loofah-2.21.3.gem> Mike Dalessio, Bryan Helmkamp

MIT mail-2.8.1.gem A really Ruby Mail handler.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7978ff95-1dfb-41e8-a692-5c0dabaf46f2> 2009-2016 Copyright 2009-2016 Mikel Lindsaar <https://github.com/mikel/mail>
<https://rubygems.org/gems/mail-2.8.1.gem> Mikel Lindsaar

MIT method_source-1.0.0.gem retrieve the sourcecode for a method
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d3c86205-3492-405e-b6f2-e48f343622c7> 2011 Copyright 2011 John Mair (banisterfiend) <http://banisterfiend.wordpress.com>
https://rubygems.org/gems/method_source-1.0.0.gem John Mair (banisterfiend)

MIT mime-types-3.4.1.gem "The mime-types library provides a library and registry for information about MIME content type definitions. It can be used to determine defined filename extensions for MIME types, or to use filename extensions to look up the likely MIME type definitions.

Version 3.0 is a major release that requires Ruby 2.0 compatibility and removes deprecated functions. The columnar registry format introduced in 2.6 has been

made the primary format; the registry data has been extracted from this library and put into {mime-types-data}[<https://github.com/mime-types/mime-types-data>].

Additionally, mime-types is now licensed exclusively under the MIT licence and there is a code of conduct in effect. There are a number of other smaller

changes described in the History file."

<https://index.mend.io/gri/app/reader/resource/content/asString/8ee45d4a-2499-494d-b340-ecc3d83786a0> 2003-2019 Copyright 2003-2019 Copyright <https://github.com/mime-types/ruby-mime-types/>
<https://rubygems.org/gems/mime-types-3.4.1.gem> Austin Ziegler

MIT mime-types-data-3.2023.0218.1.gem "mime-types-data provides a registry for information about MIME media type definitions. It can be used with the Ruby mime-types library or other software

to determine defined filename extensions for MIME types, or to use filename

extensions to look up the likely MIME type definitions."

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/16b3ec4c-8f33-43cf-982f-545d3d15c8e5> 2003-2021 Copyright 2003-2021 Copyright <https://github.com/mime-types/mime-types-data/>
<https://rubygems.org/gems/mime-types-data-3.2023.0218.1.gem> Austin Ziegler

MIT mini_mime-1.1.2.gem A lightweight mime type lookup toy
<https://index.mend.io/gri/app/reader/resource/content/asString/5e586aa8-46f6-4617-b122-e0ac20ccb96e> 2016 Copyright 2016 Discourse
Construction Kit, Inc https://github.com/discourse/mini_mime
https://rubygems.org/gems/mini_mime-1.1.2.gem Sam Saffron

MIT minitest-5.15.0.gem "minitest provides a complete suite of
testing facilities supporting
TDD, BDD, mocking, and benchmarking." "I had a class with Jim Weirich on
testing last week and we were allowed to choose our testing frameworks.
Kirk Haines and I were
paired up and we cracked open the code for a few test frameworks...
I MUST say that minitest is *very* readable / understandable
compared to the 'other two' options we looked at. Nicely done and
thank you for helping us keep our mental sanity.""
-- Wayne E. Seguin

minitest/test is a small and incredibly fast unit testing framework.
It provides a rich set of assertions to make your tests clean and
readable.

minitest/spec is a functionally complete spec engine. It hooks onto
minitest/test and seamlessly bridges test assertions over to spec
expectations.

minitest/benchmark is an awesome way to assert the performance of your
algorithms in a repeatable manner. Now you can assert that your newb
co-worker doesn't replace your linear algorithm with an exponential one!

minitest/mock by Steven Baker, is a beautifully tiny mock (and stub)
object framework.

minitest/pride shows pride in testing and adds coloring to your test
output. I guess it is an example of how to write IO pipes too. :P

minitest/test is meant to have a clean implementation for language
implementors that need a minimal set of methods to bootstrap a working
test suite. For example, there is no magic involved for test-case
discovery.

"Again, I can't praise enough the idea of a testing/specing
framework that I can actually read in full in one sitting!"

-- Piotr Szotkowski
Comparing to rspec:
rspec is a testing DSL. minitest is ruby.
-- Adam Hawkins, "Bow Before MiniTest"

minitest doesn't reinvent anything that ruby already provides, like:
classes, modules, inheritance, methods. This means you only have to
learn ruby to use minitest and all of your regular OO practices like
extract-method refactorings still apply."

<https://index.mend.io/gri/app/reader/resource/content/asString/42737bdb-d80f-4558-94ce-7b2ec6f18e3d>

<https://github.com/seattlerb/minitest>
<https://rubygems.org/gems/minitest-5.15.0.gem> Ryan Davis

MIT multi_test-0.1.2.gem Wafter-thin gem to help control rogue test/unit/autorun requires
<https://index.mend.io/gri/app/reader/resource/content/asString/09b71873-9a21-4ecb-9f80-a013ef022726> 2013 Copyright 2013 The Cucumber Organisation <http://cukes.info>https://rubygems.org/gems/multi_test-0.1.2.gem Matt Wynne, Steve Tooke

MIT nio4r-2.5.9-java.gem
<https://github.com/socketry/nio4r/blob/v2.5.9/license.md>

MIT nokogiri-1.16.3.ab0a95e2703300b89a3c02a0872f9e5e68f16316-java.gem
<https://github.com/sparklemotion/nokogiri/blob/main/LICENSE.md>

MIT public_suffix-4.0.7.gem PublicSuffix can parse and decompose a domain name into top level domain, domain and subdomains.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/433e68f0-a60a-4989-bd4c-1ba33d2db4cb> "2009-2022 Copyright 2009-2022 Simone Carletti
2009-2022 Copyright 2009-2022 Simone Carletti <weppos@weppos.net>"
<https://simonecarletti.com/code/publicsuffix-ruby>
https://rubygems.org/gems/public_suffix-4.0.7.gem Simone Carletti

MIT raabro-1.4.0.gem A very dumb PEG parser library, with a horrible interface.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/24f6e5a8-4f0a-402a-8f96-c13c24daebe9> 2015-2020 Copyright 2015-2020 John Mettraux <https://github.com/floraison/raabro>
<https://rubygems.org/gems/raabro-1.4.0.gem> John Mettraux

MIT rack-2.2.13.03f9385a3832d78d792e99c17cdd05ad390edbce.gem
<https://github.com/rack/rack/blob/main/MIT-LICENSE>

MIT rack-session-1.0.2.gem
<https://index.mend.io/gri/app/reader/resource/content/asString/b22048fb-8709-4874-84b2-e5500d1d791b> 2022-2023 Copyright, 2022-2023, by Samuel Williams. <https://github.com/rack/rack-session>
<https://rubygems.org/gems/rack-session-1.0.2.gem> Samuel Williams, Jeremy Evans, Jon Dufresne, Philip Arndt

MIT rack-test-2.1.0.gem "Rack::Test is a small, simple testing API for Rack apps. It can be used on its own or as a reusable starting point for Web frameworks and testing libraries to build on."
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f12e9997-3a13-4311-9f05-e51558adf973> "2008-2009 Copyright 2008-2009 Bryan Helmkamp

2022 Copyright 2022 Jeremy Evans" <https://github.com/rack/rack-test>
<https://rubygems.org/gems/rack-test-2.1.0.gem> Jeremy Evans, Bryan
Helmkamp

MIT rackup-1.0.1.gem
<https://index.mend.io/gri/app/reader/resource/content/asString/6da0d8d7-a05b-48b5-a224-94fa2c962a17> Copyright 2022, by Samuel Williams
<https://github.com/rack/rackup> <https://rubygems.org/gems/rackup-1.0.1.gem> Samuel Williams, Jeremy Evans

MIT rails-7.2.2.2.a6fae4babbc291d0c2f6e40b3e4ed50528fd299b5.gem
<https://github.com/rails/rails/blob/v7.2.2.2/MIT-LICENSE>

MIT rails-controller-testing-1.0.5.gem
<https://index.mend.io/gri/app/reader/resource/content/asString/64ed66e5-8878-4220-921a-fb5afe350b8a> 2015-2016 Copyright 2015-2016 Alan Guo
Xiang Tan <https://github.com/rails/rails-controller-testing>
<https://rubygems.org/gems/rails-controller-testing-1.0.5.gem>
Rails Core Team

MIT rails-dom-testing-2.3.0.gem This gem can compare doms and assert
certain elements exists in doms using Nokogiri.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/121bffb7-2482-48b5-a91c-c69fe6846a89> 2013-2015 Copyright
2013-2015 Kasper Timm Hansen <https://github.com/rails/rails-dom-testing>
<https://rubygems.org/gems/rails-dom-testing-2.3.0.gem> Rafael
Mendonça França, Kasper Timm Hansen

MIT rails-html-sanitizer-1.6.2.gem HTML sanitization for Rails
applications
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/891eabc1-ald5-403f-8ab9-43330f3735fc> 2013-2023 Copyright
2013-2023 Rafael Mendonça França <https://github.com/rails/rails-html-sanitizer>
<https://rubygems.org/gems/rails-html-sanitizer-1.6.2.gem>
Rafael Mendonça França, Kasper Timm Hansen, Mike Dalessio

MIT railties-7.2.2.2.a6fae4babbc291d0c2f6e40b3e4ed50528fd299b5.gem
<https://github.com/rails/rails/blob/v7.2.2.2/railties/MIT-LICENSE>

MIT rainbow-3.0.0.gem Colorize printed text on ANSI terminals
<https://index.mend.io/gri/app/reader/resource/content/asString/62d14a66-388f-40e5-9464-adcabbcb8edb5> Copyright Marcin Kulik
<https://github.com/sickill/rainbow>
<https://rubygems.org/gems/rainbow-3.0.0.gem> Marcin Kulik, Olle
Jonsson

MIT rake-13.0.6.gem "Rake is a Make-like program implemented in Ruby.
Tasks and dependencies are specified in standard Ruby syntax.
Rake has the following features:
* Rakefiles (rake's version of Makefiles) are completely defined in
standard Ruby syntax.

No XML files to edit. No quirky Makefile syntax to worry about (is that a tab or a space?)

- * Users can specify tasks with prerequisites.
- * Rake supports rule patterns to synthesize implicit tasks.
- * Flexible FileLists that act like arrays but know about manipulating file names and paths.

- * Supports parallel execution of tasks."

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4c44891d-3657-483a-89f5-751b811e4da2> "2003-2014 Copyright 2003-2014 s Copyright Jim Weirich" <https://github.com/ruby/rake>

<https://rubygems.org/gems/rake-13.0.6.gem> Hiroshi SHIBATA, Eric Hodel, Jim Weirich

MIT `ref-2.0.0.gem` Library that implements weak, soft, and strong references in Ruby that work across multiple runtimes (MRI, Jruby and Rubinius). Also includes implementation of maps/hashtables that use references and a reference queue.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2b56d340-a60e-4170-b103-f33597040bb8> 2013 Copyright 2013

Brian Durand <http://github.com/ruby-concurrency/ref>

<https://rubygems.org/gems/ref-2.0.0.gem> Brian Durand, The Ruby Concurrency Team

MIT `regexp_parser-2.8.0.gem` A library for tokenizing, lexing, and parsing Ruby regular expressions.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/259d72da-03bd-48e7-8cfb-9e99797b2a8b> 2010-2022 Copyright 2010-2022 Ammar Ali https://github.com/ammammar/regexp_parser

https://rubygems.org/gems/regexp_parser-2.8.0.gem Ammar Ali

MIT `responders-3.1.1.gem` A set of Rails responders to dry up your application

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e1818598-83a8-492f-8545-d15f06f6795c> "2020-2023 Copyright 2020-2023 Rafael Fran

2009-2019 Copyright 2009-2019 Plataformatec"

<https://github.com/heartcombo/responders>

<https://rubygems.org/gems/responders-3.1.1.gem> José Valim

MIT `ri_cal-0.8.8.0b4001879f64b66bdc194372dcd3cd132b99af6f.gem`

https://github.com/rubyredrick/ri_cal

MIT `ruby-rc4-0.1.5.gem`

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/aab389ed-d3df-407e-b2a6-5ec93b8eeb44> 2010 Copyright 2010

Max Prokopiev, Alexandar Simic, Caige Nichols

<http://www.caigenichols.com/> <https://rubygems.org/gems/ruby-rc4-0.1.5.gem> Caige Nichols

MIT `rufus-scheduler-3.8.1.gem` Job scheduler for Ruby (at, cron, in and every jobs). Not a replacement for crond.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6e928417-0c3f-414b-a4d2-24d24065c9ac> "2014-1937 Copyright 2014-

1937 in, 2005-2022 Copyright 2005-2022 John Mettraux"

<https://github.com/jmettraux/rufus-scheduler>
<https://rubygems.org/gems/rufus-scheduler-3.8.1.gem> John Mettraux

MIT sass-3.4.25.gem " Sass makes CSS fun again. Sass is an extension of CSS, adding nested rules, variables, mixins, selector inheritance, and more.

It's translated to well-formatted, standard CSS using the command line tool or a web-framework plugin."

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/16e57157-5cfb-4f00-9f32-e6de3f9dc128> 2006-2016 Copyright 2006-2016 Hampton Catlin, Natalie Weizenbaum, and Chris Eppstein

<https://sass-lang.com/> <https://rubygems.org/gems/sass-3.4.25.gem>
Natalie Weizenbaum, Chris Eppstein, Hampton Catlin

MIT sass-rails-5.1.0.gem Sass adapter for the Rails asset pipeline.
<https://index.mend.io/gri/app/reader/resource/content/asString/d5c6f07a-2613-4775-80c9-b1bcf51cfc7b> 2011 Copyright 2011 Christopher Eppstein <https://github.com/rails/sass-rails>

<https://rubygems.org/gems/sass-rails-5.1.0.gem> wycats,
chriseppstein

MIT sequel-5.11.0.fcd5f1b.gem
<https://github.com/jeremyevans/sequel/blob/master/MIT-LICENSE>

MIT slick.core-2.3.9.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/6pac/SlickGrid/blob/2.3.9/package.json> 2009-2016
Copyright 2009-2016 Michael Leibman, <http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.3.9/slick.core.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.rowselectionmodel-2.3.9.js A lightning fast JavaScript
grid/spreadsheet
<https://github.com/6pac/SlickGrid/blob/2.3.9/package.json> 2009-2016
Copyright 2009-2016 Michael Leibman, <http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.3.9/plugins/slick.rowselectionmodel.js> Michael Leibman
<michael.leibman@gmail.com>

MIT sprockets-3.7.2.gem Sprockets is a Rack-based asset packaging system that concatenates and serves JavaScript, CoffeeScript, CSS, LESS, Sass, and SCSS.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6514b042-3a5e-42fa-89ea-11caa4ad741e> "2014 Copyright 2014 Sam Stephenson <"sstephenson@gmail.com"> (mailto:sstephenson@gmail.com)> 2014 Copyright 2014 Joshua Peek 2014 Copyright 2014 Joshua Peek <"josh@joshpeek.com">mailto:josh@joshpeek.com)> 2014 Copyright 2014 Sam Stephenson"

<https://github.com/rails/sprockets>
<https://rubygems.org/gems/sprockets-3.7.2.gem> Sam Stephenson,
Joshua Peek

MIT sprockets-rails-3.4.2.gem
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c5b25fb0-9f15-4e8d-a387-bd962d02b726> 2014-2016 Copyright
2014-2016 Joshua Peek <https://github.com/rails/sprockets-rails>
<https://rubygems.org/gems/sprockets-rails-3.4.2.gem> Joshua Peek

MIT therubyrhino-2.1.2.gem Call javascript code and manipulate
javascript objects from ruby. Call ruby code and manipulate ruby objects
from javascript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8a97581d-8aa2-4c00-ace2-b821d990c5ef> 2009-2015 Copyright
2009-2015 Charles Lowell <http://github.com/cowboyd/therubyrhino>
<https://rubygems.org/gems/therubyrhino-2.1.2.gem> Charles Lowell

MIT thor-1.2.2.gem Thor is a toolkit for building powerful command-
line interfaces.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0cf3c208-95ef-4bdd-9888-565f259348b5> 2008 Copyright 2008
Yehuda Katz, Eric Hodel, et al <http://whatisthor.com/>
<https://rubygems.org/gems/thor-1.2.2.gem> Yehuda Katz, José
Valim

MIT tilt-2.0.10.gem Generic interface to multiple Ruby template
engines
<https://index.mend.io/gri/app/reader/resource/content/asString/0f76a490-d565-4fd6-bff5-5be95028b99f> 2010-2016 Copyright 2010-2016 Ryan
Tomayko <<http://tomayko.com/about>> <http://github.com/rtomayko/tilt/>
<https://rubygems.org/gems/tilt-2.0.10.gem> Ryan Tomayko

MIT time_diff-0.3.0.gem It returns a hash file with the difference
in terms of year, month, week, day, hour, minute and second
<https://index.mend.io/gri/app/reader/resource/content/asString/6f5f5b52-7a93-498b-a7f6-ec1536669e76> "2011 Copyright 2011 abhidsm
2011 Copyright 2011 abhilash" http://github.com/abhidsm/time_diff
https://rubygems.org/gems/time_diff-0.3.0.gem abhilash

MIT tzinfo-2.0.6.gem TZInfo provides access to time zone data and
allows times to be converted using time zone rules.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c9e506d6-a11d-45bc-a449-81d9fea428e8> 2005-2023 Copyright
2005-2023 Philip Ross <https://tzinfo.github.io>
<https://rubygems.org/gems/tzinfo-2.0.6.gem> Philip Ross

MIT tzinfo-data-1.2020.1.gem TZInfo::Data contains data from the
IANA Time Zone database packaged as Ruby modules for use with TZInfo.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/99f6f649-9fb6-498f-b3de-c3a64b48bde9> 2005-2020 Copyright
2005-2020 Philip Ross <https://tzinfo.github.io>
<https://rubygems.org/gems/tzinfo-data-1.2020.1.gem> Philip Ross

MIT uglifier-4.2.0.gem Uglifier minifies JavaScript files by
wrapping UglifyJS to be accessible in Ruby
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/99f6f649-9fb6-498f-b3de-c3a64b48bde9>

nt/asString/6e069bf9-24f3-4832-9943-8a18fc55c7dd 2011 Copyright 2011
Ville Lautanala <http://github.com/lautis/uglifier>
<https://rubygems.org/gems/uglifier-4.2.0.gem> Ville Lautanala

MIT useragent-0.16.11.gem HTTP User Agent parser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e62c1b71-6a33-44cc-917b-4c8bf4ff92c7> "2015 Copyright 2015
Garry Shutler 2015-2019 Copyright 2015-2019 Garry Shutler 1084 Copyright
1084 Safari/536.5'" <https://github.com/gshutler/useragent>
<https://rubygems.org/gems/useragent-0.16.11.gem> Joshua Peek,
Garry Shutler

MIT zeitwerk-2.6.8.gem " Zeitwerk implements constant
autoloading with Ruby semantics. Each gem and application may have their
own independent autoloader, with its own configuration, inflector, and
logger. Supports autoloading, reloading, and eager loading."
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0a30f602-e3d3-420c-bad0-b5f7429b0e0d> 2019 Copyright 2019
Xavier Noria <https://github.com/fxn/zeitwerk>
<https://rubygems.org/gems/zeitwerk-2.6.8.gem> Xavier Noria

Mozilla 2.0 therubyrhino_jar-1.7.8.gem Rhino's js.jar classes packaged
as a JRuby gem. <http://github.com/cowboyd/therubyrhino>
https://rubygems.org/gems/therubyrhino_jar-1.7.8.gem Charles
Lowell, Karol Bucek

Ruby json-2.3.0-java.gem <http://flori.github.io/json/>

Ruby xpath-3.2.0.gem XPath is a Ruby DSL for generating XPath
expressions
<https://index.mend.io/gri/app/reader/resource/content/asString/006a18d1-5ea3-4fd0-88c0-591c2841e603> <https://github.com/teamcapybara/xpath>
<https://rubygems.org/gems/xpath-3.2.0.gem> Jonas Nicklas

Suspected Common Public 1.0 htmlparser.jar
<https://mvnrepository.com/artifact/org.htmlparser/htmlparser/1.6>

UnboundID LDAP unboundid-ldapsdk-4.0.13.jar "The UnboundID LDAP SDK for
Java is a fast, comprehensive, and easy-to-use Java API for communicating
with LDAP directory servers and performing related tasks like reading and
writing LDIF, encoding and decoding data using base64 and ASN.1 BER, and
performing secure communication. This package contains the
Standard Edition of the LDAP SDK, which is a complete, general-purpose
library for communicating with LDAPv3 directory servers."null "2007-2019
Copyright 2007-2019 Ping Identity Corporation 2008-2019 Copyright 2008-
2019 Ping Identity Corporation Ping Identity Corporation"
<https://github.com/pingidentity/ldapsdk>
<https://repo.maven.apache.org/maven2/com/unboundid/unboundid-ldapsdk/4.0.13/unboundid-ldapsdk-4.0.13.jar> Ping Identity Corporation

<<End Compliance Analytics 2.0.15>>

<<START OF CMEP Console>>

License	Library	Description	License	Reference	Copyrights	Homepage
	Download Link	Author				

Creative Commons Public Domain Dedication and Certification	JSON-js-master_2014-02-04	JSON in JavaScript				
	https://github.com/douglascrockford/JSON-js					
	http://www.JSON.org/					
	https://api.github.com/repos/douglascrockford/JSON-js/zipball/master	douglascrockford				

MIT jqplot.barRenderer-1.0.9.min.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello" <http://www.jqplot.com/> <https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.barRenderer.min.js>

MIT jqplot.canvasAxisLabelRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello" <http://www.jqplot.com/> <https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.canvasAxisLabelRenderer.js>

MIT jqplot.canvasAxisTickRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello" <http://www.jqplot.com/> <https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.canvasAxisTickRenderer.js>

MIT jqplot.canvasTextRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello" <http://www.jqplot.com/> <https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.canvasTextRenderer.js>

MIT jqplot.categoryAxisRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello
2009-2016 Copyright 2009-2016 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.categoryAxisRenderer.js>

MIT jqplot.categoryAxisRenderer-1.0.9.min.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.categoryAxisRenderer.min.js>

MIT jqplot.enhancedLegendRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello
2009-2016 Copyright 2009-2016 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.enhancedLegendRenderer.js>

MIT jqplot.enhancedPieLegendRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello
2009-2016 Copyright 2009-2016 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.enhancedPieLegendRenderer.js>

MIT jquery.jqplot-1.0.9.min.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/jquery.jqplot.min.js>

MIT jqplot.pieRenderer-1.0.9.min.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.pieRenderer.min.js>

MIT jqplot.pointLabels-1.0.9.min.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello
2009-2015 Copyright 2009-2015 Chris Leonello" <http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.pointLabels.min.js>
<<END OF CMEP Console>>

<<START OF SCM Console>>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0	jquery.flot-0.8.3.min.js	Attractive Javascript plotting for jQuery	https://github.com/flot/flot/blob/v0.8.3/README.md	2007-2014 Copyright 2007-2014 IOLA and Ole Laursen	http://flotcharts.org/
	https://cdnjs.cloudflare.com/ajax/libs/flot/0.8.3/jquery.flot.min.js				

Apache 2.0	xml2json-1.2.0.js	XML <=> JSON mapping/converting library	https://github.com/abdolence/x2js/blob/v1.2.0/package.json	2011-2013 Copyright 2011-2013 Abdulla Abdurakhmanov	https://cdnjs.cloudflare.com/ajax/libs/x2js/1.2.0/xml2json.js
	https://cdnjs.cloudflare.com/ajax/libs/x2js/1.2.0/xml2json.js				

Creative Commons Public Domain Dedication and Certification	JSON-js-master_2014-02-04	JSON in JavaScript	https://github.com/douglascrockford/JSON-js		
	http://www.JSON.org/		https://api.github.com/repos/douglascrockford/JSON-js/zipball/master		

Jacob	tooltipster.bundle-4.2.8.min.js	Tooltipster is a jQuery tooltip plugin.	https://github.com/iamceege/tooltipster/blob/4.2.8/LICENSE	2012-2016 Copyright 2012-2016 Caleb Jacob and Louis Ameline	http://iamceege.github.io/tooltipster/
	https://cdnjs.cloudflare.com/ajax/libs/tooltipster/4.2.8/js/tooltipster.bundle.min.js				

MIT	il8next-1.6.3-1.6.3.min.js	il8next is a full-featured i18n javascript library for translating your web application.	https://github.com/il8next/il8next/blob/1.6.3/license	2011 Copyright 2011 Jan Mühlemann	http://il8next.com/
	https://cdnjs.cloudflare.com/ajax/libs/il8next/1.6.3/il8next-1.6.3.min.js				

MIT	jqplot.barRenderer-1.0.9.js	jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.	https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package		

.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
barRenderer.js

MIT jqplot.canvasAxisLabelRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
canvasAxisLabelRenderer.js

MIT jqplot.canvasTextRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
canvasTextRenderer.js

MIT jqplot.categoryAxisRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
categoryAxisRenderer.js

MIT jqplot.dateAxisRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
dateAxisRenderer.js

MIT jqplot.highlighter-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/

<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.highlighter.js>

MIT jqplot.pointLabels-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.pointLabels.js>

MIT jqPlot-1.0.9 A Versatile and Expandable jQuery Plotting Plugin License File

(<https://github.com/jqPlot/jqPlot/blob/1.0.9/package.json>) 2009-2015 Copyright 2009-2015 Chris Leonello <http://www.jqplot.com>
<https://github.com/jqPlot/jqPlot/zipball/1.0.9> jqPlot

MIT jquery.validate-1.21.0.js Client-side form validation made easy
<https://index.mend.io/gri/app/reader/resource/content/asString/159f9285-732e-4bd4-b5af-14368b0467f1> "Copyright Jörn Zaefferer 2024
Copyright 2024 Jörn Zaefferer Copyright Jörn Zaefferer
"

<http://jqueryvalidation.org/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.21.0/jquery.validate.js>

MIT jquery-1.7.min.js JavaScript library for DOM operations
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json> 2011 Copyright 2011 John Resig, <http://jquery.com/>
<http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/1.7/jquery.min.js>

MIT jquery-ui-1.8.17.min.js A curated set of user interface interactions, effects, widgets, and themes built on top of the jQuery JavaScript Library.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqueryui/package.json> "2011 Copyright 2011 Paul Bakaus, <http://jqueryui.com/>
2011 Copyright 2011 AUTHORS.txt (<http://jqueryui.com/about>)"
<http://jqueryui.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.8.17/jquery-ui.min.js>

MIT slick.autotooltips-2.1.js A lightning fast JavaScript grid/spreadsheet <https://github.com/6pac/SlickGrid/blob/2.1/MIT-LICENSE.txt> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.autotooltips.js>

MIT slick.cellrangedecorator-2.2.0.js A lightning fast JavaScript grid/spreadsheet

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.2.0/plugins/slick.cellrangedecorator.js>

MIT [slick.cellrangeselector-2.1.js](#) A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.cellrangeselector.js>

MIT [slick.cellselectionmodel-2.1.js](#) A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.cellselectionmodel.js>

MIT [slick.core-2.0b1.js](#) A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0b1/slick.core.js>

MIT [slick.editors-2.2.4.js](#) A lightning fast JavaScript grid/spreadsheet
<https://github.com/6pac/SlickGrid/blob/2.2.4/MIT-LICENSE.txt> 2010 Copyright 2010 Michael Leibman, <http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.2.4/slick.editors.js>

MIT [slick.formatters-2.3.4.js](#) A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2009-2016 Copyright 2009-2016 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.3.4/slick.formatters.js>

MIT [slick.grid-2.0b1.js](#) A lightning fast JavaScript grid/spreadsheet
<https://index.mend.io/gri/app/reader/resource/content/asString/dede9ef7-b1f6-4f48-bf02-f7b1f79ddcbb> "2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>

2009-2012 Copyright 2009-2012 Michael Leibman"
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0b1/slick.grid.js>

MIT slick.rowselectionmodel-2.0.2.js A lightning fast JavaScript
grid/spreadsheet <https://github.com/6pac/SlickGrid/blob/2.0.2/MIT-LICENSE.txt> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0.2/plugins/slick.rowselectionmodel.js>

MIT SlickGrid-2.0b1 A lightning fast JavaScript grid/spreadsheet
License File (<https://github.com/6pac/SlickGrid/blob/2.0b1/MIT-LICENSE.txt>) 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://github.com/6pac/SlickGrid/wiki>
<https://github.com/6pac/SlickGrid/zipball/2.0b1> 6pac

<<END OF SCM Console>>

<<START OF RBI Reports 1.0>>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0	ansi-html-0.0.9.tgz	An elegant lib that converts the chalked (ANSI) text to HTML.			
	https://index.mend.io/gri/app/reader/resource/content/asString/355b15ba-c1bf-46ce-a356-05e70479d9a3		https://github.com/Tjatse/ansi-html		
			https://registry.npmjs.org/ansi-html/-/ansi-html-0.0.9.tgz		

Apache 2.0	ansi-html-community-0.0.8.tgz	An elegant lib that converts the chalked (ANSI) text to HTML. (Community)			
	https://index.mend.io/gri/app/reader/resource/content/asString/d6728c49-86d6-4d9d-8905-596ebb3f3bf1	Unspecified Copyright	https://github.com/mahdyar/ansi-html-community		
			https://registry.npmjs.org/ansi-html-community/-/ansi-html-community-0.0.8.tgz		

Apache 2.0	aria-query-5.1.3.tgz	Programmatic access to the ARIA specification			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/718cdc9e-199a-432f-9a98-3a0cef99382c	"2021 Copyright 2021 Alliance			
	2020 Copyright 2020 Alliance"		https://github.com/Alliance/aria-query#readme		
			https://registry.npmjs.org/aria-query/-/aria-query-5.1.3.tgz		

Apache 2.0	aria-query-5.3.0.tgz				
	https://index.mend.io/gri/app/reader/resource/content/asString/8f27ccfc-a650-47cf-be39-a707b9905bf0	"2021 Copyright 2021 Alliance 2020 Copyright 2020 Alliance"	https://github.com/Alliance/aria-		

query#readme <https://registry.npmjs.org/aria-query/-/aria-query-5.3.0.tgz>

Apache 2.0 aria-query-5.3.2.tgz Programmatic access to the ARIA specification
 <https://index.mend.io/gri/app/reader/resource/content/asString/81f460f0-b524-42fe-9f44-fb3fd6709902> "2021 Copyright 2021 AllYance 2020 Copyright 2020 AllYance" <https://github.com/AllYance/aria-query#readme>
 <https://registry.npmjs.org/aria-query/-/aria-query-5.3.2.tgz>

Apache 2.0 axobject-query-4.1.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/7a517e5c-d5e6-49aa-afc0-da918b4b834c> "2021 Copyright 2021 AllYance 2020 Copyright 2020 AllYance" <https://github.com/AllYance/axobject-query#readme>
 <https://registry.npmjs.org/axobject-query/-/axobject-query-4.1.0.tgz>

Apache 2.0 base64-1.1.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/95a01818-aafd-4caa-9421-b81c668f789b> 2024 Copyright 2024 jsonjoy.com
 <https://github.com/jsonjoy-com/base64>
 <https://registry.npmjs.org/@jsonjoy.com/base64/-/base64-1.1.2.tgz>

Apache 2.0 bser-2.1.1.tgz JavaScript implementation of the BSER Binary Serialization
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d092ce81-37be-475e-b451-6c8296dbcb51> Copyright Facebook Inc
<https://facebook.github.io/watchman/docs/bser.html>
 <https://registry.npmjs.org/bser/-/bser-2.1.1.tgz>

Apache 2.0 buffers-1.0.0.tgz Various helper utilities for working with buffers and binary data
<https://index.mend.io/gri/app/reader/resource/content/asString/90a5bc42-fale-4262-acac-ebdba1053365> 2024 Copyright 2024 jsonjoy.com
 <https://github.com/jsonjoy-com/buffers>
 <https://registry.npmjs.org/@jsonjoy.com/buffers/-/buffers-1.0.0.tgz>

Apache 2.0 codegen-1.0.0.tgz No-dependencies, low-level, high-performance JIT code generation package for JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/b7b6f724-52bb-466c-b94f-33926e8d909a> 2024 Copyright 2024 jsonjoy.com
 <https://github.com/jsonjoy-com/codegen>
 <https://registry.npmjs.org/@jsonjoy.com/codegen/-/codegen-1.0.0.tgz>

Apache 2.0 config-array-0.11.14.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/3fcf92f8-36c5-4bf3-9f61-ffdabd962960>
<https://github.com/humanwhocodes/config-array#readme>
 <https://registry.npmjs.org/@humanwhocodes/config-array/-/config-array-0.11.14.tgz>

Apache 2.0 didyoumean-1.2.2.tgz Match human-quality input to potential matches by edit distance.
<https://index.mend.io/gri/app/reader/resource/content/asString/497c5f7b-dala-4111-9c87-ae53452454b7> "2013-2014 Copyright 2013-2014 Dave Porter
2013 Copyright 2013 Dave Porter"
<https://github.com/dcporter/didyoumean.js>
<https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz>

Apache 2.0 doctrine-2.1.0.tgz JSDoc parser
npmjs.com/package/doctrine "Copyright JS Foundation and other contributors, <https://js.foundation>
2012-2011 Copyright 2012-2011 [Ariya Hidayat] (<http://ariya.ofilabs.com/about>)
2012-2011 Copyright 2012-2011 Ariya Hidayat"
<https://github.com/eslint/doctrine>
<https://registry.npmjs.org/doctrine/-/doctrine-2.1.0.tgz>

Apache 2.0 doctrine-3.0.0.tgz JSDoc parser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d522fd19-66ef-4069-af3e-a2e81d348cf6> "Copyright JS Foundation and other contributors, <https://js.foundation> 2012-2011 Copyright 2012-2011 Ariya Hidayat"
<https://github.com/eslint/doctrine>
<https://registry.npmjs.org/doctrine/-/doctrine-3.0.0.tgz>

Apache 2.0 ejjs-3.1.10.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e93d0d27-95cd-4149-836f-2b60cb96965d> <https://github.com/mde/ejs>
<https://registry.npmjs.org/ejs/-/ejs-3.1.10.tgz>

Apache 2.0 eslint-visitor-keys-2.1.0.tgz Constants and utilities about visitor keys to traverse AST.
<https://index.mend.io/gri/app/reader/resource/content/asString/da28b5e1-b982-46fb-8887-ccb789afdaef> OpenJS Foundation
<https://github.com/eslint/eslint-visitor-keys#readme>
<https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-2.1.0.tgz>

Apache 2.0 eslint-visitor-keys-3.4.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f336be20-6ec8-4bf8-852d-fe3c84301a0a> <https://github.com/eslint/eslint-visitor-keys#readme> <https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz>

Apache 2.0 faye-websocket-0.11.4.tgz Standards-compliant WebSocket server and client
<https://index.mend.io/gri/app/reader/resource/content/asString/9d626f4a-c29c-4586-9680-5137ff5eaa29> 2010-2021 Copyright 2010-2021 James Coglan <https://github.com/faye/faye-websocket-node>
<https://registry.npmjs.org/faye-websocket/-/faye-websocket-0.11.4.tgz>

Apache 2.0 fb-watchman-2.0.2.tgz Bindings for the Watchman file watching service

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3d85f48b-763b-4960-8a58-396cb9c44f06>
<https://facebook.github.io/watchman/>
<https://registry.npmjs.org/fb-watchman/-/fb-watchman-2.0.2.tgz>

Apache 2.0 filelist-1.0.4.tgz Lazy-evaluating list of files, based on globs or regex patterns

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e6fd5898-a410-4063-a781-e28410a77522>
<https://github.com/mde/filelist>
<https://registry.npmjs.org/filelist/-/filelist-1.0.4.tgz>

Apache 2.0 glob-to-regex.js-1.0.1.tgz Transform GLOB patterns to JavaScript regular expressions for fast file path matching.

<https://index.mend.io/gri/app/reader/resource/content/asString/191b63ed-33c1-4f6f-adfd-56ec0f4ebc68>
<https://github.com/streamich/glob-to-regex>
<https://registry.npmjs.org/glob-to-regex.js/-/glob-to-regex.js-1.0.1.tgz>

Apache 2.0 harmony-reflect-1.6.2.tgz ES5 shim for ES6 (ECMAScript 6) Reflect and Proxy objects

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/98267ea4-7cd5-458f-ac5e-20edf28520c6> 2016-2015 Copyright 2016-2015 May
<https://github.com/tvcutsem/harmony-reflect>
<https://registry.npmjs.org/harmony-reflect/-/harmony-reflect-1.6.2.tgz>

Apache 2.0 human-signals-2.1.0.tgz Human-friendly process signals

<https://index.mend.io/gri/app/reader/resource/content/asString/6b1614ea-f7b8-4296-b1af-fa18c230db2b> 2019 Copyright 2019 ehmicky
<ehmicky@gmail.com> <https://git.io/JelUP>
<https://registry.npmjs.org/human-signals/-/human-signals-2.1.0.tgz>

Apache 2.0 jake-10.9.4.tgz JavaScript build tool, similar to Make or Rake

<https://www.npmjs.com/package/jake?activeTab=versions>
<https://github.com/jakejs/jake#readme>
<https://registry.npmjs.org/jake/-/jake-10.9.4.tgz>

Apache 2.0 json-pack-1.11.0.tgz High-performance JSON serialization library
<https://www.npmjs.com/package/@jsonjoy.com/json-pack> 2024 Copyright 2024 jsonjoy.com
<https://github.com/jsonjoy-com/json-pack>
<https://registry.npmjs.org/@jsonjoy.com/json-pack/-/json-pack-1.11.0.tgz>

Apache 2.0 json-pointer-1.0.2.tgz High-performance JSON Pointer implementation

<https://index.mend.io/gri/app/reader/resource/content/asString/9de1ac47-4d29-4045-a9c9-bf7e461aa24d> <https://github.com/jsonjoy-com/json-pointer>
<https://registry.npmjs.org/@jsonjoy.com/json-pointer/-/json-pointer-1.0.2.tgz>

Apache 2.0 leb128-1.13.2.tgz LEB128 decoder and encoder
<https://index.mend.io/gri/app/reader/resource/content/asString/33a5226d-a322-4993-a5d5-6f250519f10e> 2012 Copyright 2012 The Obvious Corporation <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/leb128/-/leb128-1.13.2.tgz>

Apache 2.0 long-4.2.2.tgz A Long class for representing a 64-bit two's-complement integer value.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/564c1832-9b31-4f21-bf99-448c23363657> Copyright Daniel Wirtz <https://github.com/dcodeIO/long.js#readme>
<https://registry.npmjs.org/@xtuc/long/-/long-4.2.2.tgz>

Apache 2.0 memfs-4.38.1.tgz In-memory file-system with Node's fs API.
<https://index.mend.io/gri/app/reader/resource/content/asString/04754671-5599-4d5b-ad5a-a110f17494c2> 2023 Copyright 2023 Vadim @streamich Dalecky <vadimsdaleckis@gmail.com> and other contributors
<https://github.com/streamich/memfs>
<https://registry.npmjs.org/memfs/-/memfs-4.38.1.tgz>

Apache 2.0 module-importer-1.0.1.tgz Universal module importer for Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/24ff2e4d-ae95-451b-bf5e-3dd5ce96d9ef>
<https://github.com/humanwhocodes/module-importer#readme>
<https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz>

Apache 2.0 parseargs-0.11.0.tgz Polyfill of future proposal for `util.parseArgs()`
<https://index.mend.io/gri/app/reader/resource/content/asString/deb5f28f-6dbb-4e8d-a506-cac0c96e6a72>
<https://github.com/pkgjs/parseargs#readme>
<https://registry.npmjs.org/@pkgjs/parseargs/-/parseargs-0.11.0.tgz>

Apache 2.0 remapping-2.3.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/227f34f5-c0c0-4712-aca5-a613a3c23fb7> Unspecified Copyright
<https://github.com/ampproject/remapping#readme>
<https://registry.npmjs.org/@ampproject/remapping/-/remapping-2.3.0.tgz>

Apache 2.0 rollup-plugin-off-main-thread-2.2.3.tgz Use Rollup with workers and ES6 modules today.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5028aa3c-c4ee-4457-9c83-32c6e27c434f> 2018 Copyright 2018 Google Inc <https://github.com/surma/rollup-plugin-off-main-thread#readme>
<https://registry.npmjs.org/@surma/rollup-plugin-off-main-thread/-/rollup-plugin-off-main-thread-2.2.3.tgz>

Apache 2.0 tree-dump-1.0.3.tgz Tree or binary tree printer, print any tree to terminal or debug window
<https://index.mend.io/gri/app/reader/resource/content/asString/c7ed5290-01eb-4dae-afc7-4dd229e1cc0e> 2024 Copyright 2024 Vadim @streamich Dalecky
<https://github.com/streamich/tree-dump>
<https://registry.npmjs.org/tree-dump/-/tree-dump-1.0.3.tgz>

Apache 2.0 ts-interface-checker-0.1.13.tgz Runtime library to validate data against TypeScript interfaces
<https://index.mend.io/gri/app/reader/resource/content/asString/149f3ab1-ebf0-459f-a75b-d72c84f16df2> <https://github.com/gristlabs/ts-interface-checker#readme> <https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz>

Apache 2.0 util-1.9.0.tgz Various helper utilities
<https://index.mend.io/gri/app/reader/resource/content/asString/b8c21f74-2cec-4478-b0d1-b388fb513795> 2024 Copyright 2024 jsonjoy.com
<https://github.com/jsonjoy-com/util>
<https://registry.npmjs.org/@jsonjoy.com/util/-/util-1.9.0.tgz>

Apache 2.0 walker-1.0.8.tgz A simple directory tree walker.
<https://index.mend.io/gri/app/reader/resource/content/asString/266ee3df-f797-4ab8-ad3f-6f5de049de92> 2013 Copyright 2013 Naitik Shah
<https://github.com/daaku/nodejs-walker>
<https://registry.npmjs.org/walker/-/walker-1.0.8.tgz>

Apache 2.0 websocket-driver-0.7.4.tgz WebSocket protocol handler with pluggable I/O
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40d6921f-3428-45a3-a777-215a5464cb21> 2010-2020 Copyright 2010-2020 James Coglan <https://github.com/faye/websocket-driver-node>
<https://registry.npmjs.org/websocket-driver/-/websocket-driver-0.7.4.tgz>

Apache 2.0 websocket-extensions-0.1.4.tgz Generic extension manager for WebSocket connections <https://github.com/faye/websocket-extensions-node/blob/master/LICENSE.md> 2014-2020 Copyright 2014-2020 James Coglan <http://github.com/faye/websocket-extensions-node>
<https://registry.npmjs.org/websocket-extensions/-/websocket-extensions-0.1.4.tgz>

Apache 2.0 web-vitals-2.1.4.tgz Easily measure performance metrics in JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1b5c820d-e0b0-4259-8e63-68007b17d07f> 2020 Copyright 2020 Google LLC <https://github.com/GoogleChrome/web-vitals#readme>
<https://registry.npmjs.org/web-vitals/-/web-vitals-2.1.4.tgz>

Apache 2.0 xml-name-validator-3.0.0.tgz Validates whether a string matches the production for an XML name or qualified name
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6b377766-f700-44e7-b9cc-1bc18d7f3770> Unspecified Copyright
<https://github.com/jsdom/xml-name-validator#readme>

<https://registry.npmjs.org/xml-name-validator/-/xml-name-validator-3.0.0.tgz>

Blue Oak Model License 1.0.0 jackspeak-3.4.3.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/c2dc758f-009a-4b5e-b995-bf550d52b183>

<https://github.com/isaacs/jackspeak#readme>

<https://registry.npmjs.org/jackspeak/-/jackspeak-3.4.3.tgz>

Blue Oak Model License 1.0.0 package-json-from-dist-1.0.1.tgz Load the local package.json from either src or dist folder

<https://index.mend.io/gri/app/reader/resource/content/asString/065e7743-98cb-4864-9ece-e982c1aac4ec>

<https://github.com/isaacs/package-json-from-dist#readme>

<https://registry.npmjs.org/package-json-from-dist/-/package-json-from-dist-1.0.1.tgz>

Blue Oak Model License 1.0.0 path-scurry-1.11.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/17d90cad-0191-4c6a-acdb-a44e8314ff9b>

<https://github.com/isaacs/path-scurry#readme>

<https://registry.npmjs.org/path-scurry/-/path-scurry-1.11.1.tgz>

BSD 2 browser-process-hrtime-1.0.0.tgz Shim for process.hrtime in the browser

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c7496132-7233-45ed-8bb6-3f9e19ebf297> 2014 Copyright 2014

kumavis <https://github.com/kumavis/browser-process-hrtime#readme>

<https://registry.npmjs.org/browser-process-hrtime/-/browser-process-hrtime-1.0.0.tgz>

BSD 2 css-select-2.1.0.tgz a CSS selector compiler/engine

<https://www.npmjs.com/package/css-select> Copyright Felix Böhm

<https://github.com/fb55/css-select#readme>

<https://registry.npmjs.org/css-select/-/css-select-2.1.0.tgz>

BSD 2 css-select-4.3.0.tgz a CSS selector compiler/engine

<https://index.mend.io/gri/app/reader/resource/content/asString/b4debc01-ff9a-4516-9e2e-17faaa532c33> Copyright Felix Böhm

<https://github.com/fb55/css-select#readme>

<https://registry.npmjs.org/css-select/-/css-select-4.3.0.tgz>

BSD 2 css-what-3.4.2.tgz a CSS selector parser

<https://index.mend.io/gri/app/reader/resource/content/asString/5660d174-04c1-480c-a964-4747312669ea> Copyright Felix Böhm

<https://github.com/fb55/css-what#readme>

<https://registry.npmjs.org/css-what/-/css-what-3.4.2.tgz>

BSD 2 css-what-6.2.2.tgz a CSS selector parser

<https://index.mend.io/gri/app/reader/resource/content/asString/bd3fb282-bc6e-4e74-a182-1047ae4ad996> Copyright Felix Böhm

<https://github.com/fb55/css-what#readme>

<https://registry.npmjs.org/css-what/-/css-what-6.2.2.tgz>

BSD 2 damerau-levenshtein-1.0.8.tgz Damerau - Levenshtein distance by
The Spanish Inquisition + relative distance
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/384aa5c1-226a-4d00-870a-b60afc03674d> 2018 Copyright 2018
Tadeusz Łazurski <https://github.com/tad-lispy/node-damerau-levenshtein#readme> <https://registry.npmjs.org/damerau-levenshtein/-/damerau-levenshtein-1.0.8.tgz>

BSD 2 domelementtype-1.3.1.tgz all the types of nodes in htmlparser2's
dom
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9a8b2f03-f445-4646-8499-8e0e0c544b03> Copyright Felix Böhm
 <https://github.com/fb55/domelementtype#readme>
 <https://registry.npmjs.org/domelementtype/-/domelementtype-1.3.1.tgz>

BSD 2 domelementtype-2.3.0.tgz all the types of nodes in htmlparser2's
dom
 <https://index.mend.io/gri/app/reader/resource/content/asString/53ed32bc-0a82-4e94-aba7-04cc464d61b2> Copyright Felix Böhm
 <https://github.com/fb55/domelementtype#readme>
 <https://registry.npmjs.org/domelementtype/-/domelementtype-2.3.0.tgz>

BSD 2 domhandler-4.3.1.tgz Handler for htmlparser2 that turns pages
into a dom
 <https://index.mend.io/gri/app/reader/resource/content/asString/4377a603-d020-4ad4-8339-285d6c5163f6> Copyright Felix Böhm
 <https://github.com/fb55/domhandler#readme>
 <https://registry.npmjs.org/domhandler/-/domhandler-4.3.1.tgz>

BSD 2 domutils-1.7.0.tgz utilities for working with htmlparser2's dom
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/45886141-f0ed-46c9-a781-afd89b92c4b3> Copyright Felix Böhm
 <https://github.com/FB55/domutils#readme>
 <https://registry.npmjs.org/domutils/-/domutils-1.7.0.tgz>

BSD 2 domutils-2.8.0.tgz Utilities for working with htmlparser2's dom
 <https://index.mend.io/gri/app/reader/resource/content/asString/4ed5f05c-ac10-4530-a156-1f87005ad05f> Copyright Felix Böhm
 <https://github.com/fb55/domutils#readme>
 <https://registry.npmjs.org/domutils/-/domutils-2.8.0.tgz>

BSD 2 dotenv-10.0.0.tgz Loads environment variables from .env file
 <https://index.mend.io/gri/app/reader/resource/content/asString/d58db12a-cd79-4e8f-874e-6723dcf02aaa> 2015 Copyright 2015 Scott Motte
 <https://github.com/motdotla/dotenv#readme>
 <https://registry.npmjs.org/dotenv/-/dotenv-10.0.0.tgz>

BSD 2 dotenv-expand-5.1.0.tgz Expand environment variables using
dotenv
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f77cc32-6db2-4082-955f-d79ec63f28ea> 2016 Copyright 2016
Scott Motte <https://registry.npmjs.org/dotenv-expand/-/dotenv-expand->

5.1.0.tgz <https://registry.npmjs.org/dotenv-expand/-/dotenv-expand-5.1.0.tgz>

BSD 2 entities-2.2.0.tgz Encode & decode XML and HTML entities with ease
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c9ac0964-f91f-4f7b-bac7-36b6219f7ea5> Copyright Felix Böhm
<https://github.com/fb55/entities#readme>
<https://registry.npmjs.org/entities/-/entities-2.2.0.tgz>

BSD 2 escodegen-1.14.3.tgz ECMAScript code generator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/16a1a626-cebe-4819-b82a-9dae31beb9ab> "2012 Copyright 2012 Yusuke Suzuki (twitter: @Constellation) and other contributors 2012 Copyright 2012 [Yusuke Suzuki] <http://github.com/Constellation>) 2012 Copyright 2012 "Yusuke Suzuki" (<http://github.com/Constellation>) "<http://github.com/estools/escodegen>"
<https://registry.npmjs.org/escodegen/-/escodegen-1.14.3.tgz>

BSD 2 escodegen-2.1.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7dadd866-31ec-4967-b1d8-7792bf700308> "2012 Copyright 2012 Yusuke Suzuki (twitter: @Constellation) and other contributors 2012 Copyright 2012 Yusuke Suzuki" (<http://github.com/Constellation>) "<http://github.com/estools/escodegen>"
<https://registry.npmjs.org/escodegen/-/escodegen-2.1.0.tgz>

BSD 2 eslint-scope-5.1.1.tgz ECMAScript scope analyzer for ESLint
<https://index.mend.io/gri/app/reader/resource/content/asString/5169dead-dbb0-4aa3-abc3-a3cecle1b938> "2012-2013 Copyright 2012-2013 Yusuke Suzuki Copyright JS Foundation and other contributors,
<https://js.foundation>" <http://github.com/eslint/eslint-scope>
<https://registry.npmjs.org/eslint-scope/-/eslint-scope-5.1.1.tgz>

BSD 2 eslint-scope-7.2.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0dff60c2-0de8-4f23-abc0-1ea8c3b5cf2f> "2012-2013 Copyright 2012-2013 Yusuke Suzuki Copyright JS Foundation and other contributors,
<https://js.foundation>" <http://github.com/eslint/eslint-scope>
<https://registry.npmjs.org/eslint-scope/-/eslint-scope-7.2.2.tgz>

BSD 2 espree-9.6.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/58453955-f1f5-42cb-a956-6587ee8b24b0> Copyright Open JS Foundation
<https://github.com/eslint/espree>
<https://registry.npmjs.org/espree/-/espree-9.6.1.tgz>

BSD 2 esprima-1.2.2.tgz ECMAScript parsing infrastructure for multipurpose analysis
<https://github.com/ariya/esprima/blob/1.2.2/LICENSE.BSD>
Unspecified Copyright <http://esprima.org>
<https://registry.npmjs.org/esprima/-/esprima-1.2.2.tgz>

BSD 2 esprima-4.0.1.tgz ECMAScript parsing infrastructure for multipurpose analysis <https://github.com/jquery/esprima/tree/4.0.1> Copyright JS Foundation and other contributors, <https://js.foundation/>
<http://esprima.org> <https://registry.npmjs.org/esprima/-/esprima-4.0.1.tgz>

BSD 2 esrecurse-4.3.0.tgz ECMAScript AST recursive visitor
<https://index.mend.io/gri/app/reader/resource/content/asString/c10e0c33-46d9-4e2c-9d41-6c0eba10967f> 2014 Copyright 2014 "Yusuke Suzuki" (<https://github.com/Constellation>) <https://github.com/estools/esrecurse>
<https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz>

BSD 2 estraverse-4.3.0.tgz ECMAScript JS AST traversal functions
<https://github.com/estools/estraverse/tree/v4.3.0> "2012-2016 Copyright 2012-2016 "Yusuke Suzuki" (<http://github.com/Constellation>) 2012-2016 Copyright 2012-2016 [Yusuke Suzuki] (<http://github.com/Constellation>) "<https://github.com/estools/estraverse>
<https://registry.npmjs.org/estraverse/-/estraverse-4.3.0.tgz>

BSD 2 estraverse-5.3.0.tgz ECMAScript JS AST traversal functions
<https://index.mend.io/gri/app/reader/resource/content/asString/8eeea3ba-fa6a-409d-bed5-08346d919df7> 2012-2016 Copyright 2012-2016 Yusuke Suzuki <https://github.com/estools/estraverse>
<https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz>

BSD 2 esutils-2.0.3.tgz utility box for ECMAScript language tools
<https://github.com/estools/esutils/tree/2.0.3> "2013 Copyright 2013 [Yusuke Suzuki] (<http://github.com/Constellation>) 2013 Copyright 2013 "Yusuke Suzuki" (<http://github.com/Constellation>) "<https://github.com/estools/esutils>
<https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz>

BSD 2 glob-to-regexp-0.4.1.tgz Convert globs to regular expressions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/019842e8-7f2d-42fe-86ad-269ee2ac61c2> 2013 Copyright 2013 Nick Fitzgerald <https://github.com/fitzgen/glob-to-regexp#readme>
<https://registry.npmjs.org/glob-to-regexp/-/glob-to-regexp-0.4.1.tgz>

BSD 2 hoist-non-react-statics-3.3.2.tgz Copies non-react specific statics from a child component to a parent component
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eda56212-b6b7-4089-8910-b68f5b5540ce> 2015 Copyright 2015 Yahoo! <https://github.com/mridgway/hoist-non-react-statics#readme>
<https://registry.npmjs.org/hoist-non-react-statics/-/hoist-non-react-statics-3.3.2.tgz>

BSD 2 nth-check-2.1.1.tgz Parses and compiles CSS nth-checks to highly optimized functions.
<https://index.mend.io/gri/app/reader/resource/content/asString/d52eab62-92da-4440-b5f9-6a1269775aa4> Copyright Felix Böhm
<https://github.com/fb55/nth-check> <https://registry.npmjs.org/nth-check/-/nth-check-2.1.1.tgz>

BSD 2 parser-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/5205361c-32a5-4925-a6fa-9f0f672994b1> Copyright JS Foundation and other contributors, <https://js.foundation> <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/parser/-/parser-5.62.0.tgz>

BSD 2 regjsparser-0.12.0.tgz Parsing the JavaScript's RegExp in JavaScript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3875737b-4fe2-4834-8d2b-88c2859ab396> Copyright Julian Viereck and Contributors, All Rights Reserved
<https://github.com/jviereck/regjsparser>
<https://registry.npmjs.org/regjsparser/-/regjsparser-0.12.0.tgz>

BSD 2 stringify-object-3.3.0.tgz Stringify an object/array like JSON.stringify just without all the double-quotes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0f0d0ff-f800-4aea-84fb-03616bbf00ee> "2015 Copyright 2015 Yeoman team
Copyright Yeoman team" <https://github.com/yeoman/stringify-object#readme>
<https://registry.npmjs.org/stringify-object/-/stringify-object-3.3.0.tgz>

BSD 2 terser-5.43.1.tgz JavaScript parser, mangler/compressor and beautifier toolkit for ES6+
<https://github.com/terser/terser/blob/v5.43.1/package.json>
Copyright Mihai Bazon <https://terser.org>
<https://registry.npmjs.org/terser/-/terser-5.43.1.tgz>

BSD 2 typescript-estree-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6d5b5675-b4e5-4e51-9798-9f5c90d9a40a> Copyright JS Foundation and other contributors, <https://js.foundation> <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/typescript-estree/-/typescript-estree-5.62.0.tgz>

BSD 2 uri-js-4.4.1.tgz An RFC 3986/3987 compliant, scheme extendable URI/IRI parsing/validating/resolving library for JavaScript.
<https://index.mend.io/gri/app/reader/resource/content/asString/4810afa9-a93b-4911-8ea8-a4d03784a8fa> 2011 Copyright 2011 Gary Court
<https://github.com/garycourt/uri-js>
<https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz>

BSD 2 webidl-conversions-4.0.2.tgz Implements the WebIDL algorithms for converting to and from JavaScript values
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/445b969c-afcb-4612-83be-486bbbbb3563b> 2014 Copyright 2014 Domenic Denicola <https://github.com/jsdom/webidl-conversions#readme>
<https://registry.npmjs.org/webidl-conversions/-/webidl-conversions-4.0.2.tgz>

BSD 2 webidl-conversions-5.0.0.tgz Implements the WebIDL algorithms for converting to and from JavaScript values

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9dcd906b-45ef-469e-837a-c0c82d0f791d> 2014 Copyright 2014 Domenic Denicola <https://github.com/jsdom/webidl-conversions#readme>
<https://registry.npmjs.org/webidl-conversions/-/webidl-conversions-5.0.0.tgz>

BSD 2 webidl-conversions-6.1.0.tgz Implements the WebIDL algorithms for converting to and from JavaScript values

<https://index.mend.io/gri/app/reader/resource/content/asString/cba3f295-dfbc-4e98-9c51-51c3fcc2a74c> 2014 Copyright 2014 Domenic Denicola
<https://github.com/jsdom/webidl-conversions#readme>
<https://registry.npmjs.org/webidl-conversions/-/webidl-conversions-6.1.0.tgz>

BSD 3 abab-2.0.6.tgz WHATWG spec-compliant implementations of window.atob and window.btoa.

<https://index.mend.io/gri/app/reader/resource/content/asString/alab1bcf-4172-4d65-b8d8-0a65caec60fd> 2019 Copyright 2019 W3C and Jeff Carpenter <jeffcarp@chromium.org> <https://github.com/jsdom/abab#readme>
<https://registry.npmjs.org/abab/-/abab-2.0.6.tgz>

BSD 3 babel-plugin-istanbul-6.1.1.tgz A babel plugin that adds istanbul instrumentation to ES6 code

<https://index.mend.io/gri/app/reader/resource/content/asString/a08d1f6e-cl66-43ad-97c3-01e17223a4cd> 2016 Copyright 2016 Istanbul Code Coverage <https://github.com/istanbuljs/babel-plugin-istanbul#readme>
<https://registry.npmjs.org/babel-plugin-istanbul/-/babel-plugin-istanbul-6.1.1.tgz>

BSD 3 commons-1.8.6.tgz Simple functions shared among the sinon end user libraries

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5dc00d3b-1992-497d-850e-d681e1d7025c> 2018 Copyright 2018 Sinon.JS <https://github.com/sinonjs/commons#readme>
<https://registry.npmjs.org/@sinonjs/commons/-/commons-1.8.6.tgz>

BSD 3 eslint-plugin-flowtype-8.0.3.tgz Flowtype linting rules for ESLint.

<https://index.mend.io/gri/app/reader/resource/content/asString/df01cc5b-edeb-47fd-898e-ce5f4c6c4cdf> "2015 Copyright 2015 Gajus Kuizinas (<http://gajus.com/>) 2019 Copyright 2019 no corp" <https://github.com/gajus/eslint-plugin-flowtype#readme> <https://registry.npmjs.org/eslint-plugin-flowtype/-/eslint-plugin-flowtype-8.0.3.tgz>

BSD 3 esquery-1.6.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/f8ef9c79-6317-4fc1-8130-911d77f015ae> 2013 Copyright 2013 Joel Feenstra
<https://github.com/estools/esquery/>
<https://registry.npmjs.org/esquery/-/esquery-1.6.0.tgz>

BSD 3 fake-timers-8.1.0.tgz Fake JavaScript timers
https://index.mend.io/gri/app/reader/resource/content/asString/dee94806-9c77-4e0f-8306-7d780f052096 2010-2014 Copyright 2010-2014 Christian Johansen https://github.com/sinonjs/fake-timers
https://registry.npmjs.org/@sinonjs/fake-timers/-/fake-timers-8.1.0.tgz

BSD 3 fast-uri-3.1.0.tgz Dependency-free RFC 3986 URI toolbox
https://index.mend.io/gri/app/reader/resource/content/asString/6e090ac9-17e5-4385-b4c7-84583d54b442 "2011-2021 Copyright 2011-2021 Gary Court until https://github.com/garycourt/uri
2021 Copyright 2021 The Fastify team" https://github.com/fastify/fast-uri https://registry.npmjs.org/fast-uri/-/fast-uri-3.1.0.tgz

BSD 3 filesize-8.0.7.tgz JavaScript library to generate a human readable String describing the file size
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d4494a9a-6903-403e-a386-5f8f91adc446 2022 Copyright 2022 Jason Mulligan https://filesizejs.com
https://registry.npmjs.org/filesize/-/filesize-8.0.7.tgz

BSD 3 ieee754-1.2.0.tgzRead/write IEEE754 floating point numbers from/to a Buffer or array-like object
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5d85f12f-clf3-4a6d-a54d-2b93ca32ded7 2008 Copyright 2008 Fair Oaks Labs, Inc https://github.com/feross/ieee754#readme
https://registry.npmjs.org/@xtuc/ieee754/-/ieee754-1.2.0.tgz

BSD 3 istanbul-lib-coverage-3.2.2.tgz
https://www.npmjs.com/package/istanbul-lib-coverage 2012-2015 Copyright 2012-2015 Yahoo https://istanbul.js.org/
https://registry.npmjs.org/istanbul-lib-coverage/-/istanbul-lib-coverage-3.2.2.tgz

BSD 3 istanbul-lib-instrument-5.2.1.tgz Core istanbul API for JS code coverage
https://index.mend.io/gri/app/reader/resource/content/asString/a7fa3585-b053-4c9f-8ca5-2f4bfc71b9b 2012-2015 Copyright 2012-2015 Yahoo
https://istanbul.js.org/ https://registry.npmjs.org/istanbul-lib-instrument/-/istanbul-lib-instrument-5.2.1.tgz

BSD 3 istanbul-lib-report-3.0.1.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/alc60c05-1ac6-4c3d-92e7-8a8db4c7ec85 2012-2015 Copyright 2012-2015 Yahoo
https://istanbul.js.org/ https://registry.npmjs.org/istanbul-lib-report/-/istanbul-lib-report-3.0.1.tgz

BSD 3 istanbul-lib-source-maps-4.0.1.tgzSource maps support for istanbul
https://index.mend.io/gri/app/reader/resource/content/asString/0ae64af8-e270-4ad4-ba4b-c25c32ca937d 2015 Copyright 2015 Yahoo!
https://istanbul.js.org/ https://registry.npmjs.org/istanbul-lib-source-maps/-/istanbul-lib-source-maps-4.0.1.tgz

BSD 3 istanbul-reports-3.2.0.tgz istanbul reports
<https://index.mend.io/gri/app/reader/resource/content/asString/58a1799d-132a-4960-b4e3-4fdbfd8100c> 2012-2015 Copyright 2012-2015 Yahoo
<https://istanbul.js.org/> <https://registry.npmjs.org/istanbul-reports/-/istanbul-reports-3.2.0.tgz>

BSD 3 json-schema-0.4.0.tgz JSON Schema validation and specifications
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8926c755-e744-4449-a850-0564a8cb82c6> "2003-2004 Copyright 2003-2004 Lawrence E. Rosen
2005-2015 Copyright 2005-2015 The Dojo Foundation"
<https://github.com/kriszyp/json-schema#readme>
<https://registry.npmjs.org/json-schema/-/json-schema-0.4.0.tgz>

BSD 3 makeerror-1.0.12.tgz A library to make errors.
<https://index.mend.io/gri/app/reader/resource/content/asString/83b40e26-53fa-4f24-9ad3-13ed02d503fa> 2014 Copyright 2014 Naitik Shah
<https://github.com/daaku/nodejs-makeerror#readme>
<https://registry.npmjs.org/makeerror/-/makeerror-1.0.12.tgz>

BSD 3 node-forge-1.3.1.tgz JavaScript implementations of network transports, cryptography, ciphers, PKI, message digests, and various utilities.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/54fcc1c1-dc31-4c37-9c83-114a4e92decc> 2010 Copyright 2010 Digital Bazaar, Inc <https://github.com/digitalbazaar/forge>
<https://registry.npmjs.org/node-forge/-/node-forge-1.3.1.tgz>

BSD 3 object-schema-2.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/20a255d9-6994-44b1-83c8-fe5a85c6cb91> 2019 Copyright 2019 Human Who Codes
<https://github.com/humanwhocodes/object-schema#readme>
<https://registry.npmjs.org/@humanwhocodes/object-schema/-/object-schema-2.0.3.tgz>

BSD 3 qs-6.13.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f29eelf4-3b0c-4bae-b435-4ef4a51b3664> 2014 Copyright 2014 Nathan LaFreniere and other "contributors"
(<https://github.com/ljharb/qs/graphs/contributors>)
<https://github.com/ljharb/qs> <https://registry.npmjs.org/qs/-/qs-6.13.0.tgz>

BSD 3 react-transition-group-4.4.5.tgz A react component toolset for managing animations
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f7f9b131-360c-4ca2-a3ef-620317858e14> "2013 Copyright 2013 Facebook, Inc
2018 Copyright 2018 React Community" <https://github.com/reactjs/react-transition-group#readme> <https://registry.npmjs.org/react-transition-group/-/react-transition-group-4.4.5.tgz>

BSD 3 serialize-javascript-6.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e73d>

6686-c85f-43a7-8750-27a7b6c2e51d 2014 Copyright 2014 Yahoo!
<https://github.com/yahoo/serialize-javascript>
<https://registry.npmjs.org/serialize-javascript/-/serialize-javascript-6.0.2.tgz>

BSD 3 source-map-0.5.7.tgz Generates and consumes source maps
<https://github.com/mozilla/source-map> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors
<https://github.com/mozilla/source-map>
<https://registry.npmjs.org/source-map/-/source-map-0.5.7.tgz>

BSD 3 source-map-0.6.1.tgz Generates and consumes source maps
<https://github.com/mozilla/source-map/tree/0.6.1> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors
<https://github.com/mozilla/source-map>
<https://registry.npmjs.org/source-map/-/source-map-0.6.1.tgz>

BSD 3 source-map-0.7.6.tgz Generates and consumes source maps
<https://index.mend.io/gri/app/reader/resource/content/asString/03d2eb0b-e7dc-4137-b63b-a08a59de25f4> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors <https://github.com/mozilla/source-map>
<https://registry.npmjs.org/source-map/-/source-map-0.7.6.tgz>

BSD 3 source-map-0.8.0-beta.0.tgz Generates and consumes source maps
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/65bebc7f-5adb-4e6f-8e75-66f312b79c08> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors
<https://github.com/mozilla/source-map>
<https://registry.npmjs.org/source-map/-/source-map-0.8.0-beta.0.tgz>

BSD 3 source-map-js-1.2.1.tgz Generates and consumes source maps
<https://index.mend.io/gri/app/reader/resource/content/asString/469c889a-2ceb-4628-a7a8-8494ffa4405f> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors <https://github.com/7rulnik/source-map-js>
<https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz>

BSD 3 sprintf-js-1.0.3.tgz JavaScript sprintf implementation
<https://github.com/alexei/sprintf.js> 2014 Copyright 2014 Alexandru Marasteanu <https://github.com/alexei/sprintf.js#readme>
<https://registry.npmjs.org/sprintf-js/-/sprintf-js-1.0.3.tgz>

BSD 3 tmpl-1.0.5.tgz JavaScript micro templates.
<https://index.mend.io/gri/app/reader/resource/content/asString/979celcc-4397-4f9c-9f0e-f5794decbf31> 2014 Copyright 2014 Naitik Shah
<https://github.com/daaku/nodejs-tmpl>
<https://registry.npmjs.org/tmpl/-/tmpl-1.0.5.tgz>

BSD 3 tough-cookie-4.1.4.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/19ble9dc-dda2-4d53-9704-1c2edf157bc2> "2015 Copyright 2015 Salesforce.com, Inc Copyright and License"
<https://github.com/salesforce/tough-cookie>

<https://registry.npmjs.org/tough-cookie/-/tough-cookie-4.1.4.tgz>

BSD Zero tslib-1.14.1.tgz Runtime library for TypeScript helper
functions <https://www.typescriptlang.org/> Copyright Microsoft
Corporation <https://www.typescriptlang.org/>
<https://registry.npmjs.org/tslib/-/tslib-1.14.1.tgz>

BSD Zero tslib-2.8.1.tgz Runtime library for TypeScript helper
functions <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40d321a0-45e9-4721-b656-2d3aedcd98cd> Copyright Microsoft
Corporation <https://www.typescriptlang.org/>
<https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz>

CC BY 4.0 caniuse-lite-1.0.30001737.tgz A smaller version of
caniuse-db, with only the essentials!
<https://index.mend.io/gri/app/reader/resource/content/asString/6ee140a4-5d35-4e2e-96f4-555ac19fcb4e>
<https://github.com/browserslist/caniuse-lite#readme>
<https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001737.tgz>

CC0 css-blank-pseudo-3.0.3.tgz Style form elements when they are empty
<https://index.mend.io/gri/app/reader/resource/content/asString/0e558688-966d-4057-82e7-4349a3a67385> Copyright and Related Rights (defined
below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/css-blank-pseudo#readme>
<https://registry.npmjs.org/css-blank-pseudo/-/css-blank-pseudo-3.0.3.tgz>

CC0 cssdb-7.11.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/cb60c735-d38b-4f52-9f3f-23727da06b45> Copyright and Related Rights (defined
below) upon the creator and <https://github.com/csstools/cssdb#readme>
<https://registry.npmjs.org/cssdb/-/cssdb-7.11.2.tgz>

CC0 css-has-pseudo-3.0.4.tgz Style elements relative to other
elements in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/ee6bbe8b-840d-4146-8bee-8431c5bb592b> Copyright and Related Rights (defined
below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/css-has-pseudo#readme>
<https://registry.npmjs.org/css-has-pseudo/-/css-has-pseudo-3.0.4.tgz>

CC0 css-prefers-color-scheme-6.0.3.tgz Use light and dark color schemes
in all browsers
<https://index.mend.io/gri/app/reader/resource/content/asString/573d6885-9e94-4959-8979-78147175a92f> Copyright and Related Rights (defined
below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/css-prefers-color-scheme#readme>
<https://registry.npmjs.org/css-prefers-color-scheme/-/css-prefers-color-scheme-6.0.3.tgz>

CC0 language-subtag-registry-0.3.23.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e6bef23d-308d-4c73-8852-00ebe2dcdee6>
<https://github.com/mattcg/language-subtag-registry>
<https://registry.npmjs.org/language-subtag-registry/-/language-subtag-registry-0.3.23.tgz>

CC0 mdn-data-2.0.14.tgz Open Web data by the Mozilla Developer Network
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a1c12a26-8c3b-4f10-8ef7-4934b5fe47b2> Copyright and Related Rights (defined below) upon the creator and
<https://developer.mozilla.org> <https://registry.npmjs.org/mdn-data/-/mdn-data-2.0.14.tgz>

CC0 mdn-data-2.0.4.tgz Open Web data by the Mozilla Developer Network
<https://www.npmjs.com/package/mdn-data> Copyright and Related Rights (defined below) upon the creator and
<https://developer.mozilla.org> <https://registry.npmjs.org/mdn-data/-/mdn-data-2.0.4.tgz>

CC0 normalize.css-12.1.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a3a20d30-253e-4bed-b44f-f932c2ec7760> Copyright and Related Rights (defined below) upon the creator and
<https://github.com/csstools/normalize.css#readme>
<https://registry.npmjs.org/@csstools/normalize.css/-/normalize.css-12.1.1.tgz>

CC0 postcss-browser-comments-4.0.0.tgz Keep only the CSS you need based on comments and your browserslist
<https://index.mend.io/gri/app/reader/resource/content/asString/433851af-e3eb-4430-80d1-8f17c5a79a45> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-browser-comments#readme> <https://registry.npmjs.org/postcss-browser-comments/-/postcss-browser-comments-4.0.0.tgz>

CC0 postcss-cascade-layers-1.1.1.tgz Use cascade layers in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/ald1f7d6-430d-40c6-8d65-18c25bc36b6c> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-cascade-layers#readme>
<https://registry.npmjs.org/@csstools/postcss-cascade-layers/-/postcss-cascade-layers-1.1.1.tgz>

CC0 postcss-color-function-1.1.1.tgz Use the color() function in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/cf946dad-8121-4b9f-8274-7dcf8858de37> "Copyright and Related Rights (defined below) upon the creator and 2022 Copyright 2022 W3C® (MIT, ERCIM, Keio, Beihang)" <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-color-function#readme>
<https://registry.npmjs.org/@csstools/postcss-color-function/-/postcss-color-function-1.1.1.tgz>

CC0 postcss-color-functional-notation-4.2.4.tgz Use space and slash separated color notation in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/b24b0649-9785-4ddc-a31f-65ceb72058c2> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-color-functional-notation#readme>
<https://registry.npmjs.org/postcss-color-functional-notation/-/postcss-color-functional-notation-4.2.4.tgz>

CC0 postcss-color-rebeccapurple-7.1.1.tgz Use the rebeccapurple color keyword in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/5409db46-ab98-4182-b455-a52c3eef7486> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-color-rebeccapurple#readme>
<https://registry.npmjs.org/postcss-color-rebeccapurple/-/postcss-color-rebeccapurple-7.1.1.tgz>

CC0 postcss-dir-pseudo-class-6.0.5.tgz Use the :dir pseudo-class in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/9231d73e-60fb-4f6b-ad4f-7398d68a27f7> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-dir-pseudo-class#readme>
<https://registry.npmjs.org/postcss-dir-pseudo-class/-/postcss-dir-pseudo-class-6.0.5.tgz>

CC0 postcss-double-position-gradients-3.1.2.tgz Use double-position gradients in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/072e6fd2-36a2-43b5-84f6-a7811fb8c6b9> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-double-position-gradients#readme>
<https://registry.npmjs.org/postcss-double-position-gradients/-/postcss-double-position-gradients-3.1.2.tgz>

CC0 postcss-env-function-4.0.6.tgz Use env() variables in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/eadbddd7-0bbc-4d4a-b9c8-6efc0e58236a> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-env-function#readme>
<https://registry.npmjs.org/postcss-env-function/-/postcss-env-function-4.0.6.tgz>

CC0 postcss-focus-visible-6.0.4.tgz Use the :focus-visible pseudo-selector in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/fe5187fc-bc49-4bd0-9564-a7edf6ee0084> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-focus-visible#readme>
<https://registry.npmjs.org/postcss-focus-visible/-/postcss-focus-visible-6.0.4.tgz>

CC0 postcss-focus-within-5.0.4.tgz Use the :focus-within pseudo-selector in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/ea217a2a-eac3-4de8-91df-773adbe4208d> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-focus-within#readme>
<https://registry.npmjs.org/postcss-focus-within/-/postcss-focus-within-5.0.4.tgz>

CC0 postcss-font-format-keywords-1.0.1.tgz Use unquoted format on @font-face CSS definitions.
<https://index.mend.io/gri/app/reader/resource/content/asString/929fa791-dd97-4f23-8ae0-430489b31962> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-font-format-keywords#readme>
<https://registry.npmjs.org/@csstools/postcss-font-format-keywords/-/postcss-font-format-keywords-1.0.1.tgz>

CC0 postcss-gap-properties-3.0.5.tgz Use the gap, column-gap, and row-gap shorthand properties in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/355e198d-dc2f-47d6-92a5-06e906925b8b> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-gap-properties#readme>
<https://registry.npmjs.org/postcss-gap-properties/-/postcss-gap-properties-3.0.5.tgz>

CC0 postcss-hwb-function-1.0.2.tgz Use hwb() color functions in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/9d71a8b9-09d2-40f0-8221-46d961bfe061> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-hwb-function#readme>
<https://registry.npmjs.org/@csstools/postcss-hwb-function/-/postcss-hwb-function-1.0.2.tgz>

CC0 postcss-ic-unit-1.0.1.tgz Use the ic length unit
<https://index.mend.io/gri/app/reader/resource/content/asString/dfac67f3-e641-4378-a67b-2f6ca23e573d> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-ic-unit#readme>
<https://registry.npmjs.org/@csstools/postcss-ic-unit/-/postcss-ic-unit-1.0.1.tgz>

CC0 postcss-image-set-function-4.0.7.tgz Display resolution-dependent images using the image-set() function in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/9faa04c3-f0f8-4f71-9f7a-39241d79b0f5> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-image-set-function#readme>
<https://registry.npmjs.org/postcss-image-set-function/-/postcss-image-set-function-4.0.7.tgz>

CC0 postcss-is-pseudo-class-2.0.7.tgz A pseudo-class for matching elements in a selector list

<https://index.mend.io/gri/app/reader/resource/content/asString/59a58679-6ad6-49cc-b5b3-6616ba823c36> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-is-pseudo-class#readme>

<https://registry.npmjs.org/@csstools/postcss-is-pseudo-class/-/postcss-is-pseudo-class-2.0.7.tgz>

CC0 postcss-lab-function-4.2.1.tgz Use lab() and lch() color functions in CSS

<https://index.mend.io/gri/app/reader/resource/content/asString/a50d643b-1b1b-490c-a0d8-d7a12f49b8bc> "Copyright and Related Rights (defined below) upon the creator and

2022 Copyright 2022 W3C® (MIT, ERCIM, Keio, Beihang)"

<https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-lab-function#readme>

<https://registry.npmjs.org/postcss-lab-function/-/postcss-lab-function-4.2.1.tgz>

CC0 postcss-logical-5.0.4.tgz Use logical properties and values in CSS

<https://index.mend.io/gri/app/reader/resource/content/asString/f00cef07-f1b3-4eb8-bfe3-08a335caae39> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-logical#readme>

<https://registry.npmjs.org/postcss-logical/-/postcss-logical-5.0.4.tgz>

CC0 postcss-nested-calc-1.0.0.tgz Use nested calc() expressions in CSS

<https://index.mend.io/gri/app/reader/resource/content/asString/9f6c2a95-87d7-4171-8da6-ac53felf1943> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-nested-calc#readme>

<https://registry.npmjs.org/@csstools/postcss-nested-calc/-/postcss-nested-calc-1.0.0.tgz>

CC0 postcss-nesting-10.2.0.tgz Nest rules inside each other in CSS

<https://index.mend.io/gri/app/reader/resource/content/asString/f6b7a688-6bdf-4eb3-9012-643f11840ca3> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-nesting#readme>

<https://registry.npmjs.org/postcss-nesting/-/postcss-nesting-10.2.0.tgz>

CC0 postcss-normalize-10.0.1.tgz Use the parts of normalize.css or sanitize.css you need from your browserslist

<https://index.mend.io/gri/app/reader/resource/content/asString/8f1038ba-8909-4ae8-9aa4-9070fa9d8cb4> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-normalize#readme> <https://registry.npmjs.org/postcss-normalize/-/postcss-normalize-10.0.1.tgz>

CC0 postcss-normalize-display-values-1.0.1.tgz Use two values display syntax for inner and outer display types.

<https://index.mend.io/gri/app/reader/resource/content/asString/ea66c184-be7a-47ae-8a4c-dac665dcf75a> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins#readme> <https://registry.npmjs.org/@csstools/postcss-normalize-display-values/-/postcss-normalize-display-values-1.0.1.tgz>

CC0 `postcss-oklab-function-1.1.1.tgz` Use `oklab()` and `oklch()` color functions in CSS

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5823e347-15fc-4adf-a65d-1614f60ad3e6> "Copyright and Related Rights (defined below) upon the creator and 2022 Copyright 2022 W3C® (MIT, ERCIM, Keio, Beihang)"

<https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-oklab-function#readme>
<https://registry.npmjs.org/@csstools/postcss-oklab-function/-/postcss-oklab-function-1.1.1.tgz>

CC0 `postcss-overflow-shorthand-3.0.4.tgz` Use the overflow shorthand in CSS

<https://index.mend.io/gri/app/reader/resource/content/asString/0c014435-cfb2-4b48-aa39-76f504bf9aef> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-overflow-shorthand#readme>
<https://registry.npmjs.org/postcss-overflow-shorthand/-/postcss-overflow-shorthand-3.0.4.tgz>

CC0 `postcss-place-7.0.5.tgz` Use a `place-*` shorthand for `align-*` and `justify-*` in CSS

<https://index.mend.io/gri/app/reader/resource/content/asString/64a04e21-a93a-41d8-bafc-a3ce5f936e30> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-place#readme>
<https://registry.npmjs.org/postcss-place/-/postcss-place-7.0.5.tgz>

CC0 `postcss-preset-env-7.8.3.tgz` Convert modern CSS into something browsers understand

<https://index.mend.io/gri/app/reader/resource/content/asString/0ebf28de-1ee0-4bca-9bea-e6b290cf8410> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugin-packs/postcss-preset-env#readme>
<https://registry.npmjs.org/postcss-preset-env/-/postcss-preset-env-7.8.3.tgz>

CC0 `postcss-progressive-custom-properties-1.3.0.tgz` Correctly declare progressive enhancements for CSS Custom Properties.

<https://index.mend.io/gri/app/reader/resource/content/asString/8f097861-fd21-4790-bac2-595535b1d32e> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins#readme> <https://registry.npmjs.org/@csstools/postcss-progressive-custom-properties/-/postcss-progressive-custom-properties-1.3.0.tgz>

CC0 postcss-pseudo-class-any-link-7.1.6.tgz Use the :any-link pseudo-class in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/4b21180f-0ae7-410a-ada5-29ccae50c191> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-pseudo-class-any-link#readme>
<https://registry.npmjs.org/postcss-pseudo-class-any-link/-/postcss-pseudo-class-any-link-7.1.6.tgz>

CC0 postcss-stepped-value-functions-1.0.1.tgz Use round, rem and mod functions in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/85daa053-7f67-4086-9566-61fff72df7be> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-stepped-value-functions#readme>
<https://registry.npmjs.org/@csstools/postcss-stepped-value-functions/-/postcss-stepped-value-functions-1.0.1.tgz>

CC0 postcss-text-decoration-shorthand-1.0.0.tgz Use text-decoration in it's shorthand form in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/243af29f-cf6d-48ea-bf94-6679a9152d95> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-text-decoration-shorthand#readme>
<https://registry.npmjs.org/@csstools/postcss-text-decoration-shorthand/-/postcss-text-decoration-shorthand-1.0.0.tgz>

CC0 postcss-trigonometric-functions-1.0.2.tgz Use sin(), cos(), tan(), acos(), atan(), and atan2() to compute trigonometric relationships
<https://index.mend.io/gri/app/reader/resource/content/asString/847e8628-c8cf-4794-bdd2-889c311569e8> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-trigonometric-functions#readme>
<https://registry.npmjs.org/@csstools/postcss-trigonometric-functions/-/postcss-trigonometric-functions-1.0.2.tgz>

CC0 postcss-unset-value-1.0.2.tgz Use the unset keyword in CSS.
<https://index.mend.io/gri/app/reader/resource/content/asString/96d17885-5ee0-44dc-a910-0bec8f32280c> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-unset-value#readme>
<https://registry.npmjs.org/@csstools/postcss-unset-value/-/postcss-unset-value-1.0.2.tgz>

CC0 sanitize.css-13.0.0.tgz A best-practices CSS foundation
<https://index.mend.io/gri/app/reader/resource/content/asString/32a7f250-17c4-4306-8812-e3a68aeaf105> Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/sanitize.css#readme>
<https://registry.npmjs.org/sanitize.css/-/sanitize.css-13.0.0.tgz>

CC0 selector-specificity-2.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/63a4>

9547-73b0-4bb4-a4fd-816f061ae814 Copyright and Related Rights (defined below) upon the creator and <https://github.com/csstools/postcss-plugins/tree/main/packages-selector-specificity#readme>
<https://registry.npmjs.org/@csstools/selector-specificity/-/selector-specificity-2.2.0.tgz>

ISC anymatch-3.1.3.tgz Matches strings against configurable strings, globs, regular expressions, and/or functions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/120d1b38-2e35-44dc-854a-7311a7e232df> 2019 Copyright 2019 Elan Shanker, Paul Miller (<https://paulmillr.com>)
<https://github.com/micromatch/anymatch>
<https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz>

ISC at-least-node-1.0.0.tgz Lightweight Node.js version sniffing/comparison
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/61b64853-b2d0-453f-b94f-57d864ce864a> 2020 Copyright 2020 Ryan Zimmerman <opensrc@ryanzim.com> <https://github.com/RyanZim/at-least-node#readme>
<https://registry.npmjs.org/at-least-node/-/at-least-node-1.0.0.tgz>

ISC boolbase-1.0.0.tgz two functions: One that returns true, one that returns false
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f107589c-c039-4685-85fd-2196ae34aa47> Felix Boehm
<https://github.com/fb55/boolbase>
<https://registry.npmjs.org/boolbase/-/boolbase-1.0.0.tgz>

ISC cliui-7.0.4.tgz easily create complex multi-column command-line-interfaces
<https://index.mend.io/gri/app/reader/resource/content/asString/fc67b92b-e512-4219-bc8e-cbd1ab8adb4f> 2015 Copyright 2015 Contributors
<https://github.com/yargs/cliui#readme>
<https://registry.npmjs.org/cliui/-/cliui-7.0.4.tgz>

ISC cliui-8.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6264c124-deaa-4440-a3f5-b8d25b3f0830> 2015 Copyright 2015 Contributors
<https://github.com/yargs/cliui#readme>
<https://registry.npmjs.org/@isaacs/cliui/-/cliui-8.0.2.tgz>

ISC css-declaration-sorter-6.4.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6a90031-0530-41be-992b-78ca7b1dbcb4> Copyright (c)
<https://github.com/Siilwyn/css-declaration-sorter#readme>
<https://registry.npmjs.org/css-declaration-sorter/-/css-declaration-sorter-6.4.1.tgz>

ISC electron-to-chromium-1.5.208.tgz Provides a list of electron-to-chromium version mappings
<https://index.mend.io/gri/app/reader/resource/content/asString/33c6d636-5102-4557-91f7-c33aaa733562> 2018 Copyright 2018 Kilian Valkhof
<https://github.com/kilian/electron-to-chromium#readme>

<https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.208.tgz>

ISC fastq-1.19.1.tgz Fast, in memory work queue
<https://index.mend.io/gri/app/reader/resource/content/asString/2c2c833e-b9a3-4d48-9efa-98666fb02e02> 2015-2020 Copyright 2015-2020 Matteo Collina <matteo.collina@gmail.com>
<https://github.com/mcollina/fastq#readme>
<https://registry.npmjs.org/fastq/-/fastq-1.19.1.tgz>

ISC flatted-3.3.3.tgzA super light and fast circular JSON parser.
<https://index.mend.io/gri/app/reader/resource/content/asString/19170a42-b476-4f9d-9705-b7c0c8e6e0d5> 2018-2020 Copyright 2018-2020 Andrea Giammarchi <https://github.com/WebReflection/flatted#readme>
<https://registry.npmjs.org/flatted/-/flatted-3.3.3.tgz>

ISC foreground-child-3.3.1.tgz Run a child as if it's the foreground process. Give it stdio. Exit when it exits.
<https://index.mend.io/gri/app/reader/resource/content/asString/717f084f-9b93-41bc-817c-82603943663c> 2015-2023 Copyright 2015-2023 Isaac Z. Schlueter and Contributors <https://github.com/tapjs/foreground-child#readme> <https://registry.npmjs.org/foreground-child/-/foreground-child-3.3.1.tgz>

ISC fs.realpath-1.0.0.tgz Use node's fs.realpath, but fall back to the JS implementation if the native one fails
<https://github.com/isaacs/fs.realpath> "Copyright Isaac Z. Schlueter and Contributors
Copyright Isaac Z" <https://github.com/isaacs/fs.realpath#readme>
<https://registry.npmjs.org/fs.realpath/-/fs.realpath-1.0.0.tgz>

ISC get-caller-file-2.0.5.tgz `[![Build Status](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master)] (https://travis-ci.org/stefanpenner/get-caller-file) [![Build status](https://ci.appveyor.com/api/projects/status/ol2q94g1932cyl4a/branch/master?svg=true)] (https://ci.a
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/26c4397e-5307-4578-b7eb-ce9beb1b4897 2018 Copyright 2018 Stefan Penner https://github.com/stefanpenner/get-caller-file#readme
https://registry.npmjs.org/get-caller-file/-/get-caller-file-2.0.5.tgz`

ISC get-own-enumerable-property-symbols-3.0.2.tgz Returns an array of all enumerable symbol properties found directly upon a given object
<https://github.com/mightyiam/get-own-enumerable-property-symbols/blob/v3.0.2/package.json> 2019 Copyright 2019 Shahar Or
<https://github.com/mightyiam/get-own-enumerable-property-symbols#readme> <https://registry.npmjs.org/get-own-enumerable-property-symbols/-/get-own-enumerable-property-symbols-3.0.2.tgz>

ISC glob-10.4.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bcab0c2e-5a5a-435d-aalc-9423659db078> 2009-2023 Copyright 2009-2023 Isaac Z.

Schlueter and Contributors <https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-10.4.5.tgz>

ISC glob-7.2.3.tgz a little globber
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1526e0d4-7eb6-48a6-8eef-e4cf1e913a88> Copyright Isaac Z. Schlueter and Contributors <https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-7.2.3.tgz>

ISC glob-parent-5.1.2.tgz Extract the non-magic parent path from a glob string.
<https://index.mend.io/gri/app/reader/resource/content/asString/f229f467-0d39-47e7-8a40-10f5f4e63369> 2015-2019 Copyright 2015-2019 Elan Shanker <https://github.com/gulpjs/glob-parent#readme>
<https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz>

ISC glob-parent-6.0.2.tgz Extract the non-magic parent path from a glob string.
<https://index.mend.io/gri/app/reader/resource/content/asString/df4feb7e-f366-4bf3-b80f-fbfff9210df6a> "2019 Copyright 2019 Elan Shanker 2021 Copyright 2021 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io>" <https://github.com/gulpjs/glob-parent#readme>
<https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz>

ISC graceful-fs-4.2.11.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3b331a44-3414-4653-b4d8-72752de2439f> 2011-2022 Copyright 2011-2022 Isaac Z. Schlueter <https://github.com/isaacs/node-graceful-fs#readme>
<https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz>

ISC icss-utils-5.1.0.tgz ICSS utils for postcss ast
<https://index.mend.io/gri/app/reader/resource/content/asString/5581d40f-5b62-4759-aa63-39a80115f459> 2018 Copyright 2018 Glen Maddern
<https://github.com/css-modules/icss-utils#readme>
<https://registry.npmjs.org/icss-utils/-/icss-utils-5.1.0.tgz>

ISC idb-7.1.1.tgz A small wrapper that makes IndexedDB usable
<https://index.mend.io/gri/app/reader/resource/content/asString/b596c88e-b4b7-42d0-a957-0c7f6be5fc78> 2016 Copyright 2016 Jake Archibald <jaffathecake@gmail.com> <https://github.com/jakearchibald/idb#readme>
<https://registry.npmjs.org/idb/-/idb-7.1.1.tgz>

ISC inflight-1.0.6.tgz Add callbacks to requests in flight to avoid async duplication
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c5bald34-bd4c-463a-a8e9-68652e28833d> Copyright Isaac Z. Schlueter <https://github.com/isaacs/inflight>
<https://registry.npmjs.org/inflight/-/inflight-1.0.6.tgz>

ISC inherits-2.0.3.tgz Browser-friendly inheritance fully compatible with standard node.js inherits()
<https://github.com/isaacs/inherits/tree/v2.0.3> "Copyright Isaac Z. Schlueter Copyright Isaac Z"

<https://github.com/isaacs/inherits#readme>
<https://registry.npmjs.org/inherits/-/inherits-2.0.3.tgz>

ISC inherits-2.0.4.tgz Browser-friendly inheritance fully compatible with standard node.js inherits()
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d1e237f-a87e-4a98-bc29-f262658ebala> Copyright Isaac Z
<https://github.com/isaacs/inherits#readme>
<https://registry.npmjs.org/inherits/-/inherits-2.0.4.tgz>

ISC ini-1.3.8.tgz An ini encoder/decoder for node
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d3ec0bf-11f5-4392-827f-0af2ee690641> Copyright Isaac Z
<https://github.com/isaacs/ini#readme>
<https://registry.npmjs.org/ini/-/ini-1.3.8.tgz>

ISC isexe-2.0.0.tgz Minimal module to check if a file is executable.
<https://github.com/isaacs/isexe#readme> Copyright Isaac Z.
Schlueter and Contributors <https://github.com/isaacs/isexe#readme>
<https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz>

ISC load-nyc-config-1.1.0.tgz Utility function to load nyc configuration
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d48bf2e-e24f-4461-a704-b6a6de501984> 2019 Copyright 2019 Contributors
<https://github.com/istanbuljs/load-nyc-config#readme>
<https://registry.npmjs.org/@istanbuljs/load-nyc-config/-/load-nyc-config-1.1.0.tgz>

ISC lru-cache-10.4.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a1101c01-9c90-4ca2-80bc-e7fc3ad7adcc> 2010-2023 Copyright 2010-2023 Isaac Z.
Schlueter and Contributors <https://github.com/isaacs/node-lru-cache#readme>
<https://registry.npmjs.org/lru-cache/-/lru-cache-10.4.3.tgz>

ISC lru-cache-5.1.1.tgz A cache object that deletes the least-recently-used items. <https://github.com/isaacs/node-lru-cache#readme>
"Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z"
<https://github.com/isaacs/node-lru-cache#readme>
<https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz>

ISC minimalistic-assert-1.0.1.tgz minimalistic-assert ===
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c041f496-060b-4072-8d9e-42ea6f1falle> 2015 Copyright 2015 Calvin Metcalf
<https://github.com/calvinmetcalf/minimalistic-assert>
<https://registry.npmjs.org/minimalistic-assert/-/minimalistic-assert-1.0.1.tgz>

ISC minimatch-3.1.2.tgz a glob matcher in javascript
<https://index.mend.io/gri/app/reader/resource/content/asString/06aed408-7a93-4bd2-a980-3051900f36e8> Copyright Isaac Z. Schlueter and Contributors
<https://github.com/isaacs/minimatch#readme>
<https://registry.npmjs.org/minimatch/-/minimatch-3.1.2.tgz>

ISC minimatch-5.1.6.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/beeabd2d-7853-4d21-a773-96e1d5610be6> 2011-2023 Copyright 2011-2023 Isaac Z. Schlueter and Contributors <https://github.com/isaacs/minimatch#readme>
 <https://registry.npmjs.org/minimatch/-/minimatch-5.1.6.tgz>

ISC minimatch-9.0.5.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/5faaefca-1379-4c7e-ab6f-f8716bfea816> 2011-2023 Copyright 2011-2023 Isaac Z. Schlueter and Contributors <https://github.com/isaacs/minimatch#readme>
 <https://registry.npmjs.org/minimatch/-/minimatch-9.0.5.tgz>

ISC minipass-7.1.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/03616f91-ce97-456f-9abb-7eb407459cd2> 2017-2023 Copyright 2017-2023 npm, Inc
 <https://github.com/isaacs/minipass#readme>
 <https://registry.npmjs.org/minipass/-/minipass-7.1.2.tgz>

ISC once-1.4.0.tgz Run a function exactly one time
 <https://github.com/isaacs/once#readme> Copyright Isaac Z. Schlueter and Contributors <https://github.com/isaacs/once#readme>
 <https://registry.npmjs.org/once/-/once-1.4.0.tgz>

ISC picocolors-1.1.1.tgz The tiniest and the fastest library for terminal output formatting with ANSI colors
 <https://index.mend.io/gri/app/reader/resource/content/asString/52b36f95-45e9-4e2f-8acf-6866940db217> 2021-2024 Copyright 2021-2024 Oleksii Raspopov <https://github.com/alexeyraspopov/picocolors#readme>
 <https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz>

ISC postcss-modules-extract-imports-3.1.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/4bee6786-3ad4-44d8-845d-fc5222514819> 2015 Copyright 2015 Glen Maddern
 <https://github.com/css-modules/postcss-modules-extract-imports>
 <https://registry.npmjs.org/postcss-modules-extract-imports/-/postcss-modules-extract-imports-3.1.0.tgz>

ISC postcss-modules-scope-3.2.1.tgz A CSS Modules transform to extract export statements from local-scope classes
 <https://index.mend.io/gri/app/reader/resource/content/asString/1756d252-1970-422b-bbcb-eafd522994aa> 2015 Copyright 2015 Glen Maddern
 <https://github.com/css-modules/postcss-modules-scope>
 <https://registry.npmjs.org/postcss-modules-scope/-/postcss-modules-scope-3.2.1.tgz>

ISC postcss-modules-values-4.0.0.tgz PostCSS plugin for CSS Modules to pass arbitrary values between your module files
 <https://index.mend.io/gri/app/reader/resource/content/asString/982c40b9-446e-4f7f-8a31-8102b557a236> 2015 Copyright 2015 Glen Maddern
 <https://github.com/css-modules/postcss-modules-values#readme>
 <https://registry.npmjs.org/postcss-modules-values/-/postcss-modules-values-4.0.0.tgz>

ISC rimraf-3.0.2.tgz A deep deletion module for node (like `rm -rf`)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/04857362-7a8f-4e85-888c-0ad758e9fc1d> Copyright Isaac Z
<https://github.com/isaacs/rimraf#readme>
<https://registry.npmjs.org/rimraf/-/rimraf-3.0.2.tgz>

ISC rollup-2.79.2.tgz Next-generation ES module bundler
<https://index.mend.io/gri/app/reader/resource/content/asString/485f49ef-af6c-45b4-af79-0f8df71cf5d5> "2018 Copyright 2018 Rich Harris Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,
2019 Copyright 2019 Sindre Sorhus "sindresorhus@gmail.com" (mailto:sindresorhus@gmail.com) (<https://sindresorhus.com>), Paul Miller (<https://paulmillr.com>) Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documents
2014-2017 Copyright 2014-2017 Jon Schlinkert. Permission is hereby granted
2014-2018 Copyright 2014-2018 Jon Schlinkert. Permission is hereby granted
2017 Copyright 2017 these people" (<https://github.com/rollup/rollup/graphs/contributors>)
2015 Copyright 2015 Contributors Permission to use, copy, modify, and/or distribute this software
2012-2019 Copyright 2012-2019 Thorsten Lorenz
2012-2019 Copyright 2012-2019 Paul Miller
2012-2020 Copyright 2012-2020 by various contributors
2015 Copyright 2015 Calvin Metcalf Permission to use, copy, modify, and/or distribute this software for any purpose
2015 Copyright 2015 Jon Schlinkert. Permission is hereby granted, free of charge, to any person obtaining a copy
2014 Copyright 2014 Jon Schlinkert. Permission is hereby granted, free of charge, to any person obtaining a copy
2012-2022 Copyright 2012-2022 by various contributors
2019 Copyright 2019 Elan Shanker, Paul Miller (<https://paulmillr.com>) Permission to use, copy, modify, and/or distribute this software for any
2015-2019 Copyright 2015-2019 Elan Shanker Permission to use
2016 Copyright 2016 Contributors Permission to use, copy, modify, and/or distribute this software
2015 Copyright 2015 Rich Harris Permission is hereby granted, free of charge, to any person obtaining a copy
2017 Copyright 2017 Jon Schlinkert. Permission is hereby granted, free of charge, to any person obtaining a copy
2014-2016 Copyright 2014-2016 Jon Schlinkert Permission is hereby granted" <https://rollupjs.org/> <https://registry.npmjs.org/rollup/-/rollup-2.79.2.tgz>

ISC sax-0.2.0.tgz An evented streaming XML parser in JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/9010a0d6-68f0-49e3-b3fc-dcf3b1edeed3> Copyright Isaac Z. Schlueter and Contributors <https://github.com/svg/sax#readme>
<https://registry.npmjs.org/@trysound/sax/-/sax-0.2.0.tgz>

ISC saxes-5.0.1.tgz An evented streaming XML parser in JavaScript
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1ba61c76-44f8-4f72-9b92-a72af740f183> Unspecified Copyright
 <https://github.com/lddubeau/saxes#readme>
 <https://registry.npmjs.org/saxes/-/saxes-5.0.1.tgz>

ISC semver-6.3.1.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/caae5d80-1d67-4fca-8e9b-ff11f4914be2> "Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z" <https://github.com/npm/node-semver#readme> <https://registry.npmjs.org/semver/-/semver-6.3.1.tgz>

ISC semver-7.7.2.tgz The semantic version parser used by npm.
 <https://index.mend.io/gri/app/reader/resource/content/asString/3ac782d4-87ed-490e-8699-d76182f7d3d2> "Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z" <https://github.com/npm/node-semver#readme> <https://registry.npmjs.org/semver/-/semver-7.7.2.tgz>

ISC setprototypeof-1.1.0.tgz A small polyfill for
Object.setPrototypeOf
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f09393b8-0eda-4940-b900-42a5f74c265a> 2015 Copyright 2015
Wes Todd <https://github.com/wesleytodd/setprototypeof>
 <https://registry.npmjs.org/setprototypeof/-/setprototypeof-1.1.0.tgz>

ISC setprototypeof-1.2.0.tgz A small polyfill for
Object.setPrototypeOf
 <https://index.mend.io/gri/app/reader/resource/content/asString/a67807b2-1904-4f0e-ae8b-3d06a8f15ba9> 2015 Copyright 2015 Wes Todd
 <https://github.com/wesleytodd/setprototypeof>
 <https://registry.npmjs.org/setprototypeof/-/setprototypeof-1.2.0.tgz>

ISC signal-exit-3.0.7.tgz when you want to fire an event no matter how
a process exits.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b8699132-c4e5-40c4-85d4-1d74e85c0261> 2015 Copyright 2015
Contributors <https://github.com/tapjs/signal-exit>
 <https://registry.npmjs.org/signal-exit/-/signal-exit-3.0.7.tgz>

ISC signal-exit-4.1.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/e0fa36d6-5da7-4f27-94fc-4f79f515163f> 2015-2023 Copyright 2015-2023 Benjamin
Coe <https://github.com/tapjs/signal-exit#readme>
 <https://registry.npmjs.org/signal-exit/-/signal-exit-4.1.0.tgz>

ISC structured-clone-1.3.0.tgz A structuredClone polyfill
 <https://github.com/ungap/global-this/blob/master/LICENSE> 2021
Copyright 2021 Andrea Giammarchi, @WebReflection
 <https://github.com/ungap/structured-clone#readme>

<https://registry.npmjs.org/@ungap/structured-clone/-/structured-clone-1.3.0.tgz>

ISC test-exclude-6.0.0.tgz test for inclusion or exclusion of paths using globs <https://github.com/istanbuljs/test-exclude/blob/v6.0.0-alpha.0/package.json> 2016 Copyright 2016 Contributors
<https://istanbul.js.org/> <https://registry.npmjs.org/test-exclude/-/test-exclude-6.0.0.tgz>

ISC v8-to-istanbul-8.1.1.tgz convert from v8 coverage format to istanbul's format
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1154f0ba-9f7d-4c59-807f-997d87f7a8d6> 2017 Copyright 2017 Contributors
<https://github.com/istanbuljs/v8-to-istanbul#readme>
<https://registry.npmjs.org/v8-to-istanbul/-/v8-to-istanbul-8.1.1.tgz>

ISC which-1.3.1.tgz Like which(1) unix command. Find the first instance of an executable in the PATH. <https://github.com/isaacs/node-which#readme> "Copyright Isaac Z. Schlueter and Contributors
Copyright Isaac Z" <https://github.com/isaacs/node-which#readme>
<https://registry.npmjs.org/which/-/which-1.3.1.tgz>

ISC which-2.0.2.tgz Like which(1) unix command. Find the first instance of an executable in the PATH.
<https://index.mend.io/gri/app/reader/resource/content/asString/574f6197-44cc-4e55-8710-a3cb45ea9021> Copyright Isaac Z
<https://github.com/isaacs/node-which#readme>
<https://registry.npmjs.org/which/-/which-2.0.2.tgz>

ISC wrappy-1.0.2.tgz Callback wrapping utility
<https://github.com/npm/wrappy> Copyright Isaac Z. Schlueter and Contributors
<https://github.com/npm/wrappy>
<https://registry.npmjs.org/wrappy/-/wrappy-1.0.2.tgz>

ISC write-file-atomic-3.0.3.tgz Write files in an atomic fashion w/configurable ownership
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a546d138-808d-4ccf-ab46-61ecla5a11ae> 2015 Copyright 2015 Rebecca Turner
<https://github.com/npm/write-file-atomic>
<https://registry.npmjs.org/write-file-atomic/-/write-file-atomic-3.0.3.tgz>

ISC y18n-5.0.8.tgz the bare-bones internationalization library used by yargs
<https://index.mend.io/gri/app/reader/resource/content/asString/6ed5c081-d500-4232-9762-0ee5d2415079> 2015 Copyright 2015 Contributors
<https://github.com/yargs/y18n> <https://registry.npmjs.org/y18n/-/y18n-5.0.8.tgz>

ISC yallist-3.1.1.tgz Yet Another Linked List
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4e19eaa0-6676-4322-8d7c-4993177471d5> Copyright Isaac Z

<https://github.com/isaacs/yallist#readme>
<https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz>

ISC yaml-1.10.2.tgz JavaScript parser and stringifier for YAML
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9ff89171-2517-4c3d-9cc8-607f2d8ec89a> 2018 Copyright 2018
 Eemeli Aro <eemeli@gmail.com> <https://eemeli.org/yaml/v1/>
<https://registry.npmjs.org/yaml/-/yaml-1.10.2.tgz>

ISC yaml-2.8.1.tgz JavaScript parser and stringifier for YAML
<https://www.npmjs.com/package/yaml?activeTab=versions> Copyright
 Eemeli Aro <eemeli@gmail.com> <https://eemeli.org/yaml/>
<https://registry.npmjs.org/yaml/-/yaml-2.8.1.tgz>

ISC yargs-parser-20.2.9.tgz the mighty option parser used by yargs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/73314c96-e0dc-463c-ab35-021b97b8c8c4> 2016 Copyright 2016
 Contributors <https://github.com/yargs/yargs-parser#readme>
<https://registry.npmjs.org/yargs-parser/-/yargs-parser-20.2.9.tgz>

MIT accepts-1.3.8.tgz Higher-level content negotiation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dd85a54c-8c44-4a54-aed4-793e818275ea> "2015 Copyright 2015
 Douglas Christopher Wilson <doug@somethingdoug.com>
 2014 Copyright 2014 Jonathan Ong <me@jongleberry.com>
<https://github.com/jshttp/accepts#readme>
<https://registry.npmjs.org/accepts/-/accepts-1.3.8.tgz>

MIT acorn-7.4.1.tgz ECMAScript parser
<https://index.mend.io/gri/app/reader/resource/content/asString/dd172203-7f3f-415d-b93f-ae05c3e67ffb> "2012-2018 Copyright 2012-2018 by
 various contributors
 2012 Copyright 2012 by Marijn Haverbeke <marijnh@gmail.com>
<https://github.com/acornjs/acorn>
<https://registry.npmjs.org/acorn/-/acorn-7.4.1.tgz>

MIT acorn-8.15.0.tgz ECMAScript parser
<https://index.mend.io/gri/app/reader/resource/content/asString/4ab698a9-1f8d-478f-9e25-5fc8dfel9688> 2012-2022 Copyright 2012-2022 by
 various contributors <https://github.com/acornjs/acorn>
<https://registry.npmjs.org/acorn/-/acorn-8.15.0.tgz>

MIT acorn-globals-6.0.0.tgz Detect global variables in JavaScript
 using acorn
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/44652e67-6cbd-482b-99d7-6179d82193a5> 2014 Copyright 2014
 Forbes Lindesay <https://registry.npmjs.org/acorn-globals/-/acorn-globals-6.0.0.tgz>
<https://registry.npmjs.org/acorn-globals/-/acorn-globals-6.0.0.tgz>

MIT acorn-import-phases-1.0.4.tgz Support for `import
 <defer|source>` phase syntax in Acorn
<https://index.mend.io/gri/app/reader/resource/content/asString/ef09>

8a1c-7ce3-4eb9-8c55-c605dfd71884 2025 Copyright 2025 Nicolò Ribaudo
<https://github.com/nicolo-ribaudo/acorn-import-phases#readme>
<https://registry.npmjs.org/acorn-import-phases/-/acorn-import-phases-1.0.4.tgz>

MIT acorn-jsx-5.3.2.tgz Modern, fast React.js JSX parser
<https://index.mend.io/gri/app/reader/resource/content/asString/8b42562c-e47d-45d2-9870-da5ba6438dc0> 2012-2017 Copyright 2012-2017 by Ingvar Stepanyan
<https://github.com/acornjs/acorn-jsx>
<https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz>

MIT acorn-walk-7.2.0.tgz ECMAScript (ESTree) AST walker
<https://index.mend.io/gri/app/reader/resource/content/asString/0e293c45-7a31-4354-bb13-d21ee928519b> 2012-2018 Copyright 2012-2018 by various contributors (see AUTHORS) <https://github.com/acornjs/acorn>
<https://registry.npmjs.org/acorn-walk/-/acorn-walk-7.2.0.tgz>

MIT address-1.2.2.tgz Get current machine IP, MAC and DNS servers.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/007aa0ab-0472-4090-b0bd-0c6234c718fa> "2015 Copyright 2015 present node-modules and other contributors 2013-2014 Copyright 2013-2014 fengmk2" <https://github.com/node-modules/address#readme> <https://registry.npmjs.org/address/-/address-1.2.2.tgz>

MIT adjust-sourcemap-loader-4.0.0.tgz Webpack loader that adjusts source maps
<https://index.mend.io/gri/app/reader/resource/content/asString/72f6314d-8101-4645-bf29-028b98069f15> 2019 Copyright 2019 Ben Holloway
<https://github.com/bholloway/adjust-sourcemap-loader>
<https://registry.npmjs.org/adjust-sourcemap-loader/-/adjust-sourcemap-loader-4.0.0.tgz>

MIT agent-base-6.0.2.tgz Turn a function into an `http.Agent` instance
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/670c40e4-d90c-4852-866d-454724c6f754> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net>
<https://github.com/TooTallNate/node-agent-base#readme>
<https://registry.npmjs.org/agent-base/-/agent-base-6.0.2.tgz>

MIT ajv-6.12.6.tgz Another JSON Schema Validator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8a0ffbd6-2afd-4a8f-962d-c252ed5e1354> 2015-2017 Copyright 2015-2017 Evgeny Poberezkin <https://github.com/ajv-validator/ajv>
<https://registry.npmjs.org/ajv/-/ajv-6.12.6.tgz>

MIT ajv-8.17.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b8c68245-fbe8-45cd-87ee-12c0632cbc75> 2015-2021 Copyright 2015-2021 Evgeny Poberezkin <https://ajv.js.org> <https://registry.npmjs.org/ajv/-/ajv-8.17.1.tgz>

MIT ajv-formats-2.1.1.tgz Format validation for Ajv v7+
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/efd0b70d-07c3-49b4-a36a-0010aeecab39> 2020 Copyright 2020
Evgeny Poberezkin<https://github.com/ajv-validator/ajv-formats#readme>
<https://registry.npmjs.org/ajv-formats/-/ajv-formats-2.1.1.tgz>

MIT ajv-keywords-3.5.2.tgz Custom JSON-Schema keywords for Ajv
validator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bda54c5f-b8c7-4a11-9207-867b04a02586> 2016 Copyright 2016
Evgeny Poberezkin<https://github.com/epoberezkin/ajv-keywords#readme>
<https://registry.npmjs.org/ajv-keywords/-/ajv-keywords-3.5.2.tgz>

MIT ajv-keywords-5.1.0.tgz Additional JSON-Schema keywords for Ajv JSON
validator
<https://index.mend.io/gri/app/reader/resource/content/asString/bed15ef0-4385-4a64-9a92-5370648b9288> 2016 Copyright 2016 Evgeny Poberezkin
<https://github.com/epoberezkin/ajv-keywords#readme>
<https://registry.npmjs.org/ajv-keywords/-/ajv-keywords-5.1.0.tgz>

MIT ansi-escapes-4.3.2.tgz ANSI escape codes for manipulating the
terminal
<https://index.mend.io/gri/app/reader/resource/content/asString/eabade0-b6aa-42b0-84ba-3024eefa0b11> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/ansi-escapes#readme>
<https://registry.npmjs.org/ansi-escapes/-/ansi-escapes-4.3.2.tgz>

MIT ansi-regex-5.0.1.tgz Regular expression for matching ANSI escape
codes
<https://index.mend.io/gri/app/reader/resource/content/asString/89aa53b-0636-44ed-98c0-cb483e2d535a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/ansi-regex#readme>
<https://registry.npmjs.org/ansi-regex/-/ansi-regex-5.0.1.tgz>

MIT ansi-regex-6.2.0.tgz Regular expression for matching ANSI escape
codes
<https://index.mend.io/gri/app/reader/resource/content/asString/4e6d7cd6-13db-4b8c-8007-14e6b189e619> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/ansi-regex#readme>
<https://registry.npmjs.org/ansi-regex/-/ansi-regex-6.2.0.tgz>

MIT ansi-styles-3.2.1.tgz ANSI escape codes for styling strings in the
terminal
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6dd84928-ab20-4af4-9ff7-38bb90a786ac> Copyright Sindre
Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/ansi-styles#readme>
<https://registry.npmjs.org/ansi-styles/-/ansi-styles-3.2.1.tgz>

MIT ansi-styles-4.3.0.tgz ANSI escape codes for styling strings in the terminal
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1c7bfb99-bc6d-4f66-b0de-a3d01d1cf7c2> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/ansi-styles#readme>
<https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz>

MIT ansi-styles-5.2.0.tgz ANSI escape codes for styling strings in the terminal
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b12f2aaf-1e16-44d7-a780-a7090161ba44> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/ansi-styles#readme>
<https://registry.npmjs.org/ansi-styles/-/ansi-styles-5.2.0.tgz>

MIT ansi-styles-6.2.1.tgz ANSI escape codes for styling strings in the terminal
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/86ae62b9-d97f-4949-b7b6-3939ab17e014> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/ansi-styles#readme>
<https://registry.npmjs.org/ansi-styles/-/ansi-styles-6.2.1.tgz>

MIT any-promise-1.3.0.tgz Resolve any installed ES6 compatible promise
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f17e3b02-6a56-436e-9a6e-0233e84801ca> 2014-2016 Copyright 2014-2016 Kevin Beaty <http://github.com/kevinbeaty/any-promise>
<https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz>

MIT arg-5.0.2.tgz Unopinionated, no-frills CLI argument parser
<https://index.mend.io/gri/app/reader/resource/content/asString/a945ada7-0f94-4685-8aa7-e837f50ffabb> 2021 Copyright 2021 Vercel, Inc
<https://github.com/vercel/arg#readme>
<https://registry.npmjs.org/arg/-/arg-5.0.2.tgz>

MIT argparse-1.0.10.tgz Very powerful CLI arguments parser. Native port of argparse - python's options parsing library
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b88d89b7-51de-4669-950b-cf45d18052c5> "2012 Copyright 2012 by Vitaly Puzrin
2012 Copyright 2012 Vitaly Puzrin" (<https://github.com/puzrin>)
2012 Copyright 2012 [Vitaly Puzrin] (<https://github.com/puzrin>) "
<https://github.com/nodeca/argparse#readme>
<https://registry.npmjs.org/argparse/-/argparse-1.0.10.tgz>

MIT aria-query-5.0.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f7b874b7-d5c7-4435-9247-da8413f6758b> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/aria-query> <https://registry.npmjs.org/@types/aria-query/-/aria-query-5.0.4.tgz>

MIT array.prototype.findlast-1.2.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a8064824-9861-4d88-99f2-3467fbd4d76f> 2021 Copyright 2021 ECMAScript Shims
<https://github.com/es-shims/Array.prototype.findLast#readme>
<https://registry.npmjs.org/array.prototype.findlast/-/array.prototype.findlast-1.2.5.tgz>

MIT array.prototype.findlastindex-1.2.6.tgz An ESnext spec-compliant
`Array.prototype.findLastIndex` shim/polyfill/replacement that works as
far down as ES3.
<https://index.mend.io/gri/app/reader/resource/content/asString/6bf01b77-b00c-43f7-b674-a9463b8312a6> 2021 Copyright 2021 ECMAScript Shims
<https://github.com/es-shims/Array.prototype.findLastIndex#readme>
<https://registry.npmjs.org/array.prototype.findlastindex/-/array.prototype.findlastindex-1.2.6.tgz>

MIT array.prototype.flat-1.3.3.tgz An ES2019 spec-compliant
`Array.prototype.flat` shim/polyfill/replacement that works as far down
as ES3.
<https://index.mend.io/gri/app/reader/resource/content/asString/affa5694-030a-4cb3-bc21-ce0ecb9cefb6> 2017 Copyright 2017 ECMAScript Shims
<https://github.com/es-shims/Array.prototype.flat#readme>
<https://registry.npmjs.org/array.prototype.flat/-/array.prototype.flat-1.3.3.tgz>

MIT array.prototype.flatmap-1.3.3.tgz An ES2019 spec-compliant
`Array.prototype.flatMap` shim/polyfill/replacement that works as far
down as ES3.
<https://index.mend.io/gri/app/reader/resource/content/asString/64def35a-6b76-4fcd-b6b5-9359b2ce9919> 2017 Copyright 2017 ECMAScript Shims
<https://github.com/es-shims/Array.prototype.flatMap#readme>
<https://registry.npmjs.org/array.prototype.flatmap/-/array.prototype.flatmap-1.3.3.tgz>

MIT array.prototype.reduce-1.0.8.tgz An ES5 spec-compliant
`Array.prototype.reduce` shim/polyfill/replacement that works as far down
as ES3.
<https://index.mend.io/gri/app/reader/resource/content/asString/5706fccca-8b7a-4c44-8c12-aafe4e967e87> 2019 Copyright 2019 Jordan Harband
<https://github.com/es-shims/Array.prototype.reduce#readme>
<https://registry.npmjs.org/array.prototype.reduce/-/array.prototype.reduce-1.0.8.tgz>

MIT array.prototype.tosorted-1.1.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/17f5f3e3-55b7-4150-aa00-4588fc3b26f8> 2021 Copyright 2021 ECMAScript Shims
<https://github.com/es-shims/Array.prototype.toSorted#readme>
<https://registry.npmjs.org/array.prototype.tosorted/-/array.prototype.tosorted-1.1.4.tgz>

MIT arraybuffer.prototype.slice-1.0.4.tgz ES spec-compliant shim for
ArrayBuffer.prototype.slice
<https://index.mend.io/gri/app/reader/resource/content/asString/4abe97fe-ada9-4607-9e58-220c0d076b28> 2023 Copyright 2023 ECMAScript Shims

<https://github.com/es-shims/ArrayBuffer.prototype.slice#readme>
<https://registry.npmjs.org/arraybuffer.prototype.slice/-/arraybuffer.prototype.slice-1.0.4.tgz>

MIT array-buffer-byte-length-1.0.2.tgz Get the byte length of an ArrayBuffer, even in engines without a `byteLength` method.
<https://index.mend.io/gri/app/reader/resource/content/asString/848b0ccf-8266-4bfc-a0be-eale9a3d246c> 2023 Copyright 2023 Inspect JS
<https://github.com/inspect-js/array-buffer-byte-length#readme>
<https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-length-1.0.2.tgz>

MIT array-flatten-1.1.1.tgz Flatten an array of nested arrays into a single flat array <https://github.com/blakeembrey/array-flatten> 2014 Copyright 2014 Blake Embrey (hello@blakeembrey.com)
<https://github.com/blakeembrey/array-flatten>
<https://registry.npmjs.org/array-flatten/-/array-flatten-1.1.1.tgz>

MIT array-includes-3.1.9.tgz An ES7/ES2016 spec-compliant `Array.prototype.includes` shim/polyfill/replacement that works as far down as ES3.
<https://index.mend.io/gri/app/reader/resource/content/asString/f7fd6c5c-c86e-49af-b08a-ca42310449fc> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/array-includes#readme>
<https://registry.npmjs.org/array-includes/-/array-includes-3.1.9.tgz>

MIT array-union-2.1.0.tgz Create an array of unique values, in order, from the input arrays
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7f84d2f0-539d-420c-94f9-69696874fb19> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/array-union#readme>
<https://registry.npmjs.org/array-union/-/array-union-2.1.0.tgz>

MIT asap-2.0.6.tgz High-priority task queue for Node.js and browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/92470ce1-fd5a-4928-b7f2-2c58ce36a2f0> "2009-2014 Copyright 2009-2014 Contributors
2009-2014 Copyright 2009-2014 by Contributors"
<https://github.com/kriskowal/asap#readme>
<https://registry.npmjs.org/asap/-/asap-2.0.6.tgz>

MIT ast-1.14.1.tgz AST utils for webassemblyjs
<https://index.mend.io/gri/app/reader/resource/content/asString/8235a45e-cc9b-40ef-9863-5b6354eb86f0> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com>
<https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/ast/-/ast-1.14.1.tgz>

MIT ast-types-flow-0.0.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/5883d05a-5e20-43af-bc5b-efd7ac35d5c0> 2018 Copyright 2018 Kyle Davis

<https://github.com/kyldvs/ast-types-flow#readme>
<https://registry.npmjs.org/ast-types-flow/-/ast-types-flow-0.0.8.tgz>

MIT `async-3.2.6.tgz`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bcbb3cd4-9fc6-430c-946d-9d6659dbf236> 2010-2018 Copyright
2010-2018 Caolan McMahon <https://caolan.github.io/async/>
<https://registry.npmjs.org/async/-/async-3.2.6.tgz>

MIT `async-function-1.0.0.tgz` A function that returns the normally hidden `AsyncFunction` constructor
<https://index.mend.io/gri/app/reader/resource/content/asString/38607fb0-6883-4924-80c8-7c039a5bb745> 2016 Copyright 2016 EduardoRFS
<https://github.com/ljharb/async-function#readme>
<https://registry.npmjs.org/async-function/-/async-function-1.0.0.tgz>

MIT `asynckit-0.4.0.tgz` Minimal async jobs utility library, with streams support <https://github.com/alexindigo/asynckit> 2016 Copyright 2016 Alex Indigo <https://github.com/alexindigo/asynckit#readme>
<https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz>

MIT `autoprefixer-10.4.21.tgz` Parse CSS and add vendor prefixes to CSS rules using values from the Can I Use website
<https://index.mend.io/gri/app/reader/resource/content/asString/40d9bdc7-9a3c-43bc-8a84-b7b9e3e18aeb> 2013 Copyright 2013 Andrey Sitnik
<andrey@sitnik.ru> <https://github.com/postcss/autoprefixer#readme>
<https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.4.21.tgz>

MIT `available-typed-arrays-1.0.7.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/9e82fc8a-99bc-45ff-8889-ed6aa63cb947> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/available-typed-arrays#readme>
<https://registry.npmjs.org/available-typed-arrays/-/available-typed-arrays-1.0.7.tgz>

MIT `axe-core-4.10.3.tgz` Accessibility engine for automated Web UI testing
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e4b1095e-bbe6-4522-aca8-515570487778> "2013-2017 Copyright 2013-2017 Mariusz Nowak
2014 Copyright 2014 Yehuda Katz, Tom Dale, Stefan Penner and contributors
2015-2021 Copyright 2015-2021 polygonplanet
2011 Copyright 2011 Laura Doktorova
2010 Copyright 2010 Linden Research, Inc
2012-2020 Copyright 2012-2020 Mariusz Nowak
2013-2018 Copyright 2013-2018 Mariusz Nowak
2010 Copyright 2010 aefxx,
2012-2018 Copyright 2012-2018 Mariusz Nowak
2021 Copyright 2021 Lea Verou, Chris Lilley
2019 Copyright 2019 Mariusz Nowak, @medikoo, medikoo.com
2011-2022 Copyright 2011-2022 Mariusz Nowak

2012-2015 Copyright 2012-2015 Mariusz Nowak
2012 Copyright 2012 Joshua Bell
2014 Copyright 2014 Mariusz Nowak (www.medikoo.com)
2013 Copyright 2013 Dulin Marat
2014-2023 Copyright 2014-2023 Denis Pushkarev
2014 Copyright 2014 Forbes Lindesay
2013-2019 Copyright 2013-2019 Mariusz Nowak" <https://www.deque.com/axe/>
<https://registry.npmjs.org/axe-core/-/axe-core-4.10.3.tgz>

MIT babel__core-7.20.5.tgz
<https://raw.githubusercontent.com/babel/babel/main/LICENSE>
Copyright Microsoft Corporation
https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/babel__core https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz

MIT babel__generator-7.27.0.tgz TypeScript definitions for @babel/generator
<https://index.mend.io/gri/app/reader/resource/content/asString/194ca047-466e-4bfc-88ee-0bc62c3fa132> Copyright Microsoft Corporation
https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/babel__generator
https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz

MIT babel__template-7.4.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/61ad4a6b-5278-462a-b610-18c67a9f2293> Copyright Microsoft Corporation
https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/babel__template
https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz

MIT babel__traverse-7.28.0.tgz TypeScript definitions for @babel/traverse
<https://index.mend.io/gri/app/reader/resource/content/asString/57295f9c-489a-49d6-ab9f-bdae8322a6eb> Copyright Microsoft Corporation
https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/babel__traverse
https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz

MIT babel-jest-27.5.1.tgz Jest plugin to use babel for transformation.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/455734e2-13f4-47a1-87fe-84fa680c333a> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/babel-jest/-/babel-jest-27.5.1.tgz>

MIT babel-loader-8.4.1.tgz babel module loader for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/747fef77-0b88-47a5-986a-9f8e1562080a> 2014-2019 Copyright 2014-2019 Lu
<https://github.com/babel/babel-loader>
<https://registry.npmjs.org/babel-loader/-/babel-loader-8.4.1.tgz>

MIT babel-plugin-11.13.5.tgz A recommended babel preprocessing plugin for emotion, The Next Generation of CSS-in-JS.
<https://index.mend.io/gri/app/reader/resource/content/asString/a80d9a71-5cbd-4151-9f83-3c0b6a3c9188> Copyright Emotion team and other contributors
<https://emotion.sh>
<https://registry.npmjs.org/@emotion/babel-plugin/-/babel-plugin-11.13.5.tgz>

MIT babel-plugin-add-jsx-attribute-5.4.0.tgz Add JSX attribute
<https://index.mend.io/gri/app/reader/resource/content/asString/c61f0a39-bdbb-4875-9cdd-75754575eeaa> 2017 Copyright 2017 Smooth Code
<https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-add-jsx-attribute/-/babel-plugin-add-jsx-attribute-5.4.0.tgz>

MIT babel-plugin-jest-hoist-27.5.1.tgz Babel plugin to hoist `jest.disableAutomock`, `jest.enableAutomock`, `jest.unmock`, `jest.mock`, calls above `import` statements. This plugin is automatically included when using [babel-jest] (<https://github.com/facebook/jest/tree/main/packages/babel-jest>)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eb498375-6bdd-4003-9605-3a1662356eeb> Copyright Facebook, Inc. and its affiliates
<https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/babel-plugin-jest-hoist/-/babel-plugin-jest-hoist-27.5.1.tgz>

MIT babel-plugin-macros-3.1.0.tgz Allows you to build compile-time libraries
<https://index.mend.io/gri/app/reader/resource/content/asString/f6f5330d-c53d-46ff-9861-45f534da34fd> 2020 Copyright 2020 Kent C
<https://github.com/kentcdodds/babel-plugin-macros#readme>
<https://registry.npmjs.org/babel-plugin-macros/-/babel-plugin-macros-3.1.0.tgz>

MIT babel-plugin-named-asset-import-0.3.8.tgz Babel plugin for named asset imports in Create React App
<https://index.mend.io/gri/app/reader/resource/content/asString/6f45336a-e091-4801-96a8-4ab604e59397> 2013 Copyright 2013 Facebook, Inc
<https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/babel-plugin-named-asset-import/-/babel-plugin-named-asset-import-0.3.8.tgz>

MIT babel-plugin-polyfill-corejs2-0.4.14.tgz A Babel plugin to inject imports to core-js@2 polyfills
<https://www.npmjs.com/package/babel-plugin-polyfill-corejs2/v/0.4.14> 2014 Copyright 2014 Nicolò Ribaudo and other contributors
<https://github.com/babel/babel-polyfills#readme>
<https://registry.npmjs.org/babel-plugin-polyfill-corejs2/-/babel-plugin-polyfill-corejs2-0.4.14.tgz>

MIT babel-plugin-polyfill-corejs3-0.13.0.tgz A Babel plugin to inject imports to core-js@3 polyfills
<https://www.npmjs.com/package/babel-plugin-polyfill-corejs3> 2014 Copyright 2014 Nicolò Ribaudo and other contributors
<https://github.com/babel/babel-polyfills#readme>

<https://registry.npmjs.org/babel-plugin-polyfill-corejs3/-/babel-plugin-polyfill-corejs3-0.13.0.tgz>

MIT babel-plugin-polyfill-regenerator-0.6.5.tgz A Babel plugin to inject imports to regenerator-runtime
<https://index.mend.io/gri/app/reader/resource/content/asString/632b762a-9179-4b3a-b5c1-359426c99d98> 2014 Copyright 2014 Nicolò Ribaud and other contributors <https://github.com/babel/babel-polyfills#readme>
<https://registry.npmjs.org/babel-plugin-polyfill-regenerator/-/babel-plugin-polyfill-regenerator-0.6.5.tgz>

MIT babel-plugin-remove-jsx-attribute-5.4.0.tgz Remove JSX attribute
<https://index.mend.io/gri/app/reader/resource/content/asString/2390b2ec-1b21-4c62-a233-d11ca5a2ca61> 2017 Copyright 2017 Smooth Code
<https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-remove-jsx-attribute/-/babel-plugin-remove-jsx-attribute-5.4.0.tgz>

MIT babel-plugin-remove-jsx-empty-expression-5.0.1.tgz Remove JSX empty expression
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/488dc467-1718-4217-97b7-a7d571cb30bc> 2017 Copyright 2017 Smooth Code <https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-remove-jsx-empty-expression/-/babel-plugin-remove-jsx-empty-expression-5.0.1.tgz>

MIT babel-plugin-replace-jsx-attribute-value-5.0.1.tgz Replace JSX attribute value
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d7a9cb3-302f-4599-a602-858704db35c7> 2017 Copyright 2017 Smooth Code <https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-replace-jsx-attribute-value/-/babel-plugin-replace-jsx-attribute-value-5.0.1.tgz>

MIT babel-plugin-svg-dynamic-title-5.4.0.tgz Transform SVG by adding a dynamic title element
<https://index.mend.io/gri/app/reader/resource/content/asString/294b9e5a-ea2d-440b-9abd-0f918b486a41> 2017 Copyright 2017 Smooth Code
<https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-svg-dynamic-title/-/babel-plugin-svg-dynamic-title-5.4.0.tgz>

MIT babel-plugin-svg-em-dimensions-5.4.0.tgz Transform SVG to use em-based dimensions
<https://index.mend.io/gri/app/reader/resource/content/asString/5599f974-e892-4051-b31d-a6e2ce00e5b4> 2017 Copyright 2017 Smooth Code
<https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-svg-em-dimensions/-/babel-plugin-svg-em-dimensions-5.4.0.tgz>

MIT babel-plugin-transform-react-native-svg-5.4.0.tgz Transform DOM elements into react-native-svg components
<https://index.mend.io/gri/app/reader/resource/content/asString/1497383d-4d28-43fc-9b17-d739fd197b88> 2017 Copyright 2017 Smooth Code
<https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-transform-react-native-svg-5.4.0.tgz>

plugin-transform-react-native-svg/-/babel-plugin-transform-react-native-svg-5.4.0.tgz

MIT babel-plugin-transform-react-remove-prop-types-0.4.24.tgz Remove unnecessary React propTypes from the production build
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62f016f4-e7e8-404a-bcf8-937daa8425d6> 2015 Copyright 2015 Nikita Gusakov <https://github.com/oliviertassinari/babel-plugin-transform-react-remove-prop-types#readme>
<https://registry.npmjs.org/babel-plugin-transform-react-remove-prop-types/-/babel-plugin-transform-react-remove-prop-types-0.4.24.tgz>

MIT babel-plugin-transform-svg-component-5.5.0.tgz Transform SVG into component
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2e7a8473-e4b7-4b7e-9c4a-6943f9bfd281> 2017 Copyright 2017 Smooth Code <https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-plugin-transform-svg-component/-/babel-plugin-transform-svg-component-5.5.0.tgz>

MIT babel-preset-5.5.0.tgz SVGR preset that apply transformations from config
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/353990fa-c5be-4feb-90ee-d85278830acc> 2017 Copyright 2017 Smooth Code <https://react-svgr.com> <https://registry.npmjs.org/@svgr/babel-preset/-/babel-preset-5.5.0.tgz>

MIT babel-preset-current-node-syntax-1.2.0.tgz A Babel preset that enables parsing of proposals supported by the current Node.js version.
<https://index.mend.io/gri/app/reader/resource/content/asString/d0b4a026-23d2-4760-9a1b-5de247df216e> 2020 Copyright 2020 Nicolò Ribaudo and other contributors <https://github.com/nicolo-ribaudo/babel-preset-current-node-syntax#readme> <https://registry.npmjs.org/babel-preset-current-node-syntax/-/babel-preset-current-node-syntax-1.2.0.tgz>

MIT babel-preset-jest-27.5.1.tgz > Babel preset for all Jest plugins. This preset is automatically included when using [babel-jest] (<https://github.com/facebook/jest/tree/main/packages/babel-jest>).
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4f5ba05f-6403-4ba2-9725-b8e9fd26b116> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/babel-preset-jest/-/babel-preset-jest-27.5.1.tgz>

MIT babel-preset-react-app-10.1.0.tgz Babel preset used by Create React App
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b68fc11b-00a3-447a-b9e0-eleec61ede0d> 2013 Copyright 2013 Facebook, Inc <https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/babel-preset-react-app/-/babel-preset-react-app-10.1.0.tgz>

MIT balanced-match-1.0.2.tgz Match balanced character pairs, like
"{" and "}"
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8dfd63f3-ffaf-4c50-a90c-e25d067f0cc2> 2013 Copyright 2013
Julian Gruber <julian@juliangruber.com>
 <https://github.com/juliangruber/balanced-match>
 <https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz>

MIT batch-0.6.1.tgz Simple async batch with concurrency control and
progress reporting.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2d183de2-e316-4975-84d7-92a6a470bbfc> 2013 Copyright 2013
TJ Holowaychuk <tj@vision-media.ca>
 <https://github.com/visionmedia/batch#readme>
 <https://registry.npmjs.org/batch/-/batch-0.6.1.tgz>

MIT better-ajv-errors-0.3.6.tgz Human-friendly JSON Schema validation
for APIs
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fec4ed68-03d0-4398-9552-35f78d25a57d> 2021 Copyright 2021
Apideck <https://github.com/apideck-libraries/better-ajv-errors#readme>
 <https://registry.npmjs.org/@apideck/better-ajv-errors/-/better-ajv-errors-0.3.6.tgz>

MIT bfj-7.1.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/87c4230b-a673-4a46-a759-40de0ebed0f2> 2015-2016 Copyright 2015-2016 Phil
Booth <https://gitlab.com/philbooth/bfj> <https://registry.npmjs.org/bfj/-/bfj-7.1.0.tgz>

MIT big.js-5.2.2.tgz A small, fast, easy-to-use library for arbitrary-
precision decimal arithmetic
 <https://github.com/MikeMcl/big.js/blob/master/LICENCE.md> 2018
Copyright 2018 Michael McLaughlin
 <https://github.com/MikeMcl/big.js#readme>
 <https://registry.npmjs.org/big.js/-/big.js-5.2.2.tgz>

MIT binary-extensions-2.3.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/65d881cd-ab5c-40ef-87e8-7a98bb6fc95f> "Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>) Copyright Paul Miller
(<https://paulmillr.com>)" <https://github.com/sindresorhus/binary-extensions#readme>
 <https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz>

MIT bluebird-3.7.2.tgz Full featured Promises/A+ implementation
with exceptionally good performance
 <https://github.com/petkaantonov/bluebird> "2013-2018 Copyright
2013-2018 Petka Antonov 2013-2019 Copyright 2013-2019 Petka Antonov"
 <https://github.com/petkaantonov/bluebird>
 <https://registry.npmjs.org/bluebird/-/bluebird-3.7.2.tgz>

MIT body-parser-1.19.6.tgz TypeScript definitions for body-parser
<https://index.mend.io/gri/app/reader/resource/content/asString/4269b724-7611-4b9d-878b-0b9ba70f1cac> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/body-parser> <https://registry.npmjs.org/@types/body-parser/-/body-parser-1.19.6.tgz>

MIT body-parser-1.20.3.tgz Node.js body parsing middleware
<https://index.mend.io/gri/app/reader/resource/content/asString/9c7e1e65-a41b-47b6-a6a8-f9d317810979> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>" <https://github.com/expressjs/body-parser#readme> <https://registry.npmjs.org/body-parser/-/body-parser-1.20.3.tgz>

MIT bonjour-3.5.13.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9588492c-40c1-427c-a05f-93209af74c80> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/bonjour> <https://registry.npmjs.org/@types/bonjour/-/bonjour-3.5.13.tgz>

MIT bonjour-service-1.3.0.tgz A Bonjour/Zeroconf implementation in TypeScript
<https://index.mend.io/gri/app/reader/resource/content/asString/d01d661e-dbda-4ac1-b6d4-fc9310dc924b> "2021 Copyright 2021 ON LX Limited 2015-2016 Copyright 2015-2016 Thomas Watson Steen"
<https://github.com/onlxltd/bonjour-service>
<https://registry.npmjs.org/bonjour-service/-/bonjour-service-1.3.0.tgz>

MIT brace-expansion-1.1.12.tgz Brace expansion as known from sh/bash
<https://index.mend.io/gri/app/reader/resource/content/asString/153dbbf2-7036-40bd-91c0-bb8b49eb0bce> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com> <https://github.com/juliangruber/brace-expansion> <https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.12.tgz>

MIT brace-expansion-2.0.2.tgz Brace expansion as known from sh/bash
<https://index.mend.io/gri/app/reader/resource/content/asString/ceac9e93-1a02-4d6a-93ff-024ca8a35f97> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com> <https://github.com/juliangruber/brace-expansion> <https://registry.npmjs.org/brace-expansion/-/brace-expansion-2.0.2.tgz>

MIT braces-3.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0c28bcc1-07de-410b-be70-e96b9d5a8a8f> "2019 Copyright 2019 Jon Schlinkert"
(<https://github.com/jonschlinkert>)
2014 Copyright 2014 Jon Schlinkert"
<https://github.com/micromatch/braces>
<https://registry.npmjs.org/braces/-/braces-3.0.3.tgz>

MIT browserslist-4.25.3.tgz Share target browsers between different front-end tools, like Autoprefixer, Stylelint and babel-env-preset
<https://www.npmjs.com/package/browserslist/v/4.25.3?activeTab=code>
2014 Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors
<https://github.com/browserslist/browserslist#readme>
<https://registry.npmjs.org/browserslist/-/browserslist-4.25.3.tgz>

MIT buffer-from-1.1.2.tgz A [ponyfill](<https://ponyfill.com>) for `Buffer.from`, uses native implementation if available.
<https://index.mend.io/gri/app/reader/resource/content/asString/6c3b5b94-0cb6-4e35-b7dc-295f9fec91be> 2016-2018 Copyright 2016-2018 Linus Unneb
<https://github.com/LinusU/buffer-from#readme>
<https://registry.npmjs.org/buffer-from/-/buffer-from-1.1.2.tgz>

MIT builtin-modules-3.3.0.tgz List of the Node.js builtin modules
<https://index.mend.io/gri/app/reader/resource/content/asString/9c25a5b2-4754-4cc3-af7d-54a74329cbd4> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/builtin-modules#readme>
<https://registry.npmjs.org/builtin-modules/-/builtin-modules-3.3.0.tgz>

MIT bundle-name-4.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d54b84f7-9b43-4df2-b799-cf2add5fa01f> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/bundle-name#readme>
<https://registry.npmjs.org/bundle-name/-/bundle-name-4.1.0.tgz>

MIT bytes-3.1.2.tgz Utility to parse a string bytes to bytes and vice-versa
<https://index.mend.io/gri/app/reader/resource/content/asString/9a4f332b-2df2-4417-ad98-23013b1c0ce6> "2015 Copyright 2015 Jed Watson <jed.watson@me.com>
2014 Copyright 2014 TJ Holowaychuk <tj@vision-media.ca>"
<https://github.com/visionmedia/bytes.js#readme>
<https://registry.npmjs.org/bytes/-/bytes-3.1.2.tgz>

MIT cache-11.14.0.tgz emotion's cache
<https://index.mend.io/gri/app/reader/resource/content/asString/6e80b9f9-d65f-4dcc-8dac-c5f29b7da9a9> Copyright Emotion team and other contributors
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/cache/-/cache-11.14.0.tgz>

MIT call-bind-1.0.8.tgz Robustly `.call.bind()` a function
<https://index.mend.io/gri/app/reader/resource/content/asString/448d49f8-3905-413b-a452-39f521450c5a> 2020 Copyright 2020 Jordan Harband
<https://github.com/ljharb/call-bind#readme>
<https://registry.npmjs.org/call-bind/-/call-bind-1.0.8.tgz>

MIT call-bind-apply-helpers-1.0.2.tgz Helper functions around Function call/apply/bind, for use in `call-bind`
<https://index.mend.io/gri/app/reader/resource/content/asString/8b85>

72b9-7396-4dca-8f54-d8c18c401d0e 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/call-bind-apply-helpers#readme>
<https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz>

MIT call-bound-1.0.4.tgz Robust call-bound JavaScript intrinsics, using `call-bind` and `get-intrinsic`.
<https://index.mend.io/gri/app/reader/resource/content/asString/14b9a994-6b6b-4f81-8c51-e2578d79d41a> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/call-bound#readme>
<https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz>

MIT callsites-3.1.0.tgz Get callsites from the V8 stack trace API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9fae3fae-8828-4e26-b8f8-10562b5cf274> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/callsites#readme>
<https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz>

MIT camel-case-4.1.2.tgz Transform into a string with the separator denoted by the next word capitalized
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2cc34df0-e4eb-474c-b8bf-dcfc00613cc1> 2014 Copyright 2014 Blake Embrey (hello@blakeembrey.com)
<https://github.com/blakeembrey/change-case/tree/master/packages/camel-case#readme>
<https://registry.npmjs.org/camel-case/-/camel-case-4.1.2.tgz>

MIT camelcase-5.3.1.tgz Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar`
<https://github.com/sindresorhus/camelcase/blob/main/license>
"Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/camelcase#readme>
<https://registry.npmjs.org/camelcase/-/camelcase-5.3.1.tgz>

MIT camelcase-6.3.0.tgz Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0bd4ac88-7b56-4475-b01e-07831702076b> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/camelcase#readme>
<https://registry.npmjs.org/camelcase/-/camelcase-6.3.0.tgz>

MIT camelcase-css-2.0.1.tgz Convert a kebab-cased CSS property into a camelCased DOM property.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8c0b64ad-0772-4929-bae8-83e9d15885d2> Copyright Steven Vachon <contact@svachon.com> (svachon.com)
<https://github.com/stevenvachon/camelcase-css#readme>
<https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz>

MIT caniuse-api-3.0.0.tgz request the caniuse data to check browsers compatibilities
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/23c9e44f-2cde-4de9-9f49-82fbec3e54e5> 2014 Copyright 2014 Sébastien Balayn <https://github.com/nyalab/caniuse-api#readme>
<https://registry.npmjs.org/caniuse-api/-/caniuse-api-3.0.0.tgz>

MIT case-sensitive-paths-webpack-plugin-2.4.0.tgz Enforces module path case sensitivity in Webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/12b2fb60-e51f-4c74-9e66-1dcd8cec2c48> 2018 Copyright 2018 Michael Pratt
<https://github.com/Urthen/case-sensitive-paths-webpack-plugin#readme> <https://registry.npmjs.org/case-sensitive-paths-webpack-plugin/-/case-sensitive-paths-webpack-plugin-2.4.0.tgz>

MIT chalk-2.4.2.tgz Terminal string styling done right
<https://github.com/chalk/chalk#readme> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/chalk#readme>
<https://registry.npmjs.org/chalk/-/chalk-2.4.2.tgz>

MIT chalk-3.0.0.tgz Terminal string styling done right
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b7fc07ad-00ca-41b4-9136-aad99ca29801> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/chalk#readme>
<https://registry.npmjs.org/chalk/-/chalk-3.0.0.tgz>

MIT chalk-4.1.2.tgz Terminal string styling done right
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/34fb81ca-0537-4e78-9004-3e7949bdd6ae> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/chalk#readme>
<https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz>

MIT char-regex-1.0.2.tgz A regex to match any full character, considering weird character ranges.
<https://index.mend.io/gri/app/reader/resource/content/asString/20b21888-0cc9-42bc-9f18-a1256c209acc> 2019 Copyright 2019 Richie Bendall
<https://registry.npmjs.org/char-regex/-/char-regex-1.0.2.tgz>
<https://registry.npmjs.org/char-regex/-/char-regex-1.0.2.tgz>

MIT char-regex-2.0.2.tgz A regex to match any full character, considering weird character ranges.
<https://index.mend.io/gri/app/reader/resource/content/asString/f035b536-b600-434e-ae2c-a8eba9e74c88> 2020-2024 Copyright 2020-2024 Richie Bendall <https://github.com/Richienb/char-regex#readme>
<https://registry.npmjs.org/char-regex/-/char-regex-2.0.2.tgz>

MIT chart.js-4.5.0.tgz Simple HTML5 charts using the canvas element.
<https://index.mend.io/gri/app/reader/resource/content/asString/45692a43-74eb-4ab7-a6a7-38bb0cea4aff> 2014-2024 Copyright 2014-2024 Chart.js

Contributors <https://www.chartjs.org>
<https://registry.npmjs.org/chart.js/-/chart.js-4.5.0.tgz>

MIT check-types-11.2.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/aa932a58-004e-4b04-8860-1e5a7459f8b8> 2012-2019 Copyright 2012-2019 Phil Booth
<https://gitlab.com/philbooth/check-types.js>
<https://registry.npmjs.org/check-types/-/check-types-11.2.3.tgz>

MIT chokidar-3.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3363c6a0-f34c-4adb-8aca-a8d7c5e47039> "2012-2019 Copyright 2012-2019 Paul Miller Copyright Paul Miller ("https://paulmillr.com" (https://paulmillr.com)), see "LICENSE" (LICENSE) file 2013 Copyright 2013 Paul Miller (http://paulmillr.com)"
<https://github.com/paulmillr/chokidar>
<https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz>

MIT chrome-trace-event-1.0.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a83d543d-75a4-47fd-b989-c6618b325be2> 2015 Copyright 2015 Joyent Inc
<https://github.com/samccone/chrome-trace-event#readme>
<https://registry.npmjs.org/chrome-trace-event/-/chrome-trace-event-1.0.4.tgz>

MIT ci-info-3.9.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/08f9543f-ff59-4786-ae52-0e6097ea4193> 2016 Copyright 2016 Thomas Watson Steen
<https://github.com/watson/ci-info> <https://registry.npmjs.org/ci-info/-/ci-info-3.9.0.tgz>

MIT ci-info-4.3.0.tgz Get details about the current Continuous Integration environment
<https://index.mend.io/gri/app/reader/resource/content/asString/8dca7d02-5a84-450f-ae8c-5a02a9bc0650> 2016 Copyright 2016 Thomas Watson Steen
<https://github.com/watson/ci-info> <https://registry.npmjs.org/ci-info/-/ci-info-4.3.0.tgz>

MIT cjs-module-lexer-1.4.3.tgz Lexes CommonJS modules, returning their named exports metadata
<https://index.mend.io/gri/app/reader/resource/content/asString/85a74161-3bba-4788-974c-8c8d9303d416> 2018-2020 Copyright 2018-2020 Guy Bedford
<https://github.com/nodejs/cjs-module-lexer#readme>
<https://registry.npmjs.org/cjs-module-lexer/-/cjs-module-lexer-1.4.3.tgz>

MIT clean-css-5.3.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/52a8fa54-6ca3-4ec1-998b-bfd7cfb3bcef> 2017 Copyright 2017 JakubPawlowicz.com
<https://github.com/clean-css/clean-css>
<https://registry.npmjs.org/clean-css/-/clean-css-5.3.3.tgz>

MIT clsx-2.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7b91f852-f8c7-4181-bc41-0d37b7b08c4b> Copyright Luke Edwards
<luke.edwards05@gmail.com> (lukeed.com)
<https://github.com/lukeed/clsx#readme>
<https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz>

MIT co-4.6.0.tgz generator async control flow goodness
<https://github.com/tj/co#readme> 2014 Copyright 2014 TJ
Holowaychuk <tj@vision-media.ca> <https://github.com/tj/co#readme>
<https://registry.npmjs.org/co/-/co-4.6.0.tgz>

MIT coa-2.0.2.tgz Command-Option-Argument: Yet another parser for
command line options.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e875b527-e0c9-42e6-ac31-cb29656f3ed8> 2015 Copyright 2015
Sergey Berezhnoy <veged@ya.ru> <http://github.com/veged/coa>
<https://registry.npmjs.org/coa/-/coa-2.0.2.tgz>

MIT code-frame-7.27.1.tgz Generate errors that contain a code frame
that point to source locations.
<https://index.mend.io/gri/app/reader/resource/content/asString/546b0d03-7473-4671-bc58-61d610ab0af5> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-code-frame>
<https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.27.1.tgz>

MIT collect-v8-coverage-1.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/66941f96-aa81-4866-99bc-6d68c8cdb0dd> 2019 Copyright 2019 Simen Bekkhus
<https://github.com/SimenB/collect-v8-coverage#readme>
<https://registry.npmjs.org/collect-v8-coverage/-/collect-v8-coverage-1.0.2.tgz>

MIT color-0.3.4.tgz css color parsing, manipulation and conversion
<https://index.mend.io/gri/app/reader/resource/content/asString/ada623b5-fc8d-43b2-9a6b-c9f408af3457> 2018-2024 Copyright 2018-2024 Jukka
Kurkela <https://github.com/kurkle/color#readme>
<https://registry.npmjs.org/@kurkle/color/-/color-0.3.4.tgz>

MIT color-convert-1.9.3.tgz Plain color conversion functions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eb5ab5fc-86d8-4f91-ae26-dedfd0677037> "2011-2016 Copyright
2011-2016 Heather Arthur and Josh Junon
2011-2016 Copyright 2011-2016 Heather Arthur <fayearthur@gmail.com>"
<https://github.com/Qix-/color-convert#readme>
<https://registry.npmjs.org/color-convert/-/color-convert-1.9.3.tgz>

MIT color-convert-2.0.1.tgz Plain color conversion functions
<https://github.com/Qix-/color-convert#readme> "2011-2016 Copyright
2011-2016 Heather Arthur and Josh Junon
2011-2016 Copyright 2011-2016 Heather Arthur <fayearthur@gmail.com>"
<https://github.com/Qix-/color-convert#readme>

<https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz>

MIT colord-2.9.3.tgz ? A tiny yet powerful tool for high-performance color manipulations and conversions
<https://index.mend.io/gri/app/reader/resource/content/asString/73e3358b-f8ab-4f80-814d-43c533bba98b> "2020 Copyright 2020 Vlad Shilov omgovich@ya.ru
0000 Copyright 0000 ff9f80"", ""#ffffff""];
0080 Copyright 0080 ff0000"", ""#ff8000"", ""#00ff80"", ""#0080ff""]
0000 Copyright 0000 80ff00"", ""#00ffff"", ""#8000ff""]
0000 Copyright 0000 7alb0b"", ""#000000""];
0000 Copyright 0000 00ff80"", ""#0080ff""]
0000 Copyright 0000 00ff00"", ""#0000ff""]
0080 Copyright 0080 ff0000"", ""#ff8000""]
0000 Copyright 0000 00ffff""]
0000 Copyright 0000 ffff00"", ""#00ffff"", ""#0000ff""]
0000 Copyright 0000 c86147"", ""#808080""];"
<https://github.com/omgovich/colord#readme>
<https://registry.npmjs.org/colord/-/colord-2.9.3.tgz>

MIT colorette-2.0.20.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/87a50b74-c2be-4531-87fc-5be5ea28c427> Copyright Jorge Bucaran
<"<https://jorgebucaran.com>" (<https://jorgebucaran.com>)>
<https://github.com/jorgebucaran/colorette#readme>
<https://registry.npmjs.org/colorette/-/colorette-2.0.20.tgz>

MIT color-name-1.1.3.tgz A list of color names and its values
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/flefdafd-cd48-4a9e-9bd6-e91ed141e31b> 2015 Copyright 2015 Dmitry Ivanov
<https://github.com/dfcreative/color-name>
<https://registry.npmjs.org/color-name/-/color-name-1.1.3.tgz>

MIT color-name-1.1.4.tgz A list of color names and its values
<https://github.com/colorjs/color-name> 2015 Copyright 2015 Dmitry Ivanov
<https://github.com/colorjs/color-name>
<https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz>

MIT combined-stream-1.0.8.tgz A stream that emits multiple other streams one after another. <https://github.com/felixge/node-combined-stream>
2011 Copyright 2011 Debuggable Limited <felix@debuggable.com>
<https://github.com/felixge/node-combined-stream>
<https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz>

MIT commander-2.20.3.tgz the complete solution for node.js command-line programs <https://github.com/tj/commander.js/tree/v2.20.3> 2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca>
<https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-2.20.3.tgz>

MIT commander-4.1.1.tgz the complete solution for node.js command-line programs

<https://index.mend.io/gri/app/reader/resource/content/asString/e10e0129-9cb4-43ff-a2a7-28b9df3463b9> 2011 Copyright 2011 TJ Holowaychuk
<tj@vision-media.ca> <https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-4.1.1.tgz>

MIT commander-7.2.0.tgz the complete solution for node.js command-line programs
<https://index.mend.io/gri/app/reader/resource/content/asString/4cfb365d-0f8f-4bf1-8495-3cc7d08c3e48> 2011 Copyright 2011 TJ Holowaychuk
<tj@vision-media.ca> <https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-7.2.0.tgz>

MIT commander-8.3.0.tgz the complete solution for node.js command-line programs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fa2127b4-dcf5-452e-ada4-5b7f4f12fc9b> 2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca>
<https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-8.3.0.tgz>

MIT commondir-1.0.1.tgz compute the closest common parent for file paths
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fb40ac6b-6981-434e-a89c-e40fa61de1d6> 2013 Copyright 2013 James Halliday (mail@substack.net) <https://github.com/substack/node-commondir>
<https://registry.npmjs.org/commondir/-/commondir-1.0.1.tgz>

MIT common-tags-1.8.2.tgz a few common utility template tags for ES2015
<https://index.mend.io/gri/app/reader/resource/content/asString/97ea90e3-38cb-4f4c-b401-253bc3884464> Copyright Declan de Wet
<https://github.com/zspecza/common-tags>
<https://registry.npmjs.org/common-tags/-/common-tags-1.8.2.tgz>

MIT compat-data-7.28.0.tgz The compat-data to determine required Babel plugins
<https://index.mend.io/gri/app/reader/resource/content/asString/83a116f2-edbd-407d-8f3f-730f9d863733> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.28.0.tgz>
<https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.28.0.tgz>

MIT compressible-2.0.18.tgz Compressible Content-Type / mime checking
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cf68a51c-5b22-4f92-8261-d7bf75061719> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
2013 Copyright 2013 Jonathan Ong <me@jongleberry.com>
2014 Copyright 2014 Jeremiah Senkpiel <fishrock123@rocketmail.com>"
<https://github.com/jshttp/compressible#readme>
<https://registry.npmjs.org/compressible/-/compressible-2.0.18.tgz>

MIT compression-1.8.1.tgz Node.js compression middleware
<https://www.npmjs.com/package/compression> "2014 Copyright 2014
Jonathan Ong <me@jongleberry.com>
2014-2015 Copyright 2014-2015 Douglas Christopher Wilson
<doug@somethingdoug.com>"
<https://github.com/expressjs/compression#readme>
<https://registry.npmjs.org/compression/-/compression-1.8.1.tgz>

MIT concat-map-0.0.1.tgz concatenative mapdashery
<https://github.com/substack/node-concat-map> Copyright James
Halliday <https://github.com/substack/node-concat-map>
<https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz>

MIT confusing-browser-globals-1.0.11.tgz A list of browser globals
that are often used by mistake instead of local variables
[https://index.mend.io/gri/app/reader/resource/content/asString/06f2
179c-5305-49fa-9260-cb6888d3fb27](https://index.mend.io/gri/app/reader/resource/content/asString/06f2179c-5305-49fa-9260-cb6888d3fb27) "2013 Copyright 2013 Facebook, Inc
2016 Copyright 2016 Facebook, Inc" [https://github.com/facebook/create-
react-app#readme](https://github.com/facebook/create-react-app#readme) [https://registry.npmjs.org/confusing-browser-globals/-
/confusing-browser-globals-1.0.11.tgz](https://registry.npmjs.org/confusing-browser-globals/-/confusing-browser-globals-1.0.11.tgz)

MIT connect-3.4.38.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/b53c
c417-b232-44e1-b225-76d7939dcd20](https://index.mend.io/gri/app/reader/resource/content/asString/b53cc417-b232-44e1-b225-76d7939dcd20) Copyright Microsoft Corporation
[https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type
s/connect](https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/connect) [https://registry.npmjs.org/@types/connect/-/connect-
3.4.38.tgz](https://registry.npmjs.org/@types/connect/-/connect-3.4.38.tgz)

MIT connect-history-api-fallback-1.5.4.tgz
[https://github.com/bripkens/connect-history-api-
fallback/blob/main/LICENSE](https://github.com/bripkens/connect-history-api-fallback/blob/main/LICENSE) Copyright Microsoft Corporation
[https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type
s/connect-history-api-fallback](https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/connect-history-api-fallback)
[https://registry.npmjs.org/@types/connect-history-api-fallback/-
/connect-history-api-fallback-1.5.4.tgz](https://registry.npmjs.org/@types/connect-history-api-fallback/-/connect-history-api-fallback-1.5.4.tgz)

MIT connect-history-api-fallback-2.0.0.tgz Provides a fallback for
non-existing directories so that the HTML 5 history API can be used.
[https://index.mend.io/gri/app/reader/resource/content/asString/9329
58c5-e1d0-4b04-ab3f-978cee902a77](https://index.mend.io/gri/app/reader/resource/content/asString/932958c5-e1d0-4b04-ab3f-978cee902a77) 2022 Copyright 2022 Ben Blackmore and
contributors [https://github.com/bripkens/connect-history-api-
fallback#readme](https://github.com/bripkens/connect-history-api-fallback#readme) [https://registry.npmjs.org/connect-history-api-
fallback/-/connect-history-api-fallback-2.0.0.tgz](https://registry.npmjs.org/connect-history-api-fallback/-/connect-history-api-fallback-2.0.0.tgz)

MIT console-27.5.1.tgz
[https://index.whitesourcesoftware.com/gri/app/reader/resource/cont
ent/asString/2e7b6ac6-a654-4de3-a436-b80429058bfa](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2e7b6ac6-a654-4de3-a436-b80429058bfa) Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/console/-/console-27.5.1.tgz>

MIT console-28.1.3.tgz
[https://index.whitesourcesoftware.com/gri/app/reader/resource/cont
ent/asString/46ad9ac6-ea13-4fdd-87d0-d4798cdf8367](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/46ad9ac6-ea13-4fdd-87d0-d4798cdf8367) Copyright Facebook,

Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/console/-/console-28.1.3.tgz>

MIT content-disposition-0.5.4.tgz Create and parse Content-
Disposition header
<https://index.mend.io/gri/app/reader/resource/content/asString/eb58ce7c-692b-4e14-ad75-82e75b18704c> 2014-2017 Copyright 2014-2017 Douglas
Christopher Wilson [https://github.com/jshttp/content-](https://github.com/jshttp/content-disposition#readme)
disposition#readme [https://registry.npmjs.org/content-disposition/-](https://registry.npmjs.org/content-disposition/-/content-disposition-0.5.4.tgz)
/content-disposition-0.5.4.tgz

MIT content-type-1.0.5.tgz
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fade8145-042e-49ea-b3c1-17d85288bbcb)
nt/asString/fade8145-042e-49ea-b3c1-17d85288bbcb 2015 Copyright 2015
Douglas Christopher Wilson [https://github.com/jshttp/content-](https://github.com/jshttp/content-type#readme)
type#readme [https://registry.npmjs.org/content-type/-/content-type-](https://registry.npmjs.org/content-type/-/content-type-1.0.5.tgz)
1.0.5.tgz

MIT convert-source-map-1.9.0.tgz Converts a source-map from/to
different formats and allows adding/changing properties.
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b0e73fe3-8261-477d-8f2e-57f3c97c6d35)
nt/asString/b0e73fe3-8261-477d-8f2e-57f3c97c6d35 2013 Copyright 2013
Thorsten Lorenz <https://github.com/thlorenz/convert-source-map>
[https://registry.npmjs.org/convert-source-map/-/convert-source-map-](https://registry.npmjs.org/convert-source-map/-/convert-source-map-1.9.0.tgz)
1.9.0.tgz

MIT convert-source-map-2.0.0.tgz Converts a source-map from/to
different formats and allows adding/changing properties.
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3d0a1db2-ebd8-4939-8dec-165ca35f39df)
nt/asString/3d0a1db2-ebd8-4939-8dec-165ca35f39df 2013 Copyright 2013
Thorsten Lorenz <https://github.com/thlorenz/convert-source-map>
[https://registry.npmjs.org/convert-source-map/-/convert-source-map-](https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz)
2.0.0.tgz

MIT cookie-0.7.1.tgz HTTP server cookie parsing and serialization
[https://index.mend.io/gri/app/reader/resource/content/asString/52e2](https://index.mend.io/gri/app/reader/resource/content/asString/52e29b59-711b-4fb2-a4f8-fdeb9ef1bc5e)
9b59-711b-4fb2-a4f8-fdeb9ef1bc5e "2012-2014 Copyright 2012-2014 Roman
Shtylman <shtylman@gmail.com>
2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/cookie#readme>
<https://registry.npmjs.org/cookie/-/cookie-0.7.1.tgz>

MIT cookie-signature-1.0.6.tgz Sign and unsign cookies
<https://github.com/tj/node-cookie-signature> 2012 Copyright 2012
LearnBoost <tj@learnboost.com> [https://github.com/visionmedia/node-](https://github.com/visionmedia/node-cookie-signature)
cookie-signature [https://registry.npmjs.org/cookie-signature/-/cookie-](https://registry.npmjs.org/cookie-signature/-/cookie-signature-1.0.6.tgz)
signature-1.0.6.tgz

MIT core-2.11.8.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/bbe3](https://index.mend.io/gri/app/reader/resource/content/asString/bbe3f087-b8be-470c-9c97-6cae6bc2c8da)
f087-b8be-470c-9c97-6cae6bc2c8da 2019 Copyright 2019 Federico Zivolo
<https://registry.npmjs.org/@popperjs/core/-/core-2.11.8.tgz>
<https://registry.npmjs.org/@popperjs/core/-/core-2.11.8.tgz>

MIT core-27.5.1.tgz Delightful JavaScript Testing.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0988a303-6f91-4664-bd89-cbdde24e7312> Copyright Facebook, Inc. and its affiliates <https://jestjs.io/>
<https://registry.npmjs.org/@jest/core/-/core-27.5.1.tgz>

MIT core-5.5.0.tgz Transform SVG into React Components.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1e5d415c-b114-4a72-b460-b3d06db8f0dc> 2017 Copyright 2017 Smooth Code <https://react-svgr.com> <https://registry.npmjs.org/@svgr/core/-/core-5.5.0.tgz>

MIT core-7.28.3.tgz Babel compiler core.
<https://index.mend.io/gri/app/reader/resource/content/asString/4b224f21-229c-4705-9fc7-4d5b731d80e7> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-core>
<https://registry.npmjs.org/@babel/core/-/core-7.28.3.tgz>

MIT core-downloads-tracker-5.18.0.tgz Internal package to track number of downloads of our design system libraries
<https://github.com/mui/material-ui.git> 2014 Copyright 2014 Call-Em-All <https://mui.com/> <https://registry.npmjs.org/@mui/core-downloads-tracker/-/core-downloads-tracker-5.18.0.tgz>

MIT core-js-3.45.1.tgz Standard library
<https://index.mend.io/gri/app/reader/resource/content/asString/21c26702-219b-4670-a80f-c886011097fe> 2014-2025 Copyright 2014-2025 Denis Pushkarev <https://github.com/zloirock/core-js#readme>
<https://registry.npmjs.org/core-js/-/core-js-3.45.1.tgz>

MIT core-js-compat-3.45.1.tgz core-js compat
<https://index.mend.io/gri/app/reader/resource/content/asString/15821a4d-501b-4343-98d8-064cbfa90410> 2014-2025 Copyright 2014-2025 Denis Pushkarev <https://github.com/zloirock/core-js#readme>
<https://registry.npmjs.org/core-js-compat/-/core-js-compat-3.45.1.tgz>

MIT core-js-pure-3.45.1.tgz Standard library
<https://index.mend.io/gri/app/reader/resource/content/asString/97935b93-7e17-45be-a805-12ceab237c37> 2014-2025 Copyright 2014-2025 Denis Pushkarev <https://github.com/zloirock/core-js#readme>
<https://registry.npmjs.org/core-js-pure/-/core-js-pure-3.45.1.tgz>

MIT core-util-is-1.0.3.tgz The `util.is\*` functions introduced in Node v0.12.
<https://index.mend.io/gri/app/reader/resource/content/asString/254156eb-c0cc-42aa-9d09-f7c1fc9554d2> Copyright Node.js contributors
<https://github.com/isaacs/core-util-is#readme>
<https://registry.npmjs.org/core-util-is/-/core-util-is-1.0.3.tgz>

MIT cosmiconfig-6.0.0.tgz Find and load configuration from a package.json property, rc file, or CommonJS module

<https://index.mend.io/gri/app/reader/resource/content/asString/f9fd2326-a429-4cab-bc66-1ba71c22565a> 2015 Copyright 2015 David Clark
<https://github.com/davidtheclark/cosmiconfig#readme>
<https://registry.npmjs.org/cosmiconfig/-/cosmiconfig-6.0.0.tgz>

MIT cosmiconfig-7.1.0.tgz Find and load configuration from a package.json property, rc file, or CommonJS module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b83e4be9-25c1-4e69-8c96-7d4aa92a46f8> 2015 Copyright 2015 David Clark
<https://github.com/davidtheclark/cosmiconfig#readme>
<https://registry.npmjs.org/cosmiconfig/-/cosmiconfig-7.1.0.tgz>

MIT cross-spawn-7.0.6.tgz Cross platform child_process#spawn and child_process#spawnSync
<https://index.mend.io/gri/app/reader/resource/content/asString/6f7a94ae-b9c5-4543-a9df-b1bf27e2b907> 2018 Copyright 2018 Made With MOXY Lda
<hello@moxystudio> <https://github.com/moxystudio/node-cross-spawn>
<https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz>

MIT crypto-random-string-2.0.0.tgz Generate a cryptographically strong random string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/49efa82d-95fb-4829-bb7a-88d0cbb1abaf> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/crypto-random-string#readme>
<https://registry.npmjs.org/crypto-random-string/-/crypto-random-string-2.0.0.tgz>

MIT css.escape-1.5.1.tgz A robust polyfill for the `CSS.escape` utility method as defined in CSSOM.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a40f9712-87f2-4d94-9dbd-98cc3a39b102> Copyright Mathias Bynens
<<https://mathiasbynens.be/>><https://mths.be/cssescape>
<https://registry.npmjs.org/css.escape/-/css.escape-1.5.1.tgz>

MIT cssesc-3.0.0.tgz A JavaScript library for escaping CSS strings and identifiers while generating the shortest possible ASCII-only output.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b089a4b8-18bd-4d8c-b343-d2930af6aa94> Copyright Mathias Bynens
<<https://mathiasbynens.be/>><https://mths.be/cssesc>
<https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz>

MIT css-loader-6.11.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/8019ad8f-d4f3-42aa-b2e7-91fec37dd21c> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/css-loader>
<https://registry.npmjs.org/css-loader/-/css-loader-6.11.0.tgz>

MIT css-minimizer-webpack-plugin-3.4.1.tgz cssnano plugin for Webpack
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/261590fd-3c1a-47b0-9017-ff69d564f127> Copyright JS Foundation and other contributors
[https://github.com/webpack-contrib/css-](https://github.com/webpack-contrib/css-minimizer-webpack-plugin)

minimizer-webpack-plugin <https://registry.npmjs.org/css-minimizer-webpack-plugin/-/css-minimizer-webpack-plugin-3.4.1.tgz>

MIT cssnano-5.1.15.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9485a372-e2ca-4e83-a3cd-1da0926d3565> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/cssnano/-/cssnano-5.1.15.tgz>

MIT cssnano-preset-default-5.2.14.tgz Safe defaults for cssnano which require minimal configuration.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/88f18fe7-8b66-4c89-bf44-81180b57c51a> "Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
Copyright Ben Briggs" <https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/cssnano-preset-default/-/cssnano-preset-default-5.2.14.tgz>

MIT cssnano-utils-3.1.0.tgz Utility methods and plugin for cssnano projects
<https://index.mend.io/gri/app/reader/resource/content/asString/4750c4e2-3e51-4161-83eb-5015454e6ecd> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/cssnano-utils/-/cssnano-utils-3.1.0.tgz>

MIT csso-4.2.0.tgz CSS minifier with structural optimisations
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/18cf5a01-d597-465c-b217-df6db4e6082a> "2011-2015 Copyright
2011-2015 by Sergey Kryzhanovsky
2015-2019 Copyright 2015-2019 by Roman Dvornov"
<https://github.com/css/csso> <https://registry.npmjs.org/csso/-/csso-4.2.0.tgz>

MIT cssom-0.3.8.tgz CSS Object Model implementation and CSS parser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d97049f9-860d-4624-b888-7adbfd0924a> Copyright Nikita
Vasilyev <https://github.com/NV/CSSOM#readme>
<https://registry.npmjs.org/cssom/-/cssom-0.3.8.tgz>

MIT cssom-0.4.4.tgz CSS Object Model implementation and CSS parser
<https://index.mend.io/gri/app/reader/resource/content/asString/cb3d1cc7-f1f0-466d-b7d4-60fc76326b44> Copyright Nikita Vasilyev
<https://github.com/NV/CSSOM#readme>
<https://registry.npmjs.org/cssom/-/cssom-0.4.4.tgz>

MIT css-select-base-adapter-0.1.1.tgz Provides some base functions needed by a css-select adapter so that you don't have to implement the whole thing.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cd535697-5b1d-45ef-9bff-85552a875674> 2018 Copyright 2018
Nik Coughlin <https://github.com/nrkn/css-select-base-adapter#readme>

<https://registry.npmjs.org/css-select-base-adapter/-/css-select-base-adapter-0.1.1.tgz>

MIT cssstyle-2.3.0.tgz CSSStyleDeclaration Object Model implementation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b3elf945-8055-4d73-a4ec-036ec794b4ff> Copyright Chad Walker
<https://github.com/jsdom/cssstyle>
<https://registry.npmjs.org/cssstyle/-/cssstyle-2.3.0.tgz>

MIT css-tools-4.4.4.tgz A modern CSS parser and stringifier with TypeScript support
<https://index.mend.io/gri/app/reader/resource/content/asString/be80d633-8fbc-47e4-ae7f-36ed91e3417d> "2012 Copyright 2012 TJ Holowaychuk <tj@vision-media.ca>
2022 Copyright 2022 Jean-Philippe Zolesio <holblin@gmail.com>"
<https://github.com/adobe/css-tools#readme>
<https://registry.npmjs.org/@adobe/css-tools/-/css-tools-4.4.4.tgz>

MIT css-tree-1.0.0-alpha.37.tgz CSSTree is a tool set to work with CSS, including fast detailed parser (string->AST), walker (AST traversal), generator (AST->string) and lexer (validation and matching) based on knowledge of spec and browser implementations
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eb4ec0ec-7e94-42d5-a339-fd6fc10b2e65> 2016-2019 Copyright 2016-2019 by Roman Dvornov <https://github.com/csstree/csstree#readme>
<https://registry.npmjs.org/css-tree/-/css-tree-1.0.0-alpha.37.tgz>

MIT css-tree-1.1.3.tgz A tool set for CSS: fast detailed parser (CSS → AST), walker (AST traversal), generator (AST → CSS) and lexer (validation and matching) based on specs and browser implementations
<https://index.mend.io/gri/app/reader/resource/content/asString/2f5665e3-c5ca-4e5e-91b2-d9ef9c41c688> 2016-2019 Copyright 2016-2019 by Roman Dvornov <https://github.com/csstree/csstree#readme>
<https://registry.npmjs.org/css-tree/-/css-tree-1.1.3.tgz>

MIT csstype-3.1.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/2b7031dd-bf52-449e-b236-15fc7adba421> 2017-2018 Copyright 2017-2018 Fredrik Nicol <https://github.com/frenic/csstype#readme>
<https://registry.npmjs.org/csstype/-/csstype-3.1.3.tgz>

MIT data-urls-2.0.0.tgz Parses data: URLs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/703c658c-e3d0-4d35-b3b0-83dd59f360e9> 2017-2020 Copyright 2017-2020 Domenic Denicola <d@domenic.me>
<https://github.com/jsdom/data-urls#readme>
<https://registry.npmjs.org/data-urls/-/data-urls-2.0.0.tgz>

MIT data-view-buffer-1.0.2.tgz Get the ArrayBuffer out of a DataView, robustly.
<https://index.mend.io/gri/app/reader/resource/content/asString/9802>

1cea-fccf-4a03-a462-c43ac443b48e 2023 Copyright 2023 Jordan Harband
https://github.com/inspect-js/data-view-buffer#readme
https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-
1.0.2.tgz

MIT data-view-byte-length-1.0.2.tgz Get the byteLength out of a
DataView, robustly.
https://index.mend.io/gri/app/reader/resource/content/asString/8183
af4d-8bbd-4f20-b2ce-964a30a652c1 2024 Copyright 2024 Jordan Harband
https://github.com/inspect-js/data-view-byte-length#readme
https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-
length-1.0.2.tgz

MIT data-view-byte-offset-1.0.1.tgz Get the byteOffset out of a
DataView, robustly.
https://index.mend.io/gri/app/reader/resource/content/asString/e7c0
2ddb-c769-4591-9e1a-c0f3e173882d 2024 Copyright 2024 Jordan Harband
https://github.com/inspect-js/data-view-byte-offset#readme
https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-
offset-1.0.1.tgz

MIT dayjs-1.11.13.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/9fad
d7f3-2a33-49f7-b135-cdf4f8b15368 2018 Copyright 2018 iamkun
https://day.js.org https://registry.npmjs.org/dayjs/-/dayjs-
1.11.13.tgz

MIT debug-2.6.9.tgz small debugging utility
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/ce2740f2-6005-4bdb-afe0-1effd87a05b9 "2014-2016 Copyright
2014-2016 TJ Holowaychuk <tj@vision-media.ca>
2014-2016 Copyright 2014-2016 TJ Holowaychuk
2014 Copyright 2014 TJ Holowaychuk <tj@vision-media.ca>"
https://github.com/visionmedia/debug#readme
https://registry.npmjs.org/debug/-/debug-2.6.9.tgz

MIT debug-3.2.7.tgz small debugging utility
https://github.com/visionmedia/debug#readme "2014-2017 Copyright
2014-2017 TJ Holowaychuk <tj@vision-media.ca>
2014 Copyright 2014 TJ Holowaychuk <tj@vision-media.ca>
2014-2017 Copyright 2014-2017 TJ Holowaychuk"
https://github.com/visionmedia/debug#readme
https://registry.npmjs.org/debug/-/debug-3.2.7.tgz

MIT debug-4.4.1.tgz Lightweight debugging utility for Node.js and the
browser
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/a4e7af49-a7e3-4a8b-b79e-757a0643713b "2018-2021 Copyright
2018-2021 Josh Junon
2014-2017 Copyright 2014-2017 TJ Holowaychuk <tj@vision-media.ca>"
https://github.com/debug-js/debug#readme
https://registry.npmjs.org/debug/-/debug-4.4.1.tgz

MIT decimal.js-10.6.0.tgz An arbitrary-precision Decimal type for JavaScript. <https://github.com/MikeMcl/decimal.js.git> 2025 Copyright 2025 Michael McLaughlin <https://github.com/MikeMcl/decimal.js#readme> <https://registry.npmjs.org/decimal.js/-/decimal.js-10.6.0.tgz>

MIT dedent-0.7.0.tgz An ES6 string tag that strips indentation from multi-line strings <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a44d4c25-2363-4f02-aafb-8bf34ff0e9a9> 2015 Copyright 2015 Desmond Brand (dmnd@desmondbrand.com) <https://github.com/dmnd/dedent> <https://registry.npmjs.org/dedent/-/dedent-0.7.0.tgz>

MIT deep-equal-2.2.3.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/9b89662a-7141-4ce5-8254-9384447bf82e> 2012-2009 Copyright 2012-2009 Thomas Robinson <280north.com> <https://github.com/inspect-js/node-deep-equal#readme> <https://registry.npmjs.org/deep-equal/-/deep-equal-2.2.3.tgz>

MIT deep-is-0.1.4.tgz node's assert.deepEqual algorithm except for NaN being equal to NaN <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4a8bd7ab-c7a6-4ab8-a898-6f2cf97410cc> "2009 Copyright 2009 Thomas Robinson <280north.com> 2012 Copyright 2012 James Halliday <mail@substack.net> 2012-2013 Copyright 2012-2013 Thorsten Lorenz <thlorenz@gmx.de>" <https://github.com/thlorenz/deep-is#readme> <https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz>

MIT deepmerge-4.3.1.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/9f936f47-58c8-4623-a139-73f7f507545d> 2012 Copyright 2012 James Halliday, Josh Duff, and other contributors <https://github.com/TehShrike/deepmerge> <https://registry.npmjs.org/deepmerge/-/deepmerge-4.3.1.tgz>

MIT default-browser-5.2.1.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/b3224593-7ff8-4f8b-a5e3-88dc5e7aelfa> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>) <https://github.com/sindresorhus/default-browser#readme> <https://registry.npmjs.org/default-browser/-/default-browser-5.2.1.tgz>

MIT default-browser-id-5.0.0.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/b67d6fc8-056a-4323-b325-07ca933d519f> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>) <https://github.com/sindresorhus/default-browser-id#readme> <https://registry.npmjs.org/default-browser-id/-/default-browser-id-5.0.0.tgz>

MIT define-data-property-1.1.4.tgz <https://github.com/ljharb/define-data-property?tab=MIT-1-ov-file#readme> 2023 Copyright 2023 Jordan Harband <https://github.com/ljharb/define-data-property#readme>

<https://registry.npmjs.org/define-data-property/-/define-data-property-1.1.4.tgz>

MIT define-lazy-prop-2.0.0.tgz Define a lazily evaluated property on an object
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bcfa9aac-1111-4683-ac5c-754879472b2b> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/define-lazy-prop#readme>
<https://registry.npmjs.org/define-lazy-prop/-/define-lazy-prop-2.0.0.tgz>

MIT define-lazy-prop-3.0.0.tgz Define a lazily evaluated property on an object
<https://index.mend.io/gri/app/reader/resource/content/asString/26d49851-98a1-49da-9d91-9f345d4525e6> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/define-lazy-prop#readme>
<https://registry.npmjs.org/define-lazy-prop/-/define-lazy-prop-3.0.0.tgz>

MIT define-properties-1.2.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0e49536-8e18-405e-bec0-3f1f9f99d72a> 2015 Copyright 2015 Jordan Harband
<https://github.com/ljharb/define-properties#readme>
<https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.tgz>

MIT delayed-stream-1.0.0.tgz Buffers events from a stream until you are ready to handle them. <https://github.com/felixge/node-delayed-stream>
2011 Copyright 2011 Debuggable Limited <felix@debuggable.com>
<https://github.com/felixge/node-delayed-stream>
<https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz>

MIT depd-1.1.2.tgz Deprecate all the things
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f6437cbb-7a97-4acc-8c85-190b5b0f31c5> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson
<https://github.com/dougwilson/nodejs-depd#readme>
<https://registry.npmjs.org/depd/-/depd-1.1.2.tgz>

MIT depd-2.0.0.tgz Deprecate all the things
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/008d5f81-2b06-4619-a5c5-a46fb0b0e087> 2014-2018 Copyright 2014-2018 Douglas Christopher Wilson
<https://github.com/dougwilson/nodejs-depd#readme>
<https://registry.npmjs.org/depd/-/depd-2.0.0.tgz>

MIT dequal-2.0.3.tgz A tiny (304B to 489B) utility for check for deep equality
<https://index.mend.io/gri/app/reader/resource/content/asString/b5bbe47a-44b1-4252-b6e6-359018692b37> Copyright Luke Edwards

<luke.edwards05@gmail.com> (lukeed.com)
 <https://github.com/lukeed/dequal#readme>
 <https://registry.npmjs.org/dequal/-/dequal-2.0.3.tgz>

MIT destroy-1.2.0.tgz destroy a stream if possible
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b285e073-ba15-42ac-9667-30a291e695e2> "2015-2022 Copyright
 2015-2022 Douglas Christopher Wilson doug@somethingdoug.com
 2014 Copyright 2014 Jonathan Ong me@jongleberry.com"
 <https://github.com/stream-utils/destroy#readme>
 <https://registry.npmjs.org/destroy/-/destroy-1.2.0.tgz>

MIT detect-newline-3.1.0.tgz Detect the dominant newline character
 of a string
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2d6d55d0-3105-4bd6-9cf9-8e326b8d59ab> Copyright Sindre
 Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
 <https://github.com/sindresorhus/detect-newline#readme>
 <https://registry.npmjs.org/detect-newline/-/detect-newline-3.1.0.tgz>

MIT detect-node-2.1.0.tgz Detect Node.JS (as opposite to browser
 environment) (reliable)
 <https://index.mend.io/gri/app/reader/resource/content/asString/3818c039-1f29-4d2c-a60d-5cd9135cd144> 2017 Copyright 2017 Ilya Kantor
 <https://github.com/iliakan/detect-node>
 <https://registry.npmjs.org/detect-node/-/detect-node-2.1.0.tgz>

MIT detect-port-alt-1.1.6.tgz detect available port
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1d469c94-3658-41e6-85a7-57ae651cc83a> 2015 Copyright 2015
 xdf <https://github.com/node-modules/detect-port>
 <https://registry.npmjs.org/detect-port-alt/-/detect-port-alt-1.1.6.tgz>

MIT diff-sequences-27.5.1.tgz Compare items in two sequences to find
 a longest common subsequence
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/43487b8c-e7d4-4f0c-9f1d-95b19fff1831> Copyright Facebook,
 Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/diff-sequences/-/diff-sequences-27.5.1.tgz>

MIT diff-sequences-30.0.1.tgz Compare items in two sequences to find
 a longest common subsequence
 <https://index.mend.io/gri/app/reader/resource/content/asString/5bef147d-c61d-420a-ad2b-2af6449219c6> Copyright Meta Platforms, Inc. and
 affiliates <https://registry.npmjs.org/@jest/diff-sequences/-/diff-sequences-30.0.1.tgz> <https://registry.npmjs.org/@jest/diff-sequences/-/diff-sequences-30.0.1.tgz>

MIT dir-glob-3.0.1.tgz Convert directories to glob compatible
 strings
 <https://index.mend.io/gri/app/reader/resource/content/asString/5c3c>

f9f5-6263-4d5b-931c-9a702e1fbce3 Copyright Kevin Mårtensson
<kevinmartensson@gmail.com> (github.com/kevva)
https://github.com/kevva/dir-glob#readme
https://registry.npmjs.org/dir-glob/-/dir-glob-3.0.1.tgz

MIT dlv-1.1.3.tgz Safely get a dot-notated property within an
object.
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/41607ecf-5d7d-4345-8b89-aa39ee75652a Unspecified Copyright
https://github.com/developit/dlv#readme
https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz

MIT dns-packet-5.6.1.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/3313
df0d-a026-498e-a988-bf8d850afd02 2016 Copyright 2016 Mathias Buus
https://github.com/mafintosh/dns-packet
https://registry.npmjs.org/dns-packet/-/dns-packet-5.6.1.tgz

MIT dom-8.20.1.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/48ee
356a-1f53-41b1-86e7-957cd1b4b7ea 2017 Copyright 2017 Kent C. Dodds
https://github.com/testing-library/dom-testing-library#readme
https://registry.npmjs.org/@testing-library/dom/-/dom-8.20.1.tgz

MIT dom-accessibility-api-0.5.16.tgz Implements
https://w3c.github.io/accname/
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a9fec72c-2586-4e28-b1b6-437851d3de31 2020 Copyright 2020
Sebastian Silbermann https://github.com/epsllon/dom-accessibility-api#readme https://registry.npmjs.org/dom-accessibility-api/-/dom-accessibility-api-0.5.16.tgz

MIT dom-converter-0.2.0.tgz converts bare objects to DOM objects or
xml representations
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2c24d154-77e2-41db-af07-8b79a9f1e65d 2013 Copyright 2013
Aria Minaei https://github.com/AriaMinaei/dom-converter#readme
https://registry.npmjs.org/dom-converter/-/dom-converter-0.2.0.tgz

MIT domexception-2.0.1.tgz An implementation of the DOMException class
from browsers
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9ac7cad9-66a7-4e2a-900e-ed13adcae5db 2017 Copyright 2017
Domenic Denicola https://github.com/jsdom/domexception#readme
https://registry.npmjs.org/domexception/-/domexception-2.0.1.tgz

MIT dom-helpers-5.2.1.tgz tiny modular DOM lib for ie9+
https://index.mend.io/gri/app/reader/resource/content/asString/clf8
f146-d077-4b75-a0c4-36a2f8dd03ad 2015 Copyright 2015 Jason Quense
https://github.com/react-bootstrap/dom-helpers#readme
https://registry.npmjs.org/dom-helpers/-/dom-helpers-5.2.1.tgz

MIT dom-serializer-0.2.2.tgz render dom nodes to string
<https://index.mend.io/gri/app/reader/resource/content/asString/cb63acle-9c5b-4a3e-b9ac-80cc575e9674> 2014 Copyright 2014 The cheeriojs contributors
<https://github.com/cheeriojs/dom-renderer#readme>
<https://registry.npmjs.org/dom-serializer/-/dom-serializer-0.2.2.tgz>

MIT dom-serializer-1.4.1.tgz render domhandler DOM nodes to a string
<https://index.mend.io/gri/app/reader/resource/content/asString/be6db5a6-1cb8-4a5d-b2a6-13fe7fbe5ca0> 2014 Copyright 2014 The cheeriojs contributors
<https://github.com/cheeriojs/dom-renderer#readme>
<https://registry.npmjs.org/dom-serializer/-/dom-serializer-1.4.1.tgz>

MIT dot-case-3.0.4.tgz Transform into a lower case string with a period between words
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4e9c59a0-c11a-4119-8582-f26cb0897970> 2014 Copyright 2014 Blake Embrey (hello@blakeembrey.com)
<https://github.com/blakeembrey/change-case/tree/master/packages/dot-case#readme>
<https://registry.npmjs.org/dot-case/-/dot-case-3.0.4.tgz>

MIT dunder-proto-1.0.1.tgz If available, the `Object.prototype.\_\_proto\_\_` accessor and mutator, call-bound
<https://index.mend.io/gri/app/reader/resource/content/asString/1278ebc1-d22f-4773-987d-3a2070cb29b8> 2024 Copyright 2024 ECMAScript Shims
<https://github.com/es-shims/dunder-proto#readme>
<https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz>

MIT duplexer-0.1.2.tgz Creates a duplex stream
<https://index.mend.io/gri/app/reader/resource/content/asString/8cfa0894-b71c-4067-a0c7-b7584b39c566> 2012 Copyright 2012 Raynos
<https://github.com/Raynos/duplexer>
<https://registry.npmjs.org/duplexer/-/duplexer-0.1.2.tgz>

MIT eastasianwidth-0.2.0.tgz Get East Asian Width from a character.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/14f0d10a-ae76-49cd-a708-451df643221a> Unspecified Copyright
<https://github.com/komagata/eastasianwidth#readme>
<https://registry.npmjs.org/eastasianwidth/-/eastasianwidth-0.2.0.tgz>

MIT ee-first-1.1.1.tgz return the first event in a set of ee/event pairs
<https://github.com/jonathanong/ee-first> 2014 Copyright 2014 Jonathan Ong me@jongleberry.com
<https://github.com/jonathanong/ee-first>
<https://registry.npmjs.org/ee-first/-/ee-first-1.1.1.tgz>

MIT emittery-0.10.2.tgz Simple and modern async event emitter
<https://index.mend.io/gri/app/reader/resource/content/asString/d24064ff-9c49-4bee-854a-ff78a6c99ad3> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)

<https://github.com/sindresorhus/emittery#readme>
<https://registry.npmjs.org/emittery/-/emittery-0.10.2.tgz>

MIT emittery-0.8.1.tgz Simple and modern async event emitter
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3f3bc600-0d80-45e9-a966-8699942ffc71> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/emittery#readme>
<https://registry.npmjs.org/emittery/-/emittery-0.8.1.tgz>

MIT emoji-regex-8.0.0.tgz A regular expression to match all Emoji-only symbols as per the Unicode Standard.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/251c88f7-1447-488c-9f78-24655c69e14f> Copyright Mathias Bynens <<https://mathiasbynens.be/>> <https://mths.be/emoji-regex>
<https://registry.npmjs.org/emoji-regex/-/emoji-regex-8.0.0.tgz>

MIT emoji-regex-9.2.2.tgz A regular expression to match all Emoji-only symbols as per the Unicode Standard.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/08c6f086-95c4-49de-8300-5fab616b4fc4> Copyright Mathias Bynens <<https://mathiasbynens.be/>> <https://mths.be/emoji-regex>
<https://registry.npmjs.org/emoji-regex/-/emoji-regex-9.2.2.tgz>

MIT emojis-list-3.0.0.tgz Complete list of standard emojis.
<https://github.com/Kikobeats/emojis-list/blob/master/LICENSE.md>
"Copyright Kiko Beats
2015 Copyright 2015 Kiko Beats" <https://nidecoc.io/Kikobeats/emojis-list>
<https://registry.npmjs.org/emojis-list/-/emojis-list-3.0.0.tgz>

MIT encodeurl-1.0.2.tgz Encode a URL to a percent-encoded form, excluding already-encoded sequences
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e8b82c36-6a18-453d-9674-3303a2624459> 2016 Copyright 2016 Douglas Christopher Wilson <https://github.com/pillarjs/encodeurl#readme>
<https://registry.npmjs.org/encodeurl/-/encodeurl-1.0.2.tgz>

MIT encodeurl-2.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/cb4d18b5-487c-4436-889b-3fbd4557c673> 2016 Copyright 2016 Douglas Christopher Wilson <https://github.com/pillarjs/encodeurl#readme>
<https://registry.npmjs.org/encodeurl/-/encodeurl-2.0.0.tgz>

MIT enhanced-resolve-5.18.3.tgz Offers a async require.resolve function. It's highly configurable.
<https://www.npmjs.com/package/enhanced-resolve> "Copyright JS Foundation and other contributors 2012-2019 Copyright 2012-2019 JS Foundation and other contributors" <http://github.com/webpack/enhanced-resolve> <https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.18.3.tgz>

MIT environment-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/72b5af86-bd9a-4514-a816-adf119396bdc> Copyright Facebook,

Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/@jest/environment/-/environment-27.5.1.tgz>

MIT error-ex-1.3.2.tgz Easy error subclassing and stack customization
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1b66565a-3560-4674-a297-834113f9bcaf> 2015 Copyright 2015 JD Ballard <https://github.com/qix-/node-error-ex#readme>
 <https://registry.npmjs.org/error-ex/-/error-ex-1.3.2.tgz>

MIT error-stack-parser-2.1.4.tgz Extract meaning from JS Errors
 <https://index.mend.io/gri/app/reader/resource/content/asString/2ec609fd-b82f-452d-8e6e-3666d4291837> 2017 Copyright 2017 Eric Wendelin and other contributors <https://www.stacktracejs.com>
 <https://registry.npmjs.org/error-stack-parser/-/error-stack-parser-2.1.4.tgz>

MIT es-abstract-1.24.0.tgz ECMAScript spec abstract operations.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/426b92c6-9dd0-48f8-93f1-6250dec64eb2> 2015 Copyright 2015 Jordan Harband <https://github.com/ljharb/es-abstract#readme>
 <https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.0.tgz>

MIT es-array-method-boxes-properly-1.0.0.tgz Utility package to determine if an `Array.prototype` method properly boxes the callback's receiver and third argument.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/535cf9fe-40f6-41e9-8cd3-9acfdc889e6a> 2019 Copyright 2019 Jordan Harband <https://github.com/ljharb/es-array-method-boxes-properly#readme> <https://registry.npmjs.org/es-array-method-boxes-properly/-/es-array-method-boxes-properly-1.0.0.tgz>

MIT escalade-3.2.0.tgz A tiny (183B to 210B) and fast utility to ascend parent directories
 <https://index.mend.io/gri/app/reader/resource/content/asString/88b1a25d-e0aa-485f-a6d2-b5829ede21ff> "Copyright Luke Edwards
Copyright Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)"
 <https://github.com/lukeed/escalade#readme>
 <https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz>

MIT escape-html-1.0.3.tgz Escape string for use in HTML
 <https://github.com/component/escape-html> "2015 Copyright 2015 Andreas Lubbe
2015 Copyright 2015 Tiancheng "Timothy" Gu
2012-2013 Copyright 2012-2013 TJ Holowaychuk"
 <https://github.com/component/escape-html>
 <https://registry.npmjs.org/escape-html/-/escape-html-1.0.3.tgz>

MIT escape-string-regexp-1.0.5.tgz Escape RegExp special characters
 <https://github.com/sindresorhus/escape-string-regexp> "Copyright Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/escape-string-regexp>
 <https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-1.0.5.tgz>

MIT escape-string-regexp-2.0.0.tgz Escape RegExp special characters
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fa79b1b3-d5a2-409c-8a63-48543a8d3ab2> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/escape-string-regexp#readme>
 <https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-2.0.0.tgz>

MIT escape-string-regexp-4.0.0.tgz Escape RegExp special characters
 <https://index.mend.io/gri/app/reader/resource/content/asString/bcf624ae-fff2-4a67-a81f-f55a97d8d97a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
 <https://github.com/sindresorhus/escape-string-regexp#readme>
 <https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz>

MIT es-define-property-1.0.1.tgz `Object.defineProperty`, but not IE 8's broken one.
 <https://index.mend.io/gri/app/reader/resource/content/asString/5783dab2-3c83-4e8e-8f1b-fca155b9839c> 2024 Copyright 2024 Jordan Harband
 <https://github.com/ljharb/es-define-property#readme>
 <https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz>

MIT es-errors-1.3.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/914d3fc8-9ba6-45b3-9811-4f84151218ea> 2024 Copyright 2024 Jordan Harband
 <https://github.com/ljharb/es-errors#readme>
 <https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz>

MIT es-get-iterator-1.1.3.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/3da8f727-6771-41fa-892a-e7464c08d3dd> 2019 Copyright 2019 Jordan Harband
 <https://github.com/ljharb/es-get-iterator#readme>
 <https://registry.npmjs.org/es-get-iterator/-/es-get-iterator-1.1.3.tgz>

MIT es-iterator-helpers-1.2.1.tgz An ESnext spec-compliant iterator helpers shim/polyfill/replacement that works as far down as ES3.
 <https://index.mend.io/gri/app/reader/resource/content/asString/0446dd99-c73e-4387-abbc-c574cf1da188> 2022 Copyright 2022 ECMAScript Shims
 <https://github.com/es-shims/iterator-helpers#readme>
 <https://registry.npmjs.org/es-iterator-helpers/-/es-iterator-helpers-1.2.1.tgz>

MIT eslint-8.56.12.tgz TypeScript definitions for eslint
 <https://index.mend.io/gri/app/reader/resource/content/asString/e278988b-4bb6-4c59-bb4c-09bad6e3382b> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/eslint> <https://registry.npmjs.org/@types/eslint/-/eslint-8.56.12.tgz>

MIT [eslint-8.57.0.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/95b31cbf-064b-4402-a1e2-7f0e0867954a> Copyright OpenJS Foundation and other contributors, <www.openjsf.org> <https://eslint.org>
<https://registry.npmjs.org/eslint/-/eslint-8.57.0.tgz>

MIT [eslint-config-react-app-7.0.1.tgz](#) ESLint configuration used by Create React App
<https://index.mend.io/gri/app/reader/resource/content/asString/07c634c6-31dc-4b2f-8844-841dab38d2c9> 2013 Copyright 2013 Facebook, Inc
<https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/eslint-config-react-app/-/eslint-config-react-app-7.0.1.tgz>

MIT [eslint-import-resolver-node-0.3.9.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/93b4a4c1-8cea-4023-ac48-ea200941ba20> 2015 Copyright 2015 Ben Mosher
<https://github.com/import-js/eslint-plugin-import>
<https://registry.npmjs.org/eslint-import-resolver-node/-/eslint-import-resolver-node-0.3.9.tgz>

MIT [eslint-module-utils-2.12.1.tgz](#) Core utilities to support eslint-plugin-import and other module-related plugins.
<https://index.mend.io/gri/app/reader/resource/content/asString/b2d327f4-eba0-45bc-979f-7179b4a473ec> 2015 Copyright 2015 Ben Mosher
<https://github.com/import-js/eslint-plugin-import#readme>
<https://registry.npmjs.org/eslint-module-utils/-/eslint-module-utils-2.12.1.tgz>

MIT [eslint-parser-7.28.0.tgz](#) ESLint parser that allows for linting of experimental syntax transformed by Babel
<https://index.mend.io/gri/app/reader/resource/content/asString/5bc5c0af-333a-40f6-ad26-d785f3d225ec> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/>
<https://registry.npmjs.org/@babel/eslint-parser/-/eslint-parser-7.28.0.tgz>

MIT [eslint-patch-1.12.0.tgz](#) Enhance ESLint with better support for large scale monorepos <https://www.npmjs.com/package/@rushstack/eslint-patch> Copyright Microsoft Corporation <https://rushstack.io>
<https://registry.npmjs.org/@rushstack/eslint-patch/-/eslint-patch-1.12.0.tgz>

MIT [eslint-plugin-5.62.0.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/109a-3580-4085-a10e-aeb844907df9> 2019 Copyright 2019 typescript-eslint and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/eslint-plugin/-/eslint-plugin-5.62.0.tgz>

MIT eslint-plugin-import-2.32.0.tgz Import with sanity.
 <https://www.npmjs.com/package/eslint-plugin-import/v/2.32.0> 2015
Copyright 2015 Ben Mosher <https://github.com/import-js/eslint-plugin-import>
import <https://registry.npmjs.org/eslint-plugin-import/-/eslint-plugin-import-2.32.0.tgz>

MIT eslint-plugin-jest-25.7.0.tgz Eslint rules for Jest
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cb292484-10b9-40c9-a2f9-ac2838e84d2c> 2018 Copyright 2018
Jonathan Kim <https://github.com/jest-community/eslint-plugin-jest#readme> <https://registry.npmjs.org/eslint-plugin-jest/-/eslint-plugin-jest-25.7.0.tgz>

MIT eslint-plugin-jsx-ally-6.10.2.tgz Static AST checker for
accessibility rules on JSX elements.
 <https://index.mend.io/gri/app/reader/resource/content/asString/474545a2-44d9-4bb9-b6f0-0b8d84658403> 2016 Copyright 2016 Ethan Cohen
 <https://github.com/jsx-eslint/eslint-plugin-jsx-ally#readme>
 <https://registry.npmjs.org/eslint-plugin-jsx-ally/-/eslint-plugin-jsx-ally-6.10.2.tgz>

MIT eslint-plugin-react-7.37.5.tgz React specific linting rules for
ESLint
 <https://index.mend.io/gri/app/reader/resource/content/asString/0466e917-99ea-40b0-a079-f29388e136ff> 2014 Copyright 2014 Yannick Croissant
 <https://github.com/jsx-eslint/eslint-plugin-react>
 <https://registry.npmjs.org/eslint-plugin-react/-/eslint-plugin-react-7.37.5.tgz>

MIT eslint-plugin-react-hooks-4.6.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/3d3f7ff3-8187-45d5-976c-6f88ffd11eb4> Copyright Facebook, Inc. and its
affiliates <https://reactjs.org/> <https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-hooks-4.6.2.tgz>

MIT eslint-plugin-testing-library-5.11.1.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/4a4d3dc9-9d74-41a4-8e34-2b0252289170> 2019 Copyright 2019 Mario Beltrán
Alarcón <https://github.com/testing-library/eslint-plugin-testing-library> <https://registry.npmjs.org/eslint-plugin-testing-library/-/eslint-plugin-testing-library-5.11.1.tgz>

MIT eslintrc-2.1.4.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/e0e38e20-4f92-4566-82d6-7b1d84bdae82> Copyright OpenJS Foundation and other
contributors, <www.openjsf.org>
 <https://github.com/eslint/eslintrc#readme>
 <https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-2.1.4.tgz>

MIT eslint-scope-3.7.7.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/903cc292-3alf-45c2-bc81-fe072b2f1ae3> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type>

s/eslint-scope <https://registry.npmjs.org/@types/eslint-scope/-/eslint-scope-3.7.7.tgz>

MIT eslint-scope-5-internals-5.1.1-v1.tgz Proxy package exposing internals of eslint-scope@5 for @babel/eslint-parser
<https://index.mend.io/gri/app/reader/resource/content/asString/4fc028d0-5f8e-4629-ab66-1a5b100ccddc> 2022 Copyright 2022 Nicolò Ribaudo
<https://registry.npmjs.org/@nicolo-ribaudo/eslint-scope-5-internals/-/eslint-scope-5-internals-5.1.1-v1.tgz>
<https://registry.npmjs.org/@nicolo-ribaudo/eslint-scope-5-internals/-/eslint-scope-5-internals-5.1.1-v1.tgz>

MIT eslint-utils-4.7.0.tgz Utilities for ESLint plugins.
<https://index.mend.io/gri/app/reader/resource/content/asString/dde9b883-be4c-475e-a9a1-b7fb15923fb7> 2018 Copyright 2018 Toru Nagashima
<https://github.com/eslint-community/eslint-utils#readme>
<https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.7.0.tgz>

MIT eslint-webpack-plugin-3.2.0.tgz A ESLint plugin for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/d2f6dcda-e8c6-431f-a5c2-0f079fc21e62> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/eslint-webpack-plugin>
<https://registry.npmjs.org/eslint-webpack-plugin/-/eslint-webpack-plugin-3.2.0.tgz>

MIT es-module-lexer-1.7.0.tgz Lexes ES modules returning their import/export metadata
<https://index.mend.io/gri/app/reader/resource/content/asString/dac4ad76-370f-478f-83a1-d73f081840e0> 2018-2022 Copyright 2018-2022 Guy Bedford
<https://github.com/guybedford/es-module-lexer#readme>
<https://registry.npmjs.org/es-module-lexer/-/es-module-lexer-1.7.0.tgz>

MIT es-set-tostringtag-2.1.0.tgz A helper to optimistically set Symbol.toStringTag, when possible.
<https://index.mend.io/gri/app/reader/resource/content/asString/d159b4f4-3854-4f9b-b97a-5def6a7d32a1> 2022 Copyright 2022 ECMAScript Shims
<https://github.com/es-shims/es-set-tostringtag#readme>
<https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz>

MIT es-shim-unscopables-1.1.0.tgz Helper package to shim a method into `Array.prototype[Symbol.unscopables]`
<https://index.mend.io/gri/app/reader/resource/content/asString/a192f9da-7139-47bd-b634-2648a42160cf> 2022 Copyright 2022 Jordan Harband
<https://github.com/ljharb/es-shim-unscopables#readme>
<https://registry.npmjs.org/es-shim-unscopables/-/es-shim-unscopables-1.1.0.tgz>

MIT es-to-primitive-1.3.0.tgz ECMAScript "ToPrimitive" algorithm. Provides ES5 and ES2015 versions.
<https://index.mend.io/gri/app/reader/resource/content/asString/145e8fae-66a7-4ec9-844f-0a3f514aaebd> 2015 Copyright 2015 Jordan Harband

<https://github.com/ljharb/es-to-primitive#readme>
<https://registry.npmjs.org/es-to-primitive/-/es-to-primitive-1.3.0.tgz>

MIT estree-0.0.39.tgz TypeScript definitions for ESTree AST specification
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c41637a9-b954-4626-8d69-780cac3cf70e> Copyright Microsoft Corporation
<https://registry.npmjs.org/@types/estree/-/estree-0.0.39.tgz>

MIT estree-1.0.8.tgz TypeScript definitions for estree
<https://index.mend.io/gri/app/reader/resource/content/asString/edc4d11a-1c3f-4fd5-b29a-e85aac92ec70> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/estree> <https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz>

MIT estree-walker-1.0.1.tgz Traverse an ESTree-compliant AST
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fdafb9d0-81a7-4b61-b6e5-bcfb7ab661f7> Unspecified Copyright
<https://github.com/Rich-Harris/estree-walker#readme>
<https://registry.npmjs.org/estree-walker/-/estree-walker-1.0.1.tgz>

MIT etag-1.8.1.tgz Create simple HTTP ETags
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58ce179f-b778-4eaa-9036-4e5504df9a15> 2014-2016 Copyright 2014-2016 Douglas Christopher Wilson
<https://github.com/jshttp/etag#readme>
<https://registry.npmjs.org/etag/-/etag-1.8.1.tgz>

MIT eventemitter3-4.0.7.tgz EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d30f08d5-8fd8-45ce-89b3-8dc0cd5dc9c2> 2014 Copyright 2014 Arnout Kazemier <https://github.com/primus/eventemitter3#readme>
<https://registry.npmjs.org/eventemitter3/-/eventemitter3-4.0.7.tgz>

MIT events-3.3.0.tgz Node's event emitter for all engines.
<https://index.mend.io/gri/app/reader/resource/content/asString/07138599-5a28-4e79-835d-a8d8c037e2c8> Copyright Joyent, Inc. and other Node contributors <https://github.com/Gozala/events#readme>
<https://registry.npmjs.org/events/-/events-3.3.0.tgz>

MIT execa-5.1.1.tgz Process execution for humans
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4ae77a6b-effb-4a62-93ea-1a42690e15d1> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/execa#readme>
<https://registry.npmjs.org/execa/-/execa-5.1.1.tgz>

MIT exit-0.1.2.tgz A replacement for process.exit that ensures stdio are fully drained before exiting.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ae44b91a-ace8-4f50-82f4-60c9cd4d1c8d> "2013 Copyright 2013 Cowboy"" Ben Alman
 2013 Copyright 2013 ""Cowboy"" Ben Alman"
<https://github.com/cowboy/node-exit>
<https://registry.npmjs.org/exit/-/exit-0.1.2.tgz>

MIT expect-27.5.1.tgz This package exports the `expect` function used in [Jest] (<https://jestjs.io/>). You can find its documentation [on Jest's website] (<https://jestjs.io/docs/expect>).
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4f075b6c-a603-4620-a8ca-a3dela184ce2> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/expect/-/expect-27.5.1.tgz>

MIT expect-30.0.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/eb3e3aa9-0379-4205-b987-191e88a4856b> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/expect/-/expect-30.0.5.tgz>
<https://registry.npmjs.org/expect/-/expect-30.0.5.tgz>

MIT expect-utils-30.0.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b9f20890-187a-4a19-9af8-8e6c989080dd> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/@jest/expect-utils/-/expect-utils-30.0.5.tgz> <https://registry.npmjs.org/@jest/expect-utils/-/expect-utils-30.0.5.tgz>

MIT experimental-utils-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/11b75151-74a2-41e1-9ee7-3044d7550ad9> 2019 Copyright 2019 typescript-eslint and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/experimental-utils/-/experimental-utils-5.62.0.tgz>

MIT express-4.17.23.tgz TypeScript definitions for express
<https://index.mend.io/gri/app/reader/resource/content/asString/3dd7e33b-ec3d-45ea-b93f-930c2a988802> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express> <https://registry.npmjs.org/@types/express/-/express-4.17.23.tgz>

MIT express-4.21.2.tgz Fast, unopinionated, minimalist web framework
<https://index.mend.io/gri/app/reader/resource/content/asString/f34c793a-72ba-46f5-ab14-flf2e97a4e9b> "2009-2014 Copyright 2009-2014 TJ Holowaychuk <tj@vision-media.ca>
 2013-2014 Copyright 2013-2014 Roman Shtylman <shtylman
 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson
 <doug@somethingdoug.com>" <http://expressjs.com/>
<https://registry.npmjs.org/express/-/express-4.21.2.tgz>

MIT express-serve-static-core-4.19.6.tgz TypeScript definitions for express-serve-static-core
<https://index.mend.io/gri/app/reader/resource/content/asString/417b4c1b-4cbf-4900-9c8b-ca01c5ca429b> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express-serve-static-core> <https://registry.npmjs.org/@types/express-serve-static-core/-/express-serve-static-core-4.19.6.tgz>

MIT fake-timers-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f39ea844-bbc3-4f1f-bc56-59f8f1fba3e6> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/fake-timers/-/fake-timers-27.5.1.tgz>

MIT fast-deep-equal-3.1.3.tgz Fast deep equal
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b9d4c5b7-9bc5-4910-bcb2-8dd86c6569c1> 2017 Copyright 2017 Evgeny Poberezkin <https://github.com/epoberezkin/fast-deep-equal#readme>
<https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz>

MIT fast-glob-3.3.3.tgz It's a very fast and efficient glob library for Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/f8e5f60d-6f79-4f52-a0b4-8dadbef1563c> Copyright Denis Malinochkin
<https://github.com/mrmlnc/fast-glob#readme>
<https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz>

MIT fast-json-stable-stringify-2.1.0.tgz deterministic `JSON.stringify()` - a faster version of substack's json-stable-stringify without jsonify <https://github.com/epoberezkin/fast-json-stable-stringify> "2013 Copyright 2013 James Halliday 2017 Copyright 2017 Evgeny Poberezkin"
<https://github.com/epoberezkin/fast-json-stable-stringify>
<https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.0.tgz>

MIT fast-levenshtein-2.0.6.tgz Efficient implementation of Levenshtein algorithm with locale-specific collator support.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/beaa5145-edcf-4521-8566-72c6cad05256> "2013 Copyright 2013 Ramesh Nair" (<http://www.hiddentao.com/>) 2013 Copyright 2013 [Ramesh Nair] (<http://www.hiddentao.com/>) <https://github.com/hiddentao/fast-levenshtein#readme> <https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz>

MIT file-entry-cache-6.0.1.tgz Super simple cache for file metadata, useful for process that work on a given series of files and that only need to repeat the job on the changed ones since the previous run of the process
<https://index.mend.io/gri/app/reader/resource/content/asString/d3f23d77-3436-467f-887f-9df459124c56> 2015 Copyright 2015 Roy Riojas
<https://github.com/royriojas/file-entry-cache#readme>

<https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-6.0.1.tgz>

MIT file-loader-6.2.0.tgz A file loader module for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/2f8b8997-b161-4903-af72-abd976a5f905> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/file-loader>
<https://registry.npmjs.org/file-loader/-/file-loader-6.2.0.tgz>

MIT fill-range-7.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/2f924def-5d7e-49b9-900b-1fld306627b4> "2019 Copyright 2019 Jon Schlinkert"
 (https://github.com/jonschlinkert)
 2014 Copyright 2014 Jon Schlinkert
<https://github.com/jonschlinkert/fill-range>
<https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz>

MIT finalhandler-1.3.1.tgz Node.js final http responder
<https://index.mend.io/gri/app/reader/resource/content/asString/7571696b-eb57-4bc4-90ef-07979e9d3ba9> 2014-2022 Copyright 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>
<https://github.com/pillarjs/finalhandler#readme>
<https://registry.npmjs.org/finalhandler/-/finalhandler-1.3.1.tgz>

MIT find-cache-dir-3.3.2.tgz Finds the common standard cache directory
<https://index.mend.io/gri/app/reader/resource/content/asString/fe51ff64-2c52-4927-b639-745ccfe37bd7> Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (https://sindresorhus.com)
<https://github.com/avajs/find-cache-dir#readme>
<https://registry.npmjs.org/find-cache-dir/-/find-cache-dir-3.3.2.tgz>

MIT find-root-1.1.0.tgz find the closest package.json
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2c2c37f5-ce3a-4e26-8246-1acfbf4a3d4a> 2017 Copyright 2017 jsdnnx
<https://github.com/js-n/find-root#readme>
<https://registry.npmjs.org/find-root/-/find-root-1.1.0.tgz>

MIT find-up-3.0.0.tgz Find a file or directory by walking up parent directories
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0f6b4f9c-4181-4a72-a5be-ac4cf3f437fa> "Copyright Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/find-up#readme>
<https://registry.npmjs.org/find-up/-/find-up-3.0.0.tgz>

MIT find-up-4.1.0.tgz Find a file or directory by walking up parent directories
<https://www.npmjs.com/package/find-up> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/find-up#readme>
<https://registry.npmjs.org/find-up/-/find-up-4.1.0.tgz>

MIT find-up-5.0.0.tgz Find a file or directory by walking up parent directories
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/94627f1a-d632-4801-8da2-98c727c4f429> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/find-up#readme>
<https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz>

MIT flat-cache-3.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/fe179657-e15c-44d6-b697-551b55ffa4ed> Copyright Roy Riojas and Jared Wray
<https://registry.npmjs.org/flat-cache/-/flat-cache-3.2.0.tgz>
<https://registry.npmjs.org/flat-cache/-/flat-cache-3.2.0.tgz>

MIT floating-point-hex-parser-1.13.2.tgz A function to parse floating point hexadecimal strings as defined by the WebAssembly specification
<https://index.mend.io/gri/app/reader/resource/content/asString/89201e14-8ebe-4fb2-9d2d-3e2a9d0ffa1b> 2017 Copyright 2017 Mauro Bringolf
<https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/floating-point-hex-parser/-/floating-point-hex-parser-1.13.2.tgz>

MIT follow-redirects-1.15.11.tgz HTTP and HTTPS modules that follow redirects.
<https://index.mend.io/gri/app/reader/resource/content/asString/3ab7099f-96b7-4bd3-b4c4-7f707c4d1c90> 2014 Copyright 2014 Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
<https://github.com/follow-redirects/follow-redirects>
<https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz>

MIT for-each-0.3.5.tgz A better forEach
<https://index.mend.io/gri/app/reader/resource/content/asString/ee3d15f3-c277-423a-b79d-85c4f433a018> 2012 Copyright 2012 Raynos
<https://github.com/Raynos/for-each>
<https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz>

MIT fork-ts-checker-webpack-plugin-6.5.3.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/144ebdfa-bade-4fd9-a7aa-8b6a0354f4fd> 2020 Copyright 2020 TypeStrong <https://github.com/TypeStrong/fork-ts-checker-webpack-plugin#readme> <https://registry.npmjs.org/fork-ts-checker-webpack-plugin/-/fork-ts-checker-webpack-plugin-6.5.3.tgz>

MIT format-util-1.0.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/43b98583-4f40-4608-b1a7-33710b324780> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/format-util> <https://registry.npmjs.org/@types/format-util/-/format-util-1.0.4.tgz>

MIT form-data-3.0.4.tgz A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications. <https://www.npmjs.com/package/form-data> 2012 Copyright 2012 Felix Geisendörfer (felix@debuggable.com) and contributors <https://github.com/form-data/form-data#readme> <https://registry.npmjs.org/form-data/-/form-data-3.0.4.tgz>

MIT forwarded-0.2.0.tgz Parse HTTP X-Forwarded-For header <https://index.mend.io/gri/app/reader/resource/content/asString/6fae9da0-75ae-4c87-9804-24a6c828b36d> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/jshttp/forwarded#readme> <https://registry.npmjs.org/forwarded/-/forwarded-0.2.0.tgz>

MIT fraction.js-4.3.7.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/6d67f58e-3590-42ec-9537-c7fd1d32dbaf> "2023 Copyright 2023 Robert Eisele Copyright and licensing 2023 Copyright 2023 Robert Eisele" (<https://raw.org/>)" <https://www.xarg.org/2014/03/rational-numbers-in-javascript/> <https://registry.npmjs.org/fraction.js/-/fraction.js-4.3.7.tgz>

MIT fresh-0.5.2.tgz HTTP response freshness testing <https://github.com/jshttp/fresh#readme> "2016-2017 Copyright 2016-2017 Douglas Christopher Wilson <doug@somethingdoug.com> 2012 Copyright 2012 TJ Holowaychuk <tj@vision-media.ca>" <https://github.com/jshttp/fresh#readme> <https://registry.npmjs.org/fresh/-/fresh-0.5.2.tgz>

MIT fs.scandir-2.1.5.tgz List files and directories inside the specified directory <https://index.mend.io/gri/app/reader/resource/content/asString/f2d7e093-d2db-4706-94a2-42917e655b30> Copyright Denis Malinochkin <https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz> <https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz>

MIT fs.stat-2.0.5.tgz Get the status of a file with some features <https://index.mend.io/gri/app/reader/resource/content/asString/6467370c-2d0c-4a25-905b-77c949137ec1> Copyright Denis Malinochkin <https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz> <https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz>

MIT fs.walk-1.2.8.tgz A library for efficiently walking a directory recursively <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/15e7cb76-a207-4b23-b9f4-3965279ce315> Copyright Denis Malinochkin <https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz> <https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz>

MIT fsevents-2.3.3.tgz <https://github.com/fsevents/fsevents/blob/master/LICENSE> 2010-2020 Copyright 2010-2020 by Philipp Dunkel

<https://github.com/fsevents/fsevents>
<https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz>

MIT fs-extra-10.1.0.tgz fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as recursive mkdir, copy, and remove.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/82a1449c-62ac-4642-8ecd-d057b090864f> 2011-2017 Copyright 2011-2017 JP Richardson <https://github.com/jprichardson/node-fs-extra> <https://registry.npmjs.org/fs-extra/-/fs-extra-10.1.0.tgz>

MIT fs-extra-9.1.0.tgz fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as recursive mkdir, copy, and remove.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/07fa282e-f58b-4ee9-b54e-7b84bb6193a6> 2011-2017 Copyright 2011-2017 JP Richardson <https://github.com/jprichardson/node-fs-extra> <https://registry.npmjs.org/fs-extra/-/fs-extra-9.1.0.tgz>

MIT function.prototype.name-1.1.8.tgz An ES2015 spec-compliant `Function.prototype.name` shim
<https://index.mend.io/gri/app/reader/resource/content/asString/1bb2d862-d0ca-43ca-8442-0cb74d2052aa> 2016 Copyright 2016 Jordan Harband
<https://github.com/es-shims/Function.prototype.name#readme>
<https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-1.1.8.tgz>

MIT function-bind-1.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4fff819f-5ebd-402d-8e69-81c0ad388f77> 2013 Copyright 2013 Raynos
<https://github.com/Raynos/function-bind>
<https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz>

MIT functions-have-names-1.2.3.tgz Does this JS environment support the `name` property on functions?
<https://index.mend.io/gri/app/reader/resource/content/asString/f4aac483-0c0f-481e-ab75-cad321614da9> 2019 Copyright 2019 Jordan Harband
<https://github.com/inspect-js/functions-have-names#readme>
<https://registry.npmjs.org/functions-have-names/-/functions-have-names-1.2.3.tgz>

MIT generator-7.28.3.tgz Turns an AST into code.
<https://index.mend.io/gri/app/reader/resource/content/asString/ee86bee2-eaf8-4bf2-a6b8-fb755cede0ee> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-generator>
<https://registry.npmjs.org/@babel/generator/-/generator-7.28.3.tgz>

MIT gen-mapping-0.3.13.tgz Generate source maps
<https://index.mend.io/gri/app/reader/resource/content/asString/0bf50bb3-fa4f-4c42-a653-a25c98ae11be> 2024 Copyright 2024 Justin Ridgewell <justin@ridgewell.name>
<https://github.com/jridgewell/sourcemap/tree/main/packages/gen->

mapping <https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz>

MIT gensync-1.0.0-beta.2.tgz Allows users to use generators in order to write common functions that can be both sync or async.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f991b481-c600-4fd5-b93f-ebadb7f56960> 2018 Copyright 2018 Logan Smyth <loganfsmyth@gmail.com>
<https://github.com/loganfsmyth/gensync>
<https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz>

MIT get-intrinsic-1.3.0.tgz Get and robustly cache all JS language-level intrinsics at first require time

<https://index.mend.io/gri/app/reader/resource/content/asString/918f3ec8-6d85-408b-b9e3-394f81864bb3> 2020 Copyright 2020 Jordan Harband
<https://github.com/ljharb/get-intrinsic#readme>
<https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz>

MIT get-package-type-0.1.0.tgz Determine the `package.json#type` which applies to a location

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/10b73425-ed5c-4215-a462-126fc09108e3> 2020 Copyright 2020 CFWare, LLC
<https://github.com/cfware/get-package-type#readme>
<https://registry.npmjs.org/get-package-type/-/get-package-type-0.1.0.tgz>

MIT get-stream-6.0.1.tgz Get a stream as a string, buffer, or array

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8546a725-c66b-408b-ace9-27634dd44d8c> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/get-stream#readme>
<https://registry.npmjs.org/get-stream/-/get-stream-6.0.1.tgz>

MIT get-symbol-description-1.1.0.tgz Gets the description of a Symbol. Handles `Symbol()` vs `Symbol('')` properly when possible.

<https://index.mend.io/gri/app/reader/resource/content/asString/a7ac09ad-bac9-4ffc-b556-bad4c1fc670e> 2021 Copyright 2021 Inspect JS
<https://github.com/inspect-js/get-symbol-description#readme>
<https://registry.npmjs.org/get-symbol-description/-/get-symbol-description-1.1.0.tgz>

MIT get-type-30.0.1.tgz A utility function to get the type of a value

<https://index.mend.io/gri/app/reader/resource/content/asString/1233d30f-115d-4b49-97b6-e222b6477634> Copyright Meta Platforms, Inc. and affiliates
<https://registry.npmjs.org/@jest/get-type/-/get-type-30.0.1.tgz> <https://registry.npmjs.org/@jest/get-type/-/get-type-30.0.1.tgz>

MIT global-modules-2.0.0.tgz The directory used by npm for globally installed npm modules.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1233d30f-115d-4b49-97b6-e222b6477634>

nt/asString/e31f0edf-71e7-461f-a6e5-088db45fff34 "2015 Copyright 2015
 Jon Schlinkert
 2018 Copyright 2018 Jon Schlinkert" (https://github.com/jonschlinkert)"
 https://github.com/jonschlinkert/global-modules
 https://registry.npmjs.org/global-modules/-/global-modules-
 2.0.0.tgz

MIT global-prefix-3.0.0.tgz Get the npm global path prefix.
 https://github.com/jonschlinkert/global-prefix "2015 Copyright
 2015 Jon Schlinkert
 2018 Copyright 2018 Jon Schlinkert" (https://github.com/jonschlinkert)"
 https://github.com/jonschlinkert/global-prefix
 https://registry.npmjs.org/global-prefix/-/global-prefix-3.0.0.tgz

MIT globals-13.24.0.tgz
 https://index.mend.io/gri/app/reader/resource/content/asString/3eel
 7d1f-6271-4965-93c3-e38738aad0c5 Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (https://sindresorhus.com)
 https://github.com/sindresorhus/globals#readme
 https://registry.npmjs.org/globals/-/globals-13.24.0.tgz

MIT globals-27.5.1.tgz
 https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
 nt/asString/1bcb494d-6b03-4582-8a51-6dcd2b3ca485 Copyright Facebook,
 Inc. and its affiliates https://github.com/facebook/jest#readme
 https://registry.npmjs.org/@jest/globals/-/globals-27.5.1.tgz

MIT globalthis-1.0.4.tgz
 https://index.mend.io/gri/app/reader/resource/content/asString/403f
 c1cf-6e44-49c9-86fd-3cc5ddf531ed 2016 Copyright 2016 Jordan Harband
 https://github.com/ljharb/System.global#readme
 https://registry.npmjs.org/globalthis/-/globalthis-1.0.4.tgz

MIT globby-11.1.0.tgz User-friendly glob matching
 https://index.mend.io/gri/app/reader/resource/content/asString/bc51
 139a-918c-4976-aaa9-fa51a8858714 Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (sindresorhus.com)
 https://github.com/sindresorhus/globby#readme
 https://registry.npmjs.org/globby/-/globby-11.1.0.tgz

MIT gopd-1.2.0.tgz `Object.getOwnPropertyDescriptor`, but accounts
 for IE's broken implementation.
 https://index.mend.io/gri/app/reader/resource/content/asString/4d2b
 824a-5963-4ed6-9d0b-f7955280948a 2022 Copyright 2022 Jordan Harband
 https://github.com/ljharb/gopd#readme
 https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz

MIT graceful-fs-4.1.9.tgz
 https://index.mend.io/gri/app/reader/resource/content/asString/4bc0
 02af-7ea3-47b1-a19a-2f8eb9c2ae6b Copyright Microsoft Corporation
 https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type
 s/graceful-fs https://registry.npmjs.org/@types/graceful-fs/-
 /graceful-fs-4.1.9.tgz

MIT graphemer-1.4.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e7d1474d-d0db-4b3f-b275-c7a3ac038d05> 2020 Copyright 2020 Filament (Anomalous Technologies Limited) <https://github.com/flmnt/graphemer>
<https://registry.npmjs.org/graphemer/-/graphemer-1.4.0.tgz>

MIT gzip-size-6.0.0.tgz Get the gzipped size of a string or buffer
<https://index.mend.io/gri/app/reader/resource/content/asString/efdb33a5-0783-4c93-962e-04723db31a3e> Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/gzip-size#readme>
<https://registry.npmjs.org/gzip-size/-/gzip-size-6.0.0.tgz>

MIT handle-thing-2.0.1.tgz Wrap Streams2 instance into a HandleWrap
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f7a81c66-76ec-44e2-a205-572c431150d3> 2015.0 Copyright 2015.0 Fedor Indutny <https://github.com/spdy-http2/handle-thing#readme>
<https://registry.npmjs.org/handle-thing/-/handle-thing-2.0.1.tgz>

MIT has-bigints-1.1.0.tgz Determine if the JS environment has BigInt support.
<https://index.mend.io/gri/app/reader/resource/content/asString/b30cbaa3-7673-4100-8dfc-6c9a2db6b941> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/has-bigints#readme>
<https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz>

MIT has-flag-3.0.0.tgz Check if argv has a specific flag
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/432d494f-d445-4ade-8a50-a8821b1f5c9f> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)" <https://github.com/sindresorhus/has-flag#readme>
<https://registry.npmjs.org/has-flag/-/has-flag-3.0.0.tgz>

MIT has-flag-4.0.0.tgz Check if argv has a specific flag
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6962406e-be41-4ab5-9259-fe68620f36f4> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)" <https://github.com/sindresorhus/has-flag#readme>
<https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz>

MIT hash-0.9.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/41e9706b-cc6e-4a0a-afda-f4e7137937b6> "Copyright Emotion team and other contributors 2016 Copyright 2016 Kye Hohenberger"
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/hash/-/hash-0.9.2.tgz>

MIT hasown-2.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bela4d5-56d0-45ab-80c1-3fd8c5955691> Copyright Jordan Harband and contributors <https://github.com/inspect-js/hasOwn#readme>
<https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz>

MIT has-property-descriptors-1.0.2.tgz <https://github.com/inspect-js/has-property-descriptors?tab=MIT-1-ov-file#readme> 2022 Copyright 2022 Inspect JS <https://github.com/inspect-js/has-property-descriptors#readme> <https://registry.npmjs.org/has-property-descriptors/-/has-property-descriptors-1.0.2.tgz>

MIT has-proto-1.2.0.tgz Does this environment have the ability to get the `[[Prototype]]` of an object on creation with `__proto__`? <https://index.mend.io/gri/app/reader/resource/content/asString/e088aa7b-0059-44c3-ab14-34aa426b35db> 2022 Copyright 2022 Inspect JS <https://github.com/inspect-js/has-proto#readme> <https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz>

MIT has-symbols-1.1.0.tgz Determine if the JS environment has Symbol support. Supports spec, or shams. <https://index.mend.io/gri/app/reader/resource/content/asString/978db1a5-a727-4d7a-898e-bf3f43c9ba2d> 2016 Copyright 2016 Jordan Harband <https://github.com/ljharb/has-symbols#readme> <https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz>

MIT has-tostringtag-1.0.2.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/9e0372a8-407f-426a-8713-80107dd32f28> 2021 Copyright 2021 Inspect JS <https://github.com/inspect-js/has-tostringtag#readme> <https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz>

MIT hast-util-to-babel-ast-5.5.0.tgz Transform HAST to Babel AST (JSX) <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4b8b965d-4b89-4897-84cd-471904a97db7> 2017 Copyright 2017 Smooth Code <https://react-svgr.com> <https://registry.npmjs.org/@svgr/hast-util-to-babel-ast/-/hast-util-to-babel-ast-5.5.0.tgz>

MIT he-1.2.0.tgz A robust HTML entities encoder/decoder with full Unicode support. <https://www.npmjs.com/package/he> Copyright Mathias Bynens <<https://mathiasbynens.be/>> <https://mths.be/he> <https://registry.npmjs.org/he/-/he-1.2.0.tgz>

MIT helper-annotate-as-pure-7.27.3.tgz Helper function to annotate paths and nodes with `#__PURE__` comment <https://index.mend.io/gri/app/reader/resource/content/asString/fd760605-177d-487e-afd0-9a817b6889cd> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-annotate-as-pure> <https://registry.npmjs.org/@babel/helper-annotate-as-pure/-/helper-annotate-as-pure-7.27.3.tgz>

MIT helper-api-error-1.13.2.tgz Common API errors <https://index.mend.io/gri/app/reader/resource/content/asString/11bbc991-8c9e-443e-b607-976f19f76a1b> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme> <https://registry.npmjs.org/@webassemblyjs/helper-api-error/-/helper-api-error-1.13.2.tgz>

MIT helper-buffer-1.14.1.tgz Buffer manipulation utility
<https://index.mend.io/gri/app/reader/resource/content/asString/c6bf3965-d9ca-4a08-bb7e-bfce926e0a96> 2018 Copyright 2018 Sven Sauleau
<sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/helper-buffer/-/helper-buffer-1.14.1.tgz>

MIT helper-compilation-targets-7.27.2.tgz Helper functions on Babel compilation targets
<https://index.mend.io/gri/app/reader/resource/content/asString/84588055-ce65-43e6-89f5-12906cade0e1> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.27.2.tgz>
<https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.27.2.tgz>

MIT helper-create-class-features-plugin-7.28.3.tgz Compile class public and private fields, private methods and decorators to ES6
<https://index.mend.io/gri/app/reader/resource/content/asString/4707934b-fb3f-410b-8406-69146b60f5b6> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-create-class-features-plugin/-/helper-create-class-features-plugin-7.28.3.tgz>
<https://registry.npmjs.org/@babel/helper-create-class-features-plugin/-/helper-create-class-features-plugin-7.28.3.tgz>

MIT helper-create-regexp-features-plugin-7.27.1.tgz Compile ESNext Regular Expressions to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/2b7e4f86-f40b-42c8-9d20-c183967e9b6a> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-create-regexp-features-plugin/-/helper-create-regexp-features-plugin-7.27.1.tgz>
<https://registry.npmjs.org/@babel/helper-create-regexp-features-plugin/-/helper-create-regexp-features-plugin-7.27.1.tgz>

MIT helper-define-polyfill-provider-0.6.5.tgz Babel helper to create your own polyfill provider
<https://index.mend.io/gri/app/reader/resource/content/asString/33a312a6-fd5a-4424-aa0e-5b68b7b7b54a> 2014 Copyright 2014 Nicolò Ribaudo and other contributors <https://github.com/babel/babel-polyfills#readme>
<https://registry.npmjs.org/@babel/helper-define-polyfill-provider/-/helper-define-polyfill-provider-0.6.5.tgz>

MIT helper-globals-7.28.0.tgz A collection of JavaScript globals for Babel internal usage <https://github.com/babel/babel.git> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz> <https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz>

MIT helper-member-expression-to-functions-7.27.1.tgz Helper function to replace certain member expressions with function calls
<https://index.mend.io/gri/app/reader/resource/content/asString/329a2c84-0f56-4583-8af8-d0fe89b296c6> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper->

member-expression-to-functions

<https://registry.npmjs.org/@babel/helper-member-expression-to-functions/-/helper-member-expression-to-functions-7.27.1.tgz>

MIT helper-module-imports-7.27.1.tgz Babel helper functions for inserting module loads

<https://index.mend.io/gri/app/reader/resource/content/asString/21d849d9-1c8a-42ae-a2a0-7e79a89e5a13> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-module-imports> <https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.27.1.tgz>

MIT helper-module-transforms-7.28.3.tgz Babel helper functions for implementing ES6 module transformations

<https://index.mend.io/gri/app/reader/resource/content/asString/61b5682e-9633-48bc-9ae4-f105716ab4a8> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-module-transforms> <https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.28.3.tgz>

MIT helper-numbers-1.13.2.tgz Number parsing utility

<https://index.mend.io/gri/app/reader/resource/content/asString/d24983a6-823b-45e8-b514-2e44c30bac02> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme> <https://registry.npmjs.org/@webassemblyjs/helper-numbers/-/helper-numbers-1.13.2.tgz>

MIT helper-optimise-call-expression-7.27.1.tgz Helper function to optimise call expression

<https://index.mend.io/gri/app/reader/resource/content/asString/afdb02e-c950-47ae-aa29-d701d562d0cc> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-optimise-call-expression> <https://registry.npmjs.org/@babel/helper-optimise-call-expression/-/helper-optimise-call-expression-7.27.1.tgz>

MIT helper-plugin-utils-7.27.1.tgz General utilities for plugins to use

<https://index.mend.io/gri/app/reader/resource/content/asString/86bd6d86-e46d-4833-9b45-ea7675d11c9b> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-plugin-utils> <https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-utils-7.27.1.tgz>

MIT helper-remap-async-to-generator-7.27.1.tgz Helper function to remap async functions to generators

<https://index.mend.io/gri/app/reader/resource/content/asString/15253074-1b75-410c-bcbf-6c4bd1f6f5ac> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-remap-async-to-generator> <https://registry.npmjs.org/@babel/helper-remap-async-to-generator/-/helper-remap-async-to-generator-7.27.1.tgz>

MIT helper-replace-supers-7.27.1.tgz Helper function to replace supers

<https://index.mend.io/gri/app/reader/resource/content/asString/2ac3>

6f2a-88b0-43d4-b25a-9c48683c78fa 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-replace-supers> <https://registry.npmjs.org/@babel/helper-replace-supers/-/helper-replace-supers-7.27.1.tgz>

MIT helpers-7.28.3.tgz Collection of helper functions used by Babel transforms.
<https://index.mend.io/gri/app/reader/resource/content/asString/efa9f9fe-36e4-4478-b4d9-05255aecd90> "2014 Copyright 2014 Sebastian McKenzie and other contributors 2014 Copyright 2014 Facebook, Inc"
<https://babel.dev/docs/en/next/babel-helpers>
<https://registry.npmjs.org/@babel/helpers/-/helpers-7.28.3.tgz>

MIT helper-skip-transparent-expression-wrappers-7.27.1.tgz Helper which skips types and parentheses
<https://index.mend.io/gri/app/reader/resource/content/asString/761f1662-1fed-4485-8171-f7fc0d5d3831> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-skip-transparent-expression-wrappers/-/helper-skip-transparent-expression-wrappers-7.27.1.tgz> <https://registry.npmjs.org/@babel/helper-skip-transparent-expression-wrappers/-/helper-skip-transparent-expression-wrappers-7.27.1.tgz>

MIT helper-string-parser-7.27.1.tgz A utility package to parse strings
<https://index.mend.io/gri/app/reader/resource/content/asString/61ce199d-9068-4633-b1a4-9223a2079f01> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-string-parser> <https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz>

MIT helper-validator-identifier-7.27.1.tgz Validate identifier/keywords name
<https://index.mend.io/gri/app/reader/resource/content/asString/fa49c13e-ac66-4843-a87a-c39d3ada0e1c> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.27.1.tgz>
<https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.27.1.tgz>

MIT helper-validator-option-7.27.1.tgz Validate plugin/preset options
<https://index.mend.io/gri/app/reader/resource/content/asString/9ce5d6bb-d708-4bf8-9754-bf66a2d6b183> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz>
<https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz>

MIT helper-wasm-bytecode-1.13.2.tgz WASM's Bytecode constants
<https://index.mend.io/gri/app/reader/resource/content/asString/fb8bc9ad-7735-4bf2-9edf-81e5ca2ce447> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/helper-wasm-bytecode/-/helper-wasm-bytecode-1.13.2.tgz>

MIT helper-wasm-section-1.14.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/12ac2a74-1cbe-42ec-9646-9bf49c5b483c> 2018 Copyright 2018 Sven Sauleau
<sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/helper-wasm-section/-/helper-wasm-section-1.14.1.tgz>

MIT helper-wrap-function-7.28.3.tgz Helper to wrap functions inside a function call.
<https://index.mend.io/gri/app/reader/resource/content/asString/17a54dbe-f957-418b-93c0-6b3e21131aa3> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-wrap-function> <https://registry.npmjs.org/@babel/helper-wrap-function/-/helper-wrap-function-7.28.3.tgz>

MIT hoopy-0.1.4.tgz Like an array, but rounder.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0d4df9fb-f8b5-41d7-92f6-b3cfb54e767d> 2017 Copyright 2017 Phil Booth <https://gitlab.com/philbooth/hoopy#readme>
<https://registry.npmjs.org/hoopy/-/hoopy-0.1.4.tgz>

MIT hpack.js-2.1.6.tgz HPACK implementation
<https://github.com/indutny/hpack.js> 2015 Copyright 2015 Fedor Indutny, <https://github.com/indutny/hpack.js#readme>
<https://registry.npmjs.org/hpack.js/-/hpack.js-2.1.6.tgz>

MIT html-encoding-sniffer-2.0.1.tgz Sniff the encoding from a HTML byte stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fa2464d6-cf47-4bf3-8af8-bf3f36e4fbea> 2016-2020 Copyright 2016-2020 Domenic Denicola <d@domenic.me>
<https://github.com/jsdom/html-encoding-sniffer#readme>
<https://registry.npmjs.org/html-encoding-sniffer/-/html-encoding-sniffer-2.0.1.tgz>

MIT html-entities-2.6.0.tgz Fastest HTML entities encode/decode library.
<https://index.mend.io/gri/app/reader/resource/content/asString/449bf066-160f-4e34-b8cf-6507b58e1a90> 2021 Copyright 2021 Dulin Marat
<https://github.com/mdevils/html-entities#readme>
<https://registry.npmjs.org/html-entities/-/html-entities-2.6.0.tgz>

MIT html-escaper-2.0.2.tgz fast and safe way to escape and unescape &<>'\" chars
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b0ac337f-d28c-4878-b9cd-0826a737717a> 2017 Copyright 2017 by Andrea Giammarchi - @WebReflection
<https://github.com/WebReflection/html-escaper>
<https://registry.npmjs.org/html-escaper/-/html-escaper-2.0.2.tgz>

MIT html-minifier-terser-6.1.0.tgz Highly configurable, well-tested, JavaScript-based HTML minifier.

<https://index.mend.io/gri/app/reader/resource/content/asString/c616e53a-acb4-4501-9ab9-45979607ee05> 2010-2019 Copyright 2010-2019 Yuriy
<https://terser.org/html-minifier-terser/>
<https://registry.npmjs.org/html-minifier-terser/-/html-minifier-terser-6.1.0.tgz>

MIT [htmlparser2-6.1.0.tgz](#) Fast & forgiving HTML/XML parser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cf0389ba-9f76-4a66-8843-bf28478b94be> 2010-2011 Copyright
2010-2011 Chris Winberry <chris@winberry.net>
<https://github.com/fb55/htmlparser2#readme>
<https://registry.npmjs.org/htmlparser2/-/htmlparser2-6.1.0.tgz>

MIT [html-webpack-plugin-5.6.4.tgz](#) Simplifies creation of HTML files to serve your webpack bundles
<https://index.mend.io/gri/app/reader/resource/content/asString/24c502f2-da7b-4984-9914-bf3c2fdeaf61> Copyright JS Foundation and other contributors
<https://github.com/jantimon/html-webpack-plugin>
<https://registry.npmjs.org/html-webpack-plugin/-/html-webpack-plugin-5.6.4.tgz>

MIT [http-deceiver-1.2.7.tgz](#) Deceive HTTP parser
<https://www.npmjs.com/package/http-deceiver> 2015 Copyright 2015
Fedor Indutny, <https://github.com/indutny/http-deceiver#readme>
<https://registry.npmjs.org/http-deceiver/-/http-deceiver-1.2.7.tgz>

MIT [http-errors-1.6.3.tgz](#) Create HTTP error objects
<https://github.com/jshttp/http-errors#readme> "2014 Copyright 2014
Jonathan Ong me@jongleberry.com
2016 Copyright 2016 Douglas Christopher Wilson doug@somethingdoug.com"
<https://github.com/jshttp/http-errors#readme>
<https://registry.npmjs.org/http-errors/-/http-errors-1.6.3.tgz>

MIT [http-errors-2.0.0.tgz](#) Create HTTP error objects
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f8118c93-e3c4-44f6-8a56-600d761ab5b4> "2014 Copyright 2014
Jonathan Ong me@jongleberry.com
2016 Copyright 2016 Douglas Christopher Wilson doug@somethingdoug.com"
<https://github.com/jshttp/http-errors#readme>
<https://registry.npmjs.org/http-errors/-/http-errors-2.0.0.tgz>

MIT [http-errors-2.0.5.tgz](#) TypeScript definitions for http-errors
<https://index.mend.io/gri/app/reader/resource/content/asString/6e58be17-a38b-4f90-990d-58ff9943eb54> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/http-errors> <https://registry.npmjs.org/@types/http-errors/-/http-errors-2.0.5.tgz>

MIT [http-parser-js-0.5.10.tgz](#) A pure JS HTTP parser for node.
<https://www.npmjs.com/package/http-parser-js> 2015 Copyright 2015
Tim Caswell (<https://github.com/creationix>) and other
<https://github.com/creationix/http-parser-js#readme>

<https://registry.npmjs.org/http-parser-js/-/http-parser-js-0.5.10.tgz>

MIT [http-proxy-1.17.16.tgz](#) TypeScript definitions for http-proxy
<https://index.mend.io/gri/app/reader/resource/content/asString/d26d4feb-1740-4343-8924-89c1cb8fc913> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/http-proxy> <https://registry.npmjs.org/@types/http-proxy/-/http-proxy-1.17.16.tgz>

MIT [http-proxy-1.18.1.tgz](#) HTTP proxying for the masses
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/76ded69e-c6f2-467e-a63b-c7837bb5a480> "2010-2016 Copyright 2010-2016 Charlie Robbins, Jarrett Cruger & the Contributors
2010-2016 Copyright 2010-2016 Charlie Robbins, Jarrett Cruger & the Contributors. Permission is hereby granted," <https://github.com/http-party/node-http-proxy#readme> <https://registry.npmjs.org/http-proxy/-/http-proxy-1.18.1.tgz>

MIT [http-proxy-agent-4.0.1.tgz](#) An HTTP(s) proxy `http.Agent` implementation for HTTP
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e97bd892-0d4a-4083-9e2e-75b815e18f1a> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net>
<https://github.com/TooTallNate/node-http-proxy-agent#readme>
<https://registry.npmjs.org/http-proxy-agent/-/http-proxy-agent-4.0.1.tgz>

MIT [http-proxy-middleware-2.0.9.tgz](#) The one-liner node.js proxy middleware for connect, express and browser-sync
<https://index.mend.io/gri/app/reader/resource/content/asString/ala77050-210e-4743-92a8-a6f253500538> "2015-2025 Copyright 2015-2025 Steven Chim
2015 Copyright 2015 Steven Chim" <https://github.com/chimurai/http-proxy-middleware#readme> <https://registry.npmjs.org/http-proxy-middleware/-/http-proxy-middleware-2.0.9.tgz>

MIT [https-proxy-agent-5.0.1.tgz](#) An HTTP(s) proxy `http.Agent` implementation for HTTPS
<https://index.mend.io/gri/app/reader/resource/content/asString/c127697d-e95a-4d23-93e8-668af4b76320> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/node-https-proxy-agent#readme> <https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-5.0.1.tgz>

MIT [hyperdyperid-1.2.0.tgz](#) Fastest random ID and random string generation for Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/ca6441ae-cca4-48cf-883e-12e97d7da8be> 2020 Copyright 2020 Vadim @streamich Dalecky <https://github.com/streamich/hyperdyperid>
<https://registry.npmjs.org/hyperdyperid/-/hyperdyperid-1.2.0.tgz>

MIT [icons-material-5.18.0.tgz](#) Material Design icons distributed as SVG React components.

<https://index.mend.io/gri/app/reader/resource/content/asString/64edc778-72f2-4b43-9fe2-ce512fa7105c> 2014 Copyright 2014 Call-Em-All
<https://5.mui.com/material-ui/material-icons/>
<https://registry.npmjs.org/@mui/icons-material/-/icons-material-5.18.0.tgz>

MIT iconv-lite-0.4.24.tgz Convert character encodings in pure javascript. <https://github.com/ashtuchkin/iconv-lite> 2011 Copyright 2011 Alexander Shtuchkin <https://github.com/ashtuchkin/iconv-lite>
<https://registry.npmjs.org/iconv-lite/-/iconv-lite-0.4.24.tgz>

MIT iconv-lite-0.6.3.tgz Convert character encodings in pure javascript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2bd3ef54-bb40-4a3e-84ac-e54929644bac> 2011 Copyright 2011 Alexander Shtuchkin <https://github.com/ashtuchkin/iconv-lite>
<https://registry.npmjs.org/iconv-lite/-/iconv-lite-0.6.3.tgz>

MIT identity-obj-proxy-3.0.0.tgz an identity object using ES6 proxies
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/06c8ccc2-30b7-426c-90cb-b6bf2ad85e8d> 2015 Copyright 2015 Keyan Zhang <https://github.com/keyanzhang/identity-obj-proxy#readme>
<https://registry.npmjs.org/identity-obj-proxy/-/identity-obj-proxy-3.0.0.tgz>

MIT iieee754-1.13.2.tgz IEEE754 decoder and encoder
<https://index.mend.io/gri/app/reader/resource/content/asString/27aac0b9-19a5-4959-90ce-f7d4fcfcfc3b> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/ieee754/-/ieee754-1.13.2.tgz>

MIT ignore-5.3.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/34a9f210-0510-492d-8520-b29c8de0e263> 2013 Copyright 2013 Kael Zhang <i@kael.me>, contributors <https://github.com/kaelzhang/node-ignore#readme>
<https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz>

MIT immer-9.0.21.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9e9e5403-2802-464c-a0b3-b08c7fba269e> 2017 Copyright 2017 Michel Weststrate <https://github.com/immerjs/immer#readme>
<https://registry.npmjs.org/immer/-/immer-9.0.21.tgz>

MIT import-fresh-3.3.1.tgz Import a module while bypassing the cache
<https://index.mend.io/gri/app/reader/resource/content/asString/5cf4c404-c000-47eb-aaaf-f82a1378b1f9> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/import-fresh#readme>
<https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz>

MIT import-local-3.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e047a94f-c4bc-42ec-96ea-401113622584> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/import-local#readme>
<https://registry.npmjs.org/import-local/-/import-local-3.2.0.tgz>

MIT imurmurhash-0.1.4.tgz An incremental implementation of MurmurHash3
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/32229d17-5830-4d90-9628-7a6ae7a4a1f8> 2013 Copyright 2013
Gary Court, Jens Taylor <https://github.com/jensyt/imurmurhash-js>
<https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz>

MIT indent-string-4.0.0.tgz Indent each line in a string
<https://github.com/sindresorhus/indent-string#readme> "Copyright
Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/indent-string#readme>
<https://registry.npmjs.org/indent-string/-/indent-string-4.0.0.tgz>

MIT internal-slot-1.1.0.tgz ES spec-like internal slots
<https://index.mend.io/gri/app/reader/resource/content/asString/e2f575a9-9694-4a5a-9201-06cdcb287a7e> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/internal-slot#readme>
<https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz>

MIT ipaddr.js-1.9.1.tgz A library for manipulating IPv4 and IPv6
addresses in JavaScript.
<https://github.com/whitequark/ipaddr.js#readme> 2011-2017
Copyright 2011-2017 whitequark <whitequark@whitequark.org>
<https://github.com/whitequark/ipaddr.js#readme>
<https://registry.npmjs.org/ipaddr.js/-/ipaddr.js-1.9.1.tgz>

MIT ipaddr.js-2.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6dde9cc4-9eb1-4da8-82ea-1df1bd1b712f> 2011-2017 Copyright 2011-2017
whitequark <whitequark@whitequark.org>
<https://github.com/whitequark/ipaddr.js#readme>
<https://registry.npmjs.org/ipaddr.js/-/ipaddr.js-2.2.0.tgz>

MIT ip-codec-2.0.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e90b9af4-412a-4879-9b9e-ba7e88c8e88e> 2021 Copyright 2021 Martin Heidegger
<https://github.com/martinheidegger/ip-codec#readme>
<https://registry.npmjs.org/@leichtgewicht/ip-codec/-/ip-codec-2.0.5.tgz>

MIT is-arguments-1.2.0.tgz Is this an arguments object? It's a harder
question than you think.
<https://index.mend.io/gri/app/reader/resource/content/asString/81197074-ba66-4318-8704-882313745bf4> 2014 Copyright 2014 Jordan Harband

<https://github.com/inspect-js/is-arguments>
<https://registry.npmjs.org/is-arguments/-/is-arguments-1.2.0.tgz>

MIT isarray-1.0.0.tgz Array#isArray for older browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d51c76b-3fb0-4de2-ade2-0a4fec8f13da> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com>
<https://github.com/juliangruber/isarray>
<https://registry.npmjs.org/isarray/-/isarray-1.0.0.tgz>

MIT isarray-2.0.5.tgz Array#isArray for older browsers
<https://github.com/juliangruber/isarray> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com> <https://github.com/juliangruber/isarray>
<https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz>

MIT is-array-buffer-3.0.5.tgz Is this value a JS ArrayBuffer?
<https://index.mend.io/gri/app/reader/resource/content/asString/d05de342-5230-4f85-a324-fbed99787087> 2015 Copyright 2015 Chen Gengyuan, Inspect JS <https://github.com/inspect-js/is-array-buffer#readme>
<https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz>

MIT is-arrayish-0.2.1.tgz Determines if an object can be used as an array <https://github.com/qix-/node-is-arrayish#readme> 2015 Copyright 2015 JD Ballard <https://github.com/qix-/node-is-arrayish#readme>
<https://registry.npmjs.org/is-arrayish/-/is-arrayish-0.2.1.tgz>

MIT is-async-function-2.1.1.tgz Determine if a function is a native async function.
<https://index.mend.io/gri/app/reader/resource/content/asString/00205b0d-37fa-4485-8a45-3bddb3e352f2> 2021 Copyright 2021 Jordan Harband
<https://github.com/inspect-js/is-async-function#readme>
<https://registry.npmjs.org/is-async-function/-/is-async-function-2.1.1.tgz>

MIT is-bigint-1.1.0.tgz Is this value an ES BigInt?
<https://index.mend.io/gri/app/reader/resource/content/asString/b3b963a6-a672-4a93-97be-395d42e4232a> 2018 Copyright 2018 Jordan Harband
<https://github.com/inspect-js/is-bigint#readme>
<https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz>

MIT is-binary-path-2.1.0.tgz Check if a file path is a binary file
<https://github.com/sindresorhus/is-binary-path#readme> "2019 Copyright 2019 Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>), Paul Miller (2019 Copyright 2019 Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>), Paul Miller (<https://paulmillr.com>) Copyright Sindre Sorhus Paul Miller"
<https://github.com/sindresorhus/is-binary-path#readme>
<https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz>

MIT is-boolean-object-1.2.2.tgz Is this value a JS Boolean? This module works cross-realm/iframe, and despite ES6 @@toStringTag.

<https://index.mend.io/gri/app/reader/resource/content/asString/9ed591e8-06da-4f8e-a8b7-e9f983066a7f> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-boolean-object#readme>
<https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.tgz>

MIT is-callable-1.2.7.tgz Is this JS value callable? Works with Functions and GeneratorFunctions, despite ES6 @@toStringTag.

<https://index.mend.io/gri/app/reader/resource/content/asString/8b1be241-f1e9-4b5b-aba8-5942acf22a32> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-callable#readme>
<https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz>

MIT is-core-module-2.16.1.tgz Is this specifier a node.js core module?

<https://index.mend.io/gri/app/reader/resource/content/asString/32b14531-7f96-4a9b-91a9-e5d887262578> 2014 Copyright 2014 Dave Justice
<https://github.com/inspect-js/is-core-module>
<https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz>

MIT is-data-view-1.0.2.tgz Is this value a JS DataView? This module works cross-realm/iframe, does not depend on `instanceof` or mutable properties, and despite ES6 Symbol.toStringTag.

<https://index.mend.io/gri/app/reader/resource/content/asString/5d20b29e-339f-4ae3-acb0-1008da793f3c> 2024 Copyright 2024 Inspect JS
<https://github.com/inspect-js/is-data-view#readme>
<https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz>

MIT is-date-object-1.1.0.tgz Is this value a JS Date object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.

<https://index.mend.io/gri/app/reader/resource/content/asString/9e4bc683-80ff-4870-91ae-faec25eb7e10> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-date-object#readme>
<https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz>

MIT is-docker-2.2.1.tgz Check if the process is running inside a Docker container

<https://index.mend.io/gri/app/reader/resource/content/asString/ab14583f-a4c9-46d9-93a0-eb308474491a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-docker#readme>
<https://registry.npmjs.org/is-docker/-/is-docker-2.2.1.tgz>

MIT is-docker-3.0.0.tgz Check if the process is running inside a Docker container

<https://index.mend.io/gri/app/reader/resource/content/asString/ecc547f7-406d-40c0-8dd2-e07f9aa05e1b> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)

<https://github.com/sindresorhus/is-docker#readme>
<https://registry.npmjs.org/is-docker/-/is-docker-3.0.0.tgz>

MIT is-extglob-2.1.1.tgz Returns true if a string has an extglob.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d2c40d4d-d7a8-4449-8e9c-389eb558f8e6> "2016 Copyright 2016 Jon Schlinkert" (<https://github.com/jonschlinkert>)
2014-2016 Copyright 2014-2016 Jon Schlinkert
2016 Copyright 2016 [Jon Schlinkert] (<https://github.com/jonschlinkert>)
<https://github.com/jonschlinkert/is-extglob>
<https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz>

MIT is-finalizationregistry-1.1.1.tgz Is this value a JS FinalizationRegistry? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/2480b800-a4dc-40dc-96f8-af27ab20d9bf> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/is-finalizationregistry#readme>
<https://registry.npmjs.org/is-finalizationregistry/-/is-finalizationregistry-1.1.1.tgz>

MIT is-fullwidth-code-point-3.0.0.tgz Check if the character represented by a given Unicode code point is fullwidth
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a29952b9-fcf2-4766-817e-c468411fe3a7> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-fullwidth-code-point#readme>
<https://registry.npmjs.org/is-fullwidth-code-point/-/is-fullwidth-code-point-3.0.0.tgz>

MIT is-generator-fn-2.1.0.tgz Check if something is a generator function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1962e574-4a65-49e1-bef1-84a13e7f9892> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-generator-fn#readme>
<https://registry.npmjs.org/is-generator-fn/-/is-generator-fn-2.1.0.tgz>

MIT is-generator-function-1.1.0.tgz Determine if a function is a native generator function.
<https://index.mend.io/gri/app/reader/resource/content/asString/2b493f88-9510-4ca5-9840-95334c57f46e> 2014 Copyright 2014 Jordan Harband
<https://github.com/inspect-js/is-generator-function#readme>
<https://registry.npmjs.org/is-generator-function/-/is-generator-function-1.1.0.tgz>

MIT is-glob-4.0.3.tgz Returns `true` if the given string looks like a glob pattern or an extglob pattern. This makes it easy to create code that only uses external modules like node-glob when necessary, resulting in much faster code execution and initialization time, and a bet
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2b493f88-9510-4ca5-9840-95334c57f46e>

nt/asString/70277c51-87e1-4137-b11e-5cde7ad48943 "2019 Copyright 2019
Jon Schlinkert" (https://github.com/jonschlinkert)
2014-2017 Copyright 2014-2017 Jon Schlinkert"
https://github.com/micromatch/is-glob
https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz

MIT is-inside-container-1.0.0.tgz Check if the process is running
inside a container (Docker/Podman)
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/7c778a3e-0206-48d9-87f2-f803dec1268a Copyright Sindre
Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
https://github.com/sindresorhus/is-inside-container#readme
https://registry.npmjs.org/is-inside-container/-/is-inside-
container-1.0.0.tgz

MIT is-map-2.0.3.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/6fdf
2bd2-82ee-4b30-b11c-65c83bc661bf 2019 Copyright 2019 Inspect JS
https://github.com/inspect-js/is-map#readme
https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz

MIT is-module-1.0.0.tgz check if a source string is an es6 module
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/3266ad05-471d-4cfa-8c51-5a6c5806a5ac 2014 Copyright 2014
segmentio <team@segment.io> https://github.com/component/is-module
https://registry.npmjs.org/is-module/-/is-module-1.0.0.tgz

MIT is-negative-zero-2.0.3.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/8a6c
3fd5-c3ab-4924-89ca-50b08eb01433 2014 Copyright 2014 Jordan Harband
https://github.com/inspect-js/is-negative-zero
https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-
2.0.3.tgz

MIT is-network-error-1.1.0.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/4dce
dabf-ad6f-4003-afed-01fa479a2075 Copyright Sindre Sorhus
<sindresorhus@gmail.com> (https://sindresorhus.com)
https://github.com/sindresorhus/is-network-error#readme
https://registry.npmjs.org/is-network-error/-/is-network-error-
1.1.0.tgz

MIT is-number-7.0.0.tgz Returns true if a number or string value is
a finite number. Useful for regex matches, parsing, user input, etc.
https://github.com/jonschlinkert/is-number "2014 Copyright 2014
Jon Schlinkert
2018 Copyright 2018 Jon Schlinkert" (https://github.com/jonschlinkert)
2018 Copyright 2018 [Jon Schlinkert] (https://github.com/jonschlinkert)"
https://github.com/jonschlinkert/is-number
https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz

MIT is-number-object-1.1.1.tgz Is this value a JS Number object? This
module works cross-realm/iframe, and despite ES6 @@toStringTag.
https://index.mend.io/gri/app/reader/resource/content/asString/1ee9

6e4b-b71c-49d6-9fe7-dedc2e6c3a3f 2015 Copyright 2015 Jordan Harband
https://github.com/inspect-js/is-number-object#readme
https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz

MIT is-obj-1.0.1.tgz Check if a value is an object
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9db8982d-dca5-41a6-a503-5b141af71c9d "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/sindresorhus/is-obj#readme
https://registry.npmjs.org/is-obj/-/is-obj-1.0.1.tgz

MIT is-path-inside-3.0.3.tgz Check if a path is inside another path
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/46a95d1a-ffca-4d17-a0e7-29b64371e795 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
https://github.com/sindresorhus/is-path-inside#readme
https://registry.npmjs.org/is-path-inside/-/is-path-inside-3.0.3.tgz

MIT is-plain-obj-3.0.0.tgz Check if a value is a plain object
https://index.mend.io/gri/app/reader/resource/content/asString/52f06a82-f267-41fb-b5e3-947f211f7b7a Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
https://github.com/sindresorhus/is-plain-obj#readme
https://registry.npmjs.org/is-plain-obj/-/is-plain-obj-3.0.0.tgz

MIT is-potential-custom-element-name-1.0.1.tgz Check whether a given string matches the `PotentialCustomElementName` production as defined in the HTML Standard.
https://index.mend.io/gri/app/reader/resource/content/asString/1a5024cc-46fa-435b-8a03-d05ealald221 Copyright Mathias Bynens <https://mathiasbynens.be/> https://github.com/mathiasbynens/is-potential-custom-element-name https://registry.npmjs.org/is-potential-custom-element-name/-/is-potential-custom-element-name-1.0.1.tgz

MIT is-prop-valid-1.3.1.tgz A function to check whether a prop is valid for HTML and SVG elements
https://index.mend.io/gri/app/reader/resource/content/asString/182214b2-31ba-4426-96ae-b83d11277dff Copyright Emotion team and other contributors https://github.com/emotion-js/emotion/tree/main#readme
https://registry.npmjs.org/@emotion/is-prop-valid/-/is-prop-valid-1.3.1.tgz

MIT is-regex-1.2.1.tgz Is this value a JS regex? Works cross-realm/iframe, and despite ES6 @@toStringTag
https://index.mend.io/gri/app/reader/resource/content/asString/8e28cb65-89f2-45e7-bd51-394745177863 2014 Copyright 2014 Jordan Harband
https://github.com/inspect-js/is-regex
https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz

MIT is-regexp-1.0.0.tgz Check whether a variable is a regular expression
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/119de378-8986-47f3-8737-27be43745eaf> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-regexp>
<https://registry.npmjs.org/is-regexp/-/is-regexp-1.0.0.tgz>

MIT is-root-2.1.0.tgz Check if the process is running as root user, for example, one started with `sudo`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d3053d81-c478-4985-b59e-04aa5138a0e6> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-root#readme>
<https://registry.npmjs.org/is-root/-/is-root-2.1.0.tgz>

MIT is-set-2.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c7565740-4d70-466f-848e-d28c505a800c> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-set#readme>
<https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz>

MIT is-shared-array-buffer-1.0.4.tgz Is this value a JS SharedArrayBuffer?
<https://index.mend.io/gri/app/reader/resource/content/asString/8239616d-fbde-4cff-9688-f771407f608c> 2021 Copyright 2021 Inspect JS
<https://github.com/inspect-js/is-shared-array-buffer#readme>
<https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buffer-1.0.4.tgz>

MIT is-stream-2.0.1.tgz Check if something is a Node.js stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/85f8444f-dc13-4314-9d45-1085bafbc7dd> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-stream#readme>
<https://registry.npmjs.org/is-stream/-/is-stream-2.0.1.tgz>

MIT is-string-1.1.1.tgz Is this value a JS String object or primitive? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/1e162d24-286c-4c15-8c46-e057a9e4b557> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-string#readme>
<https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz>

MIT is-symbol-1.1.1.tgz Determine if a value is an ES6 Symbol or not.
<https://index.mend.io/gri/app/reader/resource/content/asString/94351052-bf6c-42a2-832e-535a6c1ff93b> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-symbol#readme>
<https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz>

MIT istanbul-lib-coverage-2.0.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3ae8fb12-717a-430a-bfbc-920aa16f2fe0> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/istanbul-lib-coverage> <https://registry.npmjs.org/@types/istanbul-lib-coverage/-/istanbul-lib-coverage-2.0.6.tgz>

MIT istanbul-lib-report-3.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d11c2e19-e9ee-40a6-a810-c722befaa186> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/istanbul-lib-report> <https://registry.npmjs.org/@types/istanbul-lib-report/-/istanbul-lib-report-3.0.3.tgz>

MIT istanbul-reports-3.0.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7877da9a-7656-42df-96a1-0ba8310143f3> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/istanbul-reports> <https://registry.npmjs.org/@types/istanbul-reports/-/istanbul-reports-3.0.4.tgz>

MIT is-typedarray-1.0.0.tgz Detect whether or not an object is a Typed Array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5e2f009c-0a4b-4bdd-ae7f-18dc65d15adc> Copyright Hugh Kennedy
<https://github.com/hughsk/is-typedarray>
<https://registry.npmjs.org/is-typedarray/-/is-typedarray-1.0.0.tgz>

MIT is-typed-array-1.1.15.tgz Is this value a JS Typed Array? This module works cross-realm/iframe, does not depend on `instanceof` or mutable properties, and despite ES6 Symbol.toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/8c172270-ca4e-4b0f-a15f-9e40c1dcdbba> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-typed-array#readme>
<https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz>

MIT is-weakmap-2.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9b007708-f461-4013-8147-20ef942f13fe> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-weakmap#readme>
<https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz>

MIT is-weakref-1.1.1.tgz Is this value a JS WeakRef? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/6672a711-bd7e-419d-b9e8-001ed9771bea> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/is-weakref#readme>
<https://registry.npmjs.org/is-weakref/-/is-weakref-1.1.1.tgz>

MIT is-weakset-2.0.4.tgz Is this value a JS WeakSet? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/8ea7>

d2cb-8a58-4fcf-8359-f667ca300483 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-weakset#readme>
<https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz>

MIT is-wsl-2.2.0.tgz Check if the process is running inside Windows Subsystem for Linux (Bash on Windows)
<https://index.mend.io/gri/app/reader/resource/content/asString/3483eb68-7333-474c-a622-efc6e4087a6b> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/is-wsl#readme>
<https://registry.npmjs.org/is-wsl/-/is-wsl-2.2.0.tgz>

MIT is-wsl-3.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/43fb8b59-58f8-4df0-8736-6da6339311d8> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-wsl#readme>
<https://registry.npmjs.org/is-wsl/-/is-wsl-3.1.0.tgz>

MIT iterator.prototype-1.1.5.tgz `Iterator.prototype`, or a shared object to use.
<https://index.mend.io/gri/app/reader/resource/content/asString/80869eff-6153-4302-88e4-57ff189c5226> 2022 Copyright 2022 Jordan Harband
<https://github.com/ljharb/Iterator.prototype#readme>
<https://registry.npmjs.org/iterator.prototype/-/iterator.prototype-1.1.5.tgz>

MIT jest-27.5.1.tgz Delightful JavaScript Testing.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bd6f1f80-00a1-4deb-ba86-d503a880bc7a> Copyright Facebook, Inc. and its affiliates
<https://jestjs.io/>
<https://registry.npmjs.org/jest/-/jest-27.5.1.tgz>

MIT jest-30.0.0.tgz TypeScript definitions for jest
<https://www.npmjs.com/package/@types/jest/v/30.0.0> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/jest>
<https://registry.npmjs.org/@types/jest/-/jest-30.0.0.tgz>

MIT jest-changed-files-27.5.1.tgz A module used internally by Jest to check which files have changed since you last committed in git or hg.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e3d292b-5f7d-4ed7-9000-ba9ed9769cbd> Copyright Facebook, Inc. and its affiliates
<https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-changed-files/-/jest-changed-files-27.5.1.tgz>

MIT jest-circus-27.5.1.tgz [type-definintions]:
<https://github.com/facebook/jest/blob/main/packages/jest-types/src/Circus.ts>
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/76d5594f-5941-4624-8dae-08e94e842c45> Copyright Facebook, Inc. and its affiliates
<https://github.com/facebook/jest#readme>

<https://registry.npmjs.org/jest-circus/-/jest-circus-27.5.1.tgz>

MIT jest-cli-27.5.1.tgz Delightful JavaScript Testing.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f89f876a-c6d5-4ff3-96ab-141bde6c3c33> Copyright Facebook, Inc. and its affiliates <https://jestjs.io/>
 <https://registry.npmjs.org/jest-cli/-/jest-cli-27.5.1.tgz>

MIT jest-config-27.5.1.tgz
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4523676c-3b3d-416e-9227-7c6a4058a0ae> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-config/-/jest-config-27.5.1.tgz>

MIT jest-diff-27.5.1.tgz Display differences clearly so people can review changes confidently.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a6f7ec94-0e0f-4297-9207-c3419d1b7312> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-diff/-/jest-diff-27.5.1.tgz>

MIT jest-diff-30.0.5.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/b5e17b47-5600-4367-8553-0efa49b9b51b> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/jest-diff/-/jest-diff-30.0.5.tgz>
 <https://registry.npmjs.org/jest-diff/-/jest-diff-30.0.5.tgz>

MIT jest-docblock-27.5.1.tgz `jest-docblock` is a package that can extract and parse a specially-formatted comment called a "docblock" at the top of a file.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9e6580d8-a61c-4ef8-b130-6a0784bf8c69> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-docblock/-/jest-docblock-27.5.1.tgz>

MIT jest-dom-5.17.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/c6b5ba99-1217-400f-9c29-24e9c32a4d36> 2017 Copyright 2017 Kent C. Dodds
 <https://github.com/testing-library/jest-dom#readme>
 <https://registry.npmjs.org/@testing-library/jest-dom/-/jest-dom-5.17.0.tgz>

MIT jest-each-27.5.1.tgz Parameterised tests for Jest
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b6d5e0e9-f071-4975-8d11-10c29bb6508b> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-each/-/jest-each-27.5.1.tgz>

MIT jest-environment-jsdom-27.5.1.tgz
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/52bfee3a-9567-426c-968b-37be1849a34d> Copyright Facebook,

Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-environment-jsdom/-/jest-environment-jsdom-27.5.1.tgz>

MIT [jest-environment-node-27.5.1.tgz](#)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/28e00fad-04e5-4a06-9bc5-d3a27dcab921> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-environment-node/-/jest-environment-node-27.5.1.tgz>

MIT [jest-get-type-27.5.1.tgz](#) A utility function to get the type of a value
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/96752796-378f-46ac-8605-957ce4cbc860> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-get-type/-/jest-get-type-27.5.1.tgz>

MIT [jest-haste-map-27.5.1.tgz](#)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/735aeba9-b913-48d3-a576-e9cb703ac517> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-haste-map/-/jest-haste-map-27.5.1.tgz>

MIT [jest-jasmine2-27.5.1.tgz](#)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9a2a4853-7430-4759-a665-8f4e2f14e841> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-jasmine2/-/jest-jasmine2-27.5.1.tgz>

MIT [jest-leak-detector-27.5.1.tgz](#) Module for verifying whether an object has been garbage collected or not.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/da8da39f-8e5b-4a6c-a394-ba4747bfec57> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-leak-detector/-/jest-leak-detector-27.5.1.tgz>

MIT [jest-matcher-utils-27.5.1.tgz](#) A set of utility functions for expect and related packages
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9cf94cab-6f82-4c7b-a8aa-f327acda7d11> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-matcher-utils/-/jest-matcher-utils-27.5.1.tgz>

MIT [jest-matcher-utils-30.0.5.tgz](#) A set of utility functions for expect and related packages
<https://index.mend.io/gri/app/reader/resource/content/asString/abfd4eef-8c5a-4bef-9e36-57426585a566> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/jest-matcher-utils/-/jest-matcher->

utils-30.0.5.tgz <https://registry.npmjs.org/jest-matcher-utils/-/jest-matcher-utils-30.0.5.tgz>

MIT jest-message-util-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/elafd035-6a15-4feb-b7be-cf6f4a6f266e> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-message-util/-/jest-message-util-27.5.1.tgz>

MIT jest-message-util-28.1.3.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5553db09-e254-4b10-96cc-d772aelafb05> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-message-util/-/jest-message-util-28.1.3.tgz>

MIT jest-message-util-30.0.5.tgz
<https://www.npmjs.com/package/jest-message-util/v/30.0.5> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/jest-message-util/-/jest-message-util-30.0.5.tgz>
<https://registry.npmjs.org/jest-message-util/-/jest-message-util-30.0.5.tgz>

MIT jest-mock-27.5.1.tgz ## API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8dfdae58-eda8-4743-b4b1-e94684838f25> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-mock/-/jest-mock-27.5.1.tgz>

MIT jest-mock-30.0.5.tgz <https://www.npmjs.com/package/jest-mock>
Copyright Meta Platforms, Inc. and affiliates
<https://registry.npmjs.org/jest-mock/-/jest-mock-30.0.5.tgz>
<https://registry.npmjs.org/jest-mock/-/jest-mock-30.0.5.tgz>

MIT jest-pnp-resolver-1.2.3.tgz plug'n'play resolver for Webpack
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d4311cb-527c-40f4-ad43-d0c953911437> 2016 Copyright 2016 Maël Nison Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, <https://github.com/arcanis/jest-pnp-resolver>
<https://registry.npmjs.org/jest-pnp-resolver/-/jest-pnp-resolver-1.2.3.tgz>

MIT jest-regex-util-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e3af5e89-b868-4304-a0ba-a22b4cfc1c1c> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-regex-util/-/jest-regex-util-27.5.1.tgz>

MIT jest-regex-util-28.0.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e3af5e89-b868-4304-a0ba-a22b4cfc1c1c>

nt/asString/a358a543-3edd-41b6-bbc9-17f2e9056280 Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-regex-util/-/jest-regex-util-28.0.2.tgz>

MIT jest-regex-util-30.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/cae78e59-1da4-42e8-b37a-8df7e8cc9b3b> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/jest-regex-util/-/jest-regex-util-30.0.1.tgz> <https://registry.npmjs.org/jest-regex-util/-/jest-regex-util-30.0.1.tgz>

MIT jest-resolve-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a81bf453-f149-4442-ae15-b91fcee2c18b> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-resolve/-/jest-resolve-27.5.1.tgz>

MIT jest-resolve-dependencies-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/81c13938-dfe5-4f5c-a54d-cb96b47c0f6a> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-resolve-dependencies/-/jest-resolve-dependencies-27.5.1.tgz>

MIT jest-runner-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2728f195-a82f-445b-ab43-bcceb94927d> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-runner/-/jest-runner-27.5.1.tgz>

MIT jest-runtime-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5254f35e-0215-488e-9450-f3773f7b7e3e> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-runtime/-/jest-runtime-27.5.1.tgz>

MIT jest-serializer-27.5.1.tgz Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the advantage of being able to serialize `Map`, `Set`, `un`
<https://index.mend.io/gri/app/reader/resource/content/asString/029ce5e6-dcf0-4c81-b356-c6278453d03d> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-serializer/-/jest-serializer-27.5.1.tgz>

MIT jest-snapshot-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ae93c223-6e4e-44f4-bc8f-02d0622e6be7> Copyright Facebook,

Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-snapshot/-/jest-snapshot-27.5.1.tgz>

MIT jest-util-27.5.1.tgz
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ba078b91-311b-4562-a385-a8d4a73f4ce0> Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-util/-/jest-util-27.5.1.tgz>

MIT jest-util-28.1.3.tgz
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8d6a3bfa-90e8-4133-9ec7-cf01e80afe4d> Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-util/-/jest-util-28.1.3.tgz>

MIT jest-util-30.0.5.tgz <https://www.npmjs.com/package/jest-util>
Copyright Meta Platforms, Inc. and affiliates
<https://registry.npmjs.org/jest-util/-/jest-util-30.0.5.tgz>
<https://registry.npmjs.org/jest-util/-/jest-util-30.0.5.tgz>

MIT jest-validate-27.5.1.tgz Generic configuration validation tool
that helps you with warnings, errors and deprecation messages as well as
showing users examples of correct configuration.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ce354b9f-bac3-40cd-9ff2-3a23230c4d50> Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
 <https://registry.npmjs.org/jest-validate/-/jest-validate-27.5.1.tgz>

MIT jest-watcher-27.5.1.tgz Delightful JavaScript Testing.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/416bbcbc-ca9f-47ef-95af-4d6efel388be> Copyright Facebook,
Inc. and its affiliates <https://jestjs.io/>
 <https://registry.npmjs.org/jest-watcher/-/jest-watcher-27.5.1.tgz>

MIT jest-watcher-28.1.3.tgz Delightful JavaScript Testing.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1e3633a1-0e76-4bca-816f-8ee936b15315> Copyright Facebook,
Inc. and its affiliates <https://jestjs.io/>
 <https://registry.npmjs.org/jest-watcher/-/jest-watcher-28.1.3.tgz>

MIT jest-watch-typeahead-1.1.0.tgz Jest plugin for filtering by
filename or test name
 <https://index.mend.io/gri/app/reader/resource/content/asString/c5db45d8-2a76-44e9-b62d-3ec144352a7f> 2018 Copyright 2018 Rogelio Guzman
 <https://github.com/jest-community/jest-watch-typeahead>
 <https://registry.npmjs.org/jest-watch-typeahead/-/jest-watch-typeahead-1.1.0.tgz>

MIT jest-worker-26.6.2.tgz Module for executing heavy tasks under
forked processes in parallel, by providing a `Promise` based interface,

minimum overhead, and bound workers.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/06155880-944d-4b63-9f28-942ce014522e> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-worker/-/jest-worker-26.6.2.tgz>

MIT `jest-worker-27.5.1.tgz` Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/773742b8-10c8-4388-a2ad-68738c08c7f2> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-worker/-/jest-worker-27.5.1.tgz>

MIT `jest-worker-28.1.3.tgz` Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9363cdc2-0de5-4688-a863-4908b7459e54> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/jest-worker/-/jest-worker-28.1.3.tgz>

MIT `jiti-1.21.7.tgz` Runtime typescript and ESM support for Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/3ba0764f-0257-4657-8c16-cl735f1be452> Copyright Pooya Parsa <pooya@pi0.io>
<https://github.com/unjs/jiti#readme>
<https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz>

MIT `js-8.57.0.tgz`

<https://index.mend.io/gri/app/reader/resource/content/asString/b3ce9c1e-9c52-402e-81f2-566f07adaf2b> Copyright OpenJS Foundation and other contributors, <www.openjsf.org> <https://eslint.org>
<https://registry.npmjs.org/@eslint/js/-/js-8.57.0.tgz>

MIT `jsdom-16.7.0.tgz` A JavaScript implementation of many web standards
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3605dd69-ab05-42ff-97a0-9059381ab75a> 2010 Copyright 2010 Elijah Insua <https://github.com/jsdom/jsdom#readme>
<https://registry.npmjs.org/jsdom/-/jsdom-16.7.0.tgz>

MIT `jsesc-3.0.2.tgz` Given some data, jsesc returns the shortest possible stringified & ASCII-safe representation of that data.

<https://index.mend.io/gri/app/reader/resource/content/asString/2a97258e-688e-4ff8-b226-24b356441275> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/jsesc>
<https://registry.npmjs.org/jsesc/-/jsesc-3.0.2.tgz>

MIT `jsesc-3.1.0.tgz` Given some data, jsesc returns the shortest possible stringified & ASCII-safe representation of that data.

<https://index.mend.io/gri/app/reader/resource/content/asString/d6bc2836-f06e-4348-ad8f-611568adb730> Copyright Mathias Bynens

<<https://mathiasbynens.be/>> <https://mths.be/jsesc>
<https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz>

MIT json5-0.0.29.tgz TypeScript definitions for JSON5
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e0496d7-876b-47bb-b3ae-03f640cdc3b2> Unspecified Copyright
<https://registry.npmjs.org/@types/json5/-/json5-0.0.29.tgz>
<https://registry.npmjs.org/@types/json5/-/json5-0.0.29.tgz>

MIT json5-1.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/16c18e5e-d4e7-4473-a1c7-1b63caae0ac7> 2012-2018 Copyright 2012-2018 Aseem Kishore
<http://json5.org>/<https://registry.npmjs.org/json5/-/json5-1.0.2.tgz>

MIT json5-2.2.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bcd489e4-2ee1-4873-92a4-b16d6231fc32> 2012-2018 Copyright 2012-2018 Aseem Kishore
<http://json5.org>/<https://registry.npmjs.org/json5/-/json5-2.2.3.tgz>

MIT json-buffer-3.0.1.tgz JSON parse & stringify that supports binary via bops & base64
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a36dfb8a-88bd-4725-a518-96e7a30798a4> 2013 Copyright 2013 Dominic Tarr
<https://github.com/dominictarr/json-buffer>
<https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz>

MIT jsonfile-6.2.0.tgz Easily read/write JSON files.
<https://index.mend.io/gri/app/reader/resource/content/asString/0a3be74b-b962-41db-b656-f471b1e9354b> "2012-2016 Copyright 2012-2016 JP Richardson
2012-2015 Copyright 2012-2015 JP Richardson <jprichardson@gmail.com>
<https://github.com/jprichardson/node-jsonfile#readme>
<https://registry.npmjs.org/jsonfile/-/jsonfile-6.2.0.tgz>

MIT json-parse-even-better-errors-2.3.1.tgz JSON.parse with context information on error
<https://index.mend.io/gri/app/reader/resource/content/asString/98f8ff08-c4e6-4a14-86a9-88e4940a156b> "Copyright npm, Inc 2017 Copyright 2017 Kat Marchán"
<https://github.com/npm/json-parse-even-better-errors#readme> <https://registry.npmjs.org/json-parse-even-better-errors/-/json-parse-even-better-errors-2.3.1.tgz>

MIT jsonpath-1.1.1.tgz Query JavaScript objects with JSONPath expressions. Robust / safe JSONPath engine for Node.js.
<https://index.mend.io/gri/app/reader/resource/content/asString/b9258f8b-21cd-4d16-9308-381d509aa590> 2014-2016 Copyright 2014-2016 David Chester <david@fmail.co.uk> <https://github.com/dchester/jsonpath#readme>
<https://registry.npmjs.org/jsonpath/-/jsonpath-1.1.1.tgz>

MIT jsonpointer-5.0.1.tgz Simple JSON Addressing.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/638cad4d-5dab-4d56-9408-250b34ba2eed> "2011-2021 Copyright

2011-2021 Jan Lehnardt 2011-2015 Copyright 2011-2015 Jan Lehnardt"
<https://github.com/janl/node-jsonpointer#readme>
<https://registry.npmjs.org/jsonpointer/-/jsonpointer-5.0.1.tgz>

MIT json-schema-7.0.15.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ceb2c393-c3a2-4757-a17e-c7e5df31aa47> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/json-schema> <https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz>

MIT json-schema-traverse-0.4.1.tgz Traverse JSON Schema passing each schema object to callback <https://github.com/epoberezkin/json-schema-traverse#readme> 2017 Copyright 2017 Evgeny Poberezkin
<https://github.com/epoberezkin/json-schema-traverse#readme>
<https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz>

MIT json-schema-traverse-1.0.0.tgz Traverse JSON Schema passing each schema object to callback
<https://index.mend.io/gri/app/reader/resource/content/asString/cf9be98a-4b2f-4c16-a390-5a0b35a9f202> 2017 Copyright 2017 Evgeny Poberezkin
<https://github.com/epoberezkin/json-schema-traverse#readme>
<https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-1.0.0.tgz>

MIT json-stable-stringify-without-jsonify-1.0.1.tgz deterministic JSON.stringify() with custom sorting to get deterministic hashes from stringified results, with no public domain dependencies
<https://www.npmjs.com/package/json-stable-stringify-without-jsonify>
"Copyright James Halliday
Copyright Unspecified Copyright" <https://github.com/samn/json-stable-stringify> <https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringify-without-jsonify-1.0.1.tgz>

MIT js-tokens-4.0.0.tgz A regex that tokenizes JavaScript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/644c80d6-6343-45ae-90a0-9808d169c412> "2014-2018 Copyright 2014-2018 Simon Lydell
2014-2015 Copyright 2014-2015 2016, 2017, 2018 Simon Lydell"
<https://github.com/lydell/js-tokens#readme>
<https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz>

MIT jsx-ast-utils-3.3.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/43aca295-5f36-4962-a114-d7477c92eelb> 2016 Copyright 2016 Ethan Cohen
<https://github.com/jsx-eslint/jsx-ast-utils#readme>
<https://registry.npmjs.org/jsx-ast-utils/-/jsx-ast-utils-3.3.5.tgz>

MIT js-yaml-3.14.1.tgz YAML 1.2 parser and serializer
<https://index.mend.io/gri/app/reader/resource/content/asString/56abf293-efaf-42de-a802-57c804c2a669> 2011-2015 Copyright 2011-2015 by Vitaly

Puzrin <https://github.com/nodeca/js-yaml>
<https://registry.npmjs.org/js-yaml/-/js-yaml-3.14.1.tgz>

MIT js-yaml-4.1.0.tgz YAML 1.2 parser and serializer
<https://index.mend.io/gri/app/reader/resource/content/asString/ef026470-36cc-4f4d-8a77-ab7a7adc83c1> 2011-2015 Copyright 2011-2015 by Vitaly Puzrin
<https://github.com/nodeca/js-yaml#readme>
<https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.0.tgz>

MIT keyv-4.5.4.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bd2f086e-22e3-4954-9cfd-93eaf4d674ee> Copyright Jared Wray
<https://github.com/jaredwray/keyv> <https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz>

MIT kind-of-6.0.3.tgz Get the native type of a value.
<https://github.com/jonschlinkert/kind-of> "2014-2017 Copyright 2014-2017 Jon Schlinkert
 2020 Copyright 2020 [Jon Schlinkert] (<https://github.com/jonschlinkert>)
 2020 Copyright 2020 "Jon Schlinkert"
 (<https://github.com/jonschlinkert>)"
<https://github.com/jonschlinkert/kind-of>
<https://registry.npmjs.org/kind-of/-/kind-of-6.0.3.tgz>

MIT kleur-3.0.3.tgz The fastest Node.js library for formatting terminal text with ANSI colors~! <https://www.npmjs.com/package/kleur>
 "Copyright Luke Edwards
 Copyright Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)"
<https://github.com/lukeed/kleur#readme>
<https://registry.npmjs.org/kleur/-/kleur-3.0.3.tgz>

MIT klona-2.0.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/18145637-e710-4c4e-871f-8cf836d5339c> Copyright Luke Edwards
 <luke.edwards05@gmail.com> (lukeed.com)
<https://github.com/lukeed/klona#readme>
<https://registry.npmjs.org/klona/-/klona-2.0.6.tgz>

MIT language-tags-1.0.9.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/58c65b2e-9589-499c-9ad2-48cd02841494> 2013 Copyright 2013 Matthew Caruana Galizia" (<http://twitter.com/mcaruanagalizia>)
<https://github.com/mattcg/language-tags>
<https://registry.npmjs.org/language-tags/-/language-tags-1.0.9.tgz>

MIT launch-editor-2.11.1.tgz launch editor from node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/43f486ad-c880-4a8d-afd9-a0538b0d8a5c> 2017 Copyright 2017 Yuxi (Evan) You
<https://github.com/yyx990803/launch-editor#readme>
<https://registry.npmjs.org/launch-editor/-/launch-editor-2.11.1.tgz>

MIT leven-3.1.0.tgz Measure the difference between two strings using the fastest JS implementation of the Levenshtein distance algorithm
<https://www.npmjs.org/package/leven> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/leven#readme>
<https://registry.npmjs.org/leven/-/leven-3.1.0.tgz>

MIT levn-0.3.0.tgz Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b0b6f9a2-371a-4d67-90ed-c6fbe355509e> Copyright George Zahariev
<https://github.com/gkz/levn> <https://registry.npmjs.org/levn/-/levn-0.3.0.tgz>

MIT levn-0.4.1.tgz Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3202c4a2-ced0-4ab3-a9c9-588d219f7a42> Copyright George Zahariev
<https://github.com/gkz/levn> <https://registry.npmjs.org/levn/-/levn-0.4.1.tgz>

MIT lilconfig-2.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ce9bc825-e160-44b6-9b32-a25e96427b2c> 2022 Copyright 2022 Anton Kastritskiy
<https://github.com/antonk52/lilconfig#readme>
<https://registry.npmjs.org/lilconfig/-/lilconfig-2.1.0.tgz>

MIT lilconfig-3.1.3.tgz A zero-dependency alternative to cosmiconfig
<https://index.mend.io/gri/app/reader/resource/content/asString/8555ffec-21d9-4764-9e4b-b445494c8e0a> 2022 Copyright 2022 Anton Kastritskiy
<https://github.com/antonk52/lilconfig#readme>
<https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz>

MIT lines-and-columns-1.2.4.tgz Maps lines and columns to character offsets and back.
<https://index.mend.io/gri/app/reader/resource/content/asString/84b69ff9-eelf-4275-a5e3-8197342a4640> 2015 Copyright 2015 Brian Donovan
<https://github.com/eventualbuddha/lines-and-columns#readme>
<https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz>

MIT loader-runner-4.3.0.tgz Runs (webpack) loaders
<https://index.mend.io/gri/app/reader/resource/content/asString/b76751c7-33d9-4235-ade6-8604b5cbbf99> Copyright Tobias Koppers @sokra
<https://github.com/webpack/loader-runner#readme>
<https://registry.npmjs.org/loader-runner/-/loader-runner-4.3.0.tgz>

MIT loader-utils-2.0.4.tgz utils for webpack loaders
<https://index.mend.io/gri/app/reader/resource/content/asString/c670729d-f98e-403f-a421-839a8fc0f79d> Copyright JS Foundation and other contributors
<https://github.com/webpack/loader-utils#readme>
<https://registry.npmjs.org/loader-utils/-/loader-utils-2.0.4.tgz>

MIT loader-utils-3.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/63d1497f-90ad-420c-bad4-ed384d597efc> Copyright JS Foundation and other contributors
<https://github.com/webpack/loader-utils#readme>
<https://registry.npmjs.org/loader-utils/-/loader-utils-3.3.1.tgz>

MIT locate-path-3.0.0.tgz Get the first path that exists on disk of multiple paths
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6b1d2379-f28b-483a-b670-a17853a331eb> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/locate-path#readme>
<https://registry.npmjs.org/locate-path/-/locate-path-3.0.0.tgz>

MIT locate-path-5.0.0.tgz Get the first path that exists on disk of multiple paths
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1de16f89-f76f-43d8-a85d-da082fd7ee89> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/locate-path#readme>
<https://registry.npmjs.org/locate-path/-/locate-path-5.0.0.tgz>

MIT locate-path-6.0.0.tgz Get the first path that exists on disk of multiple paths
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fb6434c8-a981-42b8-9f7f-87aedfe2f865> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/locate-path#readme>
<https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz>

MIT lodash.debounce-4.0.8.tgz The lodash method `\_.debounce` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4563156b-dfc7-4318-98c8-clc8fed11a86> Copyright jQuery Foundation and other contributors <<https://jquery.org/>>
<https://lodash.com/> <https://registry.npmjs.org/lodash.debounce/-/lodash.debounce-4.0.8.tgz>

MIT lodash.memoize-4.1.2.tgz The lodash method `\_.memoize` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6e269960-4fb9-4d89-acfd-6de0f1416f4f> Copyright jQuery Foundation and other contributors <<https://jquery.org/>>
<https://lodash.com/> <https://registry.npmjs.org/lodash.memoize/-/lodash.memoize-4.1.2.tgz>

MIT lodash.merge-4.6.2.tgz The Lodash method `\_.merge` exported as a module.
<https://index.mend.io/gri/app/reader/resource/content/asString/83894ef6-0472-4927-98a4-3998dbdece9b> Copyright OpenJS Foundation and other

contributors <<https://openjsf.org/>> <https://lodash.com/>
<https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz>

MIT [lodash.sortby-4.7.0.tgz](#) The lodash method `_.sortBy` exported as a module. <https://www.npmjs.com/package/lodash.sortby> Copyright jQuery Foundation and other contributors <<https://jquery.org/>> <https://lodash.com/> <https://registry.npmjs.org/lodash.sortby/-/lodash.sortby-4.7.0.tgz>

MIT [lodash.uniq-4.5.0.tgz](#) The lodash method `_.uniq` exported as a module. <https://lodash.com/> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/> <https://registry.npmjs.org/lodash.uniq/-/lodash.uniq-4.5.0.tgz>

MIT [lodash-4.17.21.tgz](#) Lodash modular utilities. <https://index.mend.io/gri/app/reader/resource/content/asString/78d39746-a595-4b41-b70d-7eccc8199f7e> Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>> <https://lodash.com/> <https://registry.npmjs.org/lodash/-/lodash-4.17.21.tgz>

MIT [loose-envify-1.4.0.tgz](#) Fast (and loose) selective `process.env` replacer using js-tokens instead of an AST <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d4bed348-d4ce-4c79-bb18-742e59512995> 2015 Copyright 2015 Andres Suarez <zertosh@gmail.com> <https://github.com/zertosh/loose-envify> <https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz>

MIT [lower-case-2.0.2.tgz](#) Transforms the string to lower case <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e4f5d522-55b3-4c32-ade4-b7a050cc4dda> 2014 Copyright 2014 Blake Embrey (hello@blakeembrey.com) <https://github.com/blakeembrey/change-case/tree/master/packages/lower-case#readme> <https://registry.npmjs.org/lower-case/-/lower-case-2.0.2.tgz>

MIT [lz-string-1.5.0.tgz](#) <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d7d82cb3-3e19-4723-931b-b689f55f7d2b> 2013 Copyright 2013 pieroxy <http://pieroxy.net/blog/pages/lz-string/index.html> <https://registry.npmjs.org/lz-string/-/lz-string-1.5.0.tgz>

MIT [magic-string-0.25.9.tgz](#) Modify strings, generate sourcemaps <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/075844c4-615b-4cdd-8878-5dc3535e8fa8> 2018 Copyright 2018 Rich Harris <https://github.com/rich-harris/magic-string#readme> <https://registry.npmjs.org/magic-string/-/magic-string-0.25.9.tgz>

MIT make-dir-3.1.0.tgz Make a directory and its parents if needed -
Think `mkdir -p` <https://github.com/sindresorhus/make-dir> Copyright
Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/make-dir#readme>
<https://registry.npmjs.org/make-dir/-/make-dir-3.1.0.tgz>

MIT make-dir-4.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ec823456-b842-4553-ae4a-5fa727e1fc20> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/make-dir#readme>
<https://registry.npmjs.org/make-dir/-/make-dir-4.0.0.tgz>

MIT material-5.18.0.tgz Material UI is an open-source React
component library that implements Google's Material Design. It's
comprehensive and can be used in production out of the box.
<https://index.mend.io/gri/app/reader/resource/content/asString/ca2da189-2e3a-4f32-a65b-62fa497b5a3b> 2014 Copyright 2014 Call-Em-All
<https://v5.mui.com/material-ui/>
<https://registry.npmjs.org/@mui/material/-/material-5.18.0.tgz>

MIT math-intrinsics-1.1.0.tgz ES Math-related intrinsics and helpers,
robustly cached.
<https://index.mend.io/gri/app/reader/resource/content/asString/37a0ac94-b088-4f4a-b760-814c1eedc9a3> 2024 Copyright 2024 ECMAScript Shims
<https://github.com/es-shims/math-intrinsics#readme>
<https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz>

MIT media-typer-0.3.0.tgz Simple RFC 6838 media type parser and
formatter <https://github.com/jshttp/media-typer> 2014 Copyright 2014
Douglas Christopher Wilson <https://github.com/jshttp/media-typer>
<https://registry.npmjs.org/media-typer/-/media-typer-0.3.0.tgz>

MIT memoize-0.9.0.tgz emotion's memoize utility
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/02721ba2-3609-4597-9802-502bb889469a> Copyright Emotion
team and other contributors [https://github.com/emotion-js/emotion-tree/main#readme](https://github.com/emotion-js/emotion/tree/main#readme)
<https://registry.npmjs.org/@emotion/memoize/-/memoize-0.9.0.tgz>

MIT merge2-1.4.1.tgz Merge multiple streams into one stream in sequence
or parallel. <https://www.npmjs.com/package/merge2> 2014-2020
Copyright 2014-2020 Teambition <https://github.com/teambition/merge2>
<https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz>

MIT merge-descriptors-1.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/8dbae3c3-d9fe-417f-a20d-9269e70c6d82> "2015 Copyright 2015 Douglas
Christopher Wilson <doug@somethingdoug.com> 2013 Copyright 2013 Jonathan
Ong <me@jongleberry.com>" <https://github.com/sindresorhus/merge-descriptors#readme>
<https://registry.npmjs.org/merge-descriptors/-/merge-descriptors-1.0.3.tgz>

MIT merge-stream-2.0.0.tgz Create a stream that emits events from multiple other streams <https://www.npmjs.com/package/merge-stream>
Copyright Stephen Sugden <me@stephensugden.com> (stephensugden.com)
<https://github.com/grncdr/merge-stream#readme>
<https://registry.npmjs.org/merge-stream/-/merge-stream-2.0.0.tgz>

MIT methods-1.1.2.tgz HTTP methods that node supports
<https://github.com/jshttp/methods> "2015-2016 Copyright 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com> 2013-2014 Copyright 2013-2014 TJ Holowaychuk <tj@vision-media.ca>"
<https://github.com/jshttp/methods>
<https://registry.npmjs.org/methods/-/methods-1.1.2.tgz>

MIT micromatch-4.0.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/cbc65641-de21-40ff-be9d-7723a3c7990f> "2014 Copyright 2014 Jon Schlinkert 2024 Copyright 2024 Jon Schlinkert" (<https://github.com/jonschlinkert>) "
<https://github.com/micromatch/micromatch>
<https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz>

MIT mime-1.3.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c0f12c5d-f6df-4212-a9cb-925e157b5a6c> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/mime> <https://registry.npmjs.org/@types/mime/-/mime-1.3.5.tgz>

MIT mime-1.6.0.tgz A comprehensive library for mime-type mapping
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ef21af4a-3492-4b46-8d7e-dbb26524a9fd> 2010 Copyright 2010 Benjamin Thomas, Robert Kieffer <https://github.com/broofa/node-mime#readme> <https://registry.npmjs.org/mime/-/mime-1.6.0.tgz>

MIT mime-db-1.52.0.tgz Media Type Database
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8c1fde9b-eed8-475b-a05b-c022c78be64e> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2015-2022 Copyright 2015-2022 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/mime-db#readme>
<https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz>

MIT mime-types-2.1.35.tgz The ultimate javascript content-type utility.
<https://index.mend.io/gri/app/reader/resource/content/asString/1632c3a4-9d48-4066-a2d9-8321f440b236> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com> 2014 Copyright 2014 Jonathan Ong <me@jongleberry.com>"
<https://github.com/jshttp/mime-types#readme>
<https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz>

MIT mimic-fn-2.1.0.tgz Make a function mimic another one
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3829134e-3f2a-441b-b7b9-bf0ec5e96d9c> "Copyright Sindre

Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/mimic-fn#readme>
<https://registry.npmjs.org/mimic-fn/-/mimic-fn-2.1.0.tgz>

MIT mini-css-extract-plugin-2.9.4.tgz extracts CSS into separate files
<https://index.mend.io/gri/app/reader/resource/content/asString/7491c353-18f1-4c97-bd5d-feb44188980d> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/mini-css-extract-plugin>
<https://registry.npmjs.org/mini-css-extract-plugin/-/mini-css-extract-plugin-2.9.4.tgz>

MIT minimist-1.2.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f9bd8a8-b694-45ef-90e6-b25e4ef8f5d7> 2013 James Halliday
<https://github.com/minimistjs/minimist>
<https://registry.npmjs.org/minimist/-/minimist-1.2.8.tgz>

MIT min-indent-1.0.1.tgz Get the shortest leading whitespace from lines in a string
<https://index.mend.io/gri/app/reader/resource/content/asString/79743354-1684-4d4c-8f9a-9b7db8d64817> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com), James Kyle <me@thejam>
<https://github.com/thejameskyle/min-indent#readme>
<https://registry.npmjs.org/min-indent/-/min-indent-1.0.1.tgz>

MIT ms-2.0.0.tgz Tiny milisecond conversion utility
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6a9b91eb-da45-4c0c-9624-c148388d340b> 2016 Copyright 2016 Zeit, Inc
<https://github.com/zeit/ms#readme>
<https://registry.npmjs.org/ms/-/ms-2.0.0.tgz>

MIT ms-2.1.3.tgz Tiny millisecond conversion utility
<https://index.mend.io/gri/app/reader/resource/content/asString/6152a828-7eaa-41c5-ac5f-34c79036f795> 2020 Copyright 2020 Vercel, Inc
<https://github.com/vercel/ms#readme>
<https://registry.npmjs.org/ms/-/ms-2.1.3.tgz>

MIT multicast-dns-7.2.5.tgz Low level multicast-dns implementation in pure javascript
<https://index.mend.io/gri/app/reader/resource/content/asString/1bc53c5d-06dc-40e7-b933-3ca19c41cab8> 2015 Copyright 2015 Mathias Buus
<https://github.com/mafintosh/multicast-dns>
<https://registry.npmjs.org/multicast-dns/-/multicast-dns-7.2.5.tgz>

MIT mz-2.7.0.tgz modernize node.js to current ECMAScript standards
<https://github.com/normalize/mz#readme> 2014-2016 Copyright 2014-2016 Jonathan Ong me@jongleberry.com and Contributors
<https://github.com/normalize/mz#readme>
<https://registry.npmjs.org/mz/-/mz-2.7.0.tgz>

MIT nanoid-3.3.11.tgzA tiny (116 bytes), secure URL-friendly unique string ID generator
<https://index.mend.io/gri/app/reader/resource/content/asString/01c1>

86d6-06ed-41f5-8898-6f3f9fa1ec84 2017 Copyright 2017 Andrey Sitnik
<andrey@sitnik.ru> <https://github.com/ai/nanoid#readme>
<https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz>

MIT natural-compare-1.4.0.tgz Compare strings containing a mix of
letters and numbers in the way a human being would in sort order.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/498dffc0-609e-4104-bce9-c87ealb1a310> 2012-2015 Copyright
2012-2015 Lauri Rooden <lauri@rooden.ee>
<https://github.com/litejs/natural-compare-lite#readme>
<https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz>

MIT natural-compare-lite-1.4.0.tgz Compare strings containing a mix
of letters and numbers in the way a human being would in sort order.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58551842-b11c-4a4b-91ba-b06370aa7b27> 2012-2015 Copyright
2012-2015 Lauri Rooden <lauri@rooden.ee>
<https://github.com/litejs/natural-compare-lite#readme>
<https://registry.npmjs.org/natural-compare-lite/-/natural-compare-lite-1.4.0.tgz>

MIT negotiator-0.6.3.tgz HTTP content negotiation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e04b5f0-31c4-4200-9ada-d8a6dc4c7b10> "2014-2015 Copyright
2014-2015 Douglas Christopher Wilson
2012-2014 Copyright 2012-2014 Federico Romero
2012-2014 Copyright 2012-2014 Isaac Z. Schlueter"
<https://github.com/jshttp/negotiator#readme>
<https://registry.npmjs.org/negotiator/-/negotiator-0.6.3.tgz>

MIT negotiator-0.6.4.tgz HTTP content negotiation
<https://index.mend.io/gri/app/reader/resource/content/asString/4f52fd43-0a2f-4eae-808a-58a86d5ba7f7> "2014-2015 Copyright 2014-2015 Douglas
Christopher Wilson
2012-2014 Copyright 2012-2014 Federico Romero
2012-2014 Copyright 2012-2014 Isaac Z. Schlueter"
<https://github.com/jshttp/negotiator#readme>
<https://registry.npmjs.org/negotiator/-/negotiator-0.6.4.tgz>

MIT neo-async-2.6.2.tgz Neo-Async is a drop-in replacement for
Async, it almost fully covers its functionality and runs faster
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/764279f9-7f73-4b7a-a971-b941c5e3d826> "2014-2018 Copyright
2014-2018 Suguru Motegi
Copyright Caolan McMahon" <https://github.com/suguru03/neo-async>
<https://registry.npmjs.org/neo-async/-/neo-async-2.6.2.tgz>

MIT no-case-3.0.4.tgz Transform into a lower cased string with spaces
between words
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ea4cbcf0-d8a7-43de-8f4d-03d074c03481> 2014 Copyright 2014
Blake Embrey (hello@blakeembrey.com)

<https://github.com/blakeembrey/change-case/tree/master/packages/no-case#readme> <https://registry.npmjs.org/no-case/-/no-case-3.0.4.tgz>

MIT node-24.3.0.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/f5350d60-55e1-47c1-b8a3-226e4e1ac99c> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node> <https://registry.npmjs.org/@types/node/-/node-24.3.0.tgz>

MIT node-forge-1.3.14.tgz TypeScript definitions for node-forge
<https://index.mend.io/gri/app/reader/resource/content/asString/17824c9e-a85b-4a16-99c6-ff50ff5821fa> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node-forge> <https://registry.npmjs.org/@types/node-forge/-/node-forge-1.3.14.tgz>

MIT node-int64-0.4.0.tgz Support for representing 64-bit integers in JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/00476c33-ba55-4597-b76a-cde6fc29a6e5> 2014 Copyright 2014 Robert Kieffer <https://github.com/broofa/node-int64>
<https://registry.npmjs.org/node-int64/-/node-int64-0.4.0.tgz>

MIT node-releases-2.0.19.tgz Node.js releases data
<https://index.mend.io/gri/app/reader/resource/content/asString/299fdfe-fdd1-49eb-ad9e-28983fe11c64> 2017 Copyright 2017 Sergey Rubanov (<https://github.com/chicoxyzzy>) <https://github.com/chicoxyzzy/node-releases#readme> <https://registry.npmjs.org/node-releases/-/node-releases-2.0.19.tgz>

MIT normalize-path-3.0.0.tgz Normalize slashes in a file path to be posix/unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes, unless disabled.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/del519c9-2912-4e4b-9a0e-d23a400a99c6> "2014-2018 Copyright 2014-2018 Jon Schlinkert
2018 Copyright 2018 [Jon Schlinkert] (<https://github.com/jonschlinkert>)
2018 Copyright 2018 Jon Schlinkert" (<https://github.com/jonschlinkert>) "
<https://github.com/jonschlinkert/normalize-path>
<https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz>

MIT normalize-range-0.1.2.tgz Utility for normalizing a numeric range, with a wrapping function useful for polar coordinates
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5cbb54e9-9515-4592-9f1c-94bc0b03f2c3> "Copyright James Talmage <james@talmage.io> (github.com/jamestalmage)
Copyright James Talmage" <https://github.com/jamestalmage/normalize-range#readme> <https://registry.npmjs.org/normalize-range/-/normalize-range-0.1.2.tgz>

MIT normalize-url-6.1.0.tgz Normalize a URL
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/99df7d60-f574-4fa7-a7cd-31df52b764a4> Copyright Sindre

Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/normalize-url#readme>
<https://registry.npmjs.org/normalize-url/-/normalize-url-6.1.0.tgz>

MIT npm-run-path-4.0.1.tgz Get your PATH prepended with locally installed binaries
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9cb7950c-0b73-458a-9db3-524a7f6fd2ca> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/npm-run-path#readme>
<https://registry.npmjs.org/npm-run-path/-/npm-run-path-4.0.1.tgz>

MIT nwsapi-2.2.21.tgzFast CSS Selectors API Engine
<https://javascript.nwbox.com/nwsapi/MIT-LICENSE> 2007-2025
Copyright 2007-2025 Diego Perini <https://javascript.nwbox.com/nwsapi/>
<https://registry.npmjs.org/nwsapi/-/nwsapi-2.2.21.tgz>

MIT object.assign-4.1.7.tgz ES6 spec-compliant Object.assign shim.
From <https://github.com/es-shims/es6-shim>
<https://index.mend.io/gri/app/reader/resource/content/asString/07eb4d4d-86c3-4efe-b2e8-6f36325034f0> 2014 Copyright 2014 Jordan Harband
<https://github.com/ljharb/object.assign#readme>
<https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz>

MIT object.entries-1.1.9.tgz ES2017 spec-compliant Object.entries shim.
<https://index.mend.io/gri/app/reader/resource/content/asString/5915fa23-38c2-4880-bd0e-495eb6191621> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/Object.entries#readme>
<https://registry.npmjs.org/object.entries/-/object.entries-1.1.9.tgz>

MIT object.fromentries-2.0.8.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3189ea70-58a2-4445-aa8f-c35edf4cf2ae> 2018 Copyright 2018 Jordan Harband
<https://github.com/es-shims/Object.fromEntries#readme>
<https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz>

MIT object.getownpropertydescriptors-2.1.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f61bc6af-e286-46bd-8741-197ab8127bd3> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/object.getownpropertydescriptors#readme>
<https://registry.npmjs.org/object.getownpropertydescriptors/-/object.getownpropertydescriptors-2.1.8.tgz>

MIT object.groupby-1.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7749162f-837f-4bf4-8de5-a3c8fb096b7a> 2023 Copyright 2023 ECMAScript Shims
<https://github.com/es-shims/Object.groupBy#readme>

<https://registry.npmjs.org/object.groupby/-/object.groupby-1.0.3.tgz>

MIT object.values-1.2.1.tgz ES2017 spec-compliant Object.values shim.

<https://index.mend.io/gri/app/reader/resource/content/asString/87a7ffd8-a24a-4deb-bd9a-3c5f925f1932> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/Object.values#readme>
<https://registry.npmjs.org/object.values/-/object.values-1.2.1.tgz>

MIT object-assign-4.1.1.tgz ES2015 `Object.assign()` ponyfill
<https://github.com/sindresorhus/object-assign/tree/v4.1.1> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/object-assign#readme>
<https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz>

MIT object-hash-3.0.0.tgz Generate hashes from javascript objects in node and the browser.
<https://index.mend.io/gri/app/reader/resource/content/asString/9c4e4130-dada-43d8-8573-0fa5341b1268> 2014 Copyright 2014 object-hash contributors
<https://github.com/puleos/object-hash>
<https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz>

MIT object-inspect-1.13.4.tgz string representations of objects in node and the browser
<https://index.mend.io/gri/app/reader/resource/content/asString/9c279833-0212-437f-a127-ef5ddb60a2c8> 2013 Copyright 2013 James Halliday
<https://github.com/inspect-js/object-inspect>
<https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz>

MIT object-is-1.1.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/303d05e7-a3bf-475c-b5bd-379bd2e66ed2> 2014 Copyright 2014 Jordan Harband
<https://github.com/es-shims/object-is>
<https://registry.npmjs.org/object-is/-/object-is-1.1.6.tgz>

MIT object-keys-1.1.1.tgz An Object.keys replacement, in case Object.keys is not available. From <https://github.com/es-shims/es5-shim>
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0d2e8d42-7418-43dd-8735-93f8ed6d4aa2> 2013 Copyright 2013 Jordan Harband
<https://github.com/ljharb/object-keys#readme>
<https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz>

MIT obuf-1.1.2.tgz Byte buffer specialized for data in chunks with special cases for dropping bytes in the front, merging bytes in to various integer types and abandoning buffer without penalty for previous chunk merges.
<https://www.npmjs.com/package/obuf> 2015 Copyright 2015 Fedor Indutny,
<https://github.com/indutny/offset-buffer>
<https://registry.npmjs.org/obuf/-/obuf-1.1.2.tgz>

MIT once-1.1.2.tgz Creates a Promise that waits for a single event
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a97365cb-a4fe-414f-8903-f8f6f7b50b1d> 2020 Nathan Rajlich
<https://github.com/TooTallNate/once#readme>
<https://registry.npmjs.org/@tootallnate/once/-/once-1.1.2.tgz>

MIT onetime-5.1.2.tgz Ensure a function is only called once
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1a3139cb-4211-496d-ad22-8f496e374e57> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/onetime#readme>
<https://registry.npmjs.org/onetime/-/onetime-5.1.2.tgz>

MIT on-finished-2.4.1.tgz Execute a callback when a request closes, finishes, or errors
<https://index.mend.io/gri/app/reader/resource/content/asString/74b5a00d-e70a-4c42-9eb7-8259d3b938ea> "2013 Copyright 2013 Jonathan Ong <me@jongleberry.com>
2014 Copyright 2014 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/on-finished#readme>
<https://registry.npmjs.org/on-finished/-/on-finished-2.4.1.tgz>

MIT on-headers-1.1.0.tgz Execute a listener when a response is about to write headers <https://www.npmjs.com/package/on-headers/v/1.1.0> 2014 Copyright 2014 Douglas Christopher Wilson
<https://github.com/jshttp/on-headers#readme>
<https://registry.npmjs.org/on-headers/-/on-headers-1.1.0.tgz>

MIT open-10.2.0.tgz Open stuff like URLs, files, executables. Cross-platform.
<https://index.mend.io/gri/app/reader/resource/content/asString/b001f7c6-196b-4790-8646-38fd7dc8fb66> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/open#readme>
<https://registry.npmjs.org/open/-/open-10.2.0.tgz>

MIT open-8.4.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b1032e92-5089-497d-bb3c-1489b555d90a> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/open#readme>
<https://registry.npmjs.org/open/-/open-8.4.2.tgz>

MIT optionator-0.8.3.tgz option parsing and help generation
<https://github.com/gkz/optionator/blob/master/LICENSE> Copyright George Zahariev <https://github.com/gkz/optionator>
<https://registry.npmjs.org/optionator/-/optionator-0.8.3.tgz>

MIT optionator-0.9.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d5978b24-3942-4e3d-b3e2-8859311f6d8d> Copyright George Zahariev <https://github.com/gkz/optionator>
<https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz>

MIT own-keys-1.0.1.tgz Robustly get an object's own property keys (strings and symbols), including non-enumerables when possible
<https://index.mend.io/gri/app/reader/resource/content/asString/68a4d855-c86f-4b89-845d-42ad86af3d06> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/own-keys#readme>
<https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz>

MIT param-case-3.0.4.tgz Transform into a lower cased string with dashes between words
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0c990e8c-9312-4d61-9704-863ef084fe29> 2014 Copyright 2014 Blake Embrey (hello@blakeembrey.com)
<https://github.com/blakeembrey/change-case/tree/master/packages/param-case#readme>
<https://registry.npmjs.org/param-case/-/param-case-3.0.4.tgz>

MIT parent-module-1.0.1.tgz Get the path of the parent module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/99fdee40-818f-48e1-9876-7ba0d0f2720a> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/parent-module#readme>
<https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz>

MIT parse5-6.0.1.tgz HTML parser and serializer.
<https://index.mend.io/gri/app/reader/resource/content/asString/fc3f4a06-3b3f-4a82-b976-6264051782ca> 2013-2019 Copyright 2013-2019 Ivan Nikulin (ifaaan@gmail.com, <https://github.com/inikulin>)
<https://github.com/inikulin/parse5>
<https://registry.npmjs.org/parse5/-/parse5-6.0.1.tgz>

MIT parse-json-4.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a3fc5e9e-53d3-422e-a10d-658f32d51cec> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/parse-json> <https://registry.npmjs.org/@types/parse-json/-/parse-json-4.0.2.tgz>

MIT parse-json-5.2.0.tgz Parse JSON with more helpful errors
<https://index.mend.io/gri/app/reader/resource/content/asString/9018e729-4ff6-46a4-a651-5cbc45720ddd> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/parse-json#readme>
<https://registry.npmjs.org/parse-json/-/parse-json-5.2.0.tgz>

MIT parser-7.28.3.tgzA JavaScript parser
<https://index.mend.io/gri/app/reader/resource/content/asString/elc16b9d-9edd-43b8-b601-99ed5728fd0c> 2012-2014 Copyright 2012-2014 by various contributors <https://babel.dev/docs/en/next/babel-parser>
<https://registry.npmjs.org/@babel/parser/-/parser-7.28.3.tgz>

MIT parseurl-1.3.3.tgz parse a url with memoization
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9018e729-4ff6-46a4-a651-5cbc45720ddd>

nt/asString/186349cc-8ddc-460d-9cce-7faca54497ec "2014 Copyright 2014
Jonathan Ong <me@jongleberry.com>
2014-2017 Copyright 2014-2017 Douglas Christopher Wilson
<doug@somethingdoug.com>" <https://github.com/pillarjs/parseurl#readme>
<https://registry.npmjs.org/parseurl/-/parseurl-1.3.3.tgz>

MIT pascal-case-3.1.2.tgz Transform into a string of capitalized words
without separators
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a77485bc-9766-45cd-a79d-d7600137b803> 2014 Copyright 2014
Blake Embrey (hello@blakeembrey.com)
[https://github.com/blakeembrey/change-
case/tree/master/packages/pascal-case#readme](https://github.com/blakeembrey/change-case/tree/master/packages/pascal-case#readme)
<https://registry.npmjs.org/pascal-case/-/pascal-case-3.1.2.tgz>

MIT path-exists-3.0.0.tgz Check if a path exists
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a1ef92d6-edd7-4377-a44c-d80004a32691> "Copyright Sindre
Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/path-exists#readme>
<https://registry.npmjs.org/path-exists/-/path-exists-3.0.0.tgz>

MIT path-exists-4.0.0.tgz Check if a path exists
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fc900dc6-b0ed-4cde-94d7-a57498f74a3d> "Copyright Sindre
Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/path-exists#readme>
<https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz>

MIT path-is-absolute-1.0.1.tgz Node.js 0.12 path.isAbsolute() ponyfill
<https://github.com/sindresorhus/path-is-absolute#readme> "Copyright
Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/path-is-absolute#readme>
[https://registry.npmjs.org/path-is-absolute/-/path-is-absolute-
1.0.1.tgz](https://registry.npmjs.org/path-is-absolute/-/path-is-absolute-1.0.1.tgz)

MIT path-key-3.1.1.tgz Get the PATH environment variable key cross-
platform <https://github.com/sindresorhus/path-key> Copyright Sindre
Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/path-key#readme>
<https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz>

MIT path-parse-1.0.7.tgz Node.js path.parse() ponyfill
[https://index.mend.io/gri/app/reader/resource/content/asString/ab28
9f0d-13fb-406e-b27f-abf80b5a74e1](https://index.mend.io/gri/app/reader/resource/content/asString/ab289f0d-13fb-406e-b27f-abf80b5a74e1) 2015 Copyright 2015 Javier Blanco
<https://github.com/jbgutierrez/path-parse#readme>
<https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz>

MIT path-to-regexp-0.1.12.tgz Express style path to RegExp utility
[https://index.mend.io/gri/app/reader/resource/content/asString/2d84
ea95-6a9e-4a53-b2b0-8a5fcb533c62](https://index.mend.io/gri/app/reader/resource/content/asString/2d84ea95-6a9e-4a53-b2b0-8a5fcb533c62) 2014 Copyright 2014 Blake Embrey
(hello@blakeembrey.com) <https://github.com/pillarjs/path-to->

regexp#readme <https://registry.npmjs.org/path-to-regexp/-/path-to-regexp-0.1.12.tgz>

MIT path-type-4.0.0.tgz Check if a path is a file, directory, or symlink <https://www.npmjs.com/package/path-type/v/4.0.0> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/path-type#readme>
<https://registry.npmjs.org/path-type/-/path-type-4.0.0.tgz>

MIT pattern-30.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/27bfa22f-5930-427c-8efc-839519f391f9> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/@jest/pattern/-/pattern-30.0.1.tgz>
<https://registry.npmjs.org/@jest/pattern/-/pattern-30.0.1.tgz>

MIT performance-now-2.1.0.tgz Implements performance.now (based on process.hrtime). <https://github.com/braveg1rl/performance-now> "2013 Copyright 2013 Braveg1rl
2017 Copyright 2017 Braveg1rl"
<https://github.com/braveg1rl/performance-now>
<https://registry.npmjs.org/performance-now/-/performance-now-2.1.0.tgz>

MIT picomatch-2.3.1.tgz Blazing fast and accurate glob matcher written in JavaScript, with no dependencies and full support for standard and extended Bash glob features, including braces, extglobs, POSIX brackets, and regular expressions.
<https://index.mend.io/gri/app/reader/resource/content/asString/58195970-7f4e-40b5-838f-01c5b25d1bd3> "2017 Copyright 2017 Jon Schlinkert"
(<https://github.com/jonschlinkert>)
2017 Copyright 2017 Jon Schlinkert"
<https://github.com/micromatch/picomatch>
<https://registry.npmjs.org/picomatch/-/picomatch-2.3.1.tgz>

MIT picomatch-4.0.3.tgz Blazing fast and accurate glob matcher written in JavaScript, with no dependencies and full support for standard and extended Bash glob features, including braces, extglobs, POSIX brackets, and regular expressions.
<https://index.mend.io/gri/app/reader/resource/content/asString/4187a096-a069-4ae2-9472-a19aaa7ee8dc> "2017 Copyright 2017 Jon Schlinkert"
(<https://github.com/jonschlinkert>)
2017 Copyright 2017 Jon Schlinkert"
<https://github.com/micromatch/picomatch>
<https://registry.npmjs.org/picomatch/-/picomatch-4.0.3.tgz>

MIT pify-2.3.0.tgz Promisify a callback-style function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f89eda48-b1a9-4e05-953d-6e659c2fffe1> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/pify>
<https://registry.npmjs.org/pify/-/pify-2.3.0.tgz>

MIT pirates-4.0.7.tgz Properly hijack require, i.e., properly define require hooks and customizations
<https://index.mend.io/gri/app/reader/resource/content/asString/fe50ac9a-9fb0-4f17-94a1-36f4077ad721> 2016-2018 Copyright 2016-2018 Ari Porad
<https://github.com/danez/pirates#readme>
<https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz>

MIT pkg-dir-4.2.0.tgz Find the root directory of a Node.js project or npm package
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/96f5cbbc-feab-4356-844a-a29401db8e80> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/pkg-dir#readme>
<https://registry.npmjs.org/pkg-dir/-/pkg-dir-4.2.0.tgz>

MIT pkg-up-3.1.0.tgz Find the closest package.json file
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8f3a5e86-d053-4bd8-98e1-717ca03d7bb9> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/pkg-up#readme>
<https://registry.npmjs.org/pkg-up/-/pkg-up-3.1.0.tgz>

MIT p-limit-2.3.0.tgz Run multiple promise-returning & async functions with limited concurrency
<https://github.com/sindresorhus/p-limit/tree/v2.3.0> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/p-limit#readme>
<https://registry.npmjs.org/p-limit/-/p-limit-2.3.0.tgz>

MIT p-limit-3.1.0.tgz Run multiple promise-returning & async functions with limited concurrency
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5727441e-115d-4533-8e7c-ae19b83c6c7c> Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
<https://github.com/sindresorhus/p-limit#readme>
<https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz>

MIT p-locate-3.0.0.tgz Get the first fulfilled promise that satisfies the provided testing function
<https://github.com/sindresorhus/p-locate/blob/main/license>
"Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/p-locate#readme>
<https://registry.npmjs.org/p-locate/-/p-locate-3.0.0.tgz>

MIT p-locate-4.1.0.tgz Get the first fulfilled promise that satisfies the provided testing function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9bdd03e2-f5a1-4975-8999-cedc5438eb88> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/p-locate#readme>
<https://registry.npmjs.org/p-locate/-/p-locate-4.1.0.tgz>

MIT p-locate-5.0.0.tgz Get the first fulfilled promise that satisfies the provided testing function
<https://index.mend.io/gri/app/reader/resource/content/asString/1f79ff2e-d476-49fc-a63b-128dc8c0a020> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/p-locate#readme>
<https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz>

MIT plugin-babel-5.3.1.tgz Seamless integration between Rollup and Babel.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e5cf1b81-bd9a-4b24-81ef-04704e84f52d> 2019 Copyright 2019 RollupJS Plugin Contributors
(<https://github.com/rollup/plugins/graphs/contributors>)
<https://github.com/rollup/plugins/tree/master/packages/babel#readme>
<https://registry.npmjs.org/@rollup/plugin-babel/-/plugin-babel-5.3.1.tgz>

MIT plugin-bugfix-firefox-class-in-computed-class-key-7.27.1.tgz Wraps classes defined in computed keys of other classes affected by
https://bugzilla.mozilla.org/show_bug.cgi?id=1887677
<https://index.mend.io/gri/app/reader/resource/content/asString/0a9c3b95-57b5-4ec3-8d99-1c551214fc79> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-bugfix-firefox-class-in-computed-class-key>
<https://registry.npmjs.org/@babel/plugin-bugfix-firefox-class-in-computed-class-key/-/plugin-bugfix-firefox-class-in-computed-class-key-7.27.1.tgz>

MIT plugin-bugfix-safari-class-field-initializer-scope-7.27.1.tgz Wrap class field initializers with IIFE to workaround
<https://webkit.org/b/236843>
<https://index.mend.io/gri/app/reader/resource/content/asString/855f2909-51a5-471f-a325-0df54da6779f> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-bugfix-safari-class-field-initializer-scope>
<https://registry.npmjs.org/@babel/plugin-bugfix-safari-class-field-initializer-scope/-/plugin-bugfix-safari-class-field-initializer-scope-7.27.1.tgz>

MIT plugin-bugfix-safari-id-structuring-collision-in-function-expression-7.27.1.tgz Rename destructuring parameter to workaround
https://bugs.webkit.org/show_bug.cgi?id=220517
<https://index.mend.io/gri/app/reader/resource/content/asString/95578942-899a-43e3-a71e-ab03eb0ce875> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-bugfix-safari-id-structuring-collision-in-function-expression>
<https://registry.npmjs.org/@babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression/-/plugin-bugfix-safari-id-structuring-collision-in-function-expression-7.27.1.tgz>

MIT plugin-bugfix-v8-spread-parameters-in-optional-chaining-7.27.1.tgz Transform optional chaining operators to workaround
<https://crbug.com/v8/11558>

<https://index.mend.io/gri/app/reader/resource/content/asString/c340ba70-d356-4065-be24-7635ba447519> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-bugfix-v8-spread-parameters-in-optional-chaining>

<https://registry.npmjs.org/@babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining/-/plugin-bugfix-v8-spread-parameters-in-optional-chaining-7.27.1.tgz>

MIT `plugin-bugfix-v8-static-class-fields-redefine-readonly-7.28.3.tgz`

Transform static class fields assignments that are affected by

<https://crbug.com/v8/12421>

<https://index.mend.io/gri/app/reader/resource/content/asString/33233dc5-df49-4b80-a7a1-3d1dfbcc9316> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-bugfix-v8-static-class-fields-redefine-readonly>

<https://registry.npmjs.org/@babel/plugin-bugfix-v8-static-class-fields-redefine-readonly/-/plugin-bugfix-v8-static-class-fields-redefine-readonly-7.28.3.tgz>

MIT `plugin-jsx-5.5.0.tgz` Transform SVG into JSX

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2c4c4aa9-2ca6-444d-aded-e70557b4e92c> 2017 Copyright 2017 Smooth Code <https://react-svgr.com>

<https://registry.npmjs.org/@svgr/plugin-jsx/-/plugin-jsx-5.5.0.tgz>

MIT `plugin-node-resolve-11.2.1.tgz` Locate and bundle third-party dependencies in `node_modules`

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7f90f072-e55e-4112-9fd2-2ac59bdd42d6> 2019 Copyright 2019 RollupJS Plugin Contributors

(<https://github.com/rollup/plugins/graphs/contributors>)

<https://github.com/rollup/plugins/tree/master/packages/node-resolve/#readme> <https://registry.npmjs.org/@rollup/plugin-node-resolve/-/plugin-node-resolve-11.2.1.tgz>

MIT `plugin-proposal-class-properties-7.18.6.tgz` This plugin transforms static class properties as well as properties declared with the property initializer syntax

<https://index.mend.io/gri/app/reader/resource/content/asString/1f5d7c96-6f30-41f2-9bc4-7651335b0a80> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-class-properties> <https://registry.npmjs.org/@babel/plugin-proposal-class-properties/-/plugin-proposal-class-properties-7.18.6.tgz>

MIT `plugin-proposal-decorators-7.28.0.tgz` Compile class and object decorators to ES5 <https://github.com/babel/babel.git> 2014 Copyright 2014 Sebastian McKenzie and other contributors

<https://babel.dev/docs/en/next/babel-plugin-proposal-decorators>

<https://registry.npmjs.org/@babel/plugin-proposal-decorators/-/plugin-proposal-decorators-7.28.0.tgz>

MIT plugin-proposal-nullish-coalescing-operator-7.18.6.tgz Remove
nullish coalescing operator
<https://index.mend.io/gri/app/reader/resource/content/asString/1036d39b-6dbb-4463-8a06-e6b342a41467> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-nullish-coalescing-operator>
<https://registry.npmjs.org/@babel/plugin-proposal-nullish-coalescing-operator/-/plugin-proposal-nullish-coalescing-operator-7.18.6.tgz>

MIT plugin-proposal-numeric-separator-7.18.6.tgz Remove numeric
separators from Decimal, Binary, Hex and Octal literals
<https://index.mend.io/gri/app/reader/resource/content/asString/fe860f13-8d92-4e9c-b825-13474d7095e1> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-numeric-separator> <https://registry.npmjs.org/@babel/plugin-proposal-numeric-separator/-/plugin-proposal-numeric-separator-7.18.6.tgz>

MIT plugin-proposal-optional-chaining-7.21.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/06a87cbf-88c3-4dbf-8043-fe49e2fa8cce> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-optional-chaining> <https://registry.npmjs.org/@babel/plugin-proposal-optional-chaining/-/plugin-proposal-optional-chaining-7.21.0.tgz>

MIT plugin-proposal-private-methods-7.18.6.tgz This plugin
transforms private class methods
<https://index.mend.io/gri/app/reader/resource/content/asString/d04a58f8-7aaa-4f78-b6de-7b242f18e958> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-private-methods> <https://registry.npmjs.org/@babel/plugin-proposal-private-methods/-/plugin-proposal-private-methods-7.18.6.tgz>

MIT plugin-proposal-private-property-in-object-7.21.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/085d93e0-7506-431d-8e87-41ef01e472c4> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-private-property-in-object>
<https://registry.npmjs.org/@babel/plugin-proposal-private-property-in-object/-/plugin-proposal-private-property-in-object-7.21.0.tgz>

MIT plugin-proposal-private-property-in-object-7.21.0-placeholder-for-preset-env.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/flaccb80-d2b4-4f89-8c60-c5dc2f4d53e5> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-proposal-private-property-in-object>
<https://registry.npmjs.org/@babel/plugin-proposal-private-property-in-object/-/plugin-proposal-private-property-in-object-7.21.0-placeholder-for-preset-env.2.tgz>

MIT plugin-replace-2.4.2.tgz Replace strings in files while bundling
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/771b61af-5b70-4950-87f7-754c79ae4f04> 2019 Copyright 2019
RollupJS Plugin Contributors
(<https://github.com/rollup/plugins/graphs/contributors>)
<https://github.com/rollup/plugins/tree/master/packages/replace#readme>
<https://registry.npmjs.org/@rollup/plugin-replace/-/plugin-replace-2.4.2.tgz>

MIT plugin-svg-5.5.0.tgz Optimize SVG
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e2438d08-be51-43aa-bdc9-978707722b6e> 2017 Copyright 2017
Smooth Code <https://react-svgr.com>
<https://registry.npmjs.org/@svgr/plugin-svg/-/plugin-svg-5.5.0.tgz>

MIT plugin-syntax-async-generators-7.8.4.tgz Allow parsing of
async generator functions <https://babeljs.io/> 2014 Copyright 2014
Sebastian McKenzie and other contributors
<https://registry.npmjs.org/@babel/plugin-syntax-async-generators/-/plugin-syntax-async-generators-7.8.4.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-async-generators/-/plugin-syntax-async-generators-7.8.4.tgz>

MIT plugin-syntax-bigint-7.8.3.tgz Allow parsing of BigInt literals
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d20899a8-0a74-45a5-b97c-35bbdb2f9d2a> 2014 Copyright 2014
Sebastian McKenzie and other contributors
<https://registry.npmjs.org/@babel/plugin-syntax-bigint/-/plugin-syntax-bigint-7.8.3.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-bigint/-/plugin-syntax-bigint-7.8.3.tgz>

MIT plugin-syntax-class-properties-7.12.13.tgz Allow parsing of
class properties
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6fd3484d-c6ee-4318-8d74-7ae430d2a6e5> 2014 Copyright 2014
Sebastian McKenzie and other contributors
<https://babel.dev/docs/en/next/babel-plugin-syntax-class-properties>
<https://registry.npmjs.org/@babel/plugin-syntax-class-properties/-/plugin-syntax-class-properties-7.12.13.tgz>

MIT plugin-syntax-class-static-block-7.14.5.tgz Allow parsing of
class static blocks
<https://index.mend.io/gri/app/reader/resource/content/asString/4738c3b5-6dfe-4402-8c58-6d6b90b7c08c> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin-syntax-class-static-block>
<https://registry.npmjs.org/@babel/plugin-syntax-class-static-block/-/plugin-syntax-class-static-block-7.14.5.tgz>

MIT plugin-syntax-decorators-7.27.1.tgz Allow parsing of decorators
<https://index.mend.io/gri/app/reader/resource/content/asString/05d99f51-59bb-462a-9ac3-2e4378df5010> 2014 Copyright 2014 Sebastian McKenzie
and other contributors <https://babel.dev/docs/en/next/babel-plugin->

syntax-decorators<https://registry.npmjs.org/@babel/plugin-syntax-decorators/-/plugin-syntax-decorators-7.27.1.tgz>

MIT plugin-syntax-flow-7.27.1.tgz Allow parsing of the flow syntax
<https://index.mend.io/gri/app/reader/resource/content/asString/42d34db3-afcc-4783-b2b7-8bb2494019c0> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-syntax-flow> <https://registry.npmjs.org/@babel/plugin-syntax-flow/-/plugin-syntax-flow-7.27.1.tgz>

MIT plugin-syntax-import-assertions-7.27.1.tgz Allow parsing of the module assertion attributes in the import statement
<https://index.mend.io/gri/app/reader/resource/content/asString/e357f602-6d4b-40ee-96c5-3fff70ca8916> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-syntax-import-assertions/-/plugin-syntax-import-assertions-7.27.1.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-import-assertions/-/plugin-syntax-import-assertions-7.27.1.tgz>

MIT plugin-syntax-import-attributes-7.27.1.tgz Allow parsing of the module attributes in the import statement
<https://index.mend.io/gri/app/reader/resource/content/asString/ff15a462-29fa-47cd-8f33-eb020857d88b> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-syntax-import-attributes/-/plugin-syntax-import-attributes-7.27.1.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-import-attributes/-/plugin-syntax-import-attributes-7.27.1.tgz>

MIT plugin-syntax-import-meta-7.10.4.tgz Allow parsing of import.meta
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/18b524bd-094f-49ac-b523-6874e94c0e23> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://github.com/babel/babel#readme>
<https://registry.npmjs.org/@babel/plugin-syntax-import-meta/-/plugin-syntax-import-meta-7.10.4.tgz>

MIT plugin-syntax-json-strings-7.8.3.tgz Allow parsing of the U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings
<https://index.mend.io/gri/app/reader/resource/content/asString/b1a356f3-5fb4-4f85-b2d4-203b3d9866bb> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-syntax-json-strings/-/plugin-syntax-json-strings-7.8.3.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-json-strings/-/plugin-syntax-json-strings-7.8.3.tgz>

MIT plugin-syntax-jsx-7.27.1.tgz Allow parsing of jsx
<https://index.mend.io/gri/app/reader/resource/content/asString/8444068a-eabe-4d38-b63b-4f3e023e7530> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-syntax-jsx> <https://registry.npmjs.org/@babel/plugin-syntax-jsx/-/plugin-syntax-jsx-7.27.1.tgz>

MIT plugin-syntax-logical-assignment-operators-7.10.4.tgz Allow parsing of the logical assignment operators
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8de3d638-6ae8-46f0-99c0-37bc001b766d> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://github.com/babel/babel#readme>
<https://registry.npmjs.org/@babel/plugin-syntax-logical-assignment-operators/-/plugin-syntax-logical-assignment-operators-7.10.4.tgz>

MIT plugin-syntax-nullish-coalescing-operator-7.8.3.tgz Allow parsing of the nullish-coalescing operator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ac75f8fb-1e36-4a28-8ff0-05c5da48f814> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://registry.npmjs.org/@babel/plugin-syntax-nullish-coalescing-operator/-/plugin-syntax-nullish-coalescing-operator-7.8.3.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-nullish-coalescing-operator/-/plugin-syntax-nullish-coalescing-operator-7.8.3.tgz>

MIT plugin-syntax-numeric-separator-7.10.4.tgz Allow parsing of Decimal, Binary, Hex and Octal literals that contain a Numeric Literal Separator <https://babeljs.io/> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://github.com/babel/babel#readme>
<https://registry.npmjs.org/@babel/plugin-syntax-numeric-separator/-/plugin-syntax-numeric-separator-7.10.4.tgz>

MIT plugin-syntax-object-rest-spread-7.8.3.tgz Allow parsing of object rest/spread <https://babeljs.io/> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://registry.npmjs.org/@babel/plugin-syntax-object-rest-spread/-/plugin-syntax-object-rest-spread-7.8.3.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-object-rest-spread/-/plugin-syntax-object-rest-spread-7.8.3.tgz>

MIT plugin-syntax-optional-catch-binding-7.8.3.tgz Allow parsing of optional catch bindings
<https://index.mend.io/gri/app/reader/resource/content/asString/b8e521cf-8839-4f94-8a17-7d443ebe8d9d> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-syntax-optional-catch-binding/-/plugin-syntax-optional-catch-binding-7.8.3.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-optional-catch-binding/-/plugin-syntax-optional-catch-binding-7.8.3.tgz>

MIT plugin-syntax-optional-chaining-7.8.3.tgz Allow parsing of optional properties
<https://index.mend.io/gri/app/reader/resource/content/asString/d0429776-3970-445f-b359-46704a0b13d6> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-syntax-optional-chaining/-/plugin-syntax-optional-chaining-7.8.3.tgz>
<https://registry.npmjs.org/@babel/plugin-syntax-optional-chaining/-/plugin-syntax-optional-chaining-7.8.3.tgz>

MIT plugin-syntax-private-property-in-object-7.14.5.tgz Allow parsing of '#foo in obj' brand checks

<https://index.mend.io/gri/app/reader/resource/content/asString/b6269c10-f6ea-4174-8385-3814b9de8303> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-syntax-private-property-in-object>

<https://registry.npmjs.org/@babel/plugin-syntax-private-property-in-object/-/plugin-syntax-private-property-in-object-7.14.5.tgz>

MIT plugin-syntax-top-level-await-7.14.5.tgz Allow parsing of top-level await in modules

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/caaa26fe-f204-45a1-b012-f949c045ea8b> 2014 Copyright 2014 Sebastian McKenzie and other contributors

<https://babel.dev/docs/en/next/babel-plugin-syntax-top-level-await>

<https://registry.npmjs.org/@babel/plugin-syntax-top-level-await/-/plugin-syntax-top-level-await-7.14.5.tgz>

MIT plugin-syntax-typescript-7.27.1.tgz Allow parsing of TypeScript syntax

<https://index.mend.io/gri/app/reader/resource/content/asString/2edda4da-e53d-431f-916d-52c825c4f5e8> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-syntax-typescript><https://registry.npmjs.org/@babel/plugin-syntax-typescript/-/plugin-syntax-typescript-7.27.1.tgz>

MIT plugin-syntax-unicode-sets-regex-7.18.6.tgz Parse regular expressions' unicodeSets (v) flag.

<https://index.mend.io/gri/app/reader/resource/content/asString/d37df394-f41a-43da-aa15-elabb8358b19> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-syntax-unicode-sets-regex> <https://registry.npmjs.org/@babel/plugin-syntax-unicode-sets-regex/-/plugin-syntax-unicode-sets-regex-7.18.6.tgz>

MIT plugin-transform-arrow-functions-7.27.1.tgz Compile ES2015 arrow functions to ES5

<https://index.mend.io/gri/app/reader/resource/content/asString/16c5a7ea-2ca3-4770-8d2c-7925f10d1734> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-arrow-functions> <https://registry.npmjs.org/@babel/plugin-transform-arrow-functions/-/plugin-transform-arrow-functions-7.27.1.tgz>

MIT plugin-transform-async-generator-functions-7.28.0.tgz Turn async generator functions into ES2015 generators

<https://index.mend.io/gri/app/reader/resource/content/asString/2515f87d-fcb2-48f7-aala-bd9eaffecc9b> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-async-generator-functions>

<https://registry.npmjs.org/@babel/plugin-transform-async-generator-functions/-/plugin-transform-async-generator-functions-7.28.0.tgz>

MIT plugin-transform-async-to-generator-7.27.1.tgz Turn async functions into ES2015 generators

<https://index.mend.io/gri/app/reader/resource/content/asString/332c>

2b4e-b873-4623-b7ce-243670fc6df6 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-async-to-generator> <https://registry.npmjs.org/@babel/plugin-transform-async-to-generator/-/plugin-transform-async-to-generator-7.27.1.tgz>

MIT plugin-transform-block-scoped-functions-7.27.1.tgz Babel plugin to ensure function declarations at the block level are block scoped
<https://index.mend.io/gri/app/reader/resource/content/asString/7658d500-d246-4e7d-8d76-6099a7d5f2a6> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-block-scoped-functions>
<https://registry.npmjs.org/@babel/plugin-transform-block-scoped-functions/-/plugin-transform-block-scoped-functions-7.27.1.tgz>

MIT plugin-transform-block-scoping-7.28.0.tgz Compile ES2015 block scoping (const and let) to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/ea335cc7-a3f5-42f0-8c12-78039845c06e> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-block-scoping> <https://registry.npmjs.org/@babel/plugin-transform-block-scoping/-/plugin-transform-block-scoping-7.28.0.tgz>

MIT plugin-transform-classes-7.28.3.tgz Compile ES2015 classes to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/ec3c5b03-42cc-4666-92ff-5dba41c05da0> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-classes>
<https://registry.npmjs.org/@babel/plugin-transform-classes/-/plugin-transform-classes-7.28.3.tgz>

MIT plugin-transform-class-properties-7.27.1.tgz This plugin transforms static class properties as well as properties declared with the property initializer syntax
<https://index.mend.io/gri/app/reader/resource/content/asString/7328892c-1b30-4db3-86d7-5b30325ccc9c> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-class-properties> <https://registry.npmjs.org/@babel/plugin-transform-class-properties/-/plugin-transform-class-properties-7.27.1.tgz>

MIT plugin-transform-class-static-block-7.28.3.tgz Transform class static blocks
<https://index.mend.io/gri/app/reader/resource/content/asString/29489e09-831e-4c26-8e24-d3085589c7a8> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-class-static-block> <https://registry.npmjs.org/@babel/plugin-transform-class-static-block/-/plugin-transform-class-static-block-7.28.3.tgz>

MIT plugin-transform-computed-properties-7.27.1.tgz Compile ES2015 computed properties to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/94ca2d13-2852-4c05-a679-d599eff6515b> 2014 Copyright 2014 Sebastian McKenzie

and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-computed-properties>
<https://registry.npmjs.org/@babel/plugin-transform-computed-properties/-/plugin-transform-computed-properties-7.27.1.tgz>

MIT plugin-transform-destructuring-7.28.0.tgz Compile ES2015 destructuring to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/2be71cee-2219-4f11-8bba-7272c84377bf> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-destructuring> <https://registry.npmjs.org/@babel/plugin-transform-destructuring/-/plugin-transform-destructuring-7.28.0.tgz>

MIT plugin-transform-dotall-regex-7.27.1.tgz Compile regular expressions using the `s` (`dotAll`) flag to ES5.
<https://index.mend.io/gri/app/reader/resource/content/asString/a9af557-464c-4d3c-b038-ae91661b1f6e> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-dotall-regex> <https://registry.npmjs.org/@babel/plugin-transform-dotall-regex/-/plugin-transform-dotall-regex-7.27.1.tgz>

MIT plugin-transform-duplicate-keys-7.27.1.tgz Compile objects with duplicate keys to valid strict ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/580973df-6ce4-4cc9-8596-b197d3ae87a5> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-duplicate-keys> <https://registry.npmjs.org/@babel/plugin-transform-duplicate-keys/-/plugin-transform-duplicate-keys-7.27.1.tgz>

MIT plugin-transform-duplicate-named-capturing-groups-regex-7.27.1.tgz Compile regular expressions using duplicate named groups to index-based groups.
<https://index.mend.io/gri/app/reader/resource/content/asString/b9339cce-d203-4413-8de7-7ee7d52fae12> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-duplicate-named-capturing-groups-regex> <https://registry.npmjs.org/@babel/plugin-transform-duplicate-named-capturing-groups-regex/-/plugin-transform-duplicate-named-capturing-groups-regex-7.27.1.tgz>

MIT plugin-transform-dynamic-import-7.27.1.tgz Transform import() expressions
<https://index.mend.io/gri/app/reader/resource/content/asString/fc061b18-1bf5-4eac-92a5-252bb53ccca0> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-transform-dynamic-import/-/plugin-transform-dynamic-import-7.27.1.tgz> <https://registry.npmjs.org/@babel/plugin-transform-dynamic-import/-/plugin-transform-dynamic-import-7.27.1.tgz>

MIT plugin-transform-explicit-resource-management-7.28.0.tgz Compile `using` and `await using` declarations to ES2015
<https://www.npmjs.com/package/@babel/plugin-transform-explicit-resource-management> 2014 Copyright 2014 Sebastian McKenzie and other

contributors <https://babel.dev/docs/en/next/babel-plugin-transform-explicit-resource-management> <https://registry.npmjs.org/@babel/plugin-transform-explicit-resource-management/-/plugin-transform-explicit-resource-management-7.28.0.tgz>

MIT `plugin-transform-exponentiation-operator-7.27.1.tgz` Compile exponentiation operator to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/9f42792e-1044-42e4-8fe9-ebb05eb61bd3> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-exponentiation-operator>
<https://registry.npmjs.org/@babel/plugin-transform-exponentiation-operator/-/plugin-transform-exponentiation-operator-7.27.1.tgz>

MIT `plugin-transform-export-namespace-from-7.27.1.tgz` Compile export namespace to ES2015
<https://index.mend.io/gri/app/reader/resource/content/asString/1faf1dc2-689e-4470-b616-0527db946268> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-export-namespace-from>
<https://registry.npmjs.org/@babel/plugin-transform-export-namespace-from/-/plugin-transform-export-namespace-from-7.27.1.tgz>

MIT `plugin-transform-flow-strip-types-7.27.1.tgz` Strip flow type annotations from your output code.
<https://index.mend.io/gri/app/reader/resource/content/asString/642b85d0-48de-4350-88ba-b81be9980deb> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-flow-strip-types> <https://registry.npmjs.org/@babel/plugin-transform-flow-strip-types/-/plugin-transform-flow-strip-types-7.27.1.tgz>

MIT `plugin-transform-for-of-7.27.1.tgz` Compile ES2015 `for...of` to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/4f3d8188-67af-494a-a06b-05323e669ab7> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-for-of> <https://registry.npmjs.org/@babel/plugin-transform-for-of/-/plugin-transform-for-of-7.27.1.tgz>

MIT `plugin-transform-function-name-7.27.1.tgz` Apply ES2015 function.name semantics to all functions
<https://index.mend.io/gri/app/reader/resource/content/asString/77a6a563-c6a4-4f92-ae07-4164c66f224a> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-function-name> <https://registry.npmjs.org/@babel/plugin-transform-function-name/-/plugin-transform-function-name-7.27.1.tgz>

MIT `plugin-transform-json-strings-7.27.1.tgz` Escape U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings
<https://index.mend.io/gri/app/reader/resource/content/asString/c76ba72b-36e2-4db5-afef-f5d70c971273> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-json-strings> <https://registry.npmjs.org/@babel/plugin-transform-json-strings/-/plugin-transform-json-strings-7.27.1.tgz>

MIT plugin-transform-literals-7.27.1.tgz Compile ES2015 unicode string and number literals to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/c23d64c2-elb6-4da6-b094-f925af4b76f9> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-literals> <https://registry.npmjs.org/@babel/plugin-transform-literals/-/plugin-transform-literals-7.27.1.tgz>

MIT plugin-transform-logical-assignment-operators-7.27.1.tgz Transforms logical assignment operators into short-circuited assignments
<https://index.mend.io/gri/app/reader/resource/content/asString/127b8df3-e2ee-4123-a05f-08e5af4d28ae> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-logical-assignment-operators> <https://registry.npmjs.org/@babel/plugin-transform-logical-assignment-operators/-/plugin-transform-logical-assignment-operators-7.27.1.tgz>

MIT plugin-transform-member-expression-literals-7.27.1.tgz Ensure that reserved words are quoted in property accesses
<https://index.mend.io/gri/app/reader/resource/content/asString/a5cf2a2c5-24a0-4e2c-9a24-aa0a00706811> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-member-expression-literals> <https://registry.npmjs.org/@babel/plugin-transform-member-expression-literals/-/plugin-transform-member-expression-literals-7.27.1.tgz>

MIT plugin-transform-modules-amd-7.27.1.tgz This plugin transforms ES2015 modules to AMD
<https://index.mend.io/gri/app/reader/resource/content/asString/93fd7ec9-e19e-4cf3-997b-1754ef28bb43> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-modules-amd> <https://registry.npmjs.org/@babel/plugin-transform-modules-amd/-/plugin-transform-modules-amd-7.27.1.tgz>

MIT plugin-transform-modules-commonjs-7.27.1.tgz This plugin transforms ES2015 modules to CommonJS
<https://index.mend.io/gri/app/reader/resource/content/asString/dde294a3-f9a0-46b7-a7c5-8ca37bf7f02b> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-modules-commonjs> <https://registry.npmjs.org/@babel/plugin-transform-modules-commonjs/-/plugin-transform-modules-commonjs-7.27.1.tgz>

MIT plugin-transform-modules-systemjs-7.27.1.tgz This plugin transforms ES2015 modules to SystemJS
<https://index.mend.io/gri/app/reader/resource/content/asString/764e83be-0468-47df-a7e6-0f74c081bbf4> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-modules-systemjs> <https://registry.npmjs.org/@babel/plugin-transform-modules-systemjs/-/plugin-transform-modules-systemjs-7.27.1.tgz>

MIT plugin-transform-modules-umd-7.27.1.tgz This plugin transforms ES2015 modules to UMD
<https://index.mend.io/gri/app/reader/resource/content/asString/468e3cfe-5abe-4ff6-8d44-f8ffc0c9d54e> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-modules-umd> <https://registry.npmjs.org/@babel/plugin-transform-modules-umd/-/plugin-transform-modules-umd-7.27.1.tgz>

MIT plugin-transform-named-capturing-groups-regex-7.27.1.tgz Compile regular expressions using named groups to ES5.
<https://index.mend.io/gri/app/reader/resource/content/asString/22489790-ac2b-457f-a7e6-1b1cle8d09b0> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-named-capturing-groups-regex>
<https://registry.npmjs.org/@babel/plugin-transform-named-capturing-groups-regex/-/plugin-transform-named-capturing-groups-regex-7.27.1.tgz>

MIT plugin-transform-new-target-7.27.1.tgz Transforms new.target meta property
<https://index.mend.io/gri/app/reader/resource/content/asString/3966a69c-38b0-4b5b-a73f-b4fa75611280> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-new-target> <https://registry.npmjs.org/@babel/plugin-transform-new-target/-/plugin-transform-new-target-7.27.1.tgz>

MIT plugin-transform-nullish-coalescing-operator-7.27.1.tgz Remove nullish coalescing operator
<https://index.mend.io/gri/app/reader/resource/content/asString/8140b107-b72b-4918-91ea-022450a65aef> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-nullish-coalescing-operator>
<https://registry.npmjs.org/@babel/plugin-transform-nullish-coalescing-operator/-/plugin-transform-nullish-coalescing-operator-7.27.1.tgz>

MIT plugin-transform-numeric-separator-7.27.1.tgz Remove numeric separators from Decimal, Binary, Hex and Octal literals
<https://index.mend.io/gri/app/reader/resource/content/asString/73f6e054-a8a6-49c6-89c4-9c2ad0805fe7> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-numeric-separator> <https://registry.npmjs.org/@babel/plugin-transform-numeric-separator/-/plugin-transform-numeric-separator-7.27.1.tgz>

MIT plugin-transform-object-rest-spread-7.28.0.tgz Compile object rest and spread to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/00565e04-c5b9-4cb1-a963-94dc1436619e> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-object-rest-spread> <https://registry.npmjs.org/@babel/plugin-transform-object-rest-spread/-/plugin-transform-object-rest-spread-7.28.0.tgz>

MIT plugin-transform-object-super-7.27.1.tgz Compile ES2015 object super to ES5

<https://index.mend.io/gri/app/reader/resource/content/asString/a8268b0c-67eb-4d4d-9e25-04dc66047ef4> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-object-super> <https://registry.npmjs.org/@babel/plugin-transform-object-super/-/plugin-transform-object-super-7.27.1.tgz>

MIT plugin-transform-optional-catch-binding-7.27.1.tgz Compile optional catch bindings

<https://index.mend.io/gri/app/reader/resource/content/asString/61c2855d-e651-4422-88d5-cb7ebab6304f> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-optional-catch-binding> <https://registry.npmjs.org/@babel/plugin-transform-optional-catch-binding/-/plugin-transform-optional-catch-binding-7.27.1.tgz>

MIT plugin-transform-optional-chaining-7.27.1.tgz Transform optional chaining operators into a series of nil checks

<https://index.mend.io/gri/app/reader/resource/content/asString/3909ele0-cd77-4099-b21f-20e442e96472> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-optional-chaining> <https://registry.npmjs.org/@babel/plugin-transform-optional-chaining/-/plugin-transform-optional-chaining-7.27.1.tgz>

MIT plugin-transform-parameters-7.27.7.tgz Compile ES2015 default and rest parameters to ES5

<https://index.mend.io/gri/app/reader/resource/content/asString/2569de1-603d-415e-b68f-55eb55b8c788> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-parameters> <https://registry.npmjs.org/@babel/plugin-transform-parameters/-/plugin-transform-parameters-7.27.7.tgz>

MIT plugin-transform-private-methods-7.27.1.tgz This plugin transforms private class methods

<https://index.mend.io/gri/app/reader/resource/content/asString/38502d64-2b80-45a4-8157-25a4cd99d205> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-private-methods> <https://registry.npmjs.org/@babel/plugin-transform-private-methods/-/plugin-transform-private-methods-7.27.1.tgz>

MIT plugin-transform-private-property-in-object-7.27.1.tgz This plugin transforms checks for a private property in an object

<https://index.mend.io/gri/app/reader/resource/content/asString/62c9f224-e31e-4a1c-a77a-3435c9d13664> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-private-property-in-object> <https://registry.npmjs.org/@babel/plugin-transform-private-property-in-object/-/plugin-transform-private-property-in-object-7.27.1.tgz>

MIT plugin-transform-property-literals-7.27.1.tgz Ensure that reserved words are quoted in object property keys
<https://index.mend.io/gri/app/reader/resource/content/asString/623163b9-91c2-4033-87c4-43d83decd19d> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-property-literals> <https://registry.npmjs.org/@babel/plugin-transform-property-literals/-/plugin-transform-property-literals-7.27.1.tgz>

MIT plugin-transform-react-constant-elements-7.27.1.tgz Treat React JSX elements as value types and hoist them to the highest scope
<https://index.mend.io/gri/app/reader/resource/content/asString/12f240c6-bd05-4e2a-9e17-681916b64eda> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-react-constant-elements> <https://registry.npmjs.org/@babel/plugin-transform-react-constant-elements/-/plugin-transform-react-constant-elements-7.27.1.tgz>

MIT plugin-transform-react-display-name-7.28.0.tgz Add displayName to React.createClass calls <https://github.com/babel/babel.git> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://babel.dev/docs/en/next/babel-plugin-transform-react-display-name> <https://registry.npmjs.org/@babel/plugin-transform-react-display-name/-/plugin-transform-react-display-name-7.28.0.tgz>

MIT plugin-transform-react-jsx-7.27.1.tgz Turn JSX into React function calls
<https://index.mend.io/gri/app/reader/resource/content/asString/e3b68b60-077f-4d34-97fb-1056bca23731> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-react-jsx> <https://registry.npmjs.org/@babel/plugin-transform-react-jsx/-/plugin-transform-react-jsx-7.27.1.tgz>

MIT plugin-transform-react-jsx-development-7.27.1.tgz Turn JSX into React function calls in development
<https://index.mend.io/gri/app/reader/resource/content/asString/eeada0de-7b58-42b7-a809-908c13b360ac> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-transform-react-jsx-development/-/plugin-transform-react-jsx-development-7.27.1.tgz> <https://registry.npmjs.org/@babel/plugin-transform-react-jsx-development/-/plugin-transform-react-jsx-development-7.27.1.tgz>

MIT plugin-transform-react-pure-annotations-7.27.1.tgz Mark top-level React method calls as pure for tree shaking
<https://index.mend.io/gri/app/reader/resource/content/asString/805a29d1-cbeb-4642-8ed5-6f840d1fb3a4> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/plugin-transform-react-pure-annotations/-/plugin-transform-react-pure-annotations-7.27.1.tgz> <https://registry.npmjs.org/@babel/plugin-transform-react-pure-annotations/-/plugin-transform-react-pure-annotations-7.27.1.tgz>

MIT plugin-transform-regenerator-7.28.3.tgz Explode async and generator functions into a state machine.

<https://index.mend.io/gri/app/reader/resource/content/asString/c7956fd1-2420-4cb5-9ffc-cb08392990b6> "2014 Copyright 2014 Sebastian McKenzie and other contributors
2014 Copyright 2014 Facebook, Inc" <https://babel.dev/docs/en/next/babel-plugin-transform-regenerator> <https://registry.npmjs.org/@babel/plugin-transform-regenerator/-/plugin-transform-regenerator-7.28.3.tgz>

MIT plugin-transform-regexp-modifiers-7.27.1.tgz Compile inline regular expression modifiers
<https://index.mend.io/gri/app/reader/resource/content/asString/0b8c3b6e-da98-4251-b001-b7d5103712bd> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-regexp-modifiers> <https://registry.npmjs.org/@babel/plugin-transform-regexp-modifiers/-/plugin-transform-regexp-modifiers-7.27.1.tgz>

MIT plugin-transform-reserved-words-7.27.1.tgz Ensure that no reserved words are used.
<https://index.mend.io/gri/app/reader/resource/content/asString/c01aac51-d8a2-4506-9844-453cc3d5463f> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-reserved-words> <https://registry.npmjs.org/@babel/plugin-transform-reserved-words/-/plugin-transform-reserved-words-7.27.1.tgz>

MIT plugin-transform-runtime-7.28.3.tgz Externalise references to helpers and builtins, automatically polyfilling your code without polluting globals
<https://index.mend.io/gri/app/reader/resource/content/asString/90161c4d-a65b-461f-849d-37a2b308a69b> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-runtime> <https://registry.npmjs.org/@babel/plugin-transform-runtime/-/plugin-transform-runtime-7.28.3.tgz>

MIT plugin-transform-shorthand-properties-7.27.1.tgz Compile ES2015 shorthand properties to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/66661a77-523b-4ddc-b3aa-1bbb16fad309> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-shorthand-properties> <https://registry.npmjs.org/@babel/plugin-transform-shorthand-properties/-/plugin-transform-shorthand-properties-7.27.1.tgz>

MIT plugin-transform-spread-7.27.1.tgz Compile ES2015 spread to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/107a9449-d352-4005-94f6-a3906bdcb7a8> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-spread> <https://registry.npmjs.org/@babel/plugin-transform-spread/-/plugin-transform-spread-7.27.1.tgz>

MIT plugin-transform-sticky-regex-7.27.1.tgz Compile ES2015 sticky regex to an ES5 RegExp constructor
<https://index.mend.io/gri/app/reader/resource/content/asString/c7d2d94a-6ac2-4db8-b9b0-4cf00c3c1292> 2014 Copyright 2014 Sebastian McKenzie

and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-sticky-regex> <https://registry.npmjs.org/@babel/plugin-transform-sticky-regex/-/plugin-transform-sticky-regex-7.27.1.tgz>

MIT plugin-transform-template-literals-7.27.1.tgz Compile ES2015 template literals to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/cb56c375-falb-4cdf-b22a-9915f7ebec0d> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-template-literals> <https://registry.npmjs.org/@babel/plugin-transform-template-literals/-/plugin-transform-template-literals-7.27.1.tgz>

MIT plugin-transform-typeof-symbol-7.27.1.tgz This transformer wraps all typeof expressions with a method that replicates native behaviour. (ie. returning "symbol" for symbols)
<https://index.mend.io/gri/app/reader/resource/content/asString/8c68d8bb-987c-445a-be83-ed621eedc39b> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-typeof-symbol> <https://registry.npmjs.org/@babel/plugin-transform-typeof-symbol/-/plugin-transform-typeof-symbol-7.27.1.tgz>

MIT plugin-transform-typescript-7.28.0.tgz Transform TypeScript into ES.next
<https://index.mend.io/gri/app/reader/resource/content/asString/46d21958-1255-4f75-8414-3ac1f803cb49> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-typescript> <https://registry.npmjs.org/@babel/plugin-transform-typescript/-/plugin-transform-typescript-7.28.0.tgz>

MIT plugin-transform-unicode-escapes-7.27.1.tgz Compile ES2015 Unicode escapes to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/e0352460-b596-4fbd-b616-bf2cb9f98d1d> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-unicode-escapes> <https://registry.npmjs.org/@babel/plugin-transform-unicode-escapes/-/plugin-transform-unicode-escapes-7.27.1.tgz>

MIT plugin-transform-unicode-property-regex-7.27.1.tgz Compile Unicode property escapes in Unicode regular expressions to ES5.
<https://index.mend.io/gri/app/reader/resource/content/asString/c6e2afff-33d0-4b5b-959d-3333f4d1b7a4> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-unicode-property-regex> <https://registry.npmjs.org/@babel/plugin-transform-unicode-property-regex/-/plugin-transform-unicode-property-regex-7.27.1.tgz>

MIT plugin-transform-unicode-regex-7.27.1.tgz Compile ES2015 Unicode regex to ES5
<https://index.mend.io/gri/app/reader/resource/content/asString/95f3bf14-3887-40e0-875f-5dc9f24d147e> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-unicode-regex>

transform-unicode-regex <https://registry.npmjs.org/@babel/plugin-transform-unicode-regex/-/plugin-transform-unicode-regex-7.27.1.tgz>

MIT plugin-transform-unicode-sets-regex-7.27.1.tgz Compile regular expressions' unicodeSets (v) flag.
<https://index.mend.io/gri/app/reader/resource/content/asString/135ed1d-897b-4077-8984-fb65fbe558b9> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-plugin-transform-unicode-sets-regex> <https://registry.npmjs.org/@babel/plugin-transform-unicode-sets-regex/-/plugin-transform-unicode-sets-regex-7.27.1.tgz>

MIT pluginutils-3.1.0.tgz A set of utility functions commonly used by Rollup plugins
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fc468529-cb86-432d-b879-15be053f5584> 2019 Copyright 2019 RollupJS Plugin Contributors
(<https://github.com/rollup/plugins/graphs/contributors>)
<https://github.com/rollup/plugins/tree/master/packages/pluginutils#readme> <https://registry.npmjs.org/@rollup/pluginutils/-/pluginutils-3.1.0.tgz>

MIT possible-typed-array-names-1.1.0.tgz A simple list of possible Typed Array names.
<https://index.mend.io/gri/app/reader/resource/content/asString/5e62abaa-13a3-4f59-a907-0f92547aaa44> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/possible-typed-array-names#readme>
<https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-array-names-1.1.0.tgz>

MIT postcss-8.4.31.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6a4f3923-e93d-467c-97e8-40676667f4f1> 2013 Copyright 2013 Andrey Sitnik
<andrey@sitnik.ru> <https://postcss.org/>
<https://registry.npmjs.org/postcss/-/postcss-8.4.31.tgz>

MIT postcss-attribute-case-insensitive-5.0.2.tgz Enable support for case insensitive attribute matching in selectors
<https://index.mend.io/gri/app/reader/resource/content/asString/186b322c-9347-42f0-bf8d-28b583388141> 2020 Copyright 2020 Dmitry Semigradsky
<semigradskyd@gmail.com> <https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-attribute-case-insensitive#readme>
<https://registry.npmjs.org/postcss-attribute-case-insensitive/-/postcss-attribute-case-insensitive-5.0.2.tgz>

MIT postcss-calc-8.2.4.tgz PostCSS plugin to reduce calc()
<https://index.mend.io/gri/app/reader/resource/content/asString/387a0fbc-0a1e-480c-ac05-ef9db098159b> 2014 Copyright 2014 Maxime Thirouin
<https://registry.npmjs.org/postcss-calc/-/postcss-calc-8.2.4.tgz>
<https://registry.npmjs.org/postcss-calc/-/postcss-calc-8.2.4.tgz>

MIT postcss-clamp-4.1.0.tgz PostCSS plugin to transform clamp() to combination of min/max

<https://index.mend.io/gri/app/reader/resource/content/asString/3876cfe3-a717-4a58-9e2d-0ee6233fb385> 2020 Copyright 2020 Ivan Menshykov
<ivan.menshykov@gmail.com> <https://github.com/polemius/postcss-clamp#readme>
<https://registry.npmjs.org/postcss-clamp/-/postcss-clamp-4.1.0.tgz>

MIT postcss-color-hex-alpha-8.0.4.tgz Use 4 & 8 character hex color notation in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/26499d19-b11e-4e2c-a04a-d303fa57bfa7> Copyright PostCSS
<https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-color-hex-alpha#readme>
<https://registry.npmjs.org/postcss-color-hex-alpha/-/postcss-color-hex-alpha-8.0.4.tgz>

MIT postcss-colormin-5.3.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c193b3ab-1e6c-47ec-807d-9a74608357ab> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-colormin/-/postcss-colormin-5.3.1.tgz>

MIT postcss-convert-values-5.1.3.tgz Convert values with PostCSS (e.g. ms -> s)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7783d7d3-6ee0-4e8c-9e7a-0564ec58eca6> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-convert-values/-/postcss-convert-values-5.1.3.tgz>

MIT postcss-custom-media-8.0.2.tgz Use Custom Media Queries in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/e0dc0aaf-378e-4ee0-a786-91483f10d7ee> Copyright PostCSS
<https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-custom-media#readme>
<https://registry.npmjs.org/postcss-custom-media/-/postcss-custom-media-8.0.2.tgz>

MIT postcss-custom-properties-12.1.11.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/966d7e85-c00e-4210-a0e6-fdf976879057> Copyright PostCSS
<https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-custom-properties#readme>
<https://registry.npmjs.org/postcss-custom-properties/-/postcss-custom-properties-12.1.11.tgz>

MIT postcss-custom-selectors-6.0.3.tgz Use Custom Selectors in CSS
<https://index.mend.io/gri/app/reader/resource/content/asString/96c111cf-5e9c-429a-alb0-a01735481275> Copyright PostCSS
<https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-custom-selectors#readme>

<https://registry.npmjs.org/postcss-custom-selectors/-/postcss-custom-selectors-6.0.3.tgz>

MIT postcss-discard-comments-5.1.2.tgz Discard comments in your CSS files with PostCSS.

<https://index.mend.io/gri/app/reader/resource/content/asString/ebda8b39-de00-4e60-bb62-fc2b06a5bb38> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-discard-comments/-/postcss-discard-comments-5.1.2.tgz>

MIT postcss-discard-duplicates-5.1.0.tgz Discard duplicate rules in your CSS files with PostCSS.

<https://index.mend.io/gri/app/reader/resource/content/asString/a6bd5ad6-71dd-45b5-becc-a6faf818be00> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-discard-duplicates/-/postcss-discard-duplicates-5.1.0.tgz>

MIT postcss-discard-empty-5.1.1.tgz Discard empty rules and values with PostCSS.

<https://index.mend.io/gri/app/reader/resource/content/asString/e5fca0ed-29b2-4aac-8527-243f70f74742> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-discard-empty/-/postcss-discard-empty-5.1.1.tgz>

MIT postcss-discard-overridden-5.1.0.tgz PostCSS plugin to discard overridden @keyframes or @counter-style.

<https://index.mend.io/gri/app/reader/resource/content/asString/6cc4bb4b-066c-4f5a-932e-e9268a76fafa> 2016 Copyright 2016 Justineo
<jjustice360@gmail.com> <https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-discard-overridden/-/postcss-discard-overridden-5.1.0.tgz>

MIT postcss-flexbugs-fixes-5.0.2.tgz PostCSS plugin This project tries to fix all of flexbug's issues

<https://index.mend.io/gri/app/reader/resource/content/asString/869610c7-5d7b-40f1-bd63-f077e0a0ca1d> 2015 Copyright 2015 Luis Rudge
<luis@luisrudge.net> <https://github.com/luisrudge/postcss-flexbugs-fixes#readme>
<https://registry.npmjs.org/postcss-flexbugs-fixes/-/postcss-flexbugs-fixes-5.0.2.tgz>

MIT postcss-font-variant-5.0.0.tgz PostCSS plugin to transform W3C font-variant properties to more compatible CSS (font-feature-settings)

<https://index.mend.io/gri/app/reader/resource/content/asString/713de73c-7a24-4061-8907-97c902b63167> 2014 Copyright 2014 Maxime Thirouin & Ian Storm Taylor <https://github.com/postcss/postcss-font-variant#readme>
<https://registry.npmjs.org/postcss-font-variant/-/postcss-font-variant-5.0.0.tgz>

MIT postcss-import-15.1.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3face6e8-fa94-4333-805f-03dd4d9e3b19> 2014 Copyright 2014
Maxime Thirouin, Jason Campbell & Kevin Mårtensson
<https://github.com/postcss/postcss-import#readme>
<https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz>

MIT postcss-initial-4.0.1.tgz PostCSS plugin to fallback initial keyword.
<https://index.mend.io/gri/app/reader/resource/content/asString/06a7b59f-78ac-4f6c-9a4c-9380d82976b0> 2015 Copyright 2015 Maksim Koretskiy
<mr.green.tv@gmail.com> <https://github.com/maximkoretskiy/postcss-initial#readme> <https://registry.npmjs.org/postcss-initial/-/postcss-initial-4.0.1.tgz>

MIT postcss-js-4.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e833f768-4d4d-4f4f-b179-e552d1454f26> 2015 Copyright 2015 Andrey Sitnik
<andrey@sitnik.ru> <https://github.com/postcss/postcss-js#readme>
<https://registry.npmjs.org/postcss-js/-/postcss-js-4.0.1.tgz>

MIT postcss-load-config-4.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4134f7ab-17e8-4205-9b4d-429591a485b3> Copyright Michael Ciniawsky
<michael.ciniawsky@gmail.com> <https://github.com/postcss/postcss-load-config#readme> <https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-4.0.2.tgz>

MIT postcss-loader-6.2.1.tgz PostCSS loader for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/8d70554c-0234-4ac2-b8ce-e98568f70379> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/postcss-loader>
<https://registry.npmjs.org/postcss-loader/-/postcss-loader-6.2.1.tgz>

MIT postcss-media-minmax-5.0.0.tgz Using more intuitive `>=`, `<=`, `>`, `<` instead of media queries min/max prefix.
<https://index.mend.io/gri/app/reader/resource/content/asString/3fe2a733-404b-48ec-b2f1-e836065cc119> 2014 Copyright 2014 PostCSS
<https://github.com/postcss/postcss-media-minmax#readme>
<https://registry.npmjs.org/postcss-media-minmax/-/postcss-media-minmax-5.0.0.tgz>

MIT postcss-merge-longhand-5.1.7.tgz Merge longhand properties into shorthand with PostCSS.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/160335fc-41f2-4bc1-8969-105170db3164> "Copyright Ben Briggs
Copyright Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>) "
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-merge-longhand/-/postcss-merge-longhand-5.1.7.tgz>

MIT postcss-merge-rules-5.1.4.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/267b0101-9d8a-4851-9c65-457e16b5e9a4 Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-merge-rules/-/postcss-merge-rules-5.1.4.tgz

MIT postcss-minify-font-values-5.1.0.tgz Minify font declarations with PostCSS
https://index.mend.io/gri/app/reader/resource/content/asString/cdf953ba-335b-4e48-b5f8-5604b0dc67aa Copyright Bogdan Chadkin
<trysound@yandex.ru> https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-minify-font-values/-/postcss-minify-font-values-5.1.0.tgz

MIT postcss-minify-gradients-5.1.1.tgz Minify gradient parameters with PostCSS.
https://index.mend.io/gri/app/reader/resource/content/asString/afe93a5b-8e55-4c66-96f4-443a3afe5cee Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-minify-gradients/-/postcss-minify-gradients-5.1.1.tgz

MIT postcss-minify-params-5.1.4.tgz Minify at-rule params with PostCSS
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8be8b4e2-8fce-4393-b51a-41ce2cd66002 "2015 Copyright 2015 Bogdan Chadkin <trysound@yandex.ru> Copyright Bogdan Chadkin Copyright Ben Briggs Copyright Ben Briggs <beneb.info@gmail.com> (http://beneb.info)" https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-minify-params/-/postcss-minify-params-5.1.4.tgz

MIT postcss-minify-selectors-5.2.1.tgz Minify selectors with PostCSS.
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/97afc5df-706c-43c4-8127-533126a766b3 Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-minify-selectors/-/postcss-minify-selectors-5.2.1.tgz

MIT postcss-modules-local-by-default-4.2.0.tgz A CSS Modules transform to make local scope the default
https://index.mend.io/gri/app/reader/resource/content/asString/209c592c-f41c-412a-9198-3310568b7ef5 2015 Copyright 2015 Mark Dalgleish
<mark.john.dalgleish@gmail.com> https://github.com/css-modules/postcss-modules-local-by-default#readme https://registry.npmjs.org/postcss-modules-local-by-default/-/postcss-modules-local-by-default-4.2.0.tgz

MIT postcss-nested-6.2.0.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/69ab

3b1a-4669-4c0b-8eaf-09725abc9b0e 2014 Copyright 2014 Andrey Sitnik
<andrey@sitnik.ru> <https://github.com/postcss/postcss-nested#readme>
<https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz>

MIT postcss-normalize-charset-5.1.0.tgz Add necessary or remove
extra charset with PostCSS
<https://index.mend.io/gri/app/reader/resource/content/asString/36ecelc9-6eeb-48c1-9c27-b1532056c286> 2015 Copyright 2015 Bogdan Chadkin
<trysound@yandex.ru> <https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-charset/-/postcss-normalize-charset-5.1.0.tgz>

MIT postcss-normalize-display-values-5.1.0.tgz Normalize multiple
value display syntaxes into single values.
<https://index.mend.io/gri/app/reader/resource/content/asString/2626f038-96db-4df3-92fc-7662b4db9209> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-display-values/-/postcss-normalize-display-values-5.1.0.tgz>

MIT postcss-normalize-positions-5.1.1.tgz Normalize keyword values
for position into length values.
<https://index.mend.io/gri/app/reader/resource/content/asString/5bc702ec-b0dd-4ed5-baf3-1e9790d4c8c2> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-positions/-/postcss-normalize-positions-5.1.1.tgz>

MIT postcss-normalize-repeat-style-5.1.1.tgz Convert two value
syntax for repeat-style into one value.
<https://index.mend.io/gri/app/reader/resource/content/asString/1425b1c5-4ec5-4429-b7f1-5ec899d699e5> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-repeat-style/-/postcss-normalize-repeat-style-5.1.1.tgz>

MIT postcss-normalize-string-5.1.0.tgz Normalize wrapping quotes for CSS
string literals.
<https://index.mend.io/gri/app/reader/resource/content/asString/fb06acb9-b500-4445-bbac-4fef8914f219> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-string/-/postcss-normalize-string-5.1.0.tgz>

MIT postcss-normalize-timing-functions-5.1.0.tgz Normalize CSS
animation/transition timing functions.
<https://index.mend.io/gri/app/reader/resource/content/asString/21debe42-c61c-4901-a3d1-ac07735a78e0> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)

<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-timing-functions/-/postcss-normalize-timing-functions-5.1.0.tgz>

MIT `postcss-normalize-unicode-5.1.1.tgz` Normalize unicode-range descriptors, and can convert to wildcard ranges.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/74ae5e10-9bb4-46f8-981d-d36ede2f4eff> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-unicode/-/postcss-normalize-unicode-5.1.1.tgz>

MIT `postcss-normalize-url-5.1.0.tgz` Normalize URLs with PostCSS
<https://index.mend.io/gri/app/reader/resource/content/asString/28362e4c-0282-4b30-8b3d-14d3c77538e2> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-url/-/postcss-normalize-url-5.1.0.tgz>

MIT `postcss-normalize-whitespace-5.1.1.tgz` Trim whitespace inside and around CSS rules & declarations.
<https://index.mend.io/gri/app/reader/resource/content/asString/101219cc-69df-4009-9bb7-2b87b4f9a5ce> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-normalize-whitespace/-/postcss-normalize-whitespace-5.1.1.tgz>

MIT `postcss-opacity-percentage-1.1.3.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/2a388e61-4091-4f21-be72-6a60d7842a97> 2021 Copyright 2021 Marc Görtz
"https://marcgoertz.de/" (<https://marcgoertz.de/>)
<https://github.com/mrcgrtz/postcss-opacity-percentage#readme>
<https://registry.npmjs.org/postcss-opacity-percentage/-/postcss-opacity-percentage-1.1.3.tgz>

MIT `postcss-ordered-values-5.1.3.tgz` Ensure values are ordered consistently in your CSS.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2c87e461-d8b5-4e2c-9298-dc31bc5f0e07> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-ordered-values/-/postcss-ordered-values-5.1.3.tgz>

MIT `postcss-page-break-3.0.4.tgz` PostCSS plugin `postcss-page-break` to fallback ``break-`` properties with ``page-break-`` alias
<https://index.mend.io/gri/app/reader/resource/content/asString/b9100bca-331c-4da2-a60c-87feb78dab6c> 2017 Copyright 2017 AUTHOR_NAME
<AUTHOR_EMAIL> <https://github.com/shrpne/postcss-page-break#readme>
<https://registry.npmjs.org/postcss-page-break/-/postcss-page-break-3.0.4.tgz>

MIT postcss-reduce-initial-5.1.2.tgz
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4ca41c1e-4a50-487d-ae94-a3a1c17e6b30 Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-reduce-initial/-/postcss-reduce-initial-5.1.2.tgz

MIT postcss-reduce-transforms-5.1.0.tgz Reduce transform functions with PostCSS.
https://index.mend.io/gri/app/reader/resource/content/asString/560f75d2-2bd2-4eef-9dd4-ce894adebc7e Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/cssnano/cssnano
https://registry.npmjs.org/postcss-reduce-transforms/-/postcss-reduce-transforms-5.1.0.tgz

MIT postcss-replace-overflow-wrap-4.0.0.tgz PostCSS plugin to replace overflow-wrap with word-wrap or optionally retain both declarations.
https://index.mend.io/gri/app/reader/resource/content/asString/94e6ff08-7439-4aa0-9770-f7036980a2eb 2016 Copyright 2016 Matthias Müller
<MattDiMu@users.noreply.github.com>
https://github.com/MattDiMu/postcss-replace-overflow-wrap
https://registry.npmjs.org/postcss-replace-overflow-wrap/-/postcss-replace-overflow-wrap-4.0.0.tgz

MIT postcss-selector-not-6.0.1.tgz PostCSS plugin to transform :not() W3C CSS level 4 pseudo class to :not() CSS level 3 selectors
https://index.mend.io/gri/app/reader/resource/content/asString/fa62d1fa-d747-4a4b-b51b-8a80f182d0da 2017 Copyright 2017 Maxime Thirouin
https://github.com/csstools/postcss-plugins/tree/main/plugins/postcss-selector-not#readme
https://registry.npmjs.org/postcss-selector-not/-/postcss-selector-not-6.0.1.tgz

MIT postcss-selector-parser-6.1.2.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/81f3cff3-a8a9-4ade-97aa-0f6d08698619 Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/postcss/postcss-selector-parser
https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.2.tgz

MIT postcss-selector-parser-7.1.0.tgz > Selector parser with built in methods for working with selector strings.
https://index.mend.io/gri/app/reader/resource/content/asString/2eb8f4e7-0561-4c70-ale2-5ace9e757f08 Copyright Ben Briggs
<beneb.info@gmail.com> (http://beneb.info)
https://github.com/postcss/postcss-selector-parser
https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-7.1.0.tgz

MIT postcss-svg-5.1.0.tgz Optimise inline SVG with PostCSS.
<https://index.mend.io/gri/app/reader/resource/content/asString/22a07bf8-2b93-495a-a47b-2aad7cf4aa95> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-svg/-/postcss-svg-5.1.0.tgz>

MIT postcss-unique-selectors-5.1.1.tgz Ensure CSS selectors are unique.
<https://index.mend.io/gri/app/reader/resource/content/asString/8d65042a-4453-403c-ba9c-d3c058963625> Copyright Ben Briggs
<beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/postcss-unique-selectors/-/postcss-unique-selectors-5.1.1.tgz>

MIT postcss-value-parser-4.2.0.tgz Transforms css values and at-rule params into the tree
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ca50b748-25d9-4fe8-aa99-1fd2b678dde7> Copyright Bogdan Chadkin <trysound@yandex.ru> <https://github.com/TrySound/postcss-value-parser>
<https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz>

MIT prelude-ls-1.1.2.tgz prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript. <https://github.com/gkz/prelude-ls/tree/1.1.2> Copyright George Zahariev <http://preludels.com> <https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.1.2.tgz>

MIT prelude-ls-1.2.1.tgz prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1f0497eb-fbd3-4f89-b472-6796b66f4634> Copyright George Zahariev <http://preludels.com> <https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz>

MIT preset-env-7.28.3.tgz A Babel preset for each environment.
<https://index.mend.io/gri/app/reader/resource/content/asString/53b762f7-484d-4195-a6a4-45c1d7e49c71> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-preset-env>
<https://registry.npmjs.org/@babel/preset-env/-/preset-env-7.28.3.tgz>

MIT preset-modules-0.1.6-no-external-plugins.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/8a6206b9-6fc2-42e9-96c7-7c5552636747> 2020 Copyright 2020 Babel
<https://github.com/babel/preset-modules#readme>
<https://registry.npmjs.org/@babel/preset-modules/-/preset-modules-0.1.6-no-external-plugins.tgz>

MIT preset-react-7.27.1.tgz Babel preset for all React plugins.
<https://index.mend.io/gri/app/reader/resource/content/asString/68f20902-d3c8-487b-8923-308ed2a53fb4> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-preset-react>
<https://registry.npmjs.org/@babel/preset-react/-/preset-react-7.27.1.tgz>

MIT preset-typescript-7.27.1.tgz Babel preset for TypeScript.
<https://index.mend.io/gri/app/reader/resource/content/asString/c51263b4-6183-4027-bf56-99db9a2e0e8a> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-preset-typescript> <https://registry.npmjs.org/@babel/preset-typescript/-/preset-typescript-7.27.1.tgz>

MIT p-retry-6.2.1.tgz Retry a promise-returning or async function
<https://index.mend.io/gri/app/reader/resource/content/asString/5197e641-e2ae-4cba-a12f-2469138c5f9d> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/p-retry#readme>
<https://registry.npmjs.org/p-retry/-/p-retry-6.2.1.tgz>

MIT prettier-2.7.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/feb95436-4b6a-4044-85ac-flf5114ca088> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/prettier> <https://registry.npmjs.org/@types/prettier/-/prettier-2.7.3.tgz>

MIT pretty-bytes-5.6.0.tgz Convert bytes to a human readable string:
1337 → 1.34 kB
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d7431eeb-bd62-4b25-ab62-451e3a49fd8f> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/pretty-bytes#readme>
<https://registry.npmjs.org/pretty-bytes/-/pretty-bytes-5.6.0.tgz>

MIT pretty-error-4.0.0.tgz See nodejs errors with less clutter
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cc78acd-d9a5-450e-a889-b4485b05440b> 2013 Copyright 2013 Aria Minaei <https://github.com/AriaMinaei/pretty-error#readme>
<https://registry.npmjs.org/pretty-error/-/pretty-error-4.0.0.tgz>

MIT pretty-format-27.5.1.tgz Stringify any JavaScript value.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/60ddaa82-4455-464e-ac73-ba9e9974271c> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/pretty-format/-/pretty-format-27.5.1.tgz>

MIT pretty-format-28.1.3.tgz Stringify any JavaScript value.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f5934e1b-8ecd-4551-ba58-90631739d668> Copyright Facebook,

Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/pretty-format/-/pretty-format-28.1.3.tgz>

MIT [pretty-format-30.0.5.tgz](#) Stringify any JavaScript value.
<https://index.mend.io/gri/app/reader/resource/content/asString/d27f109e-19e3-4f55-bd68-38d3f364fa07> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/pretty-format/-/pretty-format-30.0.5.tgz> <https://registry.npmjs.org/pretty-format/-/pretty-format-30.0.5.tgz>

MIT [private-theming-5.17.1.tgz](#) Private - The React theme context to be shared between `@mui/styles` and `@mui/material`.
<https://mui.com/x/introduction/licensing/> 2014 Copyright 2014 Call-Em-All <https://github.com/mui/material-ui/tree/master/packages/mui-private-theming> <https://registry.npmjs.org/@mui/private-theming/-/private-theming-5.17.1.tgz>

MIT [process-nexttick-args-2.0.1.tgz](#) `process.nextTick` but always with args <https://github.com/calvinmetcalf/process-nexttick-args> 2015 Copyright 2015 Calvin Metcalf
<https://github.com/calvinmetcalf/process-nexttick-args>
<https://registry.npmjs.org/process-nexttick-args/-/process-nexttick-args-2.0.1.tgz>

MIT [promise-8.3.0.tgz](#) Bare bones Promises/A+ implementation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fadfd894-ed7a-4989-ba10-0098f7d191cb> 2014 Copyright 2014 Forbes Lindesay <https://github.com/then/promise#readme>
<https://registry.npmjs.org/promise/-/promise-8.3.0.tgz>

MIT [prompts-2.4.2.tgz](#) Lightweight, beautiful and user-friendly prompts
<https://index.mend.io/gri/app/reader/resource/content/asString/c0a15482-8749-43e2-970e-88ec66ab4091> 2018 Copyright 2018 Terkel Gjervig Nielsen <https://github.com/terkelg/prompts#readme>
<https://registry.npmjs.org/prompts/-/prompts-2.4.2.tgz>

MIT [prop-types-15.7.15.tgz](#) TypeScript definitions for prop-types
<https://index.mend.io/gri/app/reader/resource/content/asString/aef4ebab-a261-42ee-9fc0-4657460d8095> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/prop-types> <https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.15.tgz>

MIT [prop-types-15.8.1.tgz](#) Runtime type checking for React props and similar objects.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f1169d24-3260-4531-a69e-00ff00f88118> 2013 Copyright 2013 Facebook, Inc <https://facebook.github.io/react/>
<https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz>

MIT [proxy-addr-2.0.7.tgz](#) Determine address of proxied request
<https://index.mend.io/gri/app/reader/resource/content/asString/e686c098-3507-4da9-b3ff-e1040b7b48cd> 2014-2016 Copyright 2014-2016 Douglas

Christopher Wilson <https://github.com/jshttp/proxy-addr#readme>
<https://registry.npmjs.org/proxy-addr/-/proxy-addr-2.0.7.tgz>

MIT psl-1.15.0.tgz Domain name parser based on the Public Suffix List
<https://index.mend.io/gri/app/reader/resource/content/asString/811867af-402a-47da-906b-83a8622bca20> "2014-2024 Copyright 2014-2024 Lupo Montero
2017 Copyright 2017 Lupo Montero lupomontero@gmail.com"
<https://github.com/lupomontero/psl#readme>
<https://registry.npmjs.org/psl/-/psl-1.15.0.tgz>

MIT p-try-2.2.0.tgz `Start a promise chain
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bdd2e1b4-a332-4166-9d95-8eba8bb6730e> "Copyright Sindre Sorhus
Copyright Sindre Sorhus [<sindresorhus@gmail.com>](mailto:sindresorhus@gmail.com) (sindresorhus.com) "
<https://github.com/sindresorhus/p-try#readme>
<https://registry.npmjs.org/p-try/-/p-try-2.2.0.tgz>

MIT punycode-2.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1520e265-d31c-4eee-aaf2-0300bfa70e8c> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/punycode>
<https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz>

MIT q-1.5.1.tgz A library for promises (CommonJS/Promises/A,B,D)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b5c04547-94e1-4599-a915-c49067b682f7> "2009-2017 Copyright
2009-2017 Kristopher Michael Kowal and contributors
2009-2017 Copyright 2009-2017 Kristopher Michael Kowal"
<https://github.com/kristowal/q> <https://registry.npmjs.org/q/-/q-1.5.1.tgz>

MIT q-1.5.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bc0e144c-09f2-4546-bb88-c427ccfla627> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/q> <https://registry.npmjs.org/@types/q/-/q-1.5.8.tgz>

MIT qs-6.14.0.tgz TypeScript definitions for qs
<https://index.mend.io/gri/app/reader/resource/content/asString/351f3e5a-90f1-4cd7-bdf3-2a97ed729b4e> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/qs> <https://registry.npmjs.org/@types/qs/-/qs-6.14.0.tgz>

MIT querystringify-2.2.0.tgz Querystringify - Small, simple but powerful query string parser.
<https://index.mend.io/gri/app/reader/resource/content/asString/4bb2ff46-504d-4362-a928-406973488f10> 2015 Copyright 2015 Unshift.io, Arnout Kazemier, the Contributors <https://github.com/unshiftio/querystringify>
<https://registry.npmjs.org/querystringify/-/querystringify-2.2.0.tgz>

MIT queue-microtask-1.2.3.tgz fast, tiny `queueMicrotask` shim for modern engines
<https://index.mend.io/gri/app/reader/resource/content/asString/83dc4b28-e544-460a-907c-b2b28a8ac99f> Copyright Feross Aboukhadijeh
<https://github.com/feross/queue-microtask>
<https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz>

MIT quick-lru-5.2.0.tgz Simple "Least Recently Used" (LRU) cache
<https://index.mend.io/gri/app/reader/resource/content/asString/6897e9ba-04ed-410b-88e2-5b7399b4bd77> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/quick-lru#readme>
<https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz>

MIT raf-3.4.1.tgz requestAnimationFrame polyfill for node and the browser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/36cd4fd9-94d5-401b-bc4e-6de74c26f0a2> 2013 Copyright 2013 Chris Dickinson <chris@neversaw.us>
<https://github.com/chrisdickinson/raf#readme>
<https://registry.npmjs.org/raf/-/raf-3.4.1.tgz>

MIT randombytes-2.1.0.tgz random bytes from browserify stand alone
<https://github.com/crypto-browserify/randombytes> 2017 Copyright 2017 crypto-browserify
<https://github.com/crypto-browserify/randombytes>
<https://registry.npmjs.org/randombytes/-/randombytes-2.1.0.tgz>

MIT range-parser-1.2.1.tgz Range header field string parser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62c976a4-2fa8-44b0-92b2-ad93a088c042> "2012-2014 Copyright 2012-2014 TJ Holowaychuk <tj@vision-media.ca>
2015-2016 Copyright 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com">
<https://github.com/jshttp/range-parser#readme> <https://registry.npmjs.org/range-parser/-/range-parser-1.2.1.tgz>

MIT range-parser-1.2.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9e1c780c-a4c3-4297-b1ff-43a8a750ab85> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/range-parser> <https://registry.npmjs.org/@types/range-parser/-/range-parser-1.2.7.tgz>

MIT raw-body-2.5.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/77a6e4db-e9fd-4551-9262-c68af8a43f1f> "2013-2014 Copyright 2013-2014 Jonathan Ong <me@jongleberry.com>
2014-2022 Copyright 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com">
<https://github.com/stream-utils/raw-body#readme> <https://registry.npmjs.org/raw-body/-/raw-body-2.5.2.tgz>

MIT react-11.14.0.tgz> Simple styling in React.
<https://index.mend.io/gri/app/reader/resource/content/asString/029b1861-7c72-4f49-ac06-5902aaec5517> Copyright Emotion team and other contributors
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/react/-/react-11.14.0.tgz>

MIT react-13.4.0.tgz Simple and complete React DOM testing utilities that encourage good testing practices.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8a402c92-36f2-4b96-9b91-48f0ebc1571a> 2017 Copyright 2017 Kent C. Dodds
<https://github.com/testing-library/react-testing-library#readme> <https://registry.npmjs.org/@testing-library/react/-/react-13.4.0.tgz>

MIT react-18.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9f6177ef-b6f9-47cf-88a4-45a754bdf19e> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/react/-/react-18.3.1.tgz>

MIT react-app-polyfill-3.0.0.tgz Polyfills for various browsers including commonly used language features
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7f904178-7eca-4d6d-bdd7-cdb4643f8af2> 2013 Copyright 2013 Facebook, Inc
<https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/react-app-polyfill/-/react-app-polyfill-3.0.0.tgz>

MIT react-chartjs-2-5.3.0.tgz React components for Chart.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/51c2bele-c97f-465d-8316-55a155872d95> "2017 Copyright 2017 Jeremy Ayerst
2020 Copyright 2020 Jeremy Ayerst" <https://github.com/reactchartjs/react-chartjs-2>
<https://registry.npmjs.org/react-chartjs-2/-/react-chartjs-2-5.3.0.tgz>

MIT react-dev-utils-12.0.1.tgz webpack utilities used by Create React App
<https://index.mend.io/gri/app/reader/resource/content/asString/d74e2f07-3500-48bc-8d45-bec9c2b7a2c0> 2013 Copyright 2013 Facebook, Inc
<https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/react-dev-utils/-/react-dev-utils-12.0.1.tgz>

MIT react-dom-18.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6a6809c0-0372-44a4-858f-b9d765dc7d8a> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz>

MIT react-dom-18.3.7.tgz TypeScript definitions for react-dom
<https://index.mend.io/gri/app/reader/resource/content/asString/b25d3ea3-8296-4515-bc26-dd3f4d5390b5> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type>

s/react-dom <https://registry.npmjs.org/@types/react-dom/-/react-dom-18.3.7.tgz>

MIT react-error-overlay-6.1.0.tgz An overlay for displaying stack frames.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4861896e-a231-4e88-be17-e7dcde71dabf> 2013 Copyright 2013 Facebook, Inc <https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/react-error-overlay/-/react-error-overlay-6.1.0.tgz>

MIT react-is-16.13.1.tgz Brand checking of React Elements.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d712df06-7435-4d20-b998-0a4733f57ff0> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/>
<https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz>

MIT react-is-17.0.2.tgz Brand checking of React Elements.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/abda474b-358a-4ec0-ae61-c59d818373f6> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/>
<https://registry.npmjs.org/react-is/-/react-is-17.0.2.tgz>

MIT react-is-18.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c9b07b71-d107-4110-8549-1148fe3595a1> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/react-is/-/react-is-18.3.1.tgz>

MIT react-is-19.1.1.tgz Brand checking of React Elements.
<https://index.mend.io/gri/app/reader/resource/content/asString/fdd4e9ef-cf61-4579-a04c-eble2cad53a0> Copyright Meta Platforms, Inc. and affiliates <https://react.dev/> <https://registry.npmjs.org/react-is/-/react-is-19.1.1.tgz>

MIT react-refresh-0.11.0.tgz React is a JavaScript library for building user interfaces.
<https://index.mend.io/gri/app/reader/resource/content/asString/a362e4d6-ea37-4655-838c-79bae0638fa4> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/react-refresh/-/react-refresh-0.11.0.tgz>

MIT react-refresh-webpack-plugin-0.5.17.tgz An ****EXPERIMENTAL**** Webpack plugin to enable "Fast Refresh" (also previously known as `_Hot Reloading_`) for React components.
<https://www.npmjs.com/package/@pmmmwh/react-refresh-webpack-plugin/v/0.5.17> 2019 Copyright 2019 Michael Mok
<https://github.com/pmmmwh/react-refresh-webpack-plugin#readme>
<https://registry.npmjs.org/@pmmmwh/react-refresh-webpack-plugin/-/react-refresh-webpack-plugin-0.5.17.tgz>

MIT react-scripts-5.0.1.tgz Configuration and scripts for Create React App.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4861896e-a231-4e88-be17-e7dcde71dabf>

nt/asString/61246feb-5c5f-4f4a-8f69-d4ee6dfc6fd6 2013 Copyright 2013
Facebook, Inc <https://github.com/facebook/create-react-app#readme>
<https://registry.npmjs.org/react-scripts/-/react-scripts-5.0.1.tgz>

MIT react-transition-group-4.4.12.tgz TypeScript definitions for react-
transition-group
<https://index.mend.io/gri/app/reader/resource/content/asString/a83f65ea-fc70-49ad-806c-6b62b2c561f0> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-transition-group> <https://registry.npmjs.org/@types/react-transition-group/-/react-transition-group-4.4.12.tgz>

MIT readable-stream-2.3.8.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d5763b19-0f81-4c9c-8c91-cl20d66de3e4> Copyright Node.js contributors
<https://github.com/nodejs/readable-stream#readme>
<https://registry.npmjs.org/readable-stream/-/readable-stream-2.3.8.tgz>

MIT readable-stream-3.6.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4805dea2-81dd-4230-85d6-00084585fffd3> Copyright Node.js contributors
<https://github.com/nodejs/readable-stream#readme>
<https://registry.npmjs.org/readable-stream/-/readable-stream-3.6.2.tgz>

MIT read-cache-1.0.0.tgz Reads and caches the entire contents of a
file until it is modified
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/181898ac-499d-4d09-a0b8-a22a399b7eb0> "2016 Copyright 2016
Bogdan Chadkin <trysound@yandex.ru>
Copyright Bogdan Chadkin" <https://github.com/TrySound/read-cache#readme>
<https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz>

MIT readdirp-3.6.0.tgz Recursive version of fs.readdir with
streaming API.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/73ea28af-6668-49a1-a3de-808b71870536> 2012-2019 Copyright
2012-2019 Thorsten Lorenz <https://github.com/paulmillr/readdirp>
<https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz>

MIT recursive-readdir-2.2.3.tgz Get an array of all files in a
directory and subdirectories.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/75298bda-71be-4971-805b-3837f47e12af> Copyright year>
<copyright holders> <https://github.com/jergason/recursive-readdir#readme>
<https://registry.npmjs.org/recursive-readdir/-/recursive-readdir-2.2.3.tgz>

MIT redent-3.0.0.tgz Strip redundant indentation and indent the string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/75298bda-71be-4971-805b-3837f47e12af>

nt/asString/89612d88-7be6-40ed-a761-6ac1b6ebaecd "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/sindresorhus/redent#readme
https://registry.npmjs.org/redent/-/redent-3.0.0.tgz

MIT reflect.getprototypeof-1.0.10.tgz An ES2015 mostly-spec-compliant
`Reflect.getPrototypeOf` sham/polyfill/replacement that works in as many
engines as possible
https://index.mend.io/gri/app/reader/resource/content/asString/bbf5
9da9-78c2-4d8e-922e-e0f498c286c2 2021 Copyright 2021 ECMAScript Shims
https://github.com/es-shims/Reflect.getPrototypeOf
https://registry.npmjs.org/reflect.getprototypeof/-
/reflect.getprototypeof-1.0.10.tgz

MIT regenerate-1.4.2.tgz Generate JavaScript-compatible regular
expressions based on a given set of Unicode symbols or code points.
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/5c35d1d5-4ed7-4f91-bc03-f12c91bbe3d2 Copyright Mathias
Bynens <https://mathiasbynens.be/> https://mths.be/regenerate
https://registry.npmjs.org/regenerate/-/regenerate-1.4.2.tgz

MIT regenerate-unicode-properties-10.2.0.tgz Regenerate sets for
Unicode properties and values.
https://index.mend.io/gri/app/reader/resource/content/asString/a9f2
82ce-edef-4375-b278-faae678bffffb Copyright Mathias Bynens
<https://mathiasbynens.be/> https://github.com/mathiasbynens/regenerate-
unicode-properties https://registry.npmjs.org/regenerate-unicode-
properties/-/regenerate-unicode-properties-10.2.0.tgz

MIT regenerator-runtime-0.13.11.tgz Runtime for Regenerator-compiled
generator and async functions.
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/fb1d89f2-2a0d-46ec-be4e-adad17535c45 2014 Copyright 2014
Facebook, Inc https://github.com/facebook/regenerator/tree/main#readme
https://registry.npmjs.org/regenerator-runtime/-/regenerator-
runtime-0.13.11.tgz

MIT regexp.prototype.flags-1.5.4.tgz ES6 spec-compliant
RegExp.prototype.flags shim.
https://index.mend.io/gri/app/reader/resource/content/asString/db66
a46f-dc14-429c-a3d8-cel65bd72f45 2014 Copyright 2014 Jordan Harband
https://github.com/es-shims/RegExp.prototype.flags#readme
https://registry.npmjs.org/regexp.prototype.flags/-
/regexp.prototype.flags-1.5.4.tgz

MIT regex-parser-2.3.1.tgz A module that parses a string as regular
expression and returns the parsed value.
https://index.mend.io/gri/app/reader/resource/content/asString/e0c2
eae5-53db-4748-935f-820bf6805ef9 "Copyright Ionica Bizau
2014 Copyright 2014 Ionică Bizău <bizauionica@gmail.com>
(https://ionicabizau.net)" https://github.com/IonicaBizau/regex-
parser.js https://registry.npmjs.org/regex-parser/-/regex-parser-
2.3.1.tgz

MIT `regexpp-4.12.1.tgz` Regular expression parser for ECMAScript.
<https://index.mend.io/gri/app/reader/resource/content/asString/c0cc9bff-eca1-41c3-85d7-b1cef4048623> 2018 Copyright 2018 Toru Nagashima
<https://github.com/eslint-community/regexpp#readme>
<https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.1.tgz>

MIT `regexpu-core-6.2.0.tgz` `regexpu`'s core functionality (i.e. ``rewritePattern(pattern, flag)``), capable of translating ES6 Unicode regular expressions to ES5.
<https://index.mend.io/gri/app/reader/resource/content/asString/1f7de7ce-e391-4627-9250-019d36404170> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/regexpu>
<https://registry.npmjs.org/regexpu-core/-/regexpu-core-6.2.0.tgz>

MIT `regjsgen-0.8.0.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/1c3500ea-2997-4dff-b9c0-e52b194782f5> 2014-2020 Copyright 2014-2020 Benjamin Tan <<https://github.com/bnjmnt4n/regjsgen>>
<https://registry.npmjs.org/regjsgen/-/regjsgen-0.8.0.tgz>

MIT `relateurl-0.2.7.tgz` Minify URLs by converting them from absolute to relative. <https://www.npmjs.com/package/relateurl> Copyright Steven Vachon <contact@svachon.com> (svachon.com)
<https://github.com/stevenvachon/relateurl>
<https://registry.npmjs.org/relateurl/-/relateurl-0.2.7.tgz>

MIT `renderkid-3.0.0.tgz` Stylish `console.log` for node
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/75d61e45-b1c3-4224-ab89-db675479fd21> 2015 Copyright 2015 Aria Minaei <https://github.com/AriaMinaei/RenderKid#readme>
<https://registry.npmjs.org/renderkid/-/renderkid-3.0.0.tgz>

MIT `reporters-27.5.1.tgz` Jest's reporters
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6852157c-177c-4677-b3ee-ef2889d7dd1e> Copyright Facebook, Inc. and its affiliates <https://jestjs.io/>
<https://registry.npmjs.org/@jest/reporters/-/reporters-27.5.1.tgz>

MIT `require-directory-2.1.1.tgz` Recursively iterates over specified directory, `require()`'ing each file, and returning a nested hash structure containing those modules.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f70f2ea-f516-4277-b47c-15cef3f9aaf6> 2011 Copyright 2011 Troy Goode <troygoode@gmail.com> <https://github.com/troygoode/node-require-directory/> <https://registry.npmjs.org/require-directory/-/require-directory-2.1.1.tgz>

MIT `require-from-string-2.0.2.tgz` Require module from string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f70f2ea-f516-4277-b47c-15cef3f9aaf6>

nt/asString/26b990b6-b828-402a-97f0-4cab4710a800 "Copyright Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop) Copyright Vsevolod Strukchinsky" <https://github.com/floatdrop/require-from-string#readme> <https://registry.npmjs.org/require-from-string/-/require-from-string-2.0.2.tgz>

MIT requires-port-1.0.0.tgz Check if a protocol requires a certain port number to be added to an URL.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b645de20-4393-48f5-875f-e5f472cd7cd9> 2015 Copyright 2015 Unshift.io, Arnout Kazemier, the Contributors
<https://github.com/unshiftio/requires-port>
<https://registry.npmjs.org/requires-port/-/requires-port-1.0.0.tgz>

MIT reselect-5.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d773b8af-7129-4369-9967-ad54c0472eef> 2015-2018 Copyright 2015-2018 Reselect Contributors
<https://github.com/reduxjs/reselect#readme>
<https://registry.npmjs.org/reselect/-/reselect-5.1.1.tgz>

MIT resolve.exports-1.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b3b54aaa-f01d-49e4-a76b-8d004e32c7ab> Copyright Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)
<https://github.com/lukeed/resolve.exports#readme>
<https://registry.npmjs.org/resolve.exports/-/resolve.exports-1.1.1.tgz>

MIT resolve-1.17.1.tgz TypeScript definitions for resolve
<https://index.mend.io/gri/app/reader/resource/content/asString/36aa30f0-c259-4f44-8701-792d46e4e7b0> Copyright Microsoft Corporation
<https://registry.npmjs.org/@types/resolve/-/resolve-1.17.1.tgz>
<https://registry.npmjs.org/@types/resolve/-/resolve-1.17.1.tgz>

MIT resolve-1.22.10.tgz resolve like require.resolve() on behalf of files asynchronously and synchronously
<https://index.mend.io/gri/app/reader/resource/content/asString/c055afe5-c121-4eb2-ad54-38947318b037> 2012 Copyright 2012 James Halliday
<https://github.com/browserify/resolve#readme>
<https://registry.npmjs.org/resolve/-/resolve-1.22.10.tgz>

MIT resolve-2.0.0-next.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9d043924-4cd1-420c-a2d6-e61d12a5ca49> 2012 Copyright 2012 James Halliday
<https://github.com/browserify/resolve#readme>
<https://registry.npmjs.org/resolve/-/resolve-2.0.0-next.5.tgz>

MIT resolve-cwd-3.0.0.tgz Resolve the path of a module like `require.resolve()` but from the current working directory
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e23a470d-de35-4a05-b7cb-efca6441bcde> "Copyright Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/resolve-cwd#readme>
 <https://registry.npmjs.org/resolve-cwd/-/resolve-cwd-3.0.0.tgz>

MIT resolve-from-4.0.0.tgz Resolve the path of a module like
 `require.resolve()` but from a given path
 <https://github.com/sindresorhus/resolve-from/blob/main/license>
 "Copyright Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/resolve-from#readme>
 <https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz>

MIT resolve-from-5.0.0.tgz Resolve the path of a module like
 `require.resolve()` but from a given path
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/39d5860f-5470-4466-8255-3e00d0496939> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/resolve-from#readme>
 <https://registry.npmjs.org/resolve-from/-/resolve-from-5.0.0.tgz>

MIT resolve-uri-3.1.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/33ce0006-82ae-41a4-b746-577fc91cec6a> 2019 Copyright 2019 Justin Ridgewell
 <jridgewell@google.com> <https://github.com/jridgewell/resolve-uri#readme> <https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz>

MIT resolve-url-loader-4.0.0.tgz Webpack loader that resolves relative
 paths in url() statements based on the original source file
 <https://index.mend.io/gri/app/reader/resource/content/asString/47ac01bb-14bb-4634-b7dc-42791a4be864> 2016 Copyright 2016 Ben Holloway
 <https://github.com/bholloway/resolve-url-loader/tree/v4-maintenance/packages/resolve-url-loader>
 <https://registry.npmjs.org/resolve-url-loader/-/resolve-url-loader-4.0.0.tgz>

MIT retry-0.12.2.tgz TypeScript definitions for retry
 <https://index.mend.io/gri/app/reader/resource/content/asString/e2337e4d-ed82-4694-b119-8b9f57270afd> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/retry> <https://registry.npmjs.org/@types/retry/-/retry-0.12.2.tgz>

MIT retry-0.13.1.tgz Abstraction for exponential and custom retry
 strategies for failed operations.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fe27cb47-5546-4ed6-9817-5900486bff30> 2011 Copyright 2011
 (c) <https://github.com/tim-kos/node-retry>
 <https://registry.npmjs.org/retry/-/retry-0.13.1.tgz>

MIT reusify-1.1.0.tgz Reuse objects and functions with style
 <https://index.mend.io/gri/app/reader/resource/content/asString/1d4d>

a55f-ec33-4e65-8811-5f993c2ae88b 2015-2024 Copyright 2015-2024 Matteo Collina <https://github.com/mcollina/reusify#readme>
<https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz>

MIT rollup-plugin-terser-7.0.2.tgz Rollup plugin to minify generated es bundle
<https://index.mend.io/gri/app/reader/resource/content/asString/cf529c87-0835-46f6-9018-49e843bb764f> 2018 Copyright 2018 Bogdan Chadkin <trysound@yandex.ru> <https://registry.npmjs.org/rollup-plugin-terser/-/rollup-plugin-terser-7.0.2.tgz> <https://registry.npmjs.org/rollup-plugin-terser/-/rollup-plugin-terser-7.0.2.tgz>

MIT run-applescript-7.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ee4278c6-4b96-4ad4-b6fd-9bbb4ccaed15> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/run-applescript#readme>
<https://registry.npmjs.org/run-applescript/-/run-applescript-7.0.0.tgz>

MIT run-parallel-1.2.0.tgz Run an array of functions in parallel
<https://index.mend.io/gri/app/reader/resource/content/asString/ea82c2f2-2089-4892-b15e-795922d7ccd3> Copyright Feross Aboukhadijeh
<https://github.com/feross/run-parallel>
<https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz>

MIT runtime-7.28.3.tgz babel's modular runtime helpers
<https://index.mend.io/gri/app/reader/resource/content/asString/031dc6a9-4f27-43af-aede-3248447fdcf7> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-runtime>
<https://registry.npmjs.org/@babel/runtime/-/runtime-7.28.3.tgz>

MIT safe-array-concat-1.1.3.tgz `Array.prototype.concat`, but made safe by ignoring Symbol.isConcatSpreadable
<https://index.mend.io/gri/app/reader/resource/content/asString/2c58bf94-6180-44f5-87a1-18a3243bd6c0> 2023 Copyright 2023 Jordan Harband
<https://github.com/ljharb/safe-array-concat#readme>
<https://registry.npmjs.org/safe-array-concat/-/safe-array-concat-1.1.3.tgz>

MIT safe-buffer-5.1.2.tgz Safer Node.js Buffer API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/35854ba9-cb33-4c0e-8187-f8af9891ed9e> "Copyright Feross Aboukhadijeh Copyright Feross Aboukhadijeh" (<http://feross.org>)
<https://github.com/feross/safe-buffer>
<https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.1.2.tgz>

MIT safe-buffer-5.2.1.tgz Safer Node.js Buffer API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7d35aaad-e42d-4d41-807f-c00b49bde49d> Copyright Feross Aboukhadijeh <https://github.com/feross/safe-buffer>
<https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.2.1.tgz>

MIT safe-push-apply-1.0.0.tgz Push an array of items into an array,
while being robust against prototype modification
<https://index.mend.io/gri/app/reader/resource/content/asString/c30b2058-4898-4019-b20d-elc3967c29dc> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/safe-push-apply#readme>
<https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz>

MIT safer-buffer-2.1.2.tgz Modern Buffer API polyfill without footguns
<https://github.com/ChALkeR/safer-buffer#readme> 2018 Copyright
2018 Nikita Skovoroda <chalkerox@gmail.com>
<https://github.com/ChALkeR/safer-buffer#readme>
<https://registry.npmjs.org/safer-buffer/-/safer-buffer-2.1.2.tgz>

MIT safe-regex-test-1.1.0.tgz Give a regex, get a robust predicate
function that tests it against a string.
<https://index.mend.io/gri/app/reader/resource/content/asString/6b35ef03-1cbd-4ef5-8e8c-7e21e9b3fccf> 2022 Copyright 2022 Jordan Harband
<https://github.com/ljharb/safe-regex-test#readme>
<https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz>

MIT sass-loader-12.6.0.tgz Sass loader for webpack
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3bdf3c42-38f6-4842-a9a3-368933fd0dlb> Copyright JS
Foundation and other contributors <https://github.com/webpack-contrib/sass-loader>
<https://registry.npmjs.org/sass-loader/-/sass-loader-12.6.0.tgz>

MIT sax-1.2.4.tgz An evented streaming XML parser in JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/93ff8b4b-56c9-4826-886f-f9fa072cblcd> "Copyright Isaac Z.
Schlueter and Contributors Copyright Isaac Z"
<https://github.com/isaacs/sax-js#readme>
<https://registry.npmjs.org/sax/-/sax-1.2.4.tgz>

MIT sax-1.4.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cc76d0c0-8ce6-4f1f-b024-a2f80cdb3ae7> "2010-2024 Copyright
2010-2024 Mathias Bynens <<https://mathiasbynens.be/>> 2010-2024 Copyright
2010-2024 Isaac Z. Schlueter and Contributors"
<https://github.com/isaacs/sax-js#readme>
<https://registry.npmjs.org/sax/-/sax-1.4.1.tgz>

MIT scc-1.1.0.tgz Find strongly connected components of a directed
graph using [Tarjan's
algorithm] (https://en.wikipedia.org/wiki/Tarjan%27s_strongly_connected_components_algorithm).
<https://index.mend.io/gri/app/reader/resource/content/asString/89a7a48c-51c8-4ca1-b29c-7a4fb0c4433c> 2019 Copyright 2019 Ryan Tsao
<https://github.com/rtsao/scc#readme>
<https://registry.npmjs.org/@rtsao/scc/-/scc-1.1.0.tgz>

MIT scheduler-0.23.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/26653718-06fa-429c-9371-6329b2344b64> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz>

MIT schema-0.1.3.tgz Schemas describing various structures used by nyc and istanbuljs
<https://index.mend.io/gri/app/reader/resource/content/asString/8c900efe-e63e-4a71-b2c2-678957f67eed> 2019 Copyright 2019 CFWare, LLC
<https://github.com/istanbuljs/schema#readme>
<https://registry.npmjs.org/@istanbuljs/schema/-/schema-0.1.3.tgz>

MIT schemas-28.1.3.tgz Experimental and currently incomplete module for JSON schemas for [Jest's] (<https://jestjs.io/>) configuration.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/030defe2-a46a-4680-aaf3-1ddcd6f04000> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/schemas/-/schemas-28.1.3.tgz>

MIT schemas-30.0.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/76d46a2e-9375-4223-bd58-904e75b23100> Copyright Meta Platforms, Inc. and affiliates <https://registry.npmjs.org/@jest/schemas/-/schemas-30.0.5.tgz>
<https://registry.npmjs.org/@jest/schemas/-/schemas-30.0.5.tgz>

MIT schema-utils-2.7.0.tgz webpack Validation Utils
<https://www.npmjs.com/package/schema-utils> Copyright JS Foundation and other contributors <https://github.com/webpack/schema-utils>
<https://registry.npmjs.org/schema-utils/-/schema-utils-2.7.0.tgz>

MIT schema-utils-2.7.1.tgz webpack Validation Utils
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a6e61f74-1028-4f65-aaab-17687efcc791> Copyright JS Foundation and other contributors <https://github.com/webpack/schema-utils>
<https://registry.npmjs.org/schema-utils/-/schema-utils-2.7.1.tgz>

MIT schema-utils-3.3.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d38f519a-b18f-43f9-8d8f-d80316906464> Copyright JS Foundation and other contributors <https://github.com/webpack/schema-utils>
<https://registry.npmjs.org/schema-utils/-/schema-utils-3.3.0.tgz>

MIT schema-utils-4.3.2.tgz webpack Validation Utils
<https://index.mend.io/gri/app/reader/resource/content/asString/0133ee13-b1c3-48b1-8003-d02dee129d94> Copyright JS Foundation and other contributors <https://github.com/webpack/schema-utils>
<https://registry.npmjs.org/schema-utils/-/schema-utils-4.3.2.tgz>

MIT scope-manager-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/53443439-5b15-4a65-b078-3beb5cf9ccb8> 2019 Copyright 2019 typescript-eslint and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/scope-manager/-/scope-manager-5.62.0.tgz>

MIT select-hose-2.0.0.tgz Select protocol using first bytes of incoming data and hose stuff to the handler
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/51eef711-f353-43ef-8a50-dfd477d61189> 2015 Copyright 2015 Fedor Indutny, <https://github.com/indutny/select-hose#readme> <https://registry.npmjs.org/select-hose/-/select-hose-2.0.0.tgz>

MIT selfsigned-2.4.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/33717767-012e-4445-9e6e-0f72f48e4ec2> 2013 Copyright 2013 José F. Romaniello <https://github.com/jfromaniello/selfsigned#readme> <https://registry.npmjs.org/selfsigned/-/selfsigned-2.4.1.tgz>

MIT semver-7.7.0.tgz TypeScript definitions for semver
<https://index.mend.io/gri/app/reader/resource/content/asString/44e3235e-b82f-4030-8a6d-5c095f40cd4d> Copyright Microsoft Corporation <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/semver> <https://registry.npmjs.org/@types/semver/-/semver-7.7.0.tgz>

MIT send-0.17.5.tgz TypeScript definitions for send
<https://index.mend.io/gri/app/reader/resource/content/asString/24b48887-0efa-4a39-b24b-5ae38a82c271> Copyright Microsoft Corporation <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/send> <https://registry.npmjs.org/@types/send/-/send-0.17.5.tgz>

MIT send-0.19.0.tgz Better streaming static file server with Range and conditional-GET support
<https://index.mend.io/gri/app/reader/resource/content/asString/7870da20-967e-4f1b-b157-8ac94eb372e2> "2012 Copyright 2012 TJ Holowaychuk 2014-2022 Copyright 2014-2022 Douglas Christopher Wilson" <https://github.com/pillarjs/send#readme> <https://registry.npmjs.org/send/-/send-0.19.0.tgz>

MIT serialize-1.3.3.tgz serialization utils for emotion
<https://index.mend.io/gri/app/reader/resource/content/asString/9cdc71b-75bc-4b23-9f9c-7a41a6b34c23> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/serialize/-/serialize-1.3.3.tgz>

MIT serve-index-1.9.1.tgz Serve directory listings
<https://www.npmjs.com/package/serve-index> "2010 Copyright 2010 Sencha Inc 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson 2011 Copyright 2011 LearnBoost 2011 Copyright 2011 TJ Holowaychuk"

<https://github.com/expressjs/serve-index#readme>
<https://registry.npmjs.org/serve-index/-/serve-index-1.9.1.tgz>

MIT serve-index-1.9.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d12ca2bd-3032-4c76-80ff-dcef445c80f5> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/serve-index> <https://registry.npmjs.org/@types/serve-index/-/serve-index-1.9.4.tgz>

MIT serve-static-1.15.8.tgz TypeScript definitions for serve-static
<https://index.mend.io/gri/app/reader/resource/content/asString/7e605fb0-1e97-4bbe-bb04-70736ec59b44> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/serve-static> <https://registry.npmjs.org/@types/serve-static/-/serve-static-1.15.8.tgz>

MIT serve-static-1.16.2.tgz Serve static files
<https://index.mend.io/gri/app/reader/resource/content/asString/23d299b5-68b8-461c-b870-7d1ab75c9e3a> "2010 Copyright 2010 Sencha Inc 2011 Copyright 2011 LearnBoost 2011 Copyright 2011 TJ Holowaychuk 2014-2016 Copyright 2014-2016 Douglas Christopher Wilson"
<https://github.com/expressjs/serve-static#readme>
<https://registry.npmjs.org/serve-static/-/serve-static-1.16.2.tgz>

MIT set-function-length-1.2.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0939e178-ecc5-4f33-976a-31f4193c7c4d> Copyright Jordan Harband and contributors <https://github.com/ljharb/set-function-length#readme> <https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.2.tgz>

MIT set-function-name-2.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6a7b98c5-b78e-4b14-a3e5-faefb3c103c2> Copyright Jordan Harband and contributors <https://github.com/ljharb/set-function-name#readme>
<https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.tgz>

MIT set-proto-1.0.0.tgz Robustly set the [[Prototype]] of an object
<https://index.mend.io/gri/app/reader/resource/content/asString/37a2eebe-6829-4de4-a924-988ba092744e> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/set-proto#readme>
<https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz>

MIT shebang-command-2.0.0.tgz Get the command from a shebang
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2bb9182d-3e99-4d42-9cfe-5617a80cc5b8> Copyright Kevin Mårtensson <kevinmartensson@gmail.com> (github.com/kevva)
<https://github.com/kevva/shebang-command#readme>
<https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz>

MIT shebang-regex-3.0.0.tgz Regular expression for matching a shebang line <https://www.npmjs.com/package/shebang-regex> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/shebang-regex#readme>
<https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz>

MIT sheet-1.4.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/302b5cbe-35e9-467e-9201-5a4935d5b21e> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/sheet/-/sheet-1.4.0.tgz>

MIT shell-quote-1.8.3.tgz quote and parse shell commands
<https://index.mend.io/gri/app/reader/resource/content/asString/d62611a4-f553-4a1f-87b9-3b3bd678433a> 2013 Copyright 2013 James Halliday (mail@substack.net) <https://github.com/ljharb/shell-quote>
<https://registry.npmjs.org/shell-quote/-/shell-quote-1.8.3.tgz>

MIT side-channel-1.1.0.tgz Store information about any JS value in a side channel. Uses WeakMap if available.
<https://index.mend.io/gri/app/reader/resource/content/asString/299199ba-5f0a-4851-992c-8e34e97bdc57> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/side-channel#readme>
<https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz>

MIT side-channel-list-1.0.0.tgz Store information about any JS value in a side channel, using a linked list
<https://index.mend.io/gri/app/reader/resource/content/asString/elca4ca4-9e98-43e5-8ab0-5a069ee6109b> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/side-channel-list#readme>
<https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.0.tgz>

MIT side-channel-map-1.0.1.tgz Store information about any JS value in a side channel, using a Map
<https://index.mend.io/gri/app/reader/resource/content/asString/a80785a6-c3ae-43b7-a91e-db77c01ec6cd> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/side-channel-map#readme>
<https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz>

MIT side-channel-weakmap-1.0.2.tgz Store information about any JS value in a side channel. Uses WeakMap if available.
<https://index.mend.io/gri/app/reader/resource/content/asString/2690296c-54ad-465c-9535-31c1b2a7f195> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/side-channel-weakmap#readme>
<https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz>

MIT sisteransi-1.0.5.tgz ANSI escape codes for some terminal swag
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6ca4e08f-a13c-4bd0-b48b-132a41ce7193> 2018 Copyright 2018
Terkel Gjervig Nielsen <https://github.com/terkelg/sisteransi#readme>
<https://registry.npmjs.org/sisteransi/-/sisteransi-1.0.5.tgz>

MIT slash-3.0.0.tgz Convert Windows backslash paths to slash paths
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e4c2fab3-d175-48ee-8768-eda34eb7af00> "Copyright Sindre
Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/slash#readme>
<https://registry.npmjs.org/slash/-/slash-3.0.0.tgz>

MIT slash-4.0.0.tgz Convert Windows backslash paths to slash paths
<https://index.mend.io/gri/app/reader/resource/content/asString/08130fcb-c783-4fc1-802b-b1c6c59a1ce5> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/slash#readme>
<https://registry.npmjs.org/slash/-/slash-4.0.0.tgz>

MIT sockjs-0.3.24.tgz SockJS-node is a server counterpart of SockJS-
client a JavaScript library that provides a WebSocket-like object in the
browser. SockJS gives you a coherent, cross-browser, Javascript API which
creates a low latency, full duplex, cross-domain communication
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/991df5c9-7db7-4bd7-8eed-e166208a8772> 2011 Copyright 2011
VMware, Inc <https://github.com/sockjs/sockjs-node>
<https://registry.npmjs.org/sockjs/-/sockjs-0.3.24.tgz>

MIT sockjs-0.3.36.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/5662cela-30b3-4ef6-8699-b12bca87e47d> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/sockjs>
<https://registry.npmjs.org/@types/sockjs/-/sockjs-0.3.36.tgz>

MIT source-list-map-2.0.1.tgz Fast line to line SourceMap generator.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a397affe-9fdb-4832-a9f6-49fee4b2e4fe> 2017 Copyright 2017
JS Foundation <https://github.com/webpack/source-list-map>
<https://registry.npmjs.org/source-list-map/-/source-list-map-2.0.1.tgz>

MIT source-map-0.3.11.tgz Packages @jridgewell/trace-mapping and
@jridgewell/gen-mapping into the familiar source-map API
<https://index.mend.io/gri/app/reader/resource/content/asString/c897a257-b876-4c79-b899-75dd013410b2> 2024 Copyright 2024 Justin Ridgewell
<justin@ridgewell.name>
<https://github.com/jridgewell/sourcemap/tree/main/packages/source-map>
<https://registry.npmjs.org/@jridgewell/source-map/-/source-map-0.3.11.tgz>

MIT source-map-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/27.5.1.tgz>

nt/asString/d39d17bb-b2a8-4638-945a-1c03a9f0d987 Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/source-map/-/source-map-27.5.1.tgz>

MIT sourcemap-codec-1.4.8.tgz Encode/decode sourcemap mappings
<https://github.com/Rich-Harris/sourcemap-codec/tree/v1.4.8> 2015
Copyright 2015 Rich Harris <https://github.com/Rich-Harris/sourcemap-codec>
<https://registry.npmjs.org/sourcemap-codec/-/sourcemap-codec-1.4.8.tgz>

MIT sourcemap-codec-1.5.5.tgz Encode/decode sourcemap mappings
<https://index.mend.io/gri/app/reader/resource/content/asString/278bb2cf-837b-4600-a0a5-87be32402adf> 2024 Copyright 2024 Justin Ridgewell
<justin@ridgewell.name>
<https://github.com/jridgewell/sourcemaps/tree/main/packages/sourcemap-codec>
<https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz>

MIT source-map-loader-3.0.2.tgz extracts inlined source map and offers it to webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/5acf8a14-672c-4e3f-8e60-0d630ab4cc95> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/source-map-loader>
<https://registry.npmjs.org/source-map-loader/-/source-map-loader-3.0.2.tgz>

MIT source-map-support-0.5.21.tgz Fixes stack traces for files with source maps
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/224462eb-5b14-49ff-ala9-c4e854e6fee6> 2014 Copyright 2014 Evan Wallace
<https://github.com/evanw/node-source-map-support#readme>
<https://registry.npmjs.org/source-map-support/-/source-map-support-0.5.21.tgz>

MIT spdy-4.0.2.tgz Implementation of the SPDY protocol on node.js.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/def5ae4a-c8c6-451a-826a-37e701b50c69> 2015.0 Copyright 2015.0 Fedor Indutny
<https://github.com/indutny/node-spdy>
<https://registry.npmjs.org/spdy/-/spdy-4.0.2.tgz>

MIT spdy-transport-3.0.0.tgz SPDY v2, v3, v3.1 and HTTP2 transport
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8e5dadaa-75ca-43d4-9abf-2f44e4c9ec1c> 2015 Copyright 2015 Fedor Indutny,
<https://github.com/spdy-http2/spdy-transport>
<https://registry.npmjs.org/spdy-transport/-/spdy-transport-3.0.0.tgz>

MIT stable-0.1.8.tgz A stable array sort for JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c22e4ab9-1192-4f30-8b81-5857526fae8b> 2018 Copyright 2018 Angry Bytes and contributors
<https://github.com/Two-Screen/stable#readme>
<https://registry.npmjs.org/stable/-/stable-0.1.8.tgz>

MIT stackframe-1.3.4.tgz JS Object representation of a stack frame
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/92a96cef-f18d-4cf9-a67a-c5525545d1a2> 2017 Copyright 2017
Eric Wendelin and other contributors <https://www.stacktracejs.com>
<https://registry.npmjs.org/stackframe/-/stackframe-1.3.4.tgz>

MIT stack-utils-2.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bf354a7e-9610-4791-8327-99b39428b233> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/stack-utils> <https://registry.npmjs.org/@types/stack-utils/-/stack-utils-2.0.3.tgz>

MIT stack-utils-2.0.6.tgz Captures and cleans stack traces
<https://index.mend.io/gri/app/reader/resource/content/asString/b24592be-4a5d-44c0-92e6-0192b33f99b6> 2016-2022 Copyright 2016-2022 Isaac Z. Schlueter <https://github.com/tapjs/stack-utils#readme>
<https://registry.npmjs.org/stack-utils/-/stack-utils-2.0.6.tgz>

MIT static-eval-2.0.2.tgz evaluate statically-analyzable expressions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6215b8b8-a4a7-4c03-b4e4-73ef18564986> James Halliday
<https://github.com/substack/static-eval>
<https://registry.npmjs.org/static-eval/-/static-eval-2.0.2.tgz>

MIT statuses-1.5.0.tgz HTTP status utility
<https://github.com/jshttp/statuses#readme> "2014 Copyright 2014
Jonathan Ong <me@jongleberry.com>
2016 Copyright 2016 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/statuses#readme>
<https://registry.npmjs.org/statuses/-/statuses-1.5.0.tgz>

MIT statuses-2.0.1.tgz HTTP status utility
<https://index.mend.io/gri/app/reader/resource/content/asString/7d397974-db00-4f16-a8e0-24d56c23bf7b> "2014 Copyright 2014 Jonathan Ong
<me@jongleberry.com> 2016 Copyright 2016 Douglas Christopher Wilson
<doug@somethingdoug.com>" <https://github.com/jshttp/statuses#readme>
<https://registry.npmjs.org/statuses/-/statuses-2.0.1.tgz>

MIT stop-iteration-iterator-1.1.0.tgz Firefox 17-26 iterators throw a
StopIteration object to indicate "done". This normalizes it.
<https://index.mend.io/gri/app/reader/resource/content/asString/22d98976-8a01-4332-8994-43638eca7a75> 2023 Copyright 2023 Jordan Harband
<https://github.com/ljharb/stop-iteration-iterator#readme>
<https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-iterator-1.1.0.tgz>

MIT string.prototype.includes-2.0.1.tgz A robust & optimized
`String.prototype.includes` polyfill, based on the ECMAScript 6
specification.
<https://index.mend.io/gri/app/reader/resource/content/asString/e5c94df9-1b90-458e-alea-cfd33fd56a29> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/includes>

<https://registry.npmjs.org/string.prototype.includes/-/string.prototype.includes-2.0.1.tgz>

MIT string.prototype.matchall-4.0.12.tgz Spec-compliant polyfill for String.prototype.matchAll
<https://index.mend.io/gri/app/reader/resource/content/asString/b3690510-dd01-4737-81f2-e3b6891aa89e> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/String.prototype.matchAll#readme>
<https://registry.npmjs.org/string.prototype.matchall/-/string.prototype.matchall-4.0.12.tgz>

MIT string.prototype.repeat-1.0.0.tgz A robust & optimized `String.prototype.repeat` polyfill, based on the ECMAScript 6 specification.
<https://index.mend.io/gri/app/reader/resource/content/asString/76c36d74-6c5a-4952-a40c-a80466360437> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/repeat>
<https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-1.0.0.tgz>

MIT string.prototype.trim-1.2.10.tgz ES5 spec-compliant shim for String.prototype.trim
<https://index.mend.io/gri/app/reader/resource/content/asString/b8f7dc33-9da0-40f9-9dde-01cfb01c6564> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/String.prototype.trim#readme>
<https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-1.2.10.tgz>

MIT string.prototype.trimend-1.0.9.tgz ES2019 spec-compliant String.prototype.trimEnd shim.
<https://index.mend.io/gri/app/reader/resource/content/asString/0ec3946c-ac25-4adf-9b36-0bde134ff57c> 2017 Copyright 2017 Khaled Al-Ansari
<https://github.com/es-shims/String.prototype.trimEnd#readme>
<https://registry.npmjs.org/string.prototype.trimend/-/string.prototype.trimend-1.0.9.tgz>

MIT string.prototype.trimstart-1.0.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ab65d8cb-656e-412a-83dd-bfe4163e231c> 2017 Copyright 2017 Khaled Al-Ansari
<https://github.com/es-shims/String.prototype.trimStart#readme>
<https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tgz>

MIT string_decoder-1.1.1.tgz The string_decoder module from Node core
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f1d2f836-272f-4b49-b1e2-774cec167b48> Copyright Node.js contributors
https://github.com/nodejs/string_decoder
https://registry.npmjs.org/string_decoder/-/string_decoder-1.1.1.tgz

MIT string_decoder-1.3.0.tgz The string_decoder module from Node core
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f1d2f836-272f-4b49-b1e2-774cec167b48>

nt/asString/4af29e9e-244d-473e-9b1f-f4c8562c1004 Copyright Node.js contributors https://github.com/nodejs/string_decoder
https://registry.npmjs.org/string_decoder/-/string_decoder-1.3.0.tgz

MIT string-length-4.0.2.tgz Get the real length of a string - by correctly counting astral symbols and ignoring ansi escape codes
<https://index.mend.io/gri/app/reader/resource/content/asString/df3359d1-1bb0-4c64-alaf-a8ffddc54781> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/string-length#readme>
<https://registry.npmjs.org/string-length/-/string-length-4.0.2.tgz>

MIT string-length-5.0.1.tgz Get the real length of a string - by correctly counting astral symbols and ignoring ansi escape codes
<https://index.mend.io/gri/app/reader/resource/content/asString/9dd1f74d-ed74-4709-b2a5-59746cbad436> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/string-length#readme>
<https://registry.npmjs.org/string-length/-/string-length-5.0.1.tgz>

MIT string-natural-compare-3.0.1.tgz Compare alphanumeric strings the same way a human would, using a natural order algorithm
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fedb9bcf-2e81-4fd3-8a75-3f73b5901ee2> 2015-2016 Copyright 2015-2016 Nathan Woltman <https://github.com/nwoltman/string-natural-compare>
<https://registry.npmjs.org/string-natural-compare/-/string-natural-compare-3.0.1.tgz>

MIT string-width-4.2.3.tgz Get the visual width of a string - the number of columns required to display it
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/11316d61-cc20-4aef-a0e3-ddfd902aaef5> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/string-width#readme>
<https://registry.npmjs.org/string-width/-/string-width-4.2.3.tgz>

MIT string-width-5.1.2.tgz Get the visual width of a string - the number of columns required to display it
<https://index.mend.io/gri/app/reader/resource/content/asString/f5b50f8f-6971-4ed6-8bcb-720217de1b23> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/string-width#readme>
<https://registry.npmjs.org/string-width/-/string-width-5.1.2.tgz>

MIT strip-ansi-6.0.1.tgz Strip ANSI escape codes from a string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c75451df-f284-4417-a515-51788e4e4cea> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)

<https://github.com/chalk/strip-ansi#readme>
<https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz>

MIT strip-ansi-7.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7ef530e0-f05a-48ff-b809-5ac9f1cde607> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/strip-ansi#readme>
<https://registry.npmjs.org/strip-ansi/-/strip-ansi-7.1.0.tgz>

MIT strip-bom-3.0.0.tgz Strip UTF-8 byte order mark (BOM) from a string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7e73fb90-e2b1-4cce-8d1e-7f0cf622a7b8> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/sindresorhus/strip-bom#readme>
<https://registry.npmjs.org/strip-bom/-/strip-bom-3.0.0.tgz>

MIT strip-bom-4.0.0.tgz Strip UTF-8 byte order mark (BOM) from a string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8f8c5e0a-815b-4c2b-a638-5370e92151ac> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/sindresorhus/strip-bom#readme>
<https://registry.npmjs.org/strip-bom/-/strip-bom-4.0.0.tgz>

MIT strip-comments-2.0.1.tgz Strip line and/or block comments from a string. Blazing fast, and works with JavaScript, Sass, CSS, Less.js, and a number of other languages.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/29b89f46-3868-48f3-bd80-1b9baf3071d5> "2019 Copyright 2019 [Jon Schlinkert] (<https://github.com/jonschlinkert>) 2014 Copyright 2014 Jon Schlinkert 2019 Copyright 2019 ""Jon Schlinkert""
(<https://github.com/jonschlinkert>) "
<https://github.com/jonschlinkert/strip-comments>
<https://registry.npmjs.org/strip-comments/-/strip-comments-2.0.1.tgz>

MIT strip-final-newline-2.0.0.tgz Strip the final newline character from a string/buffer <https://www.npmjs.com/package/strip-final-newline>
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/strip-final-newline#readme>
<https://registry.npmjs.org/strip-final-newline/-/strip-final-newline-2.0.0.tgz>

MIT strip-indent-3.0.0.tgz Strip leading whitespace from each line in a string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/332b6868-45e1-4c2b-a0e1-024015b33e97> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/sindresorhus/strip-indent#readme>

<https://registry.npmjs.org/strip-indent/-/strip-indent-3.0.0.tgz>

MIT strip-json-comments-3.1.1.tgz Strip comments from JSON. Lets you use comments in your JSON files!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a6e523fb-e7c4-4c1d-9075-e7dc9b399eff> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/strip-json-comments#readme>
<https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-3.1.1.tgz>

MIT styled-11.14.1.tgz styled API for emotion
<https://www.npmjs.com/package/@emotion/styled/v/11.14.1> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/styled/-/styled-11.14.1.tgz>

MIT styled-engine-5.18.0.tgz styled() API wrapper package for emotion. <https://www.npmjs.com/package/@mui/styled-engine> 2014 Copyright 2014 Call-Em-All <https://v5.mui.com/system/styled/>
<https://registry.npmjs.org/@mui/styled-engine/-/styled-engine-5.18.0.tgz>

MIT stylehacks-5.1.1.tgz Detect/remove browser hacks from CSS files.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8d7790d0-4be0-4329-8ce6-a77c35695a29> Copyright Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)
<https://github.com/cssnano/cssnano>
<https://registry.npmjs.org/stylehacks/-/stylehacks-5.1.1.tgz>

MIT style-loader-3.3.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/2ecd e929-75bd-4064-a2ee-6680dfb8b8ab> Copyright JS Foundation and other contributors <https://github.com/webpack-contrib/style-loader>
<https://registry.npmjs.org/style-loader/-/style-loader-3.3.4.tgz>

MIT stylis-4.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a857 8cbc-53c9-4d49-ab02-bb2d22878629> 2016 Copyright 2016 Sultan Tarimo
<https://github.com/thysultan/stylis.js>
<https://registry.npmjs.org/stylis/-/stylis-4.2.0.tgz>

MIT sucrase-3.35.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/08f1 a8ab-4b98-406e-a92b-2a08a4a38c6b> 2012-2018 Copyright 2012-2018 various contributors <https://github.com/alganpierce/sucrase#readme>
<https://registry.npmjs.org/sucrase/-/sucrase-3.35.0.tgz>

MIT supports-color-5.5.0.tgz Detect whether a terminal supports color <https://github.com/chalk/supports-color#readme> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/supports-color#readme>

<https://registry.npmjs.org/supports-color/-/supports-color-5.5.0.tgz>

MIT supports-color-7.2.0.tgz Detect whether a terminal supports color
<https://index.mend.io/gri/app/reader/resource/content/asString/af568ae6-579d-4a07-bcf6-ea5076ae6287> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/supports-color#readme>
<https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz>

MIT supports-color-8.1.1.tgz Detect whether a terminal supports color
<https://index.mend.io/gri/app/reader/resource/content/asString/e97afc75-da0f-4f72-ad99-256ad795596a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/supports-color#readme>
<https://registry.npmjs.org/supports-color/-/supports-color-8.1.1.tgz>

MIT supports-hyperlinks-2.3.0.tgz Detect if your terminal emulator supports hyperlinks
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eb5cd67f-1f8d-4366-b17e-449977534204> Copyright James Talmage
<james@talmage.io> (github.com/jamestalmage)
<https://github.com/jamestalmage/supports-hyperlinks#readme>
<https://registry.npmjs.org/supports-hyperlinks/-/supports-hyperlinks-2.3.0.tgz>

MIT supports-preserve-symlinks-flag-1.0.0.tgz Determine if the current node version supports the `--preserve-symlinks` flag.
<https://github.com/inspect-js/node-supports-preserve-symlinks-flag/blob/main/LICENSE> 2022 Copyright 2022 Inspect JS
<https://github.com/inspect-js/node-supports-preserve-symlinks-flag#readme> <https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz>

MIT svgo-1.3.2.tgz Nodejs-based tool for optimizing SVG vector graphics files
<https://index.mend.io/gri/app/reader/resource/content/asString/61fc5ae0-e9d8-4c15-91a8-d2ecaeee060a> "2012-2016 Copyright 2012-2016 Kir Belevich
2012-2016 Copyright 2012-2016 Кир Белевич" <https://github.com/svg/svgo>
<https://registry.npmjs.org/svgo/-/svgo-1.3.2.tgz>

MIT svgo-2.8.0.tgz Nodejs-based tool for optimizing SVG vector graphics files
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ab00c2f8-4bad-4e04-93ef-543ef67e085c> Copyright Kir Belevich
<https://github.com/svg/svgo> <https://registry.npmjs.org/svgo/-/svgo-2.8.0.tgz>

MIT `svg-parser-2.0.4.tgz` Create a JSON-friendly object from an SVG string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ea2d2c8c-cfeb-4a48-a0a9-1af790888971> Copyright Rich Harris
<https://github.com/Rich-Harris/svg-parser#README>
<https://registry.npmjs.org/svg-parser/-/svg-parser-2.0.4.tgz>

MIT `symbol-tree-3.2.4.tgz` Turn any collection of objects into its own efficient tree or linked list using Symbol
<https://index.mend.io/gri/app/reader/resource/content/asString/fa4e6e86-c3d7-420a-b72a-1ae732e9d7ce> 2015 Copyright 2015 Joris van der Wel
<https://github.com/jsdom/js-symbol-tree#symbol-tree>
<https://registry.npmjs.org/symbol-tree/-/symbol-tree-3.2.4.tgz>

MIT `system-5.18.0.tgz` MUI System is a set of CSS utilities to help you build custom designs more efficiently. It makes it possible to rapidly lay out custom designs.
<https://index.mend.io/gri/app/reader/resource/content/asString/99da4b65-81bb-4a5b-a444-5437eeac666a> 2014 Copyright 2014 Call-Em-All
<https://v5.mui.com/system/getting-started/>
<https://registry.npmjs.org/@mui/system/-/system-5.18.0.tgz>

MIT `tailwindcss-3.4.17.tgz` A utility-first CSS framework for rapidly building custom user interfaces.
<https://index.mend.io/gri/app/reader/resource/content/asString/3e395b04-d56f-4017-b33c-03blefc0448b> Copyright Tailwind Labs, Inc
<https://tailwindcss.com>
<https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.17.tgz>

MIT `tapable-1.1.3.tgz` Just a little module for plugins.
<https://github.com/webpack/tapable/blob/master/LICENSE> Copyright Tobias Koppers @sokra
<https://github.com/webpack/tapable>
<https://registry.npmjs.org/tapable/-/tapable-1.1.3.tgz>

MIT `tapable-2.2.3.tgz` Just a little module for plugins.
<https://index.mend.io/gri/app/reader/resource/content/asString/2ec0e383-0c76-4d63-bb60-4c6dd7ca97e3> Copyright JS Foundation and other contributors
<https://github.com/webpack/tapable>
<https://registry.npmjs.org/tapable/-/tapable-2.2.3.tgz>

MIT `temp-dir-2.0.0.tgz` Get the real path of the system temp directory
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6fcae634-40ed-4e8b-8ca8-c0b2f759dafa> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/temp-dir#readme>
<https://registry.npmjs.org/temp-dir/-/temp-dir-2.0.0.tgz>

MIT `template-7.27.2.tgz` Generate an AST from a string template.
<https://index.mend.io/gri/app/reader/resource/content/asString/892bf2c0-05ad-4028-97dd-c4e405a42259> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://babel.dev/docs/en/next/babel-template>

<https://registry.npmjs.org/@babel/template/-/template-7.27.2.tgz>

MIT tempy-0.6.0.tgz Get a random temporary file or directory path
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d458e78c-4925-4cca-9efa-42c3414182c1> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/tempy#readme>
<https://registry.npmjs.org/tempy/-/tempy-0.6.0.tgz>

MIT terminal-link-2.1.1.tgz Create clickable links in the terminal
<https://index.mend.io/gri/app/reader/resource/content/asString/b7f385ee-c6fb-451b-a98f-af6908bee787> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/terminal-link#readme>
<https://registry.npmjs.org/terminal-link/-/terminal-link-2.1.1.tgz>

MIT terser-webpack-plugin-5.3.14.tgz Terser plugin for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/96687477-de4a-42b7-a056-6a11e422b96f> Copyright JS Foundation and other contributors
<https://github.com/webpack-contrib/terser-webpack-plugin>
<https://registry.npmjs.org/terser-webpack-plugin/-/terser-webpack-plugin-5.3.14.tgz>

MIT testing-library__jest-dom-5.14.9.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b8004162-9cf0-45ab-bc96-cad86cdb74d0> Copyright Microsoft Corporation
https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/testing-library__jest-dom https://registry.npmjs.org/@types/testing-library__jest-dom/-/testing-library__jest-dom-5.14.9.tgz

MIT test-result-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f87da963-b5fa-49e3-8431-efc2864f5b35> Copyright Facebook, Inc. and its affiliates
<https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/test-result/-/test-result-27.5.1.tgz>

MIT test-result-28.1.3.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3a89e262-0cee-48e8-a1cf-c7075f567e12> Copyright Facebook, Inc. and its affiliates
<https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/test-result/-/test-result-28.1.3.tgz>

MIT test-sequencer-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f47d6258-b6bd-4e73-93fb-329cb2daa0b9> Copyright Facebook, Inc. and its affiliates
<https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/test-sequencer/-/test-sequencer-27.5.1.tgz>

MIT text-table-0.2.0.tgz borderless text tables with alignment
<https://github.com/substack/text-table/blob/master/LICENSE>
 Copyright James Halliday <https://github.com/substack/text-table>
<https://registry.npmjs.org/text-table/-/text-table-0.2.0.tgz>

MIT thenify-3.3.1.tgz Promisify a callback-based function
<https://index.mend.io/gri/app/reader/resource/content/asString/a0094431-43e7-42f3-b229-7c24858f3746> 2014-2016 Copyright 2014-2016 Jonathan Ong
 me@jungleberry.com and contributors
<https://github.com/thenables/thenify#readme>
<https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz>

MIT thenify-all-1.6.0.tgz Promisifies all the selected functions in an object
<https://github.com/thenables/thenify-all> 2014 Copyright 2014 Jonathan Ong
 me@jungleberry.com
<https://github.com/thenables/thenify-all>
<https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz>

MIT thingies-2.5.0.tgz Useful TypeScript utilities.
<https://index.mend.io/gri/app/reader/resource/content/asString/e1d95bcd-b7db-4f48-8941-4d1388e6fe40> "Copyright Vadim Dalecky
 2020 Copyright 2020 Vadim @streamich Dalecky"
<https://github.com/streamich/thingies>
<https://registry.npmjs.org/thingies/-/thingies-2.5.0.tgz>

MIT throat-6.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3aee8d90-064d-42ff-8e4a-5c0eeaab7521> 2013 Copyright 2013 Forbes Lindesay
<https://github.com/ForbesLindesay/throat#readme>
<https://registry.npmjs.org/throat/-/throat-6.0.2.tgz>

MIT thunky-1.1.0.tgz delay the evaluation of a paramless async function and cache the result
<https://github.com/mafintosh/thunky#readme> 2018 Copyright 2018 Mathias Buus
<https://github.com/mafintosh/thunky#readme>
<https://registry.npmjs.org/thunky/-/thunky-1.1.0.tgz>

MIT toidentifier-1.0.1.tgz Convert a string of words to a JavaScript identifier
<https://index.mend.io/gri/app/reader/resource/content/asString/0eec46b9-85e5-44bc-8266-1b07af56a404> 2016 Copyright 2016 Douglas Christopher Wilson
 <doug@somethingdoug.com>
<https://github.com/component/toidentifier#readme>
<https://registry.npmjs.org/toidentifier/-/toidentifier-1.0.1.tgz>

MIT to-regexp-range-5.0.1.tgz Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dd6426a8-afb5-4d88-b4e1-53687431488a> "2019 Copyright 2019 Jon Schlinkert"
 (https://github.com/jonschlinkert) 2015 Copyright 2015 Jon Schlinkert"
<https://github.com/micromatch/to-regexp-range>
<https://registry.npmjs.org/to-regexp-range/-/to-regexp-range-5.0.1.tgz>

MIT tr46-1.0.1.tgz An implementation of the Unicode TR46 spec
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/954b2fdb-7d0e-4b47-957c-04640ccdba47> 2016 Copyright 2016 Sebastian Mayr <https://github.com/sebmaster/tr46.js#readme>
<https://registry.npmjs.org/tr46/-/tr46-1.0.1.tgz>

MIT tr46-2.1.0.tgz An implementation of the Unicode UTS #46: Unicode IDNA Compatibility Processing
<https://index.mend.io/gri/app/reader/resource/content/asString/69f79256-6e9b-4f23-bf63-9a066cbc7f97> 2016 Copyright 2016 Sebastian Mayr
<https://registry.npmjs.org/tr46/-/tr46-2.1.0.tgz>
<https://registry.npmjs.org/tr46/-/tr46-2.1.0.tgz>

MIT trace-mapping-0.3.30.tgz Trace the original position through a source map
<https://index.mend.io/gri/app/reader/resource/content/asString/9dc0565b-e0c3-4166-ac7d-a1ee8dad9570> 2024 Copyright 2024 Justin Ridgewell <justin@ridgewell.name>
<https://github.com/jridgewell/sourcemap/tree/main/packages/trace-mapping> <https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.30.tgz>

MIT transform-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6187737f-b92a-4b5e-a1fe-7847bf567146> Copyright Facebook, Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/transform/-/transform-27.5.1.tgz>

MIT traverse-7.28.3.tgz The Babel Traverse module maintains the overall tree state, and is responsible for replacing, removing, and adding nodes
<https://index.mend.io/gri/app/reader/resource/content/asString/d5bf6ccd-9f7a-41c2-9681-c48749688f1e> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-traverse>
<https://registry.npmjs.org/@babel/traverse/-/traverse-7.28.3.tgz>

MIT tryer-1.0.1.tgz Because everyone loves a tryer! Conditional and repeated task invocation for node and browser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/df2f529f-245d-440a-b6c2-53eda86ffbee> 2013-2017 Copyright 2013-2017 Phil Booth <https://gitlab.com/philbooth/tryer>
<https://registry.npmjs.org/tryer/-/tryer-1.0.1.tgz>

MIT tsconfig-paths-3.15.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/04f61edb-6fce-4596-af63-f2527ec170b3> 2016 Copyright 2016 Jonas Kello
<https://registry.npmjs.org/tsconfig-paths/-/tsconfig-paths-3.15.0.tgz> <https://registry.npmjs.org/tsconfig-paths/-/tsconfig-paths-3.15.0.tgz>

MIT tsutils-3.21.0.tgz utilities for working with typescript's AST
 <https://index.mend.io/gri/app/reader/resource/content/asString/92072edf-bd17-4451-9a81-5b2d0728f24f> 2017 Copyright 2017 Klaus Meinhardt
 <https://github.com/ajafff/tsutils#readme>
 <https://registry.npmjs.org/tsutils/-/tsutils-3.21.0.tgz>

MIT typebox-0.24.51.tgz JSONSchema Type Builder with Static Type
Resolution for TypeScript
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/37b8535a-5aa4-4d5b-bb42-ed4d79b8cc89> 2022 Copyright 2022
Haydn Paterson (sinclair) <haydn.developer@gmail.com>
 <https://registry.npmjs.org/@sinclair/typebox/-/typebox-0.24.51.tgz>
 <https://registry.npmjs.org/@sinclair/typebox/-/typebox-0.24.51.tgz>

MIT typebox-0.34.40.tgz Json Schema Type Builder with Static Type
Resolution for TypeScript
 <https://index.mend.io/gri/app/reader/resource/content/asString/4a33f0ea-99f3-42e3-921c-cbb59fab4bd> 2017-2025 Copyright 2017-2025 Haydn
Paterson <https://github.com/sinclairzx81/typebox#readme>
 <https://registry.npmjs.org/@sinclair/typebox/-/typebox-0.34.40.tgz>

MIT type-check-0.3.2.tgz type-check allows you to check the types of
JavaScript values at runtime with a Haskell like type syntax.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/47772444-74ab-400a-a202-60f76f293e29> Copyright George
Zahariev <https://github.com/gkz/type-check>
 <https://registry.npmjs.org/type-check/-/type-check-0.3.2.tgz>

MIT type-check-0.4.0.tgz type-check allows you to check the types of
JavaScript values at runtime with a Haskell like type syntax.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9152e6fa-192e-4a18-bf8b-96d24941d3c4> Copyright George
Zahariev <https://github.com/gkz/type-check>
 <https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz>

MIT typed-array-buffer-1.0.3.tgz Get the ArrayBuffer out of a
TypedArray, robustly.
 <https://index.mend.io/gri/app/reader/resource/content/asString/4ed24c35-5ccd-48ab-9224-dd2b0deb0ddf> 2023 Copyright 2023 Jordan Harband
 <https://github.com/inspect-js/typed-array-buffer#readme>
 <https://registry.npmjs.org/typed-array-buffer/-/typed-array-buffer-1.0.3.tgz>

MIT typed-array-byte-length-1.0.3.tgz Robustly get the byte length of a
Typed Array
 <https://index.mend.io/gri/app/reader/resource/content/asString/5c231d48-3a46-4350-a721-e32df5a35606> 2020 Copyright 2020 Inspect JS
 <https://github.com/inspect-js/typed-array-byte-length#readme>
 <https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-length-1.0.3.tgz>

MIT typed-array-byte-offset-1.0.4.tgz Robustly get the byte offset of a Typed Array
 <https://index.mend.io/gri/app/reader/resource/content/asString/afcb67a-2f35-4c81-81d5-7a9b60d047a3> 2020 Copyright 2020 Inspect JS
 <https://github.com/inspect-js/typed-array-byte-offset#readme>
 <https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-offset-1.0.4.tgz>

MIT typed-array-length-1.0.7.tgz Robustly get the length of a Typed Array
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40ee6c98-5afd-424b-8a07-0f0f6e727a42> 2020 Copyright 2020 Inspect JS
 <https://github.com/inspect-js/typed-array-length#readme>
 <https://registry.npmjs.org/typed-array-length/-/typed-array-length-1.0.7.tgz>

MIT typedarray-to-buffer-3.1.5.tgz Convert a typed array to a Buffer without a copy
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6b4fdfdc-f1f6-4a85-8d2f-3fc94eb282ab> "Copyright Feross Aboukhadijeh
Copyright Feross Aboukhadijeh" (http://feross.org)"
 <http://feross.org><https://registry.npmjs.org/typedarray-to-buffer/-/typedarray-to-buffer-3.1.5.tgz>

MIT type-detect-4.0.8.tgz Improved typeof detection for node.js and the browser.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ff30693b-8557-40ab-98ea-05f88e316319> 2013 Copyright 2013 Jake Luer <jake@alogicalparadox.com> (http://alogicalparadox.com)
 <https://github.com/chaijs/type-detect#readme>
 <https://registry.npmjs.org/type-detect/-/type-detect-4.0.8.tgz>

MIT type-fest-0.16.0.tgz A collection of essential TypeScript types
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9c74b2c4-18a5-4564-aa07-5d8c58848b8d> Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
 <https://github.com/sindresorhus/type-fest#readme>
 <https://registry.npmjs.org/type-fest/-/type-fest-0.16.0.tgz>

MIT type-fest-0.20.2.tgz A collection of essential TypeScript types
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e56fddef-e39b-4229-8df9-7f1635a17136> Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
 <https://github.com/sindresorhus/type-fest#readme>
 <https://registry.npmjs.org/type-fest/-/type-fest-0.20.2.tgz>

MIT type-fest-0.21.3.tgz A collection of essential TypeScript types
 <https://github.com/sindresorhus/type-fest/blob/v0.21.3/license>
 Copyright Sindre Sorhus <sindresorhus@gmail.com>
(https://sindresorhus.com) <https://github.com/sindresorhus/type-fest#readme> <https://registry.npmjs.org/type-fest/-/type-fest-0.21.3.tgz>

MIT type-is-1.6.18.tgz Infer the content-type of a request.
<https://github.com/jshttp/type-is#readme> "2014 Copyright 2014
Jonathan Ong <me@jongleberry.com>
2014-2015 Copyright 2014-2015 Douglas Christopher Wilson
<doug@somethingdoug.com>" <https://github.com/jshttp/type-is#readme>
<https://registry.npmjs.org/type-is/-/type-is-1.6.18.tgz>

MIT types-27.5.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4a021c0c-bd88-470e-b03b-4728703ce6ba> Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/types/-/types-27.5.1.tgz>

MIT types-28.1.3.tgz This package contains shared types of Jest's
packages.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3cf6b181-8f55-4bf2-afd0-bb7c5a5dfb4b> Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/@jest/types/-/types-28.1.3.tgz>

MIT types-30.0.5.tgz
<https://www.npmjs.com/package/@jest/types/v/30.0.5> Copyright Meta
Platforms, Inc. and affiliates
<https://registry.npmjs.org/@jest/types/-/types-30.0.5.tgz>
<https://registry.npmjs.org/@jest/types/-/types-30.0.5.tgz>

MIT types-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/69469a88-a821-4eec-a9a1-6a9ffb9c7beb> 2019 Copyright 2019 typescript-eslint
and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/types/-/types-5.62.0.tgz>

MIT types-7.2.24.tgz Utility types for MUI.
<https://index.mend.io/gri/app/reader/resource/content/asString/16d9c546-a4cb-4598-8baa-11bdacal82c0> 2014 Copyright 2014 Call-Em-All
<https://github.com/mui/material-ui/tree/master/packages/mui-types>
<https://registry.npmjs.org/@mui/types/-/types-7.2.24.tgz>

MIT types-7.28.2.tgz Babel Types is a Lodash-esque utility library for
AST nodes <https://www.npmjs.com/package/@babel/types> 2014 Copyright
2014 Sebastian McKenzie and other contributors
<https://babel.dev/docs/en/next/babel-types>
<https://registry.npmjs.org/@babel/types/-/types-7.28.2.tgz>

MIT type-utils-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a4ae5303-6721-460c-b844-e36cc95f9b17> 2021 Copyright 2021 typescript-eslint
and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/type-utils/-/type-utils-5.62.0.tgz>

MIT unbox-primitive-1.1.0.tgz Unbox a boxed JS primitive value.
<https://index.mend.io/gri/app/reader/resource/content/asString/bc1f>

9d33-9024-4f46-93c8-d2c4e6c8cd72 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/unbox-primitive#readme>
<https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz>

MIT underscore-1.12.1.tgz JavaScript's functional programming helper library.
<https://index.mend.io/gri/app/reader/resource/content/asString/dc7a0c31-8a6b-4258-9f2b-239741e45ade> 2009-2020 Copyright 2009-2020 Jeremy Ashkenas
<https://underscorejs.org>
<https://registry.npmjs.org/underscore/-/underscore-1.12.1.tgz>

MIT undici-types-7.10.0.tgz A stand-alone types package for Undici
<https://index.mend.io/gri/app/reader/resource/content/asString/51e5a0c7-c6e2-429c-b9b3-e74398d5b4c5> Copyright Matteo Collina and Undici contributors
<https://undici.nodejs.org>
<https://registry.npmjs.org/undici-types/-/undici-types-7.10.0.tgz>

MIT unicode-canonical-property-names-ecmascript-2.0.1.tgz The set of canonical Unicode property names supported in ECMAScript RegExp property escapes.
<https://index.mend.io/gri/app/reader/resource/content/asString/7c25e49d-b6f1-41c3-b9da-96181fd185e9> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://github.com/mathiasbynens/unicode-canonical-property-names-ecmascript>
<https://registry.npmjs.org/unicode-canonical-property-names-ecmascript/-/unicode-canonical-property-names-ecmascript-2.0.1.tgz>

MIT unicode-match-property-ecmascript-2.0.0.tgz Match a Unicode property or property alias to its canonical property name per the algorithm used for RegExp Unicode property escapes in ECMAScript.
<https://index.mend.io/gri/app/reader/resource/content/asString/1d4d98db-d46a-4f6f-a1c1-6b9a02711944> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://github.com/mathiasbynens/unicode-match-property-ecmascript> <https://registry.npmjs.org/unicode-match-property-ecmascript/-/unicode-match-property-ecmascript-2.0.0.tgz>

MIT unicode-match-property-value-ecmascript-2.2.0.tgz Match a Unicode property or property alias to its canonical property name per the algorithm used for RegExp Unicode property escapes in ECMAScript.
<https://index.mend.io/gri/app/reader/resource/content/asString/eda54896-fd8d-4478-86cc-2005006cddb2> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://github.com/mathiasbynens/unicode-match-property-value-ecmascript> <https://registry.npmjs.org/unicode-match-property-value-ecmascript/-/unicode-match-property-value-ecmascript-2.2.0.tgz>

MIT unicode-property-aliases-ecmascript-2.1.0.tgz Unicode property alias mappings in JavaScript format for property names that are supported in ECMAScript RegExp property escapes.
<https://index.mend.io/gri/app/reader/resource/content/asString/dded8c51-7b88-4a53-8a76-2846c0e8c808> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://github.com/mathiasbynens/unicode-property-aliases-ecmascript>

property-aliases-ecmascript <https://registry.npmjs.org/unicode-property-aliases-ecmascript/-/unicode-property-aliases-ecmascript-2.1.0.tgz>

MIT unique-string-2.0.0.tgz Generate a unique random string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/101e5e49-656d-4a02-bddd-3817d636a2fa> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/unique-string#readme>
<https://registry.npmjs.org/unique-string/-/unique-string-2.0.0.tgz>

MIT unitless-0.10.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6c3212fe-4920-49c7-b825-1eccb9cd0cf5> "Copyright Emotion team and other contributors
2016 Copyright 2016 Kye Hohenberger" <https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/unitless/-/unitless-0.10.0.tgz>

MIT universalify-0.2.0.tgz Make a callback- or promise-based function support both promises and callbacks.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e827638e-2ff3-466e-afe4-5da02d1c1489> 2017 Copyright 2017 Ryan Zimmerman <opensrc@ryanzim.com>
<https://github.com/RyanZim/universalify#readme>
<https://registry.npmjs.org/universalify/-/universalify-0.2.0.tgz>

MIT universalify-2.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4d329fca-3677-4ac1-8cb0-cda2f8c97812> 2017 Copyright 2017 Ryan Zimmerman <opensrc@ryanzim.com> <https://github.com/RyanZim/universalify#readme>
<https://registry.npmjs.org/universalify/-/universalify-2.0.1.tgz>

MIT unpipe-1.0.0.tgz Unpipe a stream from all destinations
<https://github.com/stream-utils/unpipe> 2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com> <https://github.com/stream-utils/unpipe>
<https://registry.npmjs.org/unpipe/-/unpipe-1.0.0.tgz>

MIT unquote-1.1.1.tgz Remove wrapping quotes from a string.
<https://github.com/lakenen/node-unquote/tree/v1.1.1> 2017 Copyright 2017 Cameron Lakenen <https://github.com/lakenen/node-unquote>
<https://registry.npmjs.org/unquote/-/unquote-1.1.1.tgz>

MIT upath-1.2.0.tgz A proxy to `path`, replacing `\\` with `/` for all results & new methods to normalize & join keeping leading `./` and add, change, default, trim file extensions.
<https://github.com/anodynos/upath/blob/master/LICENSE> 2014-2019 Copyright 2014-2019 Angelos Pikoulas (agelos.pikoulas@gmail.com)

<http://github.com/anodynos/upath/>
<https://registry.npmjs.org/upath/-/upath-1.2.0.tgz>

MIT update-browserslist-db-1.1.3.tgz CLI tool to update caniuse-lite to refresh target browsers from Browserslist config
<https://index.mend.io/gri/app/reader/resource/content/asString/4b73a496-8d31-4f8f-9e8b-6c9409b45115> 2022 Copyright 2022 Andrey Sitnik <andrey@sitnik.ru> and other contributors
<https://github.com/browserslist/update-db#readme>
<https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.1.3.tgz>

MIT url-parse-1.5.10.tgz Small footprint URL parser that works seamlessly across Node.js and browser environments
<https://index.mend.io/gri/app/reader/resource/content/asString/5a85d21f-ba4d-4471-b749-4993238a69ee> 2015 Copyright 2015 Unshift.io, Arnout Kazemier, the Contributors <https://github.com/unshiftio/url-parse#readme> <https://registry.npmjs.org/url-parse/-/url-parse-1.5.10.tgz>

MIT use-insertion-effect-with-fallbacks-1.2.0.tgz A wrapper package that uses `useInsertionEffect` or a fallback for it
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6a1falf4-f629-4162-9009-fe449e124d32> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/use-insertion-effect-with-fallbacks/-/use-insertion-effect-with-fallbacks-1.2.0.tgz>

MIT user-event-13.5.0.tgz Fire events the same way the user does
<https://index.mend.io/gri/app/reader/resource/content/asString/14a62b40-ec49-4af0-9d9d-3c05a45f7b40> 2020 Copyright 2020 Giorgio Polvara
<https://github.com/testing-library/user-event#readme>
<https://registry.npmjs.org/@testing-library/user-event/-/user-event-13.5.0.tgz>

MIT use-sync-external-store-1.5.0.tgz Backwards compatible shim for React's useSyncExternalStore. Works with any React that supports hooks.
<https://index.mend.io/gri/app/reader/resource/content/asString/f3dd8ce3-e4db-424a-9220-2f3bcfe489c9> Copyright Meta Platforms, Inc. and affiliates <https://github.com/facebook/react#readme>
<https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-store-1.5.0.tgz>

MIT utf8-1.13.2.tgz UTF8 encoder/decoder for WASM
<https://index.mend.io/gri/app/reader/resource/content/asString/adad9606-034f-46af-8b1a-c6c470b3133c> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/utf8/-/utf8-1.13.2.tgz>

MIT util.promisify-1.0.1.tgz Polyfill/shim for util.promisify in node versions < v8
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/14a62b40-ec49-4af0-9d9d-3c05a45f7b40>

nt/asString/aa5a6a35-35c2-4eba-83a3-6d6b11a59524 2017 Copyright 2017
Jordan Harband <https://github.com/ljharb/util.promisify#readme>
<https://registry.npmjs.org/util.promisify/-/util.promisify-1.0.1.tgz>

MIT utila-0.4.0.tgz notareplacementforunderscore
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5d7372b5-f5d7-44e6-bec5-687888b09cc9> 2014 Copyright 2014
Aria Minaei <https://github.com/AriaMinaei/utila>
<https://registry.npmjs.org/utila/-/utila-0.4.0.tgz>

MIT util-deprecate-1.0.2.tgz The Node.js `util.deprecate()` function
with browser support
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5c67ad93-45b3-4c29-94d5-2e3a73b2ffe7> "2014 Copyright 2014
Nathan Rajlich ""nathan@tootallnate.net"" (mailto:nathan@tootallnate.net)
2014 Copyright 2014 Nathan Rajlich <nathan@tootallnate.net>"
<https://github.com/TooTallNate/util-deprecate>
<https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz>

MIT utils-1.4.2.tgz internal utils for emotion
<https://index.mend.io/gri/app/reader/resource/content/asString/cf233632-442b-49eb-b521-77eff4bee57a> Copyright Emotion team and other
contributors <https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/utils/-/utils-1.4.2.tgz>

MIT utils-5.17.1.tgz Utility functions for React components.
<https://mui.com/x/introduction/licensing/> 2014 Copyright 2014
Call-Em-All <http://private> package <https://registry.npmjs.org/@mui/utils/-/utils-5.17.1.tgz>

MIT utils-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a075a9b2-24f7-497d-856f-5c7a93416061> 2019 Copyright 2019 typescript-eslint
and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme>
<https://registry.npmjs.org/@typescript-eslint/utils/-/utils-5.62.0.tgz>

MIT utils-merge-1.0.1.tgz merge() utility function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0957645-209e-4286-b26a-63d5d97d558b> "2013-2017 Copyright
2013-2017 Jared Hanson <
2013-2017 Copyright 2013-2017 Jared Hanson
<<http://jaredhanson.net/>> (<http://jaredhanson.net/>)>
2013-2017 Copyright 2013-2017 Jared Hanson"
<https://github.com/jaredhanson/utils-merge#readme>
<https://registry.npmjs.org/utils-merge/-/utils-merge-1.0.1.tgz>

MIT uuid-8.3.2.tgz RFC4122 (v1, v4, and v5) UUIDs
<https://index.mend.io/gri/app/reader/resource/content/asString/1f23fe37-51f1-42b8-9d83-226e12746c21> 2010-2020 Copyright 2010-2020 Robert
Kieffer and other contributors <https://github.com/uuidjs/uuid#readme>
<https://registry.npmjs.org/uuid/-/uuid-8.3.2.tgz>

MIT v8-coverage-0.2.3.tgz Helper functions for V8 coverage files.
<https://index.mend.io/gri/app/reader/resource/content/asString/e3b4cd35-32c7-4d43-806a-443c81cd8ca2> "2015-2017 Copyright 2015-2017 Charles Samborski
2017 Copyright 2017 Contributors" <https://demurgos.github.io/v8-coverage>
<https://registry.npmjs.org/@bcoe/v8-coverage/-/v8-coverage-0.2.3.tgz>

MIT vary-1.1.2.tgz Manipulate the HTTP Vary header
<https://github.com/jshttp/vary#readme> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/jshttp/vary#readme>
<https://registry.npmjs.org/vary/-/vary-1.1.2.tgz>

MIT visitor-keys-5.62.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/60739b71-47a6-4c45-879d-183bb4b5a913> 2019 Copyright 2019 typescript-eslint and other contributors <https://github.com/typescript-eslint/typescript-eslint#readme> <https://registry.npmjs.org/@typescript-eslint/visitor-keys/-/visitor-keys-5.62.0.tgz>

MIT w3c-hr-time-1.0.2.tgz An implementation of the W3C High Resolution Time Level 2 specification.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/72ba33c0-497f-4780-8bd7-8c7654ca4384> 2017 Copyright 2017 Tiancheng "Timothy" Gu and other contributors
<https://registry.npmjs.org/w3c-hr-time/-/w3c-hr-time-1.0.2.tgz>
<https://registry.npmjs.org/w3c-hr-time/-/w3c-hr-time-1.0.2.tgz>

MIT w3c-xmlserializer-2.0.0.tgz A per-spec XML serializer implementation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cadbd451-cf9a-4a14-b28f-1b9c58056eaf> 2016 Copyright 2016 Sebastian Mayr <https://github.com/jsdom/w3c-xmlserializer#readme>
<https://registry.npmjs.org/w3c-xmlserializer/-/w3c-xmlserializer-2.0.0.tgz>

MIT wasm-edit-1.14.1.tgz > Rewrite a WASM binary
<https://index.mend.io/gri/app/reader/resource/content/asString/cbab958e-7b23-423c-8611-9d79c96a96fe> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/wasm-edit/-/wasm-edit-1.14.1.tgz>

MIT wasm-gen-1.14.1.tgz WebAssembly binary format printer
<https://index.mend.io/gri/app/reader/resource/content/asString/ec4babc1-865f-4a59-827f-e108d6b8abac> 2018 Copyright 2018 Sven Sauleau <sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/wasm-gen/-/wasm-gen-1.14.1.tgz>

MIT wasm-opt-1.14.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/276596c1-af2c-4b26-8e5f-5f8d97bf0342> 2018 Copyright 2018 Sven Sauleau

<sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/wasm-opt/-/wasm-opt-1.14.1.tgz>

MIT wasm-parser-1.14.1.tgz WebAssembly binary format parser
<https://index.mend.io/gri/app/reader/resource/content/asString/e88632ab-8db4-4cf4-8a53-2056978c72d6> 2018 Copyright 2018 Sven Sauleau
<sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/wasm-parser/-/wasm-parser-1.14.1.tgz>

MIT wast-printer-1.14.1.tgz WebAssembly text format printer
<https://index.mend.io/gri/app/reader/resource/content/asString/c8472059-ba48-4cb7-809e-be5f94ae3162> 2018 Copyright 2018 Sven Sauleau
<sven@sauleau.com> <https://github.com/xtuc/webassemblyjs#readme>
<https://registry.npmjs.org/@webassemblyjs/wast-printer/-/wast-printer-1.14.1.tgz>

MIT watchpack-2.4.4.tgz Wrapper library for directory and file watching.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/744d7969-42b0-4cab-bb54-3c1b875b57cc> Copyright JS Foundation and other contributors <https://github.com/webpack/watchpack>
<https://registry.npmjs.org/watchpack/-/watchpack-2.4.4.tgz>

MIT wbuf-1.7.3.tgz Write buffer
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2acf31e1-88de-4cbf-a58e-3e93f506d4b7> 2014 Copyright 2014 Fedor Indutny, <https://github.com/indutny/wbuf>
<https://registry.npmjs.org/wbuf/-/wbuf-1.7.3.tgz>

MIT weak-memoize-0.4.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4c6e13ce-e49e-48a7-8f5b-316fa3bb6220> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/weak-memoize/-/weak-memoize-0.4.0.tgz>

MIT webpack-5.101.3.tgz Packs ECMAScript/CommonJs/AMD modules for the browser. Allows you to split your codebase into multiple bundles, which can be loaded on demand. Supports loaders to preprocess files, i.e. json, jsx, es7, css, less, ... and your custom stuff.
<https://index.mend.io/gri/app/reader/resource/content/asString/493d20af-06b6-4d21-8e84-c963e08742a2> Copyright JS Foundation and other contributors <https://github.com/webpack/webpack>
<https://registry.npmjs.org/webpack/-/webpack-5.101.3.tgz>

MIT webpack-5.5.0.tgzSVGR webpack loader.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/01db1b02-0f61-4520-8b22-39898ee8a669> 2017 Copyright 2017 Smooth Code <https://react-svgr.com>
<https://registry.npmjs.org/@svgr/webpack/-/webpack-5.5.0.tgz>

MIT webpack-dev-middleware-7.4.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e5bcd897-359c-466b-a35b-73a0f93e7ebb> Copyright JS Foundation and other contributors
<https://github.com/webpack/webpack-dev-middleware>
<https://registry.npmjs.org/webpack-dev-middleware/-/webpack-dev-middleware-7.4.2.tgz>

MIT webpack-dev-server-5.2.2.tgz Serves a webpack app. Updates the browser on changes.
<https://index.mend.io/gri/app/reader/resource/content/asString/5fe03f68-6bda-4eba-b10f-1e414f68fcfa> Copyright JS Foundation and other contributors
<https://github.com/webpack/webpack-dev-server#readme>
<https://registry.npmjs.org/webpack-dev-server/-/webpack-dev-server-5.2.2.tgz>

MIT webpack-manifest-plugin-4.1.1.tgz A Webpack Plugin for generating Asset Manifests
<https://index.mend.io/gri/app/reader/resource/content/asString/c6259639-eb0b-498a-8dd4-1bb54c08c5d2> Copyright Dane Thurber <dane.thurber@gmail.com>
<https://github.com/shellscape/webpack-manifest-plugin>
<https://registry.npmjs.org/webpack-manifest-plugin/-/webpack-manifest-plugin-4.1.1.tgz>

MIT webpack-sources-1.4.3.tgz Source code handling classes for webpack
<https://github.com/webpack/webpack-sources/blob/master/LICENSE> 2017 Copyright 2017 JS Foundation and other contributors
<https://github.com/webpack/webpack-sources#readme>
<https://registry.npmjs.org/webpack-sources/-/webpack-sources-1.4.3.tgz>

MIT webpack-sources-2.3.1.tgz Source code handling classes for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/3d9afe07-1a66-45a7-a8f8-8d99798a3ea4> 2017 Copyright 2017 JS Foundation and other contributors
<https://github.com/webpack/webpack-sources#readme>
<https://registry.npmjs.org/webpack-sources/-/webpack-sources-2.3.1.tgz>

MIT webpack-sources-3.3.3.tgz Source code handling classes for webpack
<https://index.mend.io/gri/app/reader/resource/content/asString/9d1ea970-0870-48d4-ad0f-ed433720c1d6> 2017 Copyright 2017 JS Foundation and other contributors
<https://github.com/webpack/webpack-sources#readme>
<https://registry.npmjs.org/webpack-sources/-/webpack-sources-3.3.3.tgz>

MIT whatwg-encoding-1.0.5.tgz Decode strings according to the WHATWG Encoding Standard
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e85bbcf-5847-4bb1-acba-4ce02783283a> 2016-2018 Copyright 2016-2018 Domenic Denicola <d@domenic.me>
<https://github.com/jsdom/whatwg-encoding#readme>
<https://registry.npmjs.org/whatwg-encoding/-/whatwg-encoding-1.0.5.tgz>

MIT whatwg-fetch-3.6.20.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/75c5dd3c-174f-4303-8f63-d87cadb6454f> 2014-2023 Copyright 2014-2023 GitHub,
Inc <https://github.com/github/fetch#readme>
<https://registry.npmjs.org/whatwg-fetch/-/whatwg-fetch-3.6.20.tgz>

MIT whatwg-mimetype-2.3.0.tgz Parses, serializes, and manipulates
MIME types, according to the WHATWG MIME Sniffing Standard
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/322bae3f-62c1-483c-961f-a65e3a32f755> 2017-2018 Copyright
2017-2018 Domenic Denicola <d@domenic.me>
<https://github.com/jsdom/whatwg-mimetype#readme>
<https://registry.npmjs.org/whatwg-mimetype/-/whatwg-mimetype-2.3.0.tgz>

MIT whatwg-url-7.1.0.tgz An implementation of the WHATWG URL
Standard's URL API and parsing machinery
<https://github.com/jsdom/whatwg-url/blob/master/LICENSE.txt>
2015-2016 Copyright 2015-2016 Sebastian Mayr
<https://github.com/jsdom/whatwg-url#readme>
<https://registry.npmjs.org/whatwg-url/-/whatwg-url-7.1.0.tgz>

MIT whatwg-url-8.7.0.tgz An implementation of the WHATWG URL
Standard's URL API and parsing machinery
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/51537ca8-edd6-495b-b27b-c6de8ee837bf> 2015-2016 Copyright
2015-2016 Sebastian Mayr <https://github.com/jsdom/whatwg-url#readme>
<https://registry.npmjs.org/whatwg-url/-/whatwg-url-8.7.0.tgz>

MIT which-boxed-primitive-1.1.1.tgz Which kind of boxed JS primitive
is this?
<https://index.mend.io/gri/app/reader/resource/content/asString/0da942b7-2895-4d57-8413-3e93171c67c2> 2019 Copyright 2019 Jordan Harband
<https://github.com/inspect-js/which-boxed-primitive#readme>
<https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitive-1.1.1.tgz>

MIT which-builtin-type-1.2.1.tgz What is the type of this builtin JS
value?
<https://index.mend.io/gri/app/reader/resource/content/asString/80508956-c904-4728-a8dd-1887a130652e> 2020 Copyright 2020 ECMAScript Shims
<https://github.com/inspect-js/which-builtin-type#readme>
<https://registry.npmjs.org/which-builtin-type/-/which-builtin-type-1.2.1.tgz>

MIT which-collection-1.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e4a6347f-98c6-4d80-a0ba-89b6ddcf7b1a> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/which-collection#readme>
<https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz>

MIT which-typed-array-1.1.19.tgz Which kind of Typed Array is this
JavaScript value? Works cross-realm, without `instanceof`, and despite
Symbol.toStringTag.
 <https://index.mend.io/gri/app/reader/resource/content/asString/888e81c5-f326-4808-b475-7c32c19e4ed9> 2015 Copyright 2015 Jordan Harband
 <https://github.com/inspect-js/which-typed-array#readme>
 <https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.19.tgz>

MIT word-wrap-1.2.5.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/561ccd2f-0608-486c-ae62-2ef497d221ee> "2023 Copyright 2023 Jon Schlinkert"
(<https://github.com/jonschlinkert>)
2014-2016 Copyright 2014-2016 Jon Schlinkert"
 <https://github.com/jonschlinkert/word-wrap>
 <https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz>

MIT workbox-background-sync-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/5c3c0e5c-1ca9-4fc0-9970-f0e83f1aadde> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-background-sync/-/workbox-background-sync-6.6.0.tgz>

MIT workbox-broadcast-update-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/35b4c5f5-f200-47ba-af5d-05b254a4b7fb> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-broadcast-update/-/workbox-broadcast-update-6.6.0.tgz>

MIT workbox-build-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/a884ec96-2ca1-490f-b050-7f871241631e> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-build/-/workbox-build-6.6.0.tgz>

MIT workbox-cacheable-response-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/82b8eb12-0ea6-4d82-82bd-a4ffc37c66> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-cacheable-response/-/workbox-cacheable-response-6.6.0.tgz>

MIT workbox-core-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/1155cla7-daae-4591-9ace-7015575504b0> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-core/-/workbox-core-6.6.0.tgz>

MIT workbox-expiration-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/aea7>

4e54-35f1-4fcb-b03d-bac795654923 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-expiration/-/workbox-expiration-6.6.0.tgz>

MIT workbox-google-analytics-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/78be9ef2-8e69-4bd5-aaac-9d97f832282b> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-google-analytics/-/workbox-google-analytics-6.6.0.tgz>

MIT workbox-navigation-preload-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4bf1b91a-fe47-4c99-8bed-cb55d83cbfd8> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-navigation-preload/-/workbox-navigation-preload-6.6.0.tgz>

MIT workbox-precaching-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d74fee6b-3424-473e-a785-4a64ef4cf652> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-precaching/-/workbox-precaching-6.6.0.tgz>

MIT workbox-range-requests-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c63a90b2-f4b5-41f6-bfad-759511631ccd> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-range-requests/-/workbox-range-requests-6.6.0.tgz>

MIT workbox-recipes-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/df99ecel-c6f6-4cee-9a74-ed59aa06e777> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-recipes/-/workbox-recipes-6.6.0.tgz>

MIT workbox-routing-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4e8e106b-f932-45e0-b757-a0af215366a9> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-routing/-/workbox-routing-6.6.0.tgz>

MIT workbox-strategies-6.6.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1e7ab676-d38d-42ce-bbde-3cle4990fdf7> 2018 Copyright 2018 Google LLC
<https://github.com/GoogleChrome/workbox>
<https://registry.npmjs.org/workbox-strategies/-/workbox-strategies-6.6.0.tgz>

MIT workbox-streams-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/245350e2-31e9-4729-8438-55ae5ee20d36> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-streams/-/workbox-streams-6.6.0.tgz>

MIT workbox-sw-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/0e3073f9-913f-4bd0-aec8-b35c64c2e234> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-sw/-/workbox-sw-6.6.0.tgz>

MIT workbox-webpack-plugin-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/65b096b2-95f7-4282-9fdf-70a8421c0533> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-webpack-plugin/-/workbox-webpack-plugin-6.6.0.tgz>

MIT workbox-window-6.6.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/8e8e2494-e928-44e8-8cc7-032a22e98d58> 2018 Copyright 2018 Google LLC
 <https://github.com/GoogleChrome/workbox>
 <https://registry.npmjs.org/workbox-window/-/workbox-window-6.6.0.tgz>

MIT wrap-ansi-7.0.0.tgz Wordwrap a string with ANSI escape codes
 <https://index.mend.io/gri/app/reader/resource/content/asString/dbb81d3e-5d81-42ac-a8e8-c29a416b35c3> Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (<https://sindresorhus.com>)
 <https://github.com/chalk/wrap-ansi#readme>
 <https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-7.0.0.tgz>

MIT wrap-ansi-8.1.0.tgz
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62421107-d3c7-4bf7-b461-a4b09107b1ed> Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (<https://sindresorhus.com>)
 <https://github.com/chalk/wrap-ansi#readme>
 <https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-8.1.0.tgz>

MIT ws-7.5.10.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/4302c8fe-e3b9-41f7-a570-153232e746c4> 2011 Copyright 2011 Einar Otto Stangvik
 <einaros@gmail.com> <https://github.com/websockets/ws>
 <https://registry.npmjs.org/ws/-/ws-7.5.10.tgz>

MIT ws-8.18.1.tgz TypeScript definitions for ws
 <https://index.mend.io/gri/app/reader/resource/content/asString/781420b1-d2a7-493f-9711-8825a745b2e9> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/ws>
 <https://registry.npmjs.org/@types/ws/-/ws-8.18.1.tgz>

MIT ws-8.18.3.tgz Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js <https://www.npmjs.com/package/ws>
 "2013 Copyright 2013 Arnout Kazemier and contributors
 2016 Copyright 2016 Luigi Pinca and contributors
 2011 Copyright 2011 Einar Otto Stangvik <einaros@gmail.com>"
<https://github.com/websockets/ws> <https://registry.npmjs.org/ws/-/ws-8.18.3.tgz>

MIT wsl-utils-0.1.0.tgz Utilities for working with Windows Subsystem for Linux (WSL)
<https://index.mend.io/gri/app/reader/resource/content/asString/3a703259-a3c3-45d7-a3ba-159d98029280> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/wsl-utils#readme>
<https://registry.npmjs.org/wsl-utils/-/wsl-utils-0.1.0.tgz>

MIT x-data-grid-7.29.9.tgz The Community plan edition of the Data Grid components (MUI X).
<https://index.mend.io/gri/app/reader/resource/content/asString/d052380e-d82d-429a-a579-ddd659e33e3b> 2020 Copyright 2020 Material-UI SAS
<https://mui.com/x/react-data-grid/>
<https://registry.npmjs.org/@mui/x-data-grid/-/x-data-grid-7.29.9.tgz>

MIT x-date-pickers-7.29.4.tgz The community edition of the Date and Time Picker components (MUI X).
<https://index.mend.io/gri/app/reader/resource/content/asString/52a469e9-7988-469c-bea2-a31ee88e204b> 2020 Copyright 2020 Material-UI SAS
<https://mui.com/x/react-date-pickers/>
<https://registry.npmjs.org/@mui/x-date-pickers/-/x-date-pickers-7.29.4.tgz>

MIT x-internals-7.29.0.tgz Utility functions for the MUI X packages (internal use only).
<https://index.mend.io/gri/app/reader/resource/content/asString/27983d65-163c-4333-8c3d-91da995a7bbc> 2020 Copyright 2020 Material-UI SAS
<https://mui.com/x/> <https://registry.npmjs.org/@mui/x-internals/-/x-internals-7.29.0.tgz>

MIT xml2js-0.6.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/06651091-ff87-49c6-b9c8-40cb3319bc9d> Copyright parser, for whatever reason? <https://github.com/Leonidas-from-XIV/node-xml2js>
<https://registry.npmjs.org/xml2js/-/xml2js-0.6.2.tgz>

MIT xmlbuilder-11.0.1.tgz An XML builder for node.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/86aaa5a1-60c1-4dcf-b865-3684dbd75e84> 2013 Copyright 2013 Ozgur Ozcitak <http://github.com/oozcitak/xmlbuilder-js>
<https://registry.npmjs.org/xmlbuilder/-/xmlbuilder-11.0.1.tgz>

MIT xmlchars-2.2.0.tgz Utilities for determining if characters belong to character classes defined by the XML specs.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/86aaa5a1-60c1-4dcf-b865-3684dbd75e84>

nt/asString/4dce133e-5480-473f-970e-1b30471ce5e8 Copyright Louis-Dominique Dubeau and contributors to xmlchars
<https://github.com/lddubeau/xmlchars#readme>
<https://registry.npmjs.org/xmlchars/-/xmlchars-2.2.0.tgz>

MIT yargs-16.0.9.tgz
<https://github.com/yargs/yargs/blob/main/LICENSE> Copyright
Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/yargs>
<https://registry.npmjs.org/@types/yargs/-/yargs-16.0.9.tgz>

MIT yargs-16.2.0.tgz yargs the modern, pirate-themed, successor to
optimist.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2ee89830-9573-435a-9f59-c9fbb409b9ee> 2010-2014 Copyright
2010-2014 Contributors <https://yargs.js.org/>
<https://registry.npmjs.org/yargs/-/yargs-16.2.0.tgz>

MIT yargs-17.0.33.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/59fbaa1-2281-4ae9-ba42-1bb419b68768> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/yargs>
<https://registry.npmjs.org/@types/yargs/-/yargs-17.0.33.tgz>

MIT yargs-parser-21.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/29289ed4-188b-4e90-814d-4803fae31d9d> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/yargs-parser>
<https://registry.npmjs.org/@types/yargs-parser/-/yargs-parser-21.0.3.tgz>

MIT yocto-queue-0.1.0.tgz Tiny queue data structure
<https://index.mend.io/gri/app/reader/resource/content/asString/545dd8de-2453-4f55-ae12-811a26f8da82> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/yocto-queue#readme>
<https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz>

MIT X11 mkdirp-0.5.6.tgz Recursively mkdir, like `mkdir -p`
<https://index.mend.io/gri/app/reader/resource/content/asString/b20f6f08-f0ee-4bde-bef2-72f7248dff8d> 2010 Copyright 2010 James Halliday
(mail@substack.net) <https://github.com/substack/node-mkdirp#readme>
<https://registry.npmjs.org/mkdirp/-/mkdirp-0.5.6.tgz>

Python 2.0 argparse-2.0.1.tgz CLI arguments parser. Native port of
python's argparse.
<https://index.mend.io/gri/app/reader/resource/content/asString/81b349ae-dc78-4b52-aaf9-ad44c97680b3> Copyright (c) null null
<https://github.com/nodeca/argparse#readme>
<https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz>

Unlicense fs-monkey-1.1.0.tgz Monkey patches for file system related things.

<https://index.mend.io/gri/app/reader/resource/content/asString/7847948c-0b4a-4579-afed-3d50cf5a0012> <https://github.com/streamich/fs-monkey#readme> <https://registry.npmjs.org/fs-monkey/-/fs-monkey-1.1.0.tgz>

Unlicense memfs-3.5.3.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/a6798ab3-4754-4fad-82a6-bad7e89bd375> Unspecified Copyright <https://github.com/streamich/memfs#readme> <https://registry.npmjs.org/memfs/-/memfs-3.5.3.tgz>

W3C Software Notice and Document License (2015-05-13) trusted-types-2.0.7.tgz <https://www.npmjs.com/package/trusted-types> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/trusted-types> <https://registry.npmjs.org/@types/trusted-types/-/trusted-types-2.0.7.tgz>

Commercial x-data-grid-pro-7.29.9.tgz The Pro plan edition of the Data Grid components (MUI X). MUI Pro - PO # 8500031773 2020 Copyright 2020 Material-UI SAS <https://mui.com/x/react-data-grid/> <https://registry.npmjs.org/@mui/x-data-grid-pro/-/x-data-grid-pro-7.29.9.tgz>

Commercial x-license-7.29.1.tgz MUI X License verification MUI Pro - PO # 8500031773 2020 Copyright 2020 Material-UI SAS <https://mui.com/x/introduction/licensing/> <https://registry.npmjs.org/@mui/x-license/-/x-license-7.29.1.tgz>

<<END OF RBI Reports 1.0>>

<<START OF SCAP 1.3>>

<SCAP>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0 commons-cli-1.4.jar Apache Commons CLI provides a simple API for presenting, processing and validating a command line interface.

<https://index.mend.io/gri/app/reader/resource/content/asString/6859aa14-1037-426a-9871-466348d8407e> The Apache Software Foundation <https://www.apache.org/> <https://repo.maven.apache.org/maven2/commons-cli/commons-cli/1.4/commons-cli-1.4.jar> The Apache Software Foundation

Apache 2.0 commons-codec-1.9.jar

<http://archive.apache.org/dist/openmeetings/3.1.1/bin/apache-openmeetings-3.1.1.tar.gz> "2002-2013 Copyright 2002-2013 The Apache Software Foundation 2002 Copyright 2002 Kevin Atkinson (kevina@gnu.org) 2006-2014 Copyright 2006-2014 by respective authors 2011-2014 Copyright 2011-2014 The Apache Software Foundation" <http://archive.apache.org/dist/openmeetings/3.1.1/bin/apache->

openmeetings-3.1.1.tar.gz

<http://archive.apache.org/dist/openmeetings/3.1.1/bin/apache-openmeetings-3.1.1.tar.gz> Eclipse

Apache 2.0 commons-lang3-3.6.jar "Apache Commons Lang, a package of Java utility classes for the classes that are in java.lang's hierarchy, or are considered to be so standard as to justify existence in java.lang."

<https://index.mend.io/gri/app/reader/resource/content/asString/6859aa14-1037-426a-9871-466348d8407e> The Apache Software Foundation
<https://www.apache.org/>
<https://repo.maven.apache.org/maven2/org/apache/commons/commons-lang3/3.6/commons-lang3-3.6.jar> The Apache Software Foundation

Apache 2.0 jdom2-2.0.6.1.jar "A complete, Java-based solution for accessing, manipulating, and outputting XML data" null 2000-2012 Copyright 2000-2012 Jason Hunter <http://www.jdom.org>
<https://repo.maven.apache.org/maven2/org/jdom/jdom2/2.0.6.1/jdom2-2.0.6.1.jar> JDOM

Apache 2.0 log4j-api-2.17.1.jar The Apache Log4j API

<https://index.mend.io/gri/app/reader/resource/content/asString/6859aa14-1037-426a-9871-466348d8407e> The Apache Software Foundation
<https://www.apache.org/>
<https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-api/2.17.1/log4j-api-2.17.1.jar> The Apache Software Foundation

Apache 2.0 log4j-core-2.17.1.jar The Apache Log4j Implementation

<https://index.mend.io/gri/app/reader/resource/content/asString/6859aa14-1037-426a-9871-466348d8407e> "The Apache Software Foundation 1999-2005 Copyright 1999-2005 The Apache Software Foundation"
<https://www.apache.org/>
<https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-core/2.17.1/log4j-core-2.17.1.jar> The Apache Software Foundation

Apache 2.0 log4j-jul-2.17.1.jar The Apache Log4j implementation of java.util.logging

<https://index.mend.io/gri/app/reader/resource/content/asString/6859aa14-1037-426a-9871-466348d8407e> The Apache Software Foundation
<https://www.apache.org/>
<https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-jul/2.17.1/log4j-jul-2.17.1.jar> The Apache Software Foundation

BSD 3 jakarta.activation-1.2.2.jar \${project.name}

<https://index.mend.io/gri/app/reader/resource/content/asString/1955d8f5-247e-4e0f-989c-f6d519fa01d3> "2007 Copyright 2007 Eclipse Foundation, Inc. and its licensors 2019 Copyright 2019 Eclipse Foundation 2018 Copyright 2018 Oracle and/or its affiliates 1997-2019 Copyright 1997-2019 Oracle and/or its affiliates" <https://www.eclipse.org>
<https://repo.maven.apache.org/maven2/com/sun/activation/jakarta.activation/1.2.2/jakarta.activation-1.2.2.jar> Eclipse Foundation

BSD 3 jakarta.activation-api-1.2.2.jar Jakarta Activation API jar
<https://index.mend.io/gri/app/reader/resource/content/asString/1955d8f5-247e-4e0f-989c-f6d519fa01d3> "2018 Copyright 2018 Oracle and/or its affiliates 1997-2019 Copyright 1997-2019 Oracle and/or its affiliates"
<https://www.eclipse.org>
<https://repo.maven.apache.org/maven2/jakarta/activation/jakarta.activation-api/1.2.2/jakarta.activation-api-1.2.2.jar> Eclipse Foundation

BSD 3 jakarta.xml.bind-api-2.3.3.jar Jakarta XML Binding API
<https://index.mend.io/gri/app/reader/resource/content/asString/1955d8f5-247e-4e0f-989c-f6d519fa01d3> 2018 Copyright 2018 Oracle
<https://www.eclipse.org>
<https://repo.maven.apache.org/maven2/jakarta/xml/bind/jakarta.xml.bind-api/2.3.3/jakarta.xml.bind-api-2.3.3.jar> Eclipse Foundation

BSD 3 jaxb-impl-2.3.5.jar Old JAXB Runtime module. Contains sources required for runtime processing.
<https://index.mend.io/gri/app/reader/resource/content/asString/1955d8f5-247e-4e0f-989c-f6d519fa01d3> "2013-2021 Copyright 2013-2021 Oracle and/or its affiliates 2018 Copyright 2018 Oracle and/or its affiliates"
<https://www.eclipse.org>
<https://repo.maven.apache.org/maven2/com/sun/xml/bind/jaxb-impl/2.3.5/jaxb-impl-2.3.5.jar> Eclipse Foundation

CDDL 1.1 javax.activation-api-1.2.0.jar
<https://github.com/javaee/activation/blob/master/LICENSE.txt> 2017
Oracle and/or its affiliates
<http://archive.apache.org/dist/hadoop/core/hadoop-3.3.0/hadoop-3.3.0.tar.gz>
<http://archive.apache.org/dist/hadoop/core/hadoop-3.3.0/hadoop-3.3.0.tar.gz> Eclipse

CDDL 1.1 jaxb-api-2.3.1.jar
<http://archive.apache.org/dist/pulsar/pulsar-2.6.1/apache-pulsar-2.6.1-bin.tar.gz> 2018 Oracle
<http://archive.apache.org/dist/pulsar/pulsar-2.6.1/apache-pulsar-2.6.1-bin.tar.gz>
<http://archive.apache.org/dist/pulsar/pulsar-2.6.1/apache-pulsar-2.6.1-bin.tar.gz> Eclipse

Mozilla 2.0 Saxon-HE-10.6.jar The XSLT and XQuery Processor
<https://index.mend.io/gri/app/reader/resource/content/asString/b5ea9c2d-e2d7-4252-a963-8ff3f840c083> Saxonica <https://www.saxonica.com/>
<https://repo.maven.apache.org/maven2/net/sf/saxon/Saxon-HE/10.6/Saxon-HE-10.6.jar> Saxonica
<Wizard>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0 jquery.flot-0.8.3.min.js Attractive Javascript plotting for jQuery <https://github.com/flot/flot/blob/v0.8.3/README.md> 2007-2014 Copyright 2007-2014 IOLA and Ole Laursen <http://flotcharts.org/>
<https://cdnjs.cloudflare.com/ajax/libs/flot/0.8.3/jquery.flot.min.js>

s

Apache 2.0 xml2json-1.2.0.js XML <=> JSON mapping/converting library
<https://github.com/abdolence/x2js/blob/v1.2.0/package.json>
2011-2013 Copyright 2011-2013 Abdulla Abdurakhmanov
<https://cdnjs.cloudflare.com/ajax/libs/x2js/1.2.0/xml2json.js>
<https://cdnjs.cloudflare.com/ajax/libs/x2js/1.2.0/xml2json.js>
abdmob

BSD 2 practico-21.5 Prctico - Generador de aplicaciones web License
File
(<https://git.savannah.gnu.org/cgit/practico.git/plain/LICENSE?h=21.5>)
2020 Copyright 2020 John F. Arroyave Gutiérrez
<https://git.savannah.gnu.org/cgit/practico.git>
<https://git.savannah.gnu.org/cgit/practico.git/snapshot/practico-21.5.tar.gz>

Creative Commons Public Domain Dedication and Certification JSON-js-
master_2014-02-04 JSON in JavaScript
<https://github.com/douglascrockford/JSON-js>
<http://www.JSON.org/>
<https://api.github.com/repos/douglascrockford/JSON-js/zipball/master>
douglasscrockford

MIT tooltipster.bundle-4.2.8.min.js Tooltipster is a jQuery tooltip
plugin. <https://github.com/iamceege/tooltipster/blob/4.2.8/LICENSE>
2012-2016 Copyright 2012-2016 Caleb Jacob and Louis Ameline
<http://iamceege.github.io/tooltipster/>
<https://cdnjs.cloudflare.com/ajax/libs/tooltipster/4.2.8/js/tooltipster.bundle.min.js>

MIT bootstrap.bundle-5.2.0.min.js The most popular front-end
framework for developing responsive, mobile first projects on the web.
<https://index.mend.io/gri/app/reader/resource/content/asString/10d070a9-b9f2-4446-9aa0-8c06901e4c84> "2011-2022 Copyright 2011-2022 ode and
documentation copyright 2011-2022 Copyright 2011-2022 Copyright 2011-2022
Copyright 2011-2022 Twitter, Inc 2011-2022 Copyright 2011-2022 The
Bootstrap Authors" <http://getbootstrap.com/>
<https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.2.0/js/bootstrap.bundle.min.js> Twitter, Inc.

MIT buttons.colVis-2.2.1.min.js Buttons for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/0f9e66f1-cd2f-42fd-94e5-9d7f1df90da5> Copyright SpryMedia Limited and other
contributors <https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.2.1/js/buttons.colVis.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT buttons.html5-2.2.3.min.js Buttons for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/cbb241c1-a85f-426b-a669-4f9bd9486004> "2016 Copyright 2016 Eli Grey -
<http://eligrey.com> Copyright SpryMedia Limited and other contributors"
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net->

buttons/2.2.3/js/buttons.html5.min.js SpryMedia Ltd
<<http://datatables.net>>

MIT buttons.print-2.0.0.min.js Buttons for DataTables
 <https://index.mend.io/gri/app/reader/resource/content/asString/1ee0446a-e4a6-4d3f-bba0-b39dd6eb6ebf> Copyright SpryMedia Limited and other contributors
 <https://datatables.net>
 <https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.0.0/js/buttons.print.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT dataTables.buttons-2.2.3.min.js Buttons for DataTables
 <https://index.mend.io/gri/app/reader/resource/content/asString/a9262086-75d5-47b0-90a2-e5258ee3ddbb> "Copyright SpryMedia Limited and other contributors Copyright SpryMedia Ltd - datatables.net/license"
 <https://datatables.net>
 <https://cdnjs.cloudflare.com/ajax/libs/datatables.net-buttons/2.2.3/js/dataTables.buttons.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT dataTables.fixedColumns-4.1.0.min.js FixedColumns for DataTables
 <https://index.mend.io/gri/app/reader/resource/content/asString/676207ef-3679-4449-ba05-c5f9e0b67235> Copyright SpryMedia Limited and other contributors
 <https://datatables.net>
 <https://cdnjs.cloudflare.com/ajax/libs/datatables.net-fixedcolumns/4.1.0/dataTables.fixedColumns.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT dataTables.fixedHeader-3.2.3.min.js FixedHeader for DataTables
 <https://index.mend.io/gri/app/reader/resource/content/asString/70706737-d490-4c1f-aed4-5b46b3c915aa> "Copyright SpryMedia Limited and other contributors Copyright SpryMedia Ltd - datatables.net/license"
 <https://datatables.net>
 <https://cdnjs.cloudflare.com/ajax/libs/datatables.net-fixedheader/3.2.3/dataTables.fixedHeader.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT DataTables-1.10.4Tables plug-in for jQuery License File
(<https://github.com/DataTables/DataTables/blob/1.10.4/license.txt>)
 2008-2013 Copyright 2008-2013 SpryMedia Limited
 <http://www.datatables.net/>
 <https://github.com/DataTables/DataTables/zipball/1.10.4> DataTables

MIT il8next-1.6.3-1.6.3.min.js il8next is a full-featured il8n javascript library for translating your web application.
 <https://github.com/il8next/il8next/blob/1.6.3/license> 2011
 Copyright 2011 Jan Mühlemann <http://il8next.com/>
 <https://cdnjs.cloudflare.com/ajax/libs/il8next/1.6.3/il8next-1.6.3.min.js> jamuhl

MIT jqplot.barRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
 <https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package>

.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
barRenderer.js Chris Leonello <chris@jqplot.com>

MIT jqplot.canvasAxisLabelRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
canvasAxisLabelRenderer.js Chris Leonello <chris@jqplot.com>

MIT jqplot.canvasTextRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
canvasTextRenderer.js Chris Leonello <chris@jqplot.com>

MIT jqplot.categoryAxisRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
categoryAxisRenderer.js Chris Leonello <chris@jqplot.com>

MIT jqplot.dateAxisRenderer-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/
https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.
dateAxisRenderer.js Chris Leonello <chris@jqplot.com>

MIT jqplot.highlighter-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package
.json "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
http://www.jqplot.com/

<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.highlighter.js> Chris Leonello <chris@jqplot.com>

MIT jqplot.pointLabels-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.pointLabels.js> Chris Leonello <chris@jqplot.com>

MIT jqPlot-1.0.9 A Versatile and Expandable jQuery Plotting Plugin License File

(<https://github.com/jqPlot/jqPlot/blob/1.0.9/package.json>) 2009-2015 Copyright 2009-2015 Chris Leonello <http://www.jqplot.com>
<https://github.com/jqPlot/jqPlot/zipball/1.0.9> jqPlot

MIT jquery.dataTables-1.12.0.min.js DataTables for jQuery
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables.net/package.json> Copyright SpryMedia Ltd - datatables.net/license
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net/1.12.0/jquery.dataTables.min.js> SpryMedia Ltd <<http://datatables.net>>

MIT jquery.validate-1.21.0.js Client-side form validation made easy
<https://index.mend.io/gri/app/reader/resource/content/asString/159f9285-732e-4bd4-b5af-14368b0467f1> "Copyright Jörn Zaefferer
2024 Copyright 2024 Jörn Zaefferer Copyright Jörn Zaefferer

<http://jqueryvalidation.org/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.21.0/jquery.validate.js> Jörn Zaefferer
<jjoern.zaefferer@gmail.com>

MIT jquery-1.7.min.js JavaScript library for DOM operations
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json> 2011 Copyright 2011 John Resig, <http://jquery.com/>
<http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/1.7/jquery.min.js>
jQuery Foundation and other contributors
<<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>>

MIT jquery-3.6.1.slim.min.js JavaScript library for DOM operations
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json> "Copyright OpenJS Foundation and other contributors |
[jquery.org/license](https://openjsf.org/) */ Copyright OpenJS Foundation and other contributors,
<https://openjsf.org/>" <http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.1/jquery.slim.min.js>
jQuery Foundation and other contributors
<<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>>

MIT jquery-ui-1.8.17.min.js A curated set of user interface interactions, effects, widgets, and themes built on top of the jQuery

JavaScript Library.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqueryui/package.json> "2011 Copyright 2011 Paul Bakaus, [http://jqueryui.com/2011 Copyright 2011 AUTHORS.txt](http://jqueryui.com/2011%20Copyright%202011%20AUTHORS.txt) (<http://jqueryui.com/about>) "
<http://jqueryui.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.8.17/jquery-ui.min.js> jQuery Foundation and other contributors
<<https://github.com/jquery/jquery-ui/blob/master/AUTHORS.txt>>

MIT slick.autotooltips-2.1.js A lightning fast JavaScript grid/spreadsheet <https://github.com/6pac/SlickGrid/blob/2.1/MIT-LICENSE.txt> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.autotooltips.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.cellrangedecorator-2.2.0.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.2.0/plugins/slick.cellrangedecorator.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.cellrangeselector-2.1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.cellrangeselector.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.cellselectionmodel-2.1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.cellselectionmodel.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.core-2.0b1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0b1/slick.core.js>

slickgrid/2.0b1/slick.core.js Michael Leibman
<michael.leibman@gmail.com>

MIT slick.editors-2.2.0.js A lightning fast JavaScript grid/spreadsheet
 [https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json)
slickgrid/package.json 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
 <https://wiki.github.com/6pac/SlickGrid>
 [https://cdnjs.cloudflare.com/ajax/libs/6pac-](https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.2.0/slick.editors.js)
slickgrid/2.2.0/slick.editors.js Michael Leibman
<michael.leibman@gmail.com>

MIT slick.formatters-2.1.js A lightning fast JavaScript
grid/spreadsheet
 [https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json)
slickgrid/package.json 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
 <https://wiki.github.com/6pac/SlickGrid>
 [https://cdnjs.cloudflare.com/ajax/libs/6pac-](https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/slick.formatters.js)
slickgrid/2.1/slick.formatters.js Michael Leibman
<michael.leibman@gmail.com>

MIT slick.grid-2.0b1.js A lightning fast JavaScript grid/spreadsheet
 [https://index.mend.io/gri/app/reader/resource/content/asString/dede](https://index.mend.io/gri/app/reader/resource/content/asString/dede9ef7-b1f6-4f48-bf02-f7b1f79ddcbb)
9ef7-b1f6-4f48-bf02-f7b1f79ddcbb "2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid> 2009-2012 Copyright 2009-2012
Michael Leibman" <https://wiki.github.com/6pac/SlickGrid>
 [https://cdnjs.cloudflare.com/ajax/libs/6pac-](https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0b1/slick.grid.js)
slickgrid/2.0b1/slick.grid.js Michael Leibman
<michael.leibman@gmail.com>

MIT slick.rowselectionmodel-2.0.2.js A lightning fast JavaScript
grid/spreadsheet [https://github.com/6pac/SlickGrid/blob/2.0.2/MIT-](https://github.com/6pac/SlickGrid/blob/2.0.2/MIT-LICENSE.txt)
LICENSE.txt 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
 <https://wiki.github.com/6pac/SlickGrid>
 [https://cdnjs.cloudflare.com/ajax/libs/6pac-](https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0.2/plugins/slick.rowselectionmodel.js)
slickgrid/2.0.2/plugins/slick.rowselectionmodel.js Michael Leibman
<michael.leibman@gmail.com>

MIT SlickGrid-2.0b1 A lightning fast JavaScript grid/spreadsheet
 License File ([https://github.com/6pac/SlickGrid/blob/2.0b1/MIT-](https://github.com/6pac/SlickGrid/blob/2.0b1/MIT-LICENSE.txt)
LICENSE.txt) 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
 <https://github.com/6pac/SlickGrid/wiki>
 <https://github.com/6pac/SlickGrid/zipball/2.0b1> 6pac

MIT vue.global.prod-3.3.8.min.js Simple, Fast & Composable MVVM for
building interactive interfaces
 <https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/vue/package.js>
on <http://vuejs.org>
 [https://cdnjs.cloudflare.com/ajax/libs/vue/3.3.8/vue.global.prod.mi](https://cdnjs.cloudflare.com/ajax/libs/vue/3.3.8/vue.global.prod.min.js)
n.js Evan You <yxyx990803@gmail.com>

License	Library	Description	License	Reference	Copyrights	Homepage
	Download Link	Author				
Suspected MIT	libxslt.dll	http://xmlsoft.org/libxslt/intro.html				
<ARF-Tool>						
Apache 2.0	jquery.flot-0.8.3.min.js	Attractive Javascript plotting for jQuery	https://github.com/flot/flot/blob/v0.8.3/README.md	2007-2014	Copyright 2007-2014 IOIA and Ole Laursen	http://flotcharts.org/
			https://cdnjs.cloudflare.com/ajax/libs/flot/0.8.3/jquery.flot.min.js			
Apache 2.0	xml2json-1.2.0.js	XML <=> JSON mapping/converting library	https://github.com/abdolence/x2js/blob/v1.2.0/package.json	2011-2013	Copyright 2011-2013 Abdulla Abdurakhmanov	https://cdnjs.cloudflare.com/ajax/libs/x2js/1.2.0/xml2json.js
			https://cdnjs.cloudflare.com/ajax/libs/x2js/1.2.0/xml2json.js			abdmob
BSD 2	practico-21.5	Prctico - Generador de aplicaciones web			License File	
			https://git.savannah.gnu.org/cgit/practico.git/plain/LICENSE?h=21.5	2020	Copyright 2020 John F. Arroyave Gutiérrez	https://git.savannah.gnu.org/cgit/practico.git
			https://git.savannah.gnu.org/cgit/practico.git/snapshot/practico-21.5.tar.gz			
Creative Commons	Public Domain	Dedication and Certification			JSON-js-master_2014-02-04	
			https://github.com/douglascrockford/JSON-js			http://www.JSON.org/
			https://api.github.com/repos/douglascrockford/JSON-js/zipball/master			https://api.github.com/repos/douglascrockford/JSON-js/zipball/master
MIT	tooltipster.bundle-4.2.8.min.js	Tooltipster is a jQuery tooltip plugin.	https://github.com/iamceege/tooltipster/blob/4.2.8/LICENSE	2012-2016	Copyright 2012-2016 Caleb Jacob and Louis Ameline	http://iamceege.github.io/tooltipster/
			https://cdnjs.cloudflare.com/ajax/libs/tooltipster/4.2.8/js/tooltipster.bundle.min.js			
MIT	bootstrap.bundle-5.2.0.min.js	The most popular front-end framework for developing responsive, mobile first projects on the web.	https://index.mend.io/gri/app/reader/resource/content/asString/10d070a9-b9f2-4446-9aa0-8c06901e4c84	2011-2022	Copyright 2011-2022 ode and documentation copyright 2011-2022 Copyright 2011-2022 Copyright 2011-2022 Copyright 2011-2022 Twitter, Inc 2011-2022 Copyright 2011-2022 The Bootstrap Authors"	http://getbootstrap.com/
			https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.2.0/js/bootstrap.bundle.min.js			Twitter, Inc.
MIT	buttons.colVis-2.2.1.min.js	Buttons for DataTables	https://index.mend.io/gri/app/reader/resource/content/asString/0f9e66f1-cd2f-42fd-94e5-9d7f1df90da5		Copyright SpryMedia Limited and other contributors	https://datatables.net

<https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.2.1/js/buttons.colVis.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT [buttons.html5-2.2.3.min.js](#) Buttons for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/cbb241c1-a85f-426b-a669-4f9bd9486004> "2016 Copyright 2016 Eli Grey -
<http://eligrey.com> Copyright SpryMedia Limited and other contributors"
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net-buttons/2.2.3/js/buttons.html5.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT [buttons.print-2.0.0.min.js](#) Buttons for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/lee0446a-e4a6-4d3f-bba0-b39dd6eb6ebf> Copyright SpryMedia Limited and other contributors
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.0.0/js/buttons.print.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT [dataTables.buttons-2.2.3.min.js](#) Buttons for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/a9262086-75d5-47b0-90a2-e5258ee3ddbb> "Copyright SpryMedia Limited and other contributors Copyright SpryMedia Ltd - datatables.net/license"
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net-buttons/2.2.3/js/dataTables.buttons.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT [dataTables.fixedColumns-4.1.0.min.js](#) FixedColumns for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/676207ef-3679-4449-ba05-c5f9e0b67235> Copyright SpryMedia Limited and other contributors
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net-fixedcolumns/4.1.0/dataTables.fixedColumns.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT [dataTables.fixedHeader-3.2.3.min.js](#) FixedHeader for DataTables
<https://index.mend.io/gri/app/reader/resource/content/asString/70706737-d490-4c1f-aed4-5b46b3c915aa> "Copyright SpryMedia Limited and other contributors Copyright SpryMedia Ltd - datatables.net/license"
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net-fixedheader/3.2.3/dataTables.fixedHeader.min.js> SpryMedia Ltd
<<http://datatables.net>>

MIT [DataTables-1.10.4](#) Tables plug-in for jQuery License File
(<https://github.com/DataTables/DataTables/blob/1.10.4/license.txt>)
2008-2013 Copyright 2008-2013 SpryMedia Limited
<http://www.datatables.net/>
<https://github.com/DataTables/DataTables/zipball/1.10.4> DataTables

MIT `il8next-1.6.3-1.6.3.min.js` `il8next` is a full-featured `il8n` javascript library for translating your web application.
<https://github.com/il8next/il8next/blob/1.6.3/license> 2011
Copyright 2011 Jan Mühlemann <http://il8next.com/>
<https://cdnjs.cloudflare.com/ajax/libs/il8next/1.6.3/il8next-1.6.3.min.js> jamuhl

MIT `jqplot.barRenderer-1.0.9.js` `jqPlot` is a plotting and charting plugin for the jQuery Javascript framework. `jqPlot` produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.barRenderer.js> Chris Leonello <chris@jqplot.com>

MIT `jqplot.canvasAxisLabelRenderer-1.0.9.js` `jqPlot` is a plotting and charting plugin for the jQuery Javascript framework. `jqPlot` produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.canvasAxisLabelRenderer.js> Chris Leonello <chris@jqplot.com>

MIT `jqplot.canvasTextRenderer-1.0.9.js` `jqPlot` is a plotting and charting plugin for the jQuery Javascript framework. `jqPlot` produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.canvasTextRenderer.js> Chris Leonello <chris@jqplot.com>

MIT `jqplot.categoryAxisRenderer-1.0.9.js` `jqPlot` is a plotting and charting plugin for the jQuery Javascript framework. `jqPlot` produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.categoryAxisRenderer.js> Chris Leonello <chris@jqplot.com>

MIT `jqplot.dateAxisRenderer-1.0.9.js` `jqPlot` is a plotting and charting plugin for the jQuery Javascript framework. `jqPlot` produces beautiful line, bar and pie charts with many features.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>

<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.dateAxisRenderer.js> Chris Leonello <chris@jqplot.com>

MIT jqplot.highlighter-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.highlighter.js> Chris Leonello <chris@jqplot.com>

MIT jqplot.pointLabels-1.0.9.js jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqPlot/package.json> "2010-2015 Copyright 2010-2015 Chris Leonello 2009-2015 Copyright 2009-2015 Chris Leonello 2009-2016 Copyright 2009-2016 Chris Leonello"
<http://www.jqplot.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.pointLabels.js> Chris Leonello <chris@jqplot.com>

MIT jqPlot-1.0.9 A Versatile and Expandable jQuery Plotting Plugin License File

(<https://github.com/jqPlot/jqPlot/blob/1.0.9/package.json>) 2009-2015 Copyright 2009-2015 Chris Leonello <http://www.jqplot.com>
<https://github.com/jqPlot/jqPlot/zipball/1.0.9> jqPlot

MIT jquery.dataTables-1.12.0.min.js DataTables for jQuery

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables.net/package.json> Copyright SpryMedia Ltd - datatables.net/license
<https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net/1.12.0/jquery.dataTables.min.js> SpryMedia Ltd <<http://datatables.net>>

MIT jquery.validate-1.21.0.js Client-side form validation made easy

<https://index.mend.io/gri/app/reader/resource/content/asString/159f9285-732e-4bd4-b5af-14368b0467f1> "Copyright Jörn Zaefferer
2024 Copyright 2024 Jörn Zaefferer Copyright Jörn Zaefferer
"
<http://jqueryvalidation.org/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.21.0/jquery.validate.js> Jörn Zaefferer
<joern.zaefferer@gmail.com>

MIT jquery-1.7.min.js JavaScript library for DOM operations

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json> 2011 Copyright 2011 John Resig, <http://jquery.com/>
<http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/1.7/jquery.min.js>
jQuery Foundation and other contributors
<<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>>

MIT jquery-3.6.1.slim.min.js JavaScript library for DOM operations
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json> "Copyright OpenJS Foundation and other contributors |
[jquery.org/license */ Copyright OpenJS Foundation and other contributors,](https://openjsf.org/)
<https://openjsf.org/>" <http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.1/jquery.slim.min.js> jQuery Foundation and other contributors
<<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>>

MIT jquery-ui-1.8.17.min.js A curated set of user interface interactions, effects, widgets, and themes built on top of the jQuery JavaScript Library.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jqueryui/package.json> "2011 Copyright 2011 Paul Bakaus, <http://jqueryui.com/>
2011 Copyright 2011 AUTHORS.txt (<http://jqueryui.com/about>) "
<http://jqueryui.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.8.17/jquery-ui.min.js> jQuery Foundation and other contributors
<<https://github.com/jquery/jquery-ui/blob/master/AUTHORS.txt>>

MIT slick.autotooltips-2.1.js A lightning fast JavaScript grid/spreadsheet <https://github.com/6pac/SlickGrid/blob/2.1/MIT-LICENSE.txt> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.autotooltips.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.cellrangedecorator-2.2.0.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.2.0/plugins/slick.cellrangedecorator.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.cellrangeselector-2.1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.cellrangeselector.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.cellselectionmodel-2.1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>

<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/plugins/slick.cellselectionmodel.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.core-2.0b1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0b1/slick.core.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.editors-2.2.0.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.2.0/slick.editors.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.formatters-2.1.js A lightning fast JavaScript grid/spreadsheet
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/6pac-slickgrid/package.json> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.1/slick.formatters.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.grid-2.0b1.js A lightning fast JavaScript grid/spreadsheet
<https://index.mend.io/gri/app/reader/resource/content/asString/dede9ef7-b1f6-4f48-bf02-f7b1f79ddcbb> "2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid> 2009-2012 Copyright 2009-2012 Michael Leibman" <https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0b1/slick.grid.js> Michael Leibman
<michael.leibman@gmail.com>

MIT slick.rowselectionmodel-2.0.2.js A lightning fast JavaScript grid/spreadsheet <https://github.com/6pac/SlickGrid/blob/2.0.2/MIT-LICENSE.txt> 2010 Copyright 2010 Michael Leibman,
<http://github.com/mleibman/slickgrid>
<https://wiki.github.com/6pac/SlickGrid>
<https://cdnjs.cloudflare.com/ajax/libs/6pac-slickgrid/2.0.2/plugins/slick.rowselectionmodel.js> Michael Leibman
<michael.leibman@gmail.com>

MIT SlickGrid-2.0b1 A lightning fast JavaScript grid/spreadsheet
License File (<https://github.com/6pac/SlickGrid/blob/2.0b1/MIT-LICENSE.txt>) 2010 Copyright 2010 Michael Leibman,

<http://github.com/mleibman/slickgrid>
<https://github.com/6pac/SlickGrid/wiki>
<https://github.com/6pac/SlickGrid/zipball/2.0b1> 6pac

MIT vue.global.prod-3.3.8.min.js Simple, Fast & Composable MVVM for
building interactive interfaces
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/vue/package.js>
on <http://vuejs.org>
<https://cdnjs.cloudflare.com/ajax/libs/vue/3.3.8/vue.global.prod.min.js> Evan You <yyx990803@gmail.com>

Suspected MIT libxslt.dll <http://xmlsoft.org/libxslt/intro.html>
<<END OF SCAP 1.3>>

=====
APPENDIX: Compliance License Details
=====

<<Begin Apache License >>
Version 2.0, January 2004
[http://www.](http://www.apache.org/licenses/)
[Apache.org/licenses/](http://www.apache.org/licenses/)

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use,
reproduction,
and distribution as defined by Sections 1 through 9 of this
document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making
modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright

owner

or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition,

"submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a

Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
<<End Apache License>>

<<Begin Blue Oak Model License>>
Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <<https://blueoakcouncil.org/license/1.0.0>>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

** As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim. **
<<End Blue Oak Model License>>

<<Begin BSD License>>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD License>>

<<Begin BSD 2 License>>

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD 2 License>>

<<Begin BSD 3 License>>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD 3 License>>

<<Begin BSD Zero License >>

License Text:

Copyright (C) 2006 by Rob Landley <rob@landley.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End BSD Zero License >>

<<Begin CC0 License >>

License Text:

Creative Commons CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be

protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or

treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

<<End CC0 License >>

<<Begin CDDL 1.1 License>>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is

granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to

note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any

distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United

States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to

this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange;
or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

<<End CDDL 1.1License>>

<<Begin Common Public License 1.0>>

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS "Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor: i) changes to the Program, and ii) additions to the Program; where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program. "Contributor" means any person or entity that distributes the Program. "Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program. "Program" means the Contributions distributed in accordance with this Agreement. "Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute

the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange. When the Program is made available in source code form: a) it must be made available under this Agreement; and b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program. Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

a) promptly notify the Commercial Contributor in writing of such claim, and

b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense. For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable. If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes

such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed. All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive. Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

<<End Common Public License 1.0>>

<<Begin Eclipse 1.0 License>>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs

(collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by

the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

<<End Eclipse 1.0 License>>

<<Begin ISC License>>

ISC

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End ISC License>>

<<Begin MIT License>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<<End MIT License>>

<<Begin MIT/X11 License>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

<<End MIT License>>

<<Begin Mozilla 2.0>>

Mozilla Public License

Version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by

reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular

Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

<<End Mozilla 2.0>>

<<Begin Node.js License>>

Node.js is licensed for use as follows:

"""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

"""

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

"""

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
"""

The Node.js license applies to all parts of Node.js that are not externally maintained libraries.

For full list of externally maintained libraries see:
<https://raw.githubusercontent.com/nodejs/node/master/LICENSE>

<<End Node.js License>>

<<Begin Python 2.0 License>>
A. HISTORY OF THE SOFTWARE
=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no

2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on

or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS

FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on

or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathemat
ISCh Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that

both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End Python 2.0 License>>

<<Begin Unlicense License>>

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org/>>

<<End Unlicense License>>

<<End of APPENDIX: Compliance License Details>>

<<START OF BigFix Remediate>>

<<Start OF BigFix Insights>>

<<Start Insights Vulnerability Remediation - IVR 2.0.3>>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author	Project		Product

Apache 2.0 coverage-7.3.0-cp311-cp311-win_amd64.whl Code coverage measurement for Python <https://pypi.python.org/pypi/coverage/7.3.0>
<https://github.com/nedbat/coveragepy>
https://files.pythonhosted.org/packages/b1/cb/48d62b864e408bea2608b4ce19balfeba0ffbf5a03640cf024cb3122e895/coverage-7.3.0-cp311-cp311-win_amd64.whl Ned Batchelder and 216 others Release-IVR-2.0.3

Apache 2.0 cryptography-41.0.3-cp37-abi3-win_amd64.whl cryptography is a package which provides cryptographic recipes and primitives to Python developers.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b677c1c5-92af-4187-816f-08c5ab9efe06> Copyright Individual contributors
https://files.pythonhosted.org/packages/30/56/5f4eee57ccd577c261b516bfcbe17492838e2bc4e2e92ea93bbb57666fbd/cryptography-41.0.3-cp37-abi3-win_amd64.whl
https://files.pythonhosted.org/packages/30/56/5f4eee57ccd577c261b516bfcbe17492838e2bc4e2e92ea93bbb57666fbd/cryptography-41.0.3-cp37-abi3-win_amd64.whl Release-IVR-2.0.3

Apache 2.0 packaging-23.1-py3-none-any.whl Core utilities for Python packages
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1266ca2a-79ff-4652-bfef-d70e8966ae7d> Copyright Donald Stufft and individual contributors
<https://files.pythonhosted.org/packages/ab/c3/57f0601a2d4fe15de7a553c00adbc901425661bf048f2a22dfc500caf121/packaging-23.1-py3-none-any.whl>
<https://files.pythonhosted.org/packages/ab/c3/57f0601a2d4fe15de7a553c00adbc901425661bf048f2a22dfc500caf121/packaging-23.1-py3-none-any.whl> Release-IVR-2.0.3

Apache 2.0 python_dateutil-2.8.2-py2.py3-none-any.whl Extensions to the standard Python datetime module
<https://pypi.python.org/pypi/python-dateutil/2.8.2> "2015 Copyright 2015 - Paul Ganssle <paul@ganssle.io>
2017 Copyright 2017 dateutil contributors (see AUTHORS file)
2015 Copyright 2015 - dateutil contributors (see AUTHORS file)
2017 Copyright 2017 Paul Ganssle <paul@ganssle.io>"
<https://github.com/dateutil/dateutil>
https://files.pythonhosted.org/packages/36/7a/87837f39d0296e723bb9b62bbb257d0355c7f6128853c78955f57342a56d/python_dateutil-2.8.2-py2.py3-none-any.whl Gustavo Niemeyer Release-IVR-2.0.3

Apache 2.0 requests-2.31.0-py3-none-any.whl Python HTTP for Humans.
<https://pypi.python.org/pypi/requests/2.31.0>
<https://requests.readthedocs.io>
<https://files.pythonhosted.org/packages/70/8e/0e2d847013cb52cd35b38c009bb167a1a26b2ce6cd6965bf26b47bc0bf44/requests-2.31.0-py3-none-any.whl> Kenneth Reitz Release-IVR-2.0.3

BSD invoke-2.0.0-py3-none-any.whl Pythonic task execution
<https://pypi.python.org/pypi/invoke/2.0.0>
<https://pyinvoke.org>
<https://files.pythonhosted.org/packages/d9/75/3bf3074efac102f49302f>

1c7d5194001321886046ac68d46e8c0d6cc0812/invoke-2.0.0-py3-none-any.whl
Jeff Forcier Release-IVR-2.0.3

BSD 2 lazy_object_proxy-1.9.0-cp311-cp311-win_amd64.whl A fast and
thorough lazy object proxy.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/53c872bb-345b-49c0-85f2-71ab8dac7b7b> 2014-2023 Copyright
2014-2023 Ionel Cristian M <https://github.com/ionelmc/python-lazy-object-proxy>
https://files.pythonhosted.org/packages/8d/6d/10420823a979366bf43ca5e69433c0c588865883566b96b6e3ed5b51c1f8/lazy_object_proxy-1.9.0-cp311-cp311-win_amd64.whl Ionel Cristian Mărieș Release-IVR-2.0.3

BSD 2 mock-5.0.1-py3-none-any.whl Rolling backport of unittest.mock for
all Pythons <https://pypi.python.org/pypi/mock/5.0.1> 2003-2013 Copyright
2003-2013 Michael Foord <http://mock.readthedocs.org/en/latest/>
<https://files.pythonhosted.org/packages/e6/88/8a05e7ad0bb823246b2add3d2e97f990c41c71a40762c8db77a4bd78eedf/mock-5.0.1-py3-none-any.whl>
Testing Cabal Release-IVR-2.0.3

BSD 2 wrapt-1.15.0-cp311-cp311-win_amd64.whl Module for decorators,
wrappers and monkey patching.
<https://pypi.python.org/pypi/wrapt/1.15.0> 2013-2023 Copyright
2013-2023 Graham Dumpleton <https://github.com/GrahamDumpleton/wrapt>
https://files.pythonhosted.org/packages/dd/42/9eedee19435dfc0478cdb8bdc71800aab15a297d1074flaae0d9489adbc3/wrapt-1.15.0-cp311-cp311-win_amd64.whl Graham Dumpleton Release-IVR-2.0.3

BSD 3 dill-0.3.7-py3-none-any.whl serialize all of Python
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/13b2a5d5-e430-4af9-a7ce-6251bf49ff95> "2004-2016 Copyright
2004-2016 California Institute of Technology
2016-2023 Copyright 2016-2023 The Uncertainty Quantification Foundation"
<https://github.com/uqfoundation/dill>
<https://files.pythonhosted.org/packages/f5/3a/74a29b11cf2cdfcd6ba89c0cecd70b37cd1ba7b77978ce611eb7a146a832/dill-0.3.7-py3-none-any.whl> Mike
McKerns Release-IVR-2.0.3

BSD 3 idna-3.4-py3-none-any.whl Internationalized Domain Names in
Applications (IDNA) <https://pypi.python.org/pypi/idna/3.4> 2013-2021
Copyright 2013-2021 Kim Davies
<https://files.pythonhosted.org/packages/fc/34/3030de6f1370931b9dbb4dad48f6ab1015ab1d32447850b9fc94e60097be/idna-3.4-py3-none-any.whl>
<https://files.pythonhosted.org/packages/fc/34/3030de6f1370931b9dbb4dad48f6ab1015ab1d32447850b9fc94e60097be/idna-3.4-py3-none-any.whl>
Release-IVR-2.0.3

BSD 3 lxml-4.9.2-cp311-cp311-win_amd64.whl Powerful and Pythonic XML
processing library combining libxml2/libxslt with the ElementTree API.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ac6ce0c5-4cfa-454e-ae25-06e831205a90> 2004 Copyright 2004
Infrae <https://lxml.de/>
<https://files.pythonhosted.org/packages/9e/86/e1f135e123344e32dd9bf>

cbf420dcc2566fa3894fda78b27f981e26c170d/lxml-4.9.2-cp311-cp311-win_amd64.whl lxml dev team Release-IVR-2.0.3

BSD 3 psutil-5.9.5-cp36-abi3-win_amd64.whl Cross-platform lib for process and system monitoring in Python.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58f0a612-7b63-4178-87f8-a7f4386ac050> 2009 Copyright 2009 Jay Loden, Dave Daeschler, Giampaolo Rodola
<https://github.com/giampaolo/psutil>
https://files.pythonhosted.org/packages/86/f3/23e4e4e7ec7855d506ed928756b04735c246b14d9f778ed7ffaae18d8043/psutil-5.9.5-cp36-abi3-win_amd64.whl Giampaolo Rodola Release-IVR-2.0.3

BSD 3 pycparser-2.21-py2.py3-none-any.whl C parser in Python
<https://pypi.python.org/pypi/pycparser/2.21> "Copyright parser in Python

2008-2020 Copyright 2008-2020 Eli Bendersky"
<https://github.com/eliben/pycparser>
<https://files.pythonhosted.org/packages/62/d5/5f610ebe421e85889f2e55e33b7f9a6795bd982198517d912eb1c76e1a53/pycparser-2.21-py2.py3-none-any.whl> Eli Bendersky Release-IVR-2.0.3

MIT attrs-23.1.0-py3-none-any.whl Classes Without Boilerplate
<https://pypi.python.org/pypi/attrs/23.1.0>
<https://files.pythonhosted.org/packages/f0/eb/fcb708c7bf5056045e9e98f62b93bd7467eb718b0202e7698eb11d66416c/attrs-23.1.0-py3-none-any.whl>
<https://files.pythonhosted.org/packages/f0/eb/fcb708c7bf5056045e9e98f62b93bd7467eb718b0202e7698eb11d66416c/attrs-23.1.0-py3-none-any.whl> Release-IVR-2.0.3

MIT cffi-1.15.1-cp311-cp311-win_amd64.whl Foreign Function Interface for Python calling C code.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a8c8774e-bb39-430a-b6fd-6e024a6b9056> 2018 Armin Rigo, Maciej Fijalkowski <http://cffi.readthedocs.org>
https://files.pythonhosted.org/packages/43/a0/cc7370ef72b6ee586369bacd3961089ab3d94ae712feb07a244f1448ffd/cffi-1.15.1-cp311-cp311-win_amd64.whl Armin Rigo, Maciej Fijalkowski Release-IVR-2.0.3

MIT charset_normalizer-3.2.0-cp311-cp311-win_amd64.whl The Real First Universal Charset Detector. Open, modern and actively maintained alternative to Chardet.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9cdale7c-3a39-4818-93e2-7fd1c6c5ad9a> "Copyright Ahmed TAHRI @Ousret] (<https://github.com/Ousret>)
2019 Copyright 2019 TAHRI Ahmed R"
https://github.com/Ousret/charset_normalizer
https://files.pythonhosted.org/packages/91/6e/db0e545302bf93b6dbbdc496dd192c7f8e8c3bb1584acba069256d8b51d4/charset_normalizer-3.2.0-cp311-cp311-win_amd64.whl Ahmed TAHRI Release-IVR-2.0.3

MIT croniter-1.3.8-py2.py3-none-any.whl croniter provides iteration for datetime object with cron like format
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9cdale7c-3a39-4818-93e2-7fd1c6c5ad9a>

nt/asString/13185352-e3cd-4819-bca1-bb9128572540 2010-2012 Copyright
2010-2012 Matsumoto Taichi <http://github.com/kiorky/croniter>
<https://files.pythonhosted.org/packages/0f/4d/0cc5a7f4bdcefecebf8a95c8372606c13d3355e8536d9cd3e7070e94269/croniter-1.3.8-py2.py3-none-any.whl> Matsumoto Taichi, kiorky Release-IVR-2.0.3

MIT elementpath-4.1.5-py3-none-any.whl XPath 1.0/2.0/3.0/3.1 parsers and
selectors for ElementTree and lxml
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0256a2c7-a20f-489c-9d13-8031319adc1c> 2018-2021 Copyright
(c), 2018-2021, SISSA (Scuola Internazionale Superiore di Studi Avanzati)
<https://github.com/sissaschool/elementpath>
<https://files.pythonhosted.org/packages/eb/4f/fecd0fc5adc5f91a6154189ea7b2192cf62ce7d685a0e9b23737acb31808/elementpath-4.1.5-py3-none-any.whl> Davide Brunato Release-IVR-2.0.3

MIT execnet-2.0.2-py3-none-any.whl execnet: rapid multi-Python
deployment <https://pypi.python.org/pypi/execnet/2.0.2>
<https://files.pythonhosted.org/packages/e8/9c/a079946da30fac4924d92dbc617e5367d454954494cf1e71567bcc4e00ee/execnet-2.0.2-py3-none-any.whl>
<https://files.pythonhosted.org/packages/e8/9c/a079946da30fac4924d92dbc617e5367d454954494cf1e71567bcc4e00ee/execnet-2.0.2-py3-none-any.whl>
holger krekel and others Release-IVR-2.0.3

MIT iniconfig-2.0.0-py3-none-any.whl brain-dead simple config-ini
parsing <https://pypi.python.org/pypi/iniconfig/2.0.0>
<https://files.pythonhosted.org/packages/ef/a6/62565a6e1cf69e10f5727360368e451d4b7f58beeac6173dc9db836a5b46/iniconfig-2.0.0-py3-none-any.whl>
<https://files.pythonhosted.org/packages/ef/a6/62565a6e1cf69e10f5727360368e451d4b7f58beeac6173dc9db836a5b46/iniconfig-2.0.0-py3-none-any.whl>
Release-IVR-2.0.3

MIT isort-5.12.0-py3-none-any.whl A Python utility / library to
sort Python imports.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5f718da0-79fd-4a57-b156-3db27e4866cf> 2013 Copyright 2013
Timothy Edmund Crosley <https://pycqa.github.io/isort/>
<https://files.pythonhosted.org/packages/0a/63/4036ae70eea279c63e2304b91ee0ac182f467f24f86394ecfe726092340b/isort-5.12.0-py3-none-any.whl>
Timothy Crosley Release-IVR-2.0.3

MIT mccabe-0.7.0-py2.py3-none-any.whl McCabe checker, plugin for flake8
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2496c8cf-5ecd-4e66-8c07-625f2cdad9da> "2011-2013 Copyright
2011-2013 Tarek Ziade <tarek@ziade.org>
2013 Copyright 2013 Florent Xicluna <florent.xicluna@gmail.com>
Copyright year> Ned Batchelder" <https://github.com/pycqa/mccabe>
<https://files.pythonhosted.org/packages/27/1a/1f68f9ba0c207934b35b86a8ca3aad8395a3d6dd7921c0686e23853ff5a9/mccabe-0.7.0-py2.py3-none-any.whl>
Tarek Ziade Release-IVR-2.0.3

MIT path-16.6.0-py3-none-any.whl A module wrapper for os.path
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d43225cf-7617-4a21-a506-ccd468671440> Copyright Jason R.

Coombs <https://github.com/jaraco/path>
<https://files.pythonhosted.org/packages/75/e1/9ac8501c24553c18edc7f08d89f8235a8986b2240c167457e95aca46c554/path-16.6.0-py3-none-any.whl>
Jason Orendorff Release-IVR-2.0.3

MIT platformdirs-3.10.0-py3-none-any.whl A small Python package for determining appropriate platform-specific dirs, e.g. a "user data dir".
<https://pypi.python.org/pypi/platformdirs/3.10.0>
<https://files.pythonhosted.org/packages/14/51/fe5a0d6ea589f0d4a1b97824fb518962ad48b27cd346dcdafa2405187997a/platformdirs-3.10.0-py3-none-any.whl>
<https://files.pythonhosted.org/packages/14/51/fe5a0d6ea589f0d4a1b97824fb518962ad48b27cd346dcdafa2405187997a/platformdirs-3.10.0-py3-none-any.whl>
Release-IVR-2.0.3

MIT pluggy-1.3.0-py3-none-any.whl plugin and hook calling mechanisms for python
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c6e13ab9-da5e-42a0-88c2-70d5839658ee> 2015 Copyright 2015 holger krekel (rather uses bitbucket/hpk42) <https://github.com/pytest-dev/pluggy>
<https://files.pythonhosted.org/packages/05/b8/42ed91898d4784546c5f06c60506400548db3f7a4b3fb441cba4e5c17952/pluggy-1.3.0-py3-none-any.whl>
Holger Krekel Release-IVR-2.0.3

MIT pyodbc-4.0.35-cp311-cp311-win_amd64.whl DB API Module for ODBC
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a131bde6-ffd9-478e-957f-c0694825328f>
<https://github.com/mkleehammer/pyodbc>
https://files.pythonhosted.org/packages/53/86/1b32902c050471ed1275233eeec38a736a442dde28339611173d0ff91d59/pyodbc-4.0.35-cp311-cp311-win_amd64.whl
Michael Kleehammer Release-IVR-2.0.3

MIT setuptools-67.6.0-py3-none-any.whl Easily download, build, install, upgrade, and uninstall Python packages
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/194c861f-bc39-4075-9e5d-dc68cdabead0> Copyright Jason R. Coombs <https://github.com/pypa/setuptools>
<https://files.pythonhosted.org/packages/c3/9e/8a7ba2c9984a060daa6c6f9fff4d576b7ace3936239d6b771541eab972ed/setuptools-67.6.0-py3-none-any.whl>
Python Packaging Authority Release-IVR-2.0.3

MIT six-1.16.0-py2.py3-none-any.whl Python 2 and 3 compatibility utilities
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1e4fae25-0b89-49b1-b539-958f6cc8ae86> 2010-2020 Copyright 2010-2020 Benjamin Peterson <https://github.com/benjaminp/six>
<https://files.pythonhosted.org/packages/d9/5a/e7c31adbe875f2abbb91bd84cf2dc52d792b5a01506781dbcf25c91daf11/six-1.16.0-py2.py3-none-any.whl>
Benjamin Peterson Release-IVR-2.0.3

MIT testfixtures-7.1.0-py3-none-any.whl A collection of helpers and mock objects for unit tests and doc tests.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1e4fae25-0b89-49b1-b539-958f6cc8ae86>

nt/asString/2cac1e07-c8af-4b34-b319-1db6ea8b93ed "2008-2015 Copyright
2008-2015 Simplistix Ltd
2015 Copyright 2015 onwards Chris Withers"
https://github.com/Simplistix/testfixtures
https://files.pythonhosted.org/packages/d4/09/e216aa84344a5722c0fe9
dd4f6d0595bc71cb22b03500f0ae4fcc5c37455/testfixtures-7.1.0-py3-none-
any.whl Chris Withers Release-IVR-2.0.3

MIT urllib3-2.0.4-py3-none-any.whl HTTP library with thread-safe
connection pooling, file post, and more.
https://pypi.python.org/pypi/urllib3/2.0.4
https://files.pythonhosted.org/packages/9b/81/62fd61001fa4b9d0df6e3
1d47ff49cfa9de4af03adecf339c7bc30656b37/urllib3-2.0.4-py3-none-any.whl
https://files.pythonhosted.org/packages/9b/81/62fd61001fa4b9d0df6e3
1d47ff49cfa9de4af03adecf339c7bc30656b37/urllib3-2.0.4-py3-none-any.whl
Release-IVR-2.0.3

MIT wheel-0.40.0-py3-none-any.whl A built-package format for Python
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/dc588b22-9e14-4cf3-a443-eee4bcaaf008 2012 Copyright 2012
Daniel Holth <dholt@fastmail.fm> and contributors
https://files.pythonhosted.org/packages/61/86/cc8d1ff2ca31a312a25a7
08c891cf9facbad4eae493b3872638db6785eb5/wheel-0.40.0-py3-none-any.whl
https://files.pythonhosted.org/packages/61/86/cc8d1ff2ca31a312a25a7
08c891cf9facbad4eae493b3872638db6785eb5/wheel-0.40.0-py3-none-any.whl
Release-IVR-2.0.3

MIT xmlschema-2.4.0-py3-none-any.whl An XML Schema validator and
decoder
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/b8b23ad0-e4b8-4d6a-81aa-d1713906e692 2016-2022 Copyright
(c), 2016-2022, SISSA (Scuola Internazionale Superiore di Studi Avanzati)
https://github.com/sissaschool/xmlschema
https://files.pythonhosted.org/packages/28/19/17c655f3e7854e74003a2
25d0ada2c14944e08cf65bbdba9256b53ec77c7/xmlschema-2.4.0-py3-none-any.whl
Davide Brunato Release-IVR-2.0.3

Mozilla 2.0 certifi-2023.7.22-py3-none-any.whl Python package for
providing Mozilla's CA Bundle.
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/91974409-2113-46cb-8cc4-4df90b40b5c0
https://github.com/certifi/python-certifi
https://files.pythonhosted.org/packages/4c/dd/2234eab22353ffc7d94e8
d13177aaa050113286e93e7b40eae01fbf7c3d9/certifi-2023.7.22-py3-none-
any.whl Kenneth Reitz Release-IVR-2.0.3

Python 2.0 defusedxml-0.7.1-py2.py3-none-any.whl XML bomb protection
for Python stdlib modules
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/7c227342-3406-4106-a7f8-9dea659098f6 "2002-2008 Copyright
2002-2008 ,
2013-2017 Copyright 2013-2017 by Christian Heimes <christian@python.org>"
https://github.com/tiran/defusedxml
https://files.pythonhosted.org/packages/07/6c/aa3f2f849e01cb6a001cd

8554a88d4c77c5c1a31c95bdf1cf9301e6d9ef4/defusedxml-0.7.1-py2.py3-none-any.whl Christian Heimes Release-IVR-2.0.3

Python 2.0 pywin32-305-cp311-cp311-win_amd64.whl Python for Window
Extensions <https://pypi.python.org/pypi/pywin32/305> "2002-2003
Copyright 2002-2003 by Blackdog Software Pty Ltd
1996-2008 Copyright 1996-2008 Greg Stein and Mark Hammond
1994-2008 Copyright 1994-2008 Mark Hammond"
<https://github.com/mhammond/pywin32>
https://files.pythonhosted.org/packages/22/da/344b3df042f42d9d775ae2030276b2992adab519c6d682393ddf356775f3/pywin32-305-cp311-cp311-win_amd64.whl Mark Hammond (et al) Release-IVR-2.0.3

<<End Insights Vulnerability Remediation - IVR 2.0.3>>

<<Start CyberFocus 1.4 >>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

MIT	bootstrap.bundle-5.2.0.min.js	The most popular front-end framework for developing responsive, mobile first projects on the web.			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7b8bebec-c0d3-46b2-8537-8ad969951664		"2011-2022	Copyright	
		2011-2022 ode and documentation copyright 2011-2022	Copyright	2011-2022	
		Copyright 2011-2022 Copyright 2011-2022 Twitter, Inc	Copyright	2011-2022	
		Copyright 2011-2022 The Bootstrap Authors"	http://getbootstrap.com/		
	https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.2.0/js/bootstrap.bundle.min.js				

MIT	buttons.colVis-2.2.1.min.js	Buttons for DataTables			
	https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables.net-buttons/package.json				
	https://datatables.net				
	https://cdnjs.cloudflare.com/ajax/libs/datatables.net-buttons/2.2.1/js/buttons.colVis.min.js				

MIT	buttons.html5-2.2.3.min.js	Buttons for DataTables			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cbb241c1-a85f-426b-a669-4f9bd9486004		"2016	Copyright	2016
		Eli Grey - http://eligrey.com Copyright SpryMedia Limited and other contributors"	https://datatables.net		
	https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.2.3/js/buttons.html5.min.js				

MIT	buttons.print-2.0.0.min.js	Buttons for DataTables			
	https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables-buttons/package.json				
	https://datatables.net				
	https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.0.0/js/buttons.print.min.js				

MIT	chart-3.9.1.min.js	Simple HTML5 charts using the canvas element.			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/440bfa7e-b4c5-4993-8f42-e85703a2d875		"2022	Copyright	2022

Jukka Kurkela 2014-2022 Copyright 2014-2022 Chart.js Contributors 2022
Copyright 2022 Chart.js Contributors" <http://www.chartjs.org>
<https://cdnjs.cloudflare.com/ajax/libs/Chart.js/3.9.1/chart.min.js>

MIT chartjs-plugin-annotation-2.0.1.min.js Annotations for Chart.js
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/chartjs-plugin-annotation/package.json> 2022 Copyright 2022 chartjs-plugin-annotation Contributors
<https://cdnjs.cloudflare.com/ajax/libs/chartjs-plugin-annotation/2.0.1/chartjs-plugin-annotation.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/chartjs-plugin-annotation/2.0.1/chartjs-plugin-annotation.min.js>

MIT chartjs-plugin-zoom-1.2.1.min.js Simple HTML5 charts using the canvas element.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d44b2eaa-93fc-4813-8dc6-b1c44f5c3503> "2013-2021 Copyright 2013-2021 chartjs 2016-2022 Copyright 2016-2022 chartjs"
<https://cdnjs.cloudflare.com/ajax/libs/chartjs-plugin-zoom/1.2.1/chartjs-plugin-zoom.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/chartjs-plugin-zoom/1.2.1/chartjs-plugin-zoom.min.js>

MIT DataTables-1.10.4Tables plug-in for jQuery License File
(<https://github.com/DataTables/DataTables/blob/1.10.4/license.txt>)
2008-2013 Copyright 2008-2013 SpryMedia Limited
<http://www.datatables.net/>
<https://github.com/DataTables/DataTables/zipball/1.10.4> DataTables

MIT DataTables.buttons-2.2.3.min.js Buttons for DataTables
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a9262086-75d5-47b0-90a2-e5258ee3ddbb> Copyright SpryMedia Limited and other contributors <https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables-buttons/2.2.3/js/dataTables.buttons.min.js>

MIT DataTables.fixedColumns-4.1.0.min.js FixedColumns for DataTables
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables.net-fixedcolumns/package.json> <https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables.net-fixedcolumns/4.1.0/dataTables.fixedColumns.min.js>

MIT DataTables.fixedHeader-3.2.3.min.js The FixedHeader plug-in will freeze in place the header, footer and left and/or right most columns in a DataTable, ensuring that title information will remain always visible.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/70706737-d490-4c1f-aed4-5b46b3c915aa> 2009-2015 Copyright 2009-2015 SpryMedia Limited <https://datatables.net>
<https://cdnjs.cloudflare.com/ajax/libs/datatables-fixedheader/3.2.3/dataTables.fixedHeader.min.js>

MIT feather-4.28.0.min.js Simply beautiful open source icons
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b181c5a4-39e2-41da-ae7a-874505d0df29> 2016 Copyright 2016
Jed Watson <https://feathericons.com/>
[https://cdnjs.cloudflare.com/ajax/libs/feather-
icons/4.28.0/feather.min.js](https://cdnjs.cloudflare.com/ajax/libs/feather-icons/4.28.0/feather.min.js)

MIT FileSaver-2.0.5.min.js An HTML5 saveAs() FileSaver implementation.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/FileSaver.js/p
ackage.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/FileSaver.js/package.json) <https://github.com/eligrey/FileSaver.js/>
[https://cdnjs.cloudflare.com/ajax/libs/FileSaver.js/2.0.5/FileSaver
.min.js](https://cdnjs.cloudflare.com/ajax/libs/FileSaver.js/2.0.5/FileSaver.min.js)

MIT hammer-2.0.8.min.js A javascript library for multi-touch
gestures
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/5b5a37e6-7bee-4824-981f-d8b16c137a70](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5b5a37e6-7bee-4824-981f-d8b16c137a70) 2016 Copyright 2016
Jorik Tangelder; <http://eightmedia.github.com/hammer.js/>
[https://cdnjs.cloudflare.com/ajax/libs/hammer.js/2.0.8/hammer.min.j
s](https://cdnjs.cloudflare.com/ajax/libs/hammer.js/2.0.8/hammer.min.js)

MIT jquery-3.6.1.slim.min.js JavaScript library for DOM operations
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package
.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json) <http://jquery.com/>
[https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.1/jquery.slim.min
.js](https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.1/jquery.slim.min.js)

MIT jquery.dataTables-1.12.0.min.js DataTables for jQuery
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables.net
/package.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/datatables.net/package.json) <https://datatables.net>
[https://cdnjs.cloudflare.com/ajax/libs/datatables.net/1.12.0/jquery
.dataTables.min.js](https://cdnjs.cloudflare.com/ajax/libs/datatables.net/1.12.0/jquery.dataTables.min.js)

MIT jszip-3.10.1.min.js Create, read and edit .zip files with
Javascript <http://stuartk.com/jszip>
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/3752265f-8ac2-4a27-9596-1d581da12912](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3752265f-8ac2-4a27-9596-1d581da12912) 2009-2016 Copyright
2009-2016 Stuart Knightley <[stuart](http://stuk.github.io/jszip/)<http://stuk.github.io/jszip/>
<https://cdnjs.cloudflare.com/ajax/libs/jszip/3.10.1/jszip.min.js>

MIT lodash-4.17.21.min.js A utility library delivering consistency,
customization, performance, & extras.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/lodash.js/pack
age.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/lodash.js/package.json) "Copyright Jeremy Ashkenas, DocumentCloud and Investigative
Reporters & Editors Copyright OpenJS Foundation and other contributors
<<https://openjsf.org/>>" <http://lodash.com/>
[https://cdnjs.cloudflare.com/ajax/libs/lodash.js/4.17.21/lodash.min
.js](https://cdnjs.cloudflare.com/ajax/libs/lodash.js/4.17.21/lodash.min.js)

MIT moment-2.29.4.min.js Parse, validate, manipulate, and display
dates
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/moment.js/pack
age.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/moment.js/package.json) Copyright JS Foundation and other contributors

<http://momentjs.com/>
<https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.29.4/moment.min.js>

MIT react-dom.production-18.2.0.min.js The entry point of the DOM-related rendering paths. It is intended to be paired with the isomorphic React, which is shipped as react to npm.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4302ffe8-6e3e-4eab-80ac-f2c0b9c3917f> Copyright Facebook, Inc. and its affiliates <https://facebook.github.io/react/>
<https://cdnjs.cloudflare.com/ajax/libs/react-dom/18.2.0/umd/react-dom.production.min.js>

MIT react.production-18.2.0.min.js React is a JavaScript library for building user interfaces.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e3bfc613-1c30-4013-9d3a-c48c25db0e49> Copyright Facebook, Inc. and its affiliates <https://facebook.github.io/react/>
<https://cdnjs.cloudflare.com/ajax/libs/react/18.2.0/umd/react.production.min.js>
<< End CyberFocus 1.4 >>

<< Start ServiceNow DataFlows 1.5 >>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0	numpy-1.26.3-cp311-cp311-win_amd64.whl	Fundamental package for array computing in Python			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7aab6b53-b31d-4cf1-854b-3e2a4514b8db	"2000-2013 Copyright 2000-2013 The University of California Berkeley 2006-2013 Copyright 2006-2013 The University of Colorado Denver 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2023 Copyright 2005-2023 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"			
	https://numpy.org				
	https://files.pythonhosted.org/packages/99/2b/f7114983d84303019385d93d24d729aedba67be7e083286f114188943cf3/numpy-1.26.3-cp311-cp311-win_amd64.whl	Travis E. Oliphant et al.			

Apache 2.0	packaging-24.2-py3-none-any.whl	Core utilities for Python packages			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9652bb7e-2e2a-45e6-92b2-47de1041d82f	Copyright Donald Stufft and individual contributors			

<https://files.pythonhosted.org/packages/88/ef/eb23f262cca3c0c4eb7ab1933c3b1f03d021f2c48f54763065b6f0e321be/packaging-24.2-py3-none-any.whl>

<https://files.pythonhosted.org/packages/88/ef/eb23f262cca3c0c4eb7ab1933c3b1f03d021f2c48f54763065b6f0e321be/packaging-24.2-py3-none-any.whl>

Apache 2.0	pyarrow-16.1.0-cp310-cp310-macosx_10_15_x86_64.whl	Python library for Apache Arrow			
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9652bb7e-2e2a-45e6-92b2-47de1041d82f				

nt/asString/b6608f2e-4c74-44da-affd-69e8a1e1fa7d "2006-2019 Copyright
2006-2019 The Apache Software Foundation 2007-2012 Copyright 2007-2012
Mozilla Foundation 2015 Copyright 2015 THL A29 Limited, a Tencent
company, and Milo Yip 2009 Copyright 2009 Homebrew contributors 2008
Copyright 2008 Google Inc 2014 Copyright 2014 gRPC authors 2015 Copyright
2015 Dato, Inc 2016 Copyright 2016 The Apache Software Foundation 2011-
2012 Copyright 2011-2012 Lambda Foundry, Inc 2014 Copyright 2014 Hewlett-
Packard Development Company, L.P
2011-2016 Copyright 2011-2016 Yann Collet 2016-2024 Copyright 2016-2024
The Apache Software Foundation 2005-2020 Copyright 2005-2020 Rich Felker
2013-2019 Copyright: Copyright (c) 2013 - 2019, Ð Ð»ÐµÐ°Ñ ÐµÐ¹ and Jeroen
Ooms. 2017 Copyright 2017 Asylo authors 2012-2014 Copyright 2012-2014
Copyright 2015 Copyright 2015 The TensorFlow Authors 2000-2019 Copyright
2000-2019 Copyright 2004-2017 Copyright 2004-2017 Ren 2008-2011 Copyright
2008-2011 AQR Capital Management 2015 Copyright 2015 Cloudera, Inc 2013
Copyright 2013 The Chromium Authors 2006-2013 Copyright 2006-2013
Alexander Chemeris 2017 Copyright 2017 Florian Dang 2013-2019 Copyright
2013-2019 The Apache Software Foundation 2012-2014 Copyright 2012-2014
Yann Collet 2017 Copyright 2017 Jeroen Ooms and Jim Hester 2016 Copyright
2016 Ray Project (<https://github.com/ray-project/ray>) 2019 Copyright 2019
RStudio, Inc 2016 Copyright 2016 Giles Hall 2007 Copyright 2007 The Guava
Authors 2001-2009 Copyright 2001-2009 Copyright 2009-2016 Copyright 2009-
2016 by the Brotli Authors 1998 Copyright 1998 by the Massachusetts
Institute of Technology 2007 Copyright 2007 Sebastian Pipping
<sebastian@pipping.org> 2015 Copyright 2015 Microsoft Corporation 2002-
2017 Copyright 2002-2017 Jason Evans <jasone@canonware.com> 2017
Copyright 2017 Paul Thompson 2016 Copyright 2016 Facebook, Inc 2011
Copyright 2011 Google Inc 1995-1998 Copyright 1995-1998 Eric Young 2003-
2008 Copyright 2003-2008 Jouni Malinen <j@w1.fi> and contributors 2016
Copyright 2016 manylinux 2005-2017 Copyright 2005-2017 NumPy Developers
2006 Copyright 2006 Google Inc 1998-2019 Copyright 1998-2019 The OpenSSL
Project 2006-2011 Copyright 2006-2011 the V8 project authors 2007-2018
Copyright 2007-2018 Daniel Stenberg with many contributors 2011 Copyright
2011 Dynamic NDArray Developers 2017-2018 Copyright 2017-2018 Dremio
Corporation 2007 Copyright 2007 Weijia Song <songweijia@gmail.com> 2015-
2018 Copyright 2015-2018 conda-forge 2019 Copyright 2019 Omer Ozarslan
2016 Copyright 2016 Adrian Colomitchi 2011 Copyright 2011 The LevelDB
Authors 1995-2017 Copyright 1995-2017 Jean-loup Gailly and Mark Adler
2018 Copyright 2018 Tomasz KamiÅski 2014 Copyright 2014 Google Inc 2006-
2018 Copyright 2006-2018 Nemanja Trifunovic 2009 Copyright 2009 The RE2
Authors 2009 Copyright 2009 The Go Authors 2009 Copyright 2009 Google Inc
2009-2017 Copyright 2009-2017 Facebook, Inc 2009-2013 Copyright 2009-2013
by the mingw-w64 project 2019 Copyright 2019 Cristian Adam 2013 Copyright
2013 Daniel Lemire 3986 Copyright 3986 URI parsing library 2009 Copyright
2009 Carnegie Mellon University 2008-2009 Copyright 2008-2009 Bjoern
Hoehrmann <bjoern@hoehrmann.de> 2016 Copyright 2016 Cloudera Inc 2015-
2017 Copyright 2015-2017 Howard Hinnant 2013-2016 Copyright 2013-2016
Matt Terry and Matthew Brett 2013 Copyright 2013 Steinar H 2012 Copyright
2012 Cloudera, Inc" <https://arrow.apache.org/>
https://files.pythonhosted.org/packages/e0/84/8a80b9ed7f595073ee920c2eafaecaeda4b8adffee8dcb88275fce4609d8/pyarrow-16.1.0-cp310-cp310-macosx_10_15_x86_64.whl Apache Arrow Developers

Apache 2.0 python_dateutil-2.8.2-py2.py3-none-any.whl Extensions to the standard Python datetime module

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/370ecabb-e6cb-41fd-8fa4-a2f8742243d8> "2015 Copyright 2015 Paul Ganssle <paul@ganssle.io> 2017 Copyright 2017 dateutil contributors (see AUTHORS file) 2015 Copyright 2015 dateutil contributors (see AUTHORS file) 2012-2014 Copyright 2012-2014 Tomi Pievil 2003-2011 Copyright 2003-2011 Gustavo Niemeyer <gustavo@niemeyer.net> 2014-2016 Copyright 2014-2016 Yaron de Leeuw <me@jarondl.net> 2017 Copyright 2017 Paul Ganssle <paul@ganssle.io>" <https://github.com/dateutil/dateutil>

https://files.pythonhosted.org/packages/36/7a/87837f39d0296e723bb9b62bbb257d0355c7f6128853c78955f57342a56d/python_dateutil-2.8.2-py2.py3-none-any.whl Gustavo Niemeyer

Apache 2.0 requests-2.32.2-py3-none-any.whl Python HTTP for Humans.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e3982a7-6a9a-45a8-86ca-c937ba541a57>
<https://requests.readthedocs.io>

<https://files.pythonhosted.org/packages/c3/20/748e38b466e0819491f0ce6e90ebe4184966ee304fe483e2c414b0f4ef07/requests-2.32.2-py3-none-any.whl>
Kenneth Reitz

BSD idna-3.10-py3-none-any.whl Internationalized Domain Names in Applications (IDNA)

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/59215f30-f0f4-44b4-bf80-2d3eb7410cf5> 2013-2024 Copyright 2013-2024 Kim Davies and contributors

<https://files.pythonhosted.org/packages/76/c6/c88e154df9c4e1a2a66ccf0005a88dfb2650c1dffb6f5ce603dfbd452ce3/idna-3.10-py3-none-any.whl>

<https://files.pythonhosted.org/packages/76/c6/c88e154df9c4e1a2a66ccf0005a88dfb2650c1dffb6f5ce603dfbd452ce3/idna-3.10-py3-none-any.whl>

BSD pandas-2.2.2-cp311-cp311-win_amd64.whl Powerful data structures for data analysis, time series, and statistics

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9d2b4144-22d6-4237-a156-e2e4ef2f595e> "2011-2023 Copyright 2011-2023 Open source contributors 2008-2011 Copyright 2008-2011 AQR Capital Management" <https://pandas.pydata.org>

https://files.pythonhosted.org/packages/ab/63/966db1321a0ad55df1d1fe51505d2cdae191b84c907974873817b0a6e849/pandas-2.2.2-cp311-cp311-win_amd64.whl

BSD psutil-5.9.4-cp36-abi3-win_amd64.whl Cross-platform lib for process and system monitoring in Python.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/863b9c66-e63e-4cbc-b583-02f76a2881c5> 2009 Copyright 2009 Jay Loden, Dave Daeschler, Giampaolo Rodola'

<https://github.com/giampaolo/psutil>

https://files.pythonhosted.org/packages/25/6e/ba97809175c90cbdc33b470e466ebf0854d15d1506e605cc0ddd284d5b6/psutil-5.9.4-cp36-abi3-win_amd64.whl Giampaolo Rodola

BSD python_certifi_win32-1.6-py2.py3-none-any.whl Add windows certificate store to certifi cacerts.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/78a7ea42-05b9-4405-bae5-225cd2a0cd04> 2017 Copyright 2017 Andrew Leech <https://gitlab.com/alelec/python-certifi-win32>
https://files.pythonhosted.org/packages/c1/43/916ef701ae481e04ed87af26fd54fa3906d44239f32d7f43be2fcbf54896/python_certifi_win32-1.6-py2.py3-none-any.whl Andrew Leech

BSD wrapt-1.17.2-cp311-cp311-win_amd64.whl Module for decorators, wrappers and monkey patching.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58b0c8a4-d16a-4b40-bcb4-7510f81e61ca> 2013-2023 Copyright 2013-2023 Graham Dumpleton <https://github.com/GrahamDumpleton/wrapt>
https://files.pythonhosted.org/packages/47/f8/fb1773491a253cbc123c5d5dc15c86041f746ed30416535f2a8df1f4a392/wrapt-1.17.2-cp311-cp311-win_amd64.whl Graham Dumpleton

BSD 2 packaging-24.2-py3-none-any.whl Core utilities for Python packages
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/69f7e5bd-579d-4544-860c-3a1755886d80> Copyright Donald Stufft and individual contributors
<https://files.pythonhosted.org/packages/88/ef/eb23f262cca3c0c4eb7ab1933c3b1f03d021f2c48f54763065b6f0e321be/packaging-24.2-py3-none-any.whl>
<https://files.pythonhosted.org/packages/88/ef/eb23f262cca3c0c4eb7ab1933c3b1f03d021f2c48f54763065b6f0e321be/packaging-24.2-py3-none-any.whl>

BSD 2 python_certifi_win32-1.6-py2.py3-none-any.whl Add windows certificate store to certifi cacerts.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b3e0d9f1-c8fb-43c5-be7d-6d51fe191907> 2017 Copyright 2017 Andrew Leech <https://gitlab.com/alelec/python-certifi-win32>
https://files.pythonhosted.org/packages/c1/43/916ef701ae481e04ed87af26fd54fa3906d44239f32d7f43be2fcbf54896/python_certifi_win32-1.6-py2.py3-none-any.whl Andrew Leech

BSD 2 wrapt-1.17.2-cp311-cp311-win_amd64.whl Module for decorators, wrappers and monkey patching.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d2b41466-162c-4f83-a8ad-542563d0d0f7> 2013-2023 Copyright 2013-2023 Graham Dumpleton <https://github.com/GrahamDumpleton/wrapt>
https://files.pythonhosted.org/packages/47/f8/fb1773491a253cbc123c5d5dc15c86041f746ed30416535f2a8df1f4a392/wrapt-1.17.2-cp311-cp311-win_amd64.whl Graham Dumpleton

BSD 3 idna-3.10-py3-none-any.whl Internationalized Domain Names in Applications (IDNA)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a4260b2b-0a94-4abe-81d1-6e3ed270d0c3> 2013-2024 Copyright 2013-2024 Kim Davies and contributors
<https://files.pythonhosted.org/packages/76/c6/c88e154df9c4e1a2a66ccf0005a88dfb2650c1dffb6f5ce603dfbd452ce3/idna-3.10-py3-none-any.whl>

<https://files.pythonhosted.org/packages/76/c6/c88e154df9c4e1a2a66ccf0005a88dfb2650c1dffb6f5ce603dfbd452ce3/idna-3.10-py3-none-any.whl>

BSD 3 lxml-4.9.3-cp311-cp311-win_amd64.whl Powerful and Pythonic XML processing library combining libxml2/libxslt with the ElementTree API.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1609446d-e4e7-4e11-943a-bb4f2320410c> 2004 Copyright 2004 Infrae <https://lxml.de/>

https://files.pythonhosted.org/packages/31/58/e3b3dd6bb2ab7404f1f4992e2d0e6926ed40cef8ce1b3bbefd95877499e1/lxml-4.9.3-cp311-cp311-win_amd64.whl lxml dev team

BSD 3 numpy-1.26.3-cp311-cp311-win_amd64.whl Fundamental package for array computing in Python

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4723573b-252d-4a59-aaaa-4ff816f2ee7c> "2000-2013 Copyright 2000-2013 The University of California Berkeley 2006-2013 Copyright 2006-2013 The University of Colorado Denver 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2023 Copyright 2005-2023 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"

<https://numpy.org>

https://files.pythonhosted.org/packages/99/2b/f7114983d84303019385d93d24d729aedba67be7e083286f114188943cf3/numpy-1.26.3-cp311-cp311-win_amd64.whl Travis E. Oliphant et al.

BSD 3 pandas-2.2.2-cp311-cp311-win_amd64.whl Powerful data structures for data analysis, time series, and statistics

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9d2b4144-22d6-4237-a156-e2e4ef2f595e> "2011-2023 Copyright 2011-2023 Open source contributors 2008-2011 Copyright 2008-2011 AQR Capital Management" <https://pandas.pydata.org>

https://files.pythonhosted.org/packages/ab/63/966db1321a0ad55df1d1fe51505d2cdae191b84c907974873817b0a6e849/pandas-2.2.2-cp311-cp311-win_amd64.whl

BSD 3 psutil-5.9.4-cp36-abi3-win_amd64.whl Cross-platform lib for process and system monitoring in Python.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/624d3a87-5d91-49f4-8950-10a3ff76d0d6> 2009 Copyright 2009 Jay Loden, Dave Daeschler, Giampaolo Rodola'

<https://github.com/giampaolo/psutil>

https://files.pythonhosted.org/packages/25/6e/ba97809175c90cbdc33b470e466ebf0854d15d1506e605cc0ddd284d5b6/psutil-5.9.4-cp36-abi3-win_amd64.whl Giampaolo Rodola

BSD 3 python_dateutil-2.9.0.post0-py2.py3-none-any.whl Extensions to the standard Python datetime module

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40ccd263-6f72-42f5-8d1b-c5f5368766b3> "2015 Copyright 2015 Paul Ganssle <paul@ganssle.io> 2017 Copyright 2017 dateutil contributors (see AUTHORS file) 2015 Copyright 2015 dateutil contributors (see AUTHORS file) 2012-2014 Copyright 2012-2014 Tomi Pievil 2014-2016 Copyright 2014-2016 Yaron de Leeuw <me@jarondl.net> 2017 Copyright 2017 Paul Ganssle <paul@ganssle.io> 2003-2011 Copyright 2003-2011 Gustavo Niemeyer <gustavo@niemeyer.net>" <https://github.com/dateutil/dateutil>

https://files.pythonhosted.org/packages/ec/57/56b9bcc3c9c6a792fcbaf139543cee77261f3651ca9da0c93f5c1221264b/python_dateutil-2.9.0.post0-py2.py3-none-any.whl Gustavo Niemeyer

BSD 3 Attribution numpy-2.2.2-cp311-cp311-win_amd64.whl Fundamental package for array computing in Python

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fe023548-a371-4221-80fd-31ef8330a83a> "2006-2013 Copyright 2006-2013 The University of Colorado Denver 2000-2013 Copyright 2000-2013 The University of California Berkeley 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2024 Copyright 2005-2024 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"

https://files.pythonhosted.org/packages/66/a3/4139296b481ae7304a43581046b8f0a20da6a0dfe0ee47a044cade796603/numpy-2.2.2-cp311-cp311-win_amd64.whl

https://files.pythonhosted.org/packages/66/a3/4139296b481ae7304a43581046b8f0a20da6a0dfe0ee47a044cade796603/numpy-2.2.2-cp311-cp311-win_amd64.whl Travis E. Oliphant et al.

Fair numpy-2.2.2-cp311-cp311-win_amd64.whl Fundamental package for array computing in Python "2006-2013 Copyright 2006-2013 The University of Colorado Denver 2000-2013 Copyright 2000-2013 The University of California Berkeley 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2024 Copyright 2005-2024 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"

https://files.pythonhosted.org/packages/66/a3/4139296b481ae7304a43581046b8f0a20da6a0dfe0ee47a044cade796603/numpy-2.2.2-cp311-cp311-win_amd64.whl

https://files.pythonhosted.org/packages/66/a3/4139296b481ae7304a43581046b8f0a20da6a0dfe0ee47a044cade796603/numpy-2.2.2-cp311-cp311-win_amd64.whl Travis E. Oliphant et al.

MIT charset_normalizer-3.4.1-cp311-cp311-win_amd64.whl The Real First Universal Charset Detector. Open, modern and actively maintained alternative to Chardet.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4f6443c2-50d0-4015-8f9e-d0e648d9ec40> "Copyright Ahmed TAHRI @Ousret] (<https://github.com/Ousret>) 2025 Copyright 2025 TAHRI Ahmed R"

https://files.pythonhosted.org/packages/1e/ab/45b180e175de4402dcf7547e4fb617283bae54ce35c27930a6f35b6bef15/charset_normalizer-3.4.1-cp311-cp311-win_amd64.whl

https://files.pythonhosted.org/packages/1e/ab/45b180e175de4402dcf7547e4fb617283bae54ce35c27930a6f35b6bef15/charset_normalizer-3.4.1-cp311-cp311-win_amd64.whl

MIT croniter-1.3.8-py2.py3-none-any.whl croniter provides iteration for datetime object with cron like format

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7c26f536-8ce0-4c06-a2f2-030fc27842da> 2010-2012 Copyright 2010-2012 Matsumoto Taichi <http://github.com/kiorky/croniter>

<https://files.pythonhosted.org/packages/0f/4d/0cc5a7f4bdcefecebf8a>

95c8372606c13d3355e8536d9cd3e7070e94269/croniter-1.3.8-py2.py3-none-any.whl Matsumoto Taichi, kiorky

MIT elementpath-4.7.0-py3-none-any.whl XPath 1.0/2.0/3.0/3.1 parsers and selectors for ElementTree and lxml
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/020589d4-2f9e-4578-87e0-9aba640c9887> 2018-2021 Copyright (c), 2018-2021, SISSA (Scuola Internazionale Superiore di Studi Avanzati)
 <https://github.com/sissaschool/elementpath>
 <https://files.pythonhosted.org/packages/b8/eb/c4fac84745a84d3bc0fd481cf8c204f60bce367a19d8f9182a195ed6d42a/elementpath-4.7.0-py3-none-any.whl> Davide Brunato

MIT numpy-1.26.3-cp311-cp311-win_amd64.whl Fundamental package for array computing in Python
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4723573b-252d-4a59-aaaa-4ff816f2ee7c> "2000-2013 Copyright 2000-2013 The University of California Berkeley 2006-2013 Copyright 2006-2013 The University of Colorado Denver 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2023 Copyright 2005-2023 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"
 <https://numpy.org>
 https://files.pythonhosted.org/packages/99/2b/f7114983d84303019385d93d24d729aedba67be7e083286f114188943cf3/numpy-1.26.3-cp311-cp311-win_amd64.whl Travis E. Oliphant et al.

MIT numpy-2.2.2-cp311-cp311-win_amd64.whl Fundamental package for array computing in Python "2006-2013 Copyright 2006-2013 The University of Colorado Denver 2000-2013 Copyright 2000-2013 The University of California Berkeley 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2024 Copyright 2005-2024 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"
 https://files.pythonhosted.org/packages/66/a3/4139296b481ae7304a43581046b8f0a20da6a0dfe0ee47a044cade796603/numpy-2.2.2-cp311-cp311-win_amd64.whl
 https://files.pythonhosted.org/packages/66/a3/4139296b481ae7304a43581046b8f0a20da6a0dfe0ee47a044cade796603/numpy-2.2.2-cp311-cp311-win_amd64.whl Travis E. Oliphant et al.

MIT pyodbc-4.0.35-cp311-cp311-win_amd64.whl DB API module for ODBC
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bfe962f6-de49-4337-858c-7c009721e559>
 <https://github.com/mkleehammer/pyodbc>
 https://files.pythonhosted.org/packages/53/86/1b32902c050471ed1275233eeec38a736a442dde28339611173d0ff91d59/pyodbc-4.0.35-cp311-cp311-win_amd64.whl Michael Kleehammer

MIT pytz-2025.1-py2.py3-none-any.whl World timezone definitions, modern and historical
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/74fe9030-bccc-4f44-9e46-cb2275dcb132> 2003-2019 Copyright 2003-2019 Stuart Bishop <stuart@stuartbishop.net>
 <http://pythonhosted.org/pytz>
 <https://files.pythonhosted.org/packages/eb/38/ac33370d784287baa1c3d>

538978b5e2ea064d4c1b93ffbd12826c190dd10/pytz-2025.1-py2.py3-none-any.whl
Stuart Bishop

MIT setuptools_scm-8.1.0-py3-none-any.whl the blessed package to
manage your versions by scm tags
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8e5c7785-108f-4f5e-affb-98b20ff9b868>
https://files.pythonhosted.org/packages/a0/b9/1906bfeb30f2fc13bb39bf7ddb8749784c05faadbd18a21cf141ba37bff2/setuptools_scm-8.1.0-py3-none-any.whl
https://files.pythonhosted.org/packages/a0/b9/1906bfeb30f2fc13bb39bf7ddb8749784c05faadbd18a21cf141ba37bff2/setuptools_scm-8.1.0-py3-none-any.whl

MIT setuptools-70.0.0-py3-none-any.whl Easily download, build, install,
upgrade, and uninstall Python packages
<https://pypi.org/project/setuptools/>
<https://files.pythonhosted.org/packages/de/88/70c5767a0e43eb4451c2200f07d042a4bcd7639276003a9c54a68cfcc1f8/setuptools-70.0.0-py3-none-any.whl>
<https://files.pythonhosted.org/packages/de/88/70c5767a0e43eb4451c2200f07d042a4bcd7639276003a9c54a68cfcc1f8/setuptools-70.0.0-py3-none-any.whl>

MIT six-1.17.0-py2.py3-none-any.whl Python 2 and 3 compatibility
utilities
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/89ba0209-d167-46c0-a4b2-2bc0959b0e05> 2010-2024 Copyright
2010-2024 Benjamin Peterson <https://github.com/benjaminp/six>
<https://files.pythonhosted.org/packages/b7/ce/149a00dd41f10bc29e5921b496af8b574d8413afcd5e30dfa0ed46c2cc5e/six-1.17.0-py2.py3-none-any.whl>
Benjamin Peterson

MIT urllib3-1.26.19-py2.py3-none-any.whl HTTP library with thread-
safe connection pooling, file post, and more.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e2ca9d63-5173-4027-a63c-6e250e34c83a> 2008-2020 Copyright
2008-2020 Andrey Petrov and contributors
<https://files.pythonhosted.org/packages/ae/6a/99eaaeae8becaa17a29aeb334a18e5d582d873b6f084c11f02581b8d7f7f/urllib3-1.26.19-py2.py3-none-any.whl>
<https://files.pythonhosted.org/packages/ae/6a/99eaaeae8becaa17a29aeb334a18e5d582d873b6f084c11f02581b8d7f7f/urllib3-1.26.19-py2.py3-none-any.whl>

MIT xmlschema-2.2.2-py3-none-any.whl An XML Schema validator and
decoder
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4a2c8d84-d76d-4096-a916-c66e4c3cbcbf> 2016-2022 Copyright
(c), 2016-2022, SISSA (Scuola Internazionale Superiore di Studi Avanzati)
<https://github.com/sissaschool/xmlschema>
<https://files.pythonhosted.org/packages/0c/d8/009a2615e426cf2bc44391c971e2ec9e5db7567d01b845f92022f99f18c8/xmlschema-2.2.2-py3-none-any.whl>
Davide Brunato

Mozilla 2.0 certifi-2024.7.4-py3-none-any.whl Python package for providing Mozilla's CA Bundle.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bf22c080-a801-4b85-a6fc-733fde7a23b6> Unspecified Copyright
<https://github.com/certifi/python-certifi>
<https://files.pythonhosted.org/packages/1c/d5/c84e1a17bf61d4df64ca866a1c9a913874b4e9bdc131ec689a0ad013fb36/certifi-2024.7.4-py3-none-any.whl>
Kenneth Reitz

Python 2.0 defusedxml-0.7.1-py2.py3-none-any.whl XML bomb protection for Python stdlib modules

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7c227342-3406-4106-a7f8-9dea659098f6> "Copyright (c) 2013-2017 Copyright 2013-2017 by Christian Heimes <christian@python.org> 2002-2008 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 Python Software Foundation;" <https://github.com/tiran/defusedxml>
<https://files.pythonhosted.org/packages/07/6c/aa3f2f849e01cb6a001cd8554a88d4c77c5c1a31c95bdf1cf9301e6d9ef4/defusedxml-0.7.1-py2.py3-none-any.whl> Christian Heimes

Python 2.0 pywin32-305-cp311-cp311-win_amd64.whl Python for Window Extensions

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/91a180f8-b5ce-496e-bc2e-959b6d22c4ab> "2002-2003 Copyright 2002-2003 by Blackdog Software Pty Ltd 1996-2008 Copyright 1996-2008 Greg Stein and Mark Hammond 1994-2008 Copyright 1994-2008 Mark Hammond"
<https://github.com/mhammond/pywin32>
https://files.pythonhosted.org/packages/22/da/344b3df042f42d9d775ae2030276b2992adab519c6d682393ddf356775f3/pywin32-305-cp311-cp311-win_amd64.whl Mark Hammond (et al)

Suspected Apache 2.0 tzdata-2025.1-py2.py3-none-any.whl Provider of IANA time zone data <https://github.com/python/tzdata/blob/2025.1/LICENSE>
2020 Copyright 2020 Paul Ganssle (Google)
<https://github.com/python/tzdata>
<https://files.pythonhosted.org/packages/0f/dd/84f10e23edd882c6f968c21c2434fe67bd4a528967067515feca9e611e5e/tzdata-2025.1-py2.py3-none-any.whl> Python Software Foundation

Zlib numpy-1.26.3-cp311-cp311-win_amd64.whl Fundamental package for array computing in Python

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7aab6b53-b31d-4cf1-854b-3e2a4514b8db> "2000-2013 Copyright 2000-2013 The University of California Berkeley 2006-2013 Copyright 2006-2013 The University of Colorado Denver 1992-2013 Copyright 1992-2013 The University of Tennessee and The University 2005-2023 Copyright 2005-2023 NumPy Developers 2011-2014 Copyright 2011-2014 The OpenBLAS Project"
<https://numpy.org>
https://files.pythonhosted.org/packages/99/2b/f7114983d84303019385d93d24d729aedba67be7e083286f114188943cf3/numpy-1.26.3-cp311-cp311-win_amd64.whl Travis E. Oliphant et al.

<< End ServiceNow DataFlows 1.5 >>

<< Start Insights / IVR 4.2.1>>

License	Library	Description	License	Reference	Copyrights	Homepage
	Download Link	Author				

Apache 2.0	github.com/flowchartsman/swaggerui-v0.0.0-20221017034628-909ed4f3701b	Embedded, self-hosted swagger-ui for go servers				
	https://pkg.go.dev/github.com/flowchartsman/swaggerui@v0.0.0-20221017034628-909ed4f3701b					
	https://proxy.golang.org/github.com/flowchartsman/swaggerui/@v/v0.0.0-20221017034628-909ed4f3701b.zip					

Apache 2.0	github.com/Golang/mock-v1.6.0	GoMock is a mocking framework for the Go programming language.				
		Copyright file used to add copyright header to the resulting source code				
	https://pkg.go.dev/github.com/Golang/mock@v1.6.0					
	https://proxy.golang.org/github.com/!golang/mock/@v/v1.6.0.zip					

Apache 2.0	github.com/Golang-sql/civil-v0.0.0-20220223132316-b832511892a9	Civil Date and Time package for Go				
	https://pkg.go.dev/github.com/Golang-sql/civil@v0.0.0-20220223132316-b832511892a9					
	https://proxy.golang.org/github.com/!golang-sql/civil/@v/v0.0.0-20220223132316-b832511892a9.zip					

Apache 2.0	github.com/Grpc-ecosystem/go-grpc-middleware/v2-v2.3.2	Golang gRPC Middlewares: interceptor chaining, auth, logging, retries and more.				
	https://pkg.go.dev/github.com/Grpc-ecosystem/go-grpc-middleware/v2@v2.3.2					
	https://proxy.golang.org/github.com/!grpc-ecosystem/go-grpc-middleware/v2/@v/v2.3.2.zip					

Apache 2.0	github.com/Inconshreveable/MouseTrap-v1.1.0				2022	
Copyright 2022	Alan Shreve (@inconshreveable)					
	https://pkg.go.dev/github.com/Inconshreveable/MouseTrap@v1.1.0					
	https://proxy.golang.org/github.com/!inconshreveable/!mouse!trap/@v/v1.1.0.zip					

Apache 2.0	github.com/prometheus/client_goLang-v1.22.0	Prometheus instrumentation library for Go applications			"2012-2015 Copyright	
		2012-2015 The Prometheus Authors	2013-2015 Copyright	2013-2015 Blake		
		Mizerany	2010 Copyright	2010 The Go Authors		
	https://pkg.go.dev/github.com/prometheus/client_goLang@v1.22.0					
	https://proxy.golang.org/github.com/prometheus/client_go!lang/@v/v1.22.0.zip					

Apache 2.0	github.com/Prometheus/Client_model-v0.6.2	Data model artifacts for Prometheus.			2012-2015 Copyright	2012-2015 The
		Prometheus Authors				
	https://pkg.go.dev/github.com/Prometheus/Client_model@v0.6.2					
	https://proxy.golang.org/github.com/!prometheus/!client_model/@v/v0.6.2.zip					

Apache 2.0	github.com/Prometheus/common-v0.63.0	Go libraries shared across Prometheus components and libraries.			2015 Copyright	2015
		The Prometheus Authors				

<https://pkg.go.dev/github.com/Prometheus/common@v0.63.0>
<https://proxy.golang.org/github.com/!prometheus/common/@v/v0.63.0.zip>
ip

Apache 2.0 github.com/spf13/afero-v1.14.0 A FileSystem Abstraction
System for Go
<https://pkg.go.dev/github.com/spf13/afero@v1.14.0>
<https://proxy.golang.org/github.com/spf13/afero/@v/v1.14.0.zip>

Apache 2.0 github.com/spf13/cobra-v1.9.1 A Commander for modern Go
CLI interactions
<https://pkg.go.dev/github.com/spf13/cobra@v1.9.1>
<https://proxy.golang.org/github.com/spf13/cobra/@v/v1.9.1.zip>

Apache 2.0 google.golang.org/genproto/googleapis/api-v0.0.0-
20240827150818-7e3bb234dfed Generated code for Google Cloud client
libraries.
[https://pkg.go.dev/google.golang.org/genproto/googleapis/api@v0.0.0-
20240827150818-7e3bb234dfed](https://pkg.go.dev/google.golang.org/genproto/googleapis/api@v0.0.0-20240827150818-7e3bb234dfed)
[https://proxy.golang.org/google.golang.org/genproto/googleapis/api/
@v/v0.0.0-20240827150818-7e3bb234dfed.zip](https://proxy.golang.org/google.golang.org/genproto/googleapis/api/@v/v0.0.0-20240827150818-7e3bb234dfed.zip)

Apache 2.0 google.golang.org/genproto/googleapis/rpc-v0.0.0-
20240827150818-7e3bb234dfed Generated code for Google Cloud client
libraries.
[https://pkg.go.dev/google.golang.org/genproto/googleapis/rpc@v0.0.0-
20240827150818-7e3bb234dfed](https://pkg.go.dev/google.golang.org/genproto/googleapis/rpc@v0.0.0-20240827150818-7e3bb234dfed)
[https://proxy.golang.org/google.golang.org/genproto/googleapis/rpc/
@v/v0.0.0-20240827150818-7e3bb234dfed.zip](https://proxy.golang.org/google.golang.org/genproto/googleapis/rpc/@v/v0.0.0-20240827150818-7e3bb234dfed.zip)

Apache 2.0 google.golang.org/grpc-v1.67.1 The Go language
implementation of gRPC. HTTP/2 based RPC 2014 Copyright 2014
gRPC authors <https://pkg.go.dev/google.golang.org/grpc@v1.67.1>
<https://proxy.golang.org/google.golang.org/grpc/@v/v1.67.1.zip>

Apache 2.0 [gopkg.in/Yaml.v2](https://gopkg.in/yaml.v2)-v2.4.0 YAML support for the Go language.
"2006 Copyright 2006 Kirill Simonov
2011-2016 Copyright 2011-2016 Canonical Ltd
Copyright files of libyaml, and thus"
<https://pkg.go.dev/gopkg.in/Yaml.v2@v2.4.0>
<https://proxy.golang.org/gopkg.in/!yaml.v2/@v/v2.4.0.zip>

Apache 2.0 [gopkg.in/yAML.v3](https://gopkg.in/yaml.v3)-v3.0.1 YAML support for the Go language.
"2011-2019 Copyright 2011-2019 Canonical Ltd Copyright files
of libyaml, and thus 2011 Copyright 2011 when the project was ported
over: 2006-2010 Copyright 2006-2010 Kirill Simonov 2006-2011 Copyright
2006-2011 Kirill Simonov" <https://pkg.go.dev/gopkg.in/yAML.v3@v3.0.1>
<https://proxy.golang.org/gopkg.in/y!a!m!l.v3/@v/v3.0.1.zip>

Apache 2.0 swagger-ui-5.10.5.js Swagger UI is a dependency-free
collection of HTML, JavaScript, and CSS assets that dynamically generate
beautiful documentation from a Swagger-compliant API
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/swagger->

ui/package.json <http://swagger.io/>
 [https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-](https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-ui.js)
ui.js Tony Tam <fehgyu@gmail.com>

Apache 2.0 swagger-ui-bundle-5.10.5.js Swagger UI is a dependency-free
collection of HTML, JavaScript, and CSS assets that dynamically generate
beautiful documentation from a Swagger-compliant API
 <https://github.com/swagger-api/swagger-ui.git>
 <http://swagger.io/>
 [https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-](https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-ui-bundle.js)
ui-bundle.js Tony Tam <fehgyu@gmail.com>

Apache 2.0 swagger-ui-es-bundle-5.10.5.js Swagger UI is a dependency-
free collection of HTML, JavaScript, and CSS assets that dynamically
generate beautiful documentation from a Swagger-compliant API
 <https://github.com/swagger-api/swagger-ui.git>
 <http://swagger.io/>
 [https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-](https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-ui-es-bundle.js)
ui-es-bundle.js Tony Tam <fehgyu@gmail.com>

Apache 2.0 swagger-ui-es-bundle-core-5.10.5.js Swagger UI is a
dependency-free collection of HTML, JavaScript, and CSS assets that
dynamically generate beautiful documentation from a Swagger-compliant API
 [https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/swagger-](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/swagger-ui/package.json)
ui/package.json <http://swagger.io/>
 [https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-](https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.10.5/swagger-ui-es-bundle-core.js)
ui-es-bundle-core.js Tony Tam <fehgyu@gmail.com>

Apache 2.0 swagger-ui-standalone-preset-5.7.1.js Swagger UI is a
dependency-free collection of HTML, JavaScript, and CSS assets that
dynamically generate beautiful documentation from a Swagger-compliant API
 [https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/swagger-](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/swagger-ui/package.json)
ui/package.json <http://swagger.io/>
 [https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.7.1/swagger-ui-](https://cdnjs.cloudflare.com/ajax/libs/swagger-ui/5.7.1/swagger-ui-standalone-preset.js)
standalone-preset.js Tony Tam <fehgyu@gmail.com>

BSD 2 github.com/pkg/errors-v0.8.1 Simple error handling primitives
2015 Copyright 2015 Dave Cheney <dave@cheney.net>
<https://pkg.go.dev/github.com/pkg/errors@v0.8.1>
<https://proxy.golang.org/github.com/pkg/errors/@v/v0.8.1.zip>

BSD 2 github.com/pmezard/Go-diffliB-v1.0.0 Partial port of Python
diffliB package to Go [https://github.com/pmezard/go-](https://github.com/pmezard/go-diffliB/blob/master/LICENSE)
diffliB/blob/master/LICENSE 2013 Patrick Mezard
 <https://pkg.go.dev/github.com/pmezard/Go-diffliB@v1.0.0>
 [https://proxy.golang.org/github.com/pmezard/go-](https://proxy.golang.org/github.com/pmezard/go-diffliB/@v/v1.0.0.zip)
diffliB/@v/v1.0.0.zip

BSD 3 github.com/fsnotify/fsNotify-v1.9.0 Cross-platform file system
notifications for Go. 2012 Copyright 2012 The Go Authors
 <https://pkg.go.dev/github.com/fsnotify/fsNotify@v1.9.0>
 [https://proxy.golang.org/github.com/fsnotify/fs!notify/@v/v1.9.0.zi](https://proxy.golang.org/github.com/fsnotify/fs!notify/@v/v1.9.0.zip)

BSD 3 github.com/gogo/protobuf-v1.3.2 [Deprecated] Protocol Buffers for
Go with Gadgets "2013 Copyright 2013 The GoGo Authors
2010 Copyright 2010 The Go Authors"
<https://pkg.go.dev/github.com/gogo/protobuf@v1.3.2>
<https://proxy.golang.org/github.com/gogo/protobuf/@v/v1.3.2.zip>

BSD 3 github.com/GOOGLE/uuid-v1.6.0 Go package for UUIDs based on RFC
4122 and DCE 1.1: Authentication and Security Services. 2009-2014
Copyright 2009-2014 Google Inc
<https://pkg.go.dev/github.com/GOOGLE/uuid@v1.6.0>
<https://proxy.golang.org/github.com/!g!o!o!g!l!e/uuid/@v/v1.6.0.zip>

BSD 3 github.com/GRPC-ecosystem/GRPC-gateway/v2-v2.22.0 gRPC to JSON
proxy generator following the gRPC HTTP spec 2015 Copyright 2015
Gengo, Inc [https://pkg.go.dev/github.com/GRPC-ecosystem/GRPC-](https://pkg.go.dev/github.com/GRPC-ecosystem/GRPC-gateway/v2@v2.22.0)
[gateway/v2@v2.22.0](https://pkg.go.dev/github.com/GRPC-ecosystem/GRPC-gateway/v2@v2.22.0) [https://proxy.golang.org/github.com/!g!r!p!c-](https://proxy.golang.org/github.com/!g!r!p!c-ecosystem/!g!r!p!c-gateway/v2/@v/v2.22.0.zip)
[ecosystem/!g!r!p!c-gateway/v2/@v/v2.22.0.zip](https://proxy.golang.org/github.com/!g!r!p!c-gateway/v2/@v/v2.22.0.zip)

BSD 3 github.com/microsoft/go-mssqlDb-v1.8.0 2012 Copyright
2012 The Go Authors [https://pkg.go.dev/github.com/microsoft/go-](https://pkg.go.dev/github.com/microsoft/go-mssqlDb@v1.8.0)
[mssqlDb@v1.8.0](https://pkg.go.dev/github.com/microsoft/go-mssqlDb@v1.8.0) [https://proxy.golang.org/github.com/microsoft/go-](https://proxy.golang.org/github.com/microsoft/go-mssql!sql!db/@v/v1.8.0.zip)
[mssql!sql!db/@v/v1.8.0.zip](https://proxy.golang.org/github.com/microsoft/go-mssql!sql!db/@v/v1.8.0.zip)

BSD 3 github.com/munnerz/goautoneg-v0.0.0-20191010083416-a7dc8b61c822
Mirror of bitbucket.org/ww/goautoneg 2011 Copyright 2011
Open Knowledge Foundation Ltd
[https://pkg.go.dev/github.com/munnerz/goautoneg@v0.0.0-](https://pkg.go.dev/github.com/munnerz/goautoneg@v0.0.0-20191010083416-a7dc8b61c822)
[20191010083416-a7dc8b61c822](https://pkg.go.dev/github.com/munnerz/goautoneg@v0.0.0-20191010083416-a7dc8b61c822)
[https://proxy.golang.org/github.com/munnerz/goautoneg/@v/v0.0.0-](https://proxy.golang.org/github.com/munnerz/goautoneg/@v/v0.0.0-20191010083416-a7dc8b61c822.zip)
[20191010083416-a7dc8b61c822.zip](https://proxy.golang.org/github.com/munnerz/goautoneg/@v/v0.0.0-20191010083416-a7dc8b61c822.zip)

BSD 3 github.com/Spf13/pflag-v1.0.6 Drop-in replacement for Go's flag
package, implementing POSIX/GNU-style --flags. "2012 Copyright
2012 The Go Authors
2012 Copyright 2012 Alex Ogier"
<https://pkg.go.dev/github.com/Spf13/pflag@v1.0.6>
<https://proxy.golang.org/github.com/!spf13/pflag/@v/v1.0.6.zip>

GAE Terms github.com/daveCGH/go-spew-v1.1.1 Implements a deep pretty
printer for Go data structures to aid in debugging 2012-2016
Copyright 2012-2016 Dave Collins <dave@davec.name>
<https://pkg.go.dev/github.com/daveCGH/go-spew@v1.1.1>
[https://proxy.golang.org/github.com/da!v!e!c!g!h/go-](https://proxy.golang.org/github.com/da!v!e!c!g!h/go-spew/@v/v1.1.1.zip)
[spew/@v/v1.1.1.zip](https://proxy.golang.org/github.com/da!v!e!c!g!h/go-spew/@v/v1.1.1.zip)

Golang BSD + Patents github.com/Golang-sql/sqlxexp-v0.1.0
Experimental golang database/sql 2017 Copyright 2017 The Go
Authors <https://pkg.go.dev/github.com/Golang-sql/sqlxexp@v0.1.0>
[https://proxy.golang.org/github.com/!golang-](https://proxy.golang.org/github.com/!golang-sql/sqlxexp/@v/v0.1.0.zip)
[sql/sqlxexp/@v/v0.1.0.zip](https://proxy.golang.org/github.com/!golang-sql/sqlxexp/@v/v0.1.0.zip)

Copyright 2014 Ben Johnson
https://pkg.go.dev/github.com/facebookgo/clock@v0.0.0-
20150410010913-600d898af40a
https://proxy.golang.org/github.com/facebookgo/clock/@v/v0.0.0-
20150410010913-600d898af40a.zip

MIT github.com/Gabriel-Vasile/mimetype-v1.4.9 A fast Golang library
for media type and file extension detection, based on magic numbers
2018 Copyright 2018 Gabriel Vasile
https://pkg.go.dev/github.com/Gabriel-Vasile/mimetype@v1.4.9
https://proxy.golang.org/github.com/!gabriel-
!vasile/mimetype/@v/v1.4.9.zip

MIT github.com/gin-contrib/cors-v1.7.5 Official CORS gin's middleware
2016 Copyright 2016 Gin-Gonic
https://pkg.go.dev/github.com/gin-contrib/cors@v1.7.5
https://proxy.golang.org/github.com/gin-
contrib/c!o!r!s/@v/v1.7.5.zip

MIT github.com/Gin-contrib/sse-v1.1.0 Server-Sent Events implementation
in Go. Used by the Gin Framework. 2014 Copyright 2014 Manuel
Martínez-Almeida https://pkg.go.dev/github.com/Gin-contrib/sse@v1.1.0
https://proxy.golang.org/github.com/!gin-contrib/sse/@v/v1.1.0.zip

MIT github.com/gin-gonic/GIn-v1.10.0 Gin is a HTTP web framework
written in Go (Golang). It features a Martini-like API with much better
performance -- up to 40 times faster. If you need smashing performance,
get yourself some Gin. 2014 Copyright 2014 Manuel Martínez-Almeida
https://pkg.go.dev/github.com/gin-gonic/GIn@v1.10.0
https://proxy.golang.org/github.com/gin-gonic/!g!in/@v/v1.10.0.zip

MIT github.com/golang-Jwt/Jwt/v5-v5.2.2 Community maintained clone
of https://github.com/dgrijalva/jwt-go "2021 Copyright 2021
golang-jwt maintainers
2012 Copyright 2012 Dave Grijalva" https://pkg.go.dev/github.com/golang-
Jwt/Jwt/v5@v5.2.2 https://proxy.golang.org/github.com/golang-
!jwt/!jwt/v5/@v/v5.2.2.zip

MIT github.com/Go-Playground/locales-v0.14.1 2016
Copyright 2016 Go Playground https://pkg.go.dev/github.com/Go-
Playground/locales@v0.14.1 https://proxy.golang.org/github.com/!go-
!playground/locales/@v/v0.14.1.zip

MIT github.com/go-playground/universal-TRANSLator-v0.18.1
2016 Copyright 2016 Go Playground https://pkg.go.dev/github.com/go-
playground/universal-TRANSLator@v0.18.1
https://proxy.golang.org/github.com/go-playground/universal-
!t!r!a!n!slator/@v/v0.18.1.zip

MIT github.com/go-playground/valIDator/v10-v10.26.0 :100:Go Struct
and Field validation, including Cross Field, Cross Struct, Map, Slice and
Array diving 2015 Copyright 2015 Dean Karn

<https://pkg.go.dev/github.com/go-playground/validator/v10@v10.26.0>
<https://proxy.golang.org/github.com/go-playground/validator/v10/@v/v10.26.0.zip>

MIT [github.com/go-Viper/mapstructure/v2-v2.2.1](https://github.com/go-viper/mapstructure/v2-v2.2.1) 2013
Copyright 2013 Mitchell Hashimoto <https://pkg.go.dev/github.com/go-viper/mapstructure/v2@v2.2.1> <https://proxy.golang.org/github.com/go-viper/mapstructure/v2/@v/v2.2.1.zip>

MIT github.com/jackc/pgpassfile-v1.0.0 null 2019 Copyright 2019
Jack Christensen <https://pkg.go.dev/github.com/jackc/pgpassfile@v1.0.0>
<https://proxy.golang.org/github.com/jackc/pgpassfile/@v/v1.0.0.zip>

MIT github.com/jackc/pgServicefile-v0.0.0-20240606120523-5a60cdf6a761
pgservicefile is a parser PostgreSQL for service files (e.g.
.pg_service.conf) 2020 Copyright 2020 Jack Christensen
<https://pkg.go.dev/github.com/jackc/pgServicefile@v0.0.0-20240606120523-5a60cdf6a761>
<https://proxy.golang.org/github.com/jackc/pg!servicefile/@v/v0.0.0-20240606120523-5a60cdf6a761.zip>

MIT github.com/Jackc/pgx/v5-v5.7.4 PostgreSQL driver and toolkit for
Go 2013-2021 Copyright 2013-2021 Jack Christensen
<https://pkg.go.dev/github.com/Jackc/pgx/v5@v5.7.4>
<https://proxy.golang.org/github.com/!jackc/pgx/v5/@v/v5.7.4.zip>

MIT github.com/jackc/puddle/v2-v2.2.2 Generic resource pool for Go
2018 Copyright 2018 Jack Christensen
<https://pkg.go.dev/github.com/jackc/puddle/v2@v2.2.2>
<https://proxy.golang.org/github.com/jackc/puddle/v2/@v/v2.2.2.zip>

MIT github.com/jinzhu/inflection-v1.0.0 Pluralizes and singularizes
English nouns <https://github.com/jinzhu/inflection/blob/master/LICENSE>
2015 Copyright 2015 Jinzhu
<https://pkg.go.dev/github.com/jinzhu/inflection@v1.0.0>
<https://proxy.golang.org/github.com/jinzhu/inflection/@v/v1.0.0.zip>

MIT github.com/Jinzhu/now-v1.1.5 Now is a time toolkit for go lang
2013 Copyright 2013 Jinzhu <wosmvp@gmail.com>
<https://pkg.go.dev/github.com/Jinzhu/now@v1.1.5>
<https://proxy.golang.org/github.com/!jinzhu/now/@v/v1.1.5.zip>

MIT github.com/leodido/go-urn-v1.4.0 Parser for uniform resource names
as seen on RFC 2141 2018 Copyright 2018 Leonardo Di Donato
<https://pkg.go.dev/github.com/leodido/go-urn@v1.4.0>
<https://proxy.golang.org/github.com/leodido/go-urn/@v/v1.4.0.zip>

MIT github.com/lib/Pq-v1.10.9 "2011 Copyright 2011 Blake
Mizerany

2011-2013 Copyright (c) 2011-2013, 'pq' Contributors"

<https://pkg.go.dev/github.com/lib/Pq@v1.10.9>

<https://proxy.golang.org/github.com/lib/pq/@v/v1.10.9.zip>

MIT github.com/mattN/go-isatty-v0.0.20

Copyright Yasuhiro

MATSUMOTO <mattn.jp@gmail.com>

[https://pkg.go.dev/github.com/mattN/go-](https://pkg.go.dev/github.com/mattN/go-isatty@v0.0.20)

[isatty@v0.0.20](https://pkg.go.dev/github.com/mattN/go-isatty@v0.0.20) [https://proxy.golang.org/github.com/matt!n/go-](https://proxy.golang.org/github.com/matt!n/go-isatty/@v/v0.0.20.zip)

[isatty/@v/v0.0.20.zip](https://proxy.golang.org/github.com/matt!n/go-isatty/@v/v0.0.20.zip)

MIT github.com/mattN/go-sqlite3-v1.14.28 sqlite3 driver for go using database/sql

2014 Copyright 2014 Yasuhiro Matsumoto

<https://pkg.go.dev/github.com/mattN/go-sqlite3@v1.14.28>

[https://proxy.golang.org/github.com/mattN/go-](https://proxy.golang.org/github.com/mattN/go-s!q!lite3/@v/v1.14.28.zip)

[s!q!lite3/@v/v1.14.28.zip](https://proxy.golang.org/github.com/mattN/go-s!q!lite3/@v/v1.14.28.zip)

MIT github.com/natefinch/lumberjack-v2.0.0+incompatible lumberjack is a log rolling package for Go

2014 Copyright 2014 Nate Finch

[https://pkg.go.dev/github.com/natefinch/lumberjack@v2.0.0+incompati](https://pkg.go.dev/github.com/natefinch/lumberjack@v2.0.0+incompatible)
[ble](https://pkg.go.dev/github.com/natefinch/lumberjack@v2.0.0+incompatible)

[https://proxy.golang.org/github.com/natefinch/lumberjack/@v/v2.0.0+](https://proxy.golang.org/github.com/natefinch/lumberjack/@v/v2.0.0+incompatible.zip)
[incompatible.zip](https://proxy.golang.org/github.com/natefinch/lumberjack/@v/v2.0.0+incompatible.zip)

MIT github.com/nexus-rpc/sdk-go-v0.3.0

2023 Copyright 2023

Temporal Technologies Inc

[https://pkg.go.dev/github.com/nexus-rpc/sdk-](https://pkg.go.dev/github.com/nexus-rpc/sdk-go@v0.3.0)

[go@v0.3.0](https://pkg.go.dev/github.com/nexus-rpc/sdk-go@v0.3.0) [https://proxy.golang.org/github.com/nexus-rpc/sdk-](https://proxy.golang.org/github.com/nexus-rpc/sdk-go/@v/v0.3.0.zip)

[go/@v/v0.3.0.zip](https://proxy.golang.org/github.com/nexus-rpc/sdk-go/@v/v0.3.0.zip)

MIT github.com/pelletier/Go-Toml/v2-v2.2.4 Go library for the TOML file format

2021-2023 Copyright 2021-2023 Thomas Pelletier

<https://pkg.go.dev/github.com/pelletier/Go-Toml/v2@v2.2.4>

[https://proxy.golang.org/github.com/pelletier/!go-](https://proxy.golang.org/github.com/pelletier/!go-!toml/v2/@v/v2.2.4.zip)

[!toml/v2/@v/v2.2.4.zip](https://proxy.golang.org/github.com/pelletier/!go-!toml/v2/@v/v2.2.4.zip)

MIT github.com/Robfig/cron-v1.2.0

a cron library for go

2012

Copyright 2012 Rob Figueiredo

<https://pkg.go.dev/github.com/Robfig/cron@v1.2.0>

<https://proxy.golang.org/github.com/!robfig/cron/@v/v1.2.0.zip>

MIT github.com/sagikazarmark/locafero-v0.9.0

2023

Copyright 2023 Márk Sági-Kazár <mark.sagikazar@gmail.com>

<https://pkg.go.dev/github.com/sagikazarmark/locafero@v0.9.0>

[https://proxy.golang.org/github.com/sagikazarmark/locafero/@v/v0.9.](https://proxy.golang.org/github.com/sagikazarmark/locafero/@v/v0.9.0.zip)
[0.zip](https://proxy.golang.org/github.com/sagikazarmark/locafero/@v/v0.9.0.zip)

MIT github.com/SirupSen/logrus-v1.9.3

2014 Copyright 2014

Simon Eskildsen <https://pkg.go.dev/github.com/SirupSen/logrus@v1.9.3>

<https://proxy.golang.org/github.com/!sirup!sen/logrus/@v/v1.9.3.zip>

MIT github.com/sourcegraph/conc-v0.3.0

2023 Copyright 2023

Sourcegraph <https://pkg.go.dev/github.com/sourcegraph/conc@v0.3.0>

<https://proxy.golang.org/github.com/sourcegraph/conc/@v/v0.3.0.zip>

MIT github.com/spf13/cast-v1.7.1 safe and easy casting from one type to another in Go 2014 Copyright 2014 Steve Francia
<https://pkg.go.dev/github.com/spf13/cast@v1.7.1>
<https://proxy.golang.org/github.com/spf13/cast!t/@v/v1.7.1.zip>

MIT github.com/spf13/viper-v1.20.1 Go configuration with fangs 2014 Copyright 2014 Steve Francia
<https://pkg.go.dev/github.com/spf13/viper@v1.20.1>
<https://proxy.golang.org/github.com/spf13/viper/@v/v1.20.1.zip>

MIT github.com/stretchr/objx-v0.5.2 Go package for dealing with maps, slices, JSON and other data. "2017-2018 Copyright 2017-2018 objx contributors
2014 Copyright 2014 Stretchr, Inc"
<https://pkg.go.dev/github.com/stretchr/objx@v0.5.2>
<https://proxy.golang.org/github.com/stretchr/!objx/@v/v0.5.2.zip>

MIT github.com/stretchr/testify-v1.10.0 A toolkit with common assertions and mocks that plays nicely with the standard library
2012-2020 Copyright 2012-2020 Mat Ryer
<https://pkg.go.dev/github.com/stretchr/testify@v1.10.0>
<https://proxy.golang.org/github.com/stretchr/testify/@v/v1.10.0.zip>

MIT github.com/subosito/gotenv-v1.6.0 2013 Copyright 2013 Alif Rachmawadi
<https://pkg.go.dev/github.com/subosito/gotenv@v1.6.0>
<https://proxy.golang.org/github.com/subosito/gotenv/@v/v1.6.0.zip>

MIT github.com/ugorji/go/codec-v1.2.12 2012-2020 Copyright 2012-2020 Ugorji Nwoke
<https://pkg.go.dev/github.com/ugorji/go/codec@v1.2.12>
<https://proxy.golang.org/github.com/ugorji/go/codec/@v/v1.2.12.zip>

MIT go.temporal.io/api-v1.53.0 Temporal gRPC API and proto files compiled for Go 2025 Copyright 2025 Temporal Technologies Inc
<https://pkg.go.dev/go.temporal.io/api@v1.53.0>
<https://proxy.golang.org/go.temporal.io/api/@v/v1.53.0.zip>

MIT go.temporal.io/sdk-v1.36.0 "2020 Copyright 2020 Uber Technologies, Inc
2020 Copyright 2020 Temporal Technologies Inc"
<https://pkg.go.dev/go.temporal.io/sdk@v1.36.0>
<https://proxy.golang.org/go.temporal.io/sdk/@v/v1.36.0.zip>

MIT gorm.io/driver/postgres-v1.5.11 GORM PostgreSQL driver 2013 Copyright 2013 Jinzhu <wosmvp@gmail.com>
<https://pkg.go.dev/gorm.io/driver/postgres@v1.5.11>
<https://proxy.golang.org/gorm.io/driver/postgres/@v/v1.5.11.zip>

MIT gorm.io/driver/sqlite-v1.5.7 GORM sqlite driver 2013
Copyright 2013 Jinzhu <wosmvp@gmail.com>
https://pkg.go.dev/gorm.io/driver/sqlite@v1.5.7
https://proxy.golang.org/gorm.io/driver/sqlite/@v/v1.5.7.zip

MIT gorm.io/driver/sqlserver-v1.5.4 GORM sqlserver driver 2013
Copyright 2013 Jinzhu <wosmvp@gmail.com>
https://pkg.go.dev/gorm.io/driver/sqlserver@v1.5.4
https://proxy.golang.org/gorm.io/driver/sqlserver/@v/v1.5.4.zip

MIT gorm.io/gorm-v1.25.12 "2013 Copyright 2013 Jinzhu
<wosmvp@gmail.com>
Copyright Jinzhu" https://pkg.go.dev/gorm.io/gorm@v1.25.12
https://proxy.golang.org/gorm.io/gorm/@v/v1.25.12.zip

MIT jquery-3.7.1.min.js JavaScript library for DOM operations
https://github.com/jquery/jquery/blob/3.7.1/LICENSE.txt "Copyright
OpenJS Foundation and other contributors | jquery.org/license */
Copyright OpenJS Foundation and other contributors, https://openjsf.org/"
http://jquery.com/
https://cdnjs.cloudflare.com/ajax/libs/jquery/3.7.1/jquery.min.js
jQuery Foundation and other contributors
<https://github.com/jquery/jquery/blob/master/AUTHORS.txt>

<< End Insights / IVR 4.2.1>>

=====
APPENDIX: Remediate License Details
=====

<< Start Apache License >>
Version 2.0, January 2004
http://www.
Apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use,
reproduction,
and distribution as defined by Sections 1 through 9 of this
document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

<<End Apache License>>

<<Begin BSD License>>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD License>>

<<Begin BSD 2 License>>

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
<<End BSD 2 License>>

<<Begin BSD 3 License>>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
<<End BSD 3 License>>

<<Begin BSD Zero License >>

License Text:

Copyright (C) 2006 by Rob Landley <rob@landley.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
<<End BSD Zero License >>

<<Begin ISC License>>

ISC

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
<<End ISC License>>

<<Begin MIT License>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<<End MIT License>>

<<Begin MIT/X11 License>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

<<End MIT License>>

<<Begin Mozilla 2.0>>

Mozilla Public License

Version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making,

using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for

the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

<<End Mozilla 2.0>>

<<Begin Node.js License>>

Node.js is licensed for use as follows:

""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or
sell copies of the Software, and to permit persons to whom the Software
is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS
IN THE SOFTWARE.
"""

This license applies to parts of Node.js originating from the
<https://github.com/joyent/node> repository:

"""
Copyright Joyent, Inc. and other Node contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a
copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation
the
rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or
sell copies of the Software, and to permit persons to whom the Software
is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS
IN THE SOFTWARE.
"""

The Node.js license applies to all parts of Node.js that are not externally maintained libraries.

For full list of externally maintained libraries see:
<https://raw.githubusercontent.com/nodejs/node/master/LICENSE>

<<End Node.js License>>

<<Begin Python 2.0 License>>

A. HISTORY OF THE SOFTWARE
=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under

the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all

respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathemat
ISCh Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT

OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End Python 2.0 License>>

<<Begin Unlicense License>>

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org/>>

<<End Unlicense License>>

<<End of APPENDIX: Remediate License Details>>

<<START OF BigFix Patch>>

<<Start Windows Patch Dashboards >>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

MIT	il8next-1.6.3-1.6.3.min.js	il8next is a full-featured i18n javascript library for translating your web application.			

<https://cdnjs.com/libraries/il8next/1.6.3>

<http://il8next.com/>

	https://cdnjs.cloudflare.com/ajax/libs/il8next/1.6.3/il8next-1.6.3.min.js				

MIT	jqplot.canvasAxisTickRenderer-1.0.9.js	jqPlot is a plotting and charting plugin for the jQuery Javascript framework. jqPlot produces beautiful line, bar and pie charts with many features.			

<https://cdnjs.com/libraries/jqPlot/1.0.9>

<http://www.jqplot.com/>

	https://cdnjs.cloudflare.com/ajax/libs/jqPlot/1.0.9/plugins/jqplot.canvasAxisTickRenderer.js				

MIT jquery.dataTables-1.10.12.min.js DataTables enhances HTML tables with the ability to sort, filter and page the data in the table very easily. It provides a comprehensive API and set of configuration options, allowing you to consume data from virtually any data source.

<https://cdnjs.com/libraries/datatables/1.10.12>

<http://datatables.net>

<https://cdnjs.cloudflare.com/ajax/libs/datatables/1.10.12/js/jquery.dataTables.min.js>

MIT require-2.1.8.js RequireJS is a JavaScript file and module loader. It is optimized for in-browser use, but it can be used in other JavaScript environments, like Rhino and Node

<https://cdnjs.com/libraries/require.js/2.1.8>

<http://requirejs.org/>

<https://cdnjs.cloudflare.com/ajax/libs/require.js/2.1.8/require.js>

<<END Windows Patch Dashboards >>

<<Start Patch All Download Plugins / Cachers, ClientScript>>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

Apache 2.0	cryptography-46.0.3-cp311-abi3-				

manylinux2014_x86_64.manylinux_2_17_x86_64.whl	cryptography is a package which provides cryptographic recipes and primitives to Python developers.				

<https://index.mend.io/gri/app/reader/resource/content/asString/04443514-d2cd-4b6f-8859-e69f643a3282>

Copyright Individual contributors

https://files.pythonhosted.org/packages/5c/49/498c86566a1d80e978b42f0d702795f69887005548c041636df6aelca64c/cryptography-46.0.3-cp311-abi3-manylinux2014_x86_64.manylinux_2_17_x86_64.whl

https://files.pythonhosted.org/packages/5c/49/498c86566a1d80e978b42f0d702795f69887005548c041636df6aelca64c/cryptography-46.0.3-cp311-abi3-manylinux2014_x86_64.manylinux_2_17_x86_64.whl

The Python Cryptographic Authority and individual contributors <cryptography-dev@python.org>

Apache 2.0 requests-2.32.5-py3-none-any.whl Python HTTP for Humans.

<https://index.mend.io/gri/app/reader/resource/content/asString/fb93ba6f-8e1b-48f7-9a63-5083c0606b86>

<https://requests.readthedocs.io>

<https://files.pythonhosted.org/packages/1e/db/4254e3eabe8020b458f1a747140d32277ec7a271daf1d235b70dc0b4e6e3/requests-2.32.5-py3-none-any.whl>

Kenneth Reitz

BSD webencodings-0.5.1-py2.py3-none-any.whl Character encoding aliases for legacy web content

<https://index.mend.io/gri/app/reader/resource/content/asString/c643bbb3-c825-44dd-9439-016acb051f59>

2012 Simon Sapin

<https://github.com/SimonSapin/python-webencodings>

<https://files.pythonhosted.org/packages/f4/24/2a3e3df732393fed8b3ebf2ec078f05546de641felb667ee316ec1dcf3b7/webencodings-0.5.1-py2.py3-none-any.whl>

Geoffrey Sneddon

BSD 3 idna-3.11-py3-none-any.whl Internationalized Domain Names in Applications (IDNA)
<https://index.mend.io/gri/app/reader/resource/content/asString/9a281e9c-4268-4dab-928e-1b106adaaa7b> 2013-2025 Copyright 2013-2025 Kim Davies and contributors
<https://files.pythonhosted.org/packages/0e/61/66938bbb5fc52dbdf84594873d5b51fb1f7c7794e9c0f5bd885f30bc507b/idna-3.11-py3-none-any.whl>
<https://files.pythonhosted.org/packages/0e/61/66938bbb5fc52dbdf84594873d5b51fb1f7c7794e9c0f5bd885f30bc507b/idna-3.11-py3-none-any.whl> Kim Davies <kim+pypi@gumleaf.org>

BSD 3 pyparser-2.23-py3-none-any.whl C parser in Python
<https://index.mend.io/gri/app/reader/resource/content/asString/fdf5a3d3-ec18-4d30-892b-a52710f25b79> "2008-2022 Copyright 2008-2022 Eli Bendersky Copyright parser in Python"
<https://github.com/eliben/pyparser>
<https://files.pythonhosted.org/packages/a0/e3/59cd50310fc9b59512193629e1984clf95e5c8ae6e5d8c69532ccc65a7fe/pyparser-2.23-py3-none-any.whl> Eli Bendersky

MIT beautifulsoup4-4.14.3-py3-none-any.whl Screen-scraping library
<https://index.mend.io/gri/app/reader/resource/content/asString/df8dde34-9f14-41d7-81eb-259658fd288e> Copyright Leonard Richardson
<https://files.pythonhosted.org/packages/1a/39/47f9197bdd44df24d67ac8893641e16f386c984a0619ef2ee4c51fbbc019/beautifulsoup4-4.14.3-py3-none-any.whl>
<https://files.pythonhosted.org/packages/1a/39/47f9197bdd44df24d67ac8893641e16f386c984a0619ef2ee4c51fbbc019/beautifulsoup4-4.14.3-py3-none-any.whl> Leonard Richardson <leonardr@segfault.org>

MIT bs4-0.0.2-py2.py3-none-any.whl Dummy package for Beautiful Soup (beautifulsoup4)
<https://index.mend.io/gri/app/reader/resource/content/asString/fe5f7167-5bbb-4d61-be4a-25fab8a7ff1c>
<https://files.pythonhosted.org/packages/51/bb/bf7aab772a159614954d84aa832c129624ba6c32faa559dfb200a534e50b/bs4-0.0.2-py2.py3-none-any.whl>
<https://files.pythonhosted.org/packages/51/bb/bf7aab772a159614954d84aa832c129624ba6c32faa559dfb200a534e50b/bs4-0.0.2-py2.py3-none-any.whl> Leonard Richardson <leonardr@segfault.org>

MIT charset_normalizer-3.4.4-cp312-cp312-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl The Real First Universal Charset Detector. Open, modern and actively maintained alternative to Chardet.
<https://index.mend.io/gri/app/reader/resource/content/asString/83598d3a-eb85-4e8a-b321-4c6cd8e8ea3b> "Copyright Ahmed TAHRI @Ousret] (<https://github.com/Ousret>) 2025 Copyright 2025 TAHRI Ahmed R" https://files.pythonhosted.org/packages/c0/10/d20b513afe03acc89ec33948320a5544d31f21b05368436d580dec4e234d/charset_normalizer-3.4.4-cp312-cp312-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl
https://files.pythonhosted.org/packages/c0/10/d20b513afe03acc89ec33948320a5544d31f21b05368436d580dec4e234d/charset_normalizer-3.4.4-cp312-cp312-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl "Ahmed R. TAHRI" <tahri.ahmed@proton.me>

MIT html5lib-1.1-py2.py3-none-any.whl HTML parser based on the WHATWG HTML specification
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9bc1b623-6426-4d0c-b8af-34992cd5c73f> 2006-2013 Copyright 2006-2013 James Graham and other contributors
<https://github.com/html5lib/html5lib-python>
<https://files.pythonhosted.org/packages/6c/dd/a834df6482147d48e225a49515aabc28974ad5a4ca3215c18a882565b028/html5lib-1.1-py2.py3-none-any.whl>
James Graham

MIT six-1.17.0-py2.py3-none-any.whl Python 2 and 3 compatibility utilities
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/89ba0209-d167-46c0-a4b2-2bc0959b0e05> 2010-2024 Copyright 2010-2024 Benjamin Peterson <https://github.com/benjaminp/six>
<https://files.pythonhosted.org/packages/b7/ce/149a00dd41f10bc29e5921b496af8b574d8413afcd5e30dfa0ed46c2cc5e/six-1.17.0-py2.py3-none-any.whl>
Benjamin Peterson

MIT soupsieve-2.8.1-py3-none-any.whl A modern CSS selector implementation for BeautifulSoup.
<https://index.mend.io/gri/app/reader/resource/content/asString/2ad7bf6d-9472-4012-ae5e-f350dc366920> 2018-2025 Copyright 2018-2025 Isaac Muse
<https://files.pythonhosted.org/packages/48/f3/b67d6ea49ca9154453b6d70b34ea22f3996b9fa55da105a79d8732227adc/soupsieve-2.8.1-py3-none-any.whl>
<https://files.pythonhosted.org/packages/48/f3/b67d6ea49ca9154453b6d70b34ea22f3996b9fa55da105a79d8732227adc/soupsieve-2.8.1-py3-none-any.whl>
Isaac Muse <Isaac.Muse@gmail.com>

MIT tqdm-4.67.1-py3-none-any.whl Fast, Extensible Progress Meter
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bb7dda3e-699d-4f5e-805c-f69d96529063> 2013 Copyright 2013 noamraph
<https://files.pythonhosted.org/packages/d0/30/dc54f88dd4a2b5dc8a0279bdd7270e735851848b762aeb1c1184ed1f6b14/tqdm-4.67.1-py3-none-any.whl>
<https://files.pythonhosted.org/packages/d0/30/dc54f88dd4a2b5dc8a0279bdd7270e735851848b762aeb1c1184ed1f6b14/tqdm-4.67.1-py3-none-any.whl> tqdm
developers <devs@tqdm.ml>

MIT urllib3-2.6.3-py3-none-any.whl HTTP library with thread-safe connection pooling, file post, and more.
<https://index.mend.io/gri/app/reader/resource/content/asString/7a33ace1-cc26-475b-9453-7cab774e660b> 2008-2020 Copyright 2008-2020 Andrey Petrov and contributors
<https://files.pythonhosted.org/packages/39/08/aaaad47bc4e9dc8c725e68f9d04865dbcb2052843ff09c97b08904852d84/urllib3-2.6.3-py3-none-any.whl>
<https://files.pythonhosted.org/packages/39/08/aaaad47bc4e9dc8c725e68f9d04865dbcb2052843ff09c97b08904852d84/urllib3-2.6.3-py3-none-any.whl>
Andrey Petrov <andrey.petrov@shazow.net>

MIT No Attribution cffi-2.0.0-cp310-cp310-macosx_10_13_x86_64.whl Foreign Function Interface for Python calling C code.
<https://github.com/python-cffi/cffi/blob/main/LICENSE>

https://files.pythonhosted.org/packages/93/d7/516d984057745a6cd96575eea814feledd6646ee6efd552fb7b0921dec83/cffi-2.0.0-cp310-cp310-macosx_10_13_x86_64.whl

https://files.pythonhosted.org/packages/93/d7/516d984057745a6cd96575eea814feledd6646ee6efd552fb7b0921dec83/cffi-2.0.0-cp310-cp310-macosx_10_13_x86_64.whl Armin Rigo, Maciej Fijalkowski

Mozilla 2.0 certifi-2026.1.4-py3-none-any.whl Python package for providing Mozilla's CA Bundle.

<https://index.mend.io/gri/app/reader/resource/content/asString/02584769-2482-4726-8d47-2c1b29c5cac8> <https://github.com/certifi/python-certifi>

<https://files.pythonhosted.org/packages/e6/ad/3cc14f097111b4de0040c83a525973216457bbeeb63739efled275c1c021/certifi-2026.1.4-py3-none-any.whl>
Kenneth Reitz

Python 2.0 defusedxml-0.7.1-py2.py3-none-any.whl XML bomb protection for Python stdlib modules

<https://index.mend.io/gri/app/reader/resource/content/asString/7c227342-3406-4106-a7f8-9dea659098f6> "Copyright (c) 2013-2017 Copyright 2013-2017 by Christian Heimes <christian@python.org> 2002-2008 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 Python Software Foundation;"

<https://github.com/tiran/defusedxml>
<https://files.pythonhosted.org/packages/07/6c/aa3f2f849e01cb6a001cd8554a88d4c77c5c1a31c95bdf1cf9301e6d9ef4/defusedxml-0.7.1-py2.py3-none-any.whl>
Christian Heimes

Python 2.0 typing_extensions-4.15.0-py3-none-any.whl Backported and Experimental Type Hints for Python 3.9+

https://github.com/python/typing_extensions/blob/main/LICENSE "2012-2023 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; 1991-1995 Copyright 1991-1995 Stichting Mathematisch Centrum Amsterdam"

https://files.pythonhosted.org/packages/18/67/36e9267722cc04a6b9f15c7f3441c2363321a3ea07da7ae0c0707beb2a9c/typing_extensions-4.15.0-py3-none-any.whl

https://files.pythonhosted.org/packages/18/67/36e9267722cc04a6b9f15c7f3441c2363321a3ea07da7ae0c0707beb2a9c/typing_extensions-4.15.0-py3-none-any.whl "Guido van Rossum, Jukka Lehtosalo, Łukasz Langa, Michael Lee" <levkivskyi@gmail.com>

GPL 2.0 Classpathlocal_policy.jar

<https://openjdk.java.net/legal/gplv2+ce.html>

GPL 2.0 Classpathsunmscapi.jar

<https://openjdk.java.net/legal/gplv2+ce.html>

IBM AIXECCAgent.jar

IBM Sumeru java.exe

IBM Sumeru javaw.exe

<<END Patch All Download Plugins / Cachers, ClientScript>>

<<Start Patch - Windows Driver Manager / Update Manager >>

License	Library	Description	License	Reference	Copyrights	Homepage
	Download Link	Author				

Apache 2.0	packaging-25.0-py3-none-any.whl	Core utilities for Python packages				
	https://index.mend.io/gri/app/reader/resource/content/asString/ea769bca-3fd1-4628-bc88-96bf9d2a6c1a					
	https://files.pythonhosted.org/packages/20/12/38679034af332785aac8774540895e234f4d07f7545804097de4b666afd8/packaging-25.0-py3-none-any.whl					
	https://files.pythonhosted.org/packages/20/12/38679034af332785aac8774540895e234f4d07f7545804097de4b666afd8/packaging-25.0-py3-none-any.whl					
	Donald Stufft	<donaald@stufft.io>				

BSD 3	pywin32_ctypes-0.2.3-py3-none-any.whl	A (partial) reimplementation of pywin32 using ctypes/cffi				
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7803fdcf-8b8f-403b-8964-7e369d510e8c					
	2014 Copyright 2014 Enthought, Inc	https://github.com/enthought/pywin32-ctypes				
	https://files.pythonhosted.org/packages/de/3d/8161f7711c017e01ac9f008dfddd9410dff3674334c233bde66e7ba65bbf/pywin32_ctypes-0.2.3-py3-none-any.whl					
	Enthought Inc.					

MIT	altgraph-0.17.4-py2.py3-none-any.whl	Python graph (network) package				
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cba31246-d90c-426c-8f7a-08bed3508a3b					
	"2004 Copyright 2004 Istvan Albert unless otherwise noted 2006-2010 Copyright 2006-2010 Bob Ippolito 2010-2020 Copyright 2010-2020 Ronald Oussoren"					
	https://altgraph.readthedocs.io					
	https://files.pythonhosted.org/packages/4d/3f/3bc3f1d83f6e4a7fcb834d3720544ca597590425be5ba9db032b2bf322a2/altgraph-0.17.4-py2.py3-none-any.whl					
	Ronald Oussoren					

MIT	pefile-2023.2.7-py3-none-any.whl	Python PE parsing module				
	https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3fdd74ac-7d01-4375-97f3-10ac013310e2					
	"2004-2023 Copyright 2004-2023 Ero Carrera					
	2005-2023 Copyright 2005-2023 Ero Carrera	<ero.carrera@gmail.com>				
	https://github.com/erocarrera/pefile					
	https://files.pythonhosted.org/packages/55/26/d0ad8b448476d0a1e8d3ea5622dc77b916db84c6aa3cb1e1c0965af948fc/pefile-2023.2.7-py3-none-any.whl					
	Ero Carrera					

MIT	setuptools-80.9.0-py3-none-any.whl	Easily download, build, install, upgrade, and uninstall Python packages				
	https://github.com/pypa/setuptools/blob/main/LICENSE					
	Unspecified Copyright					
	https://files.pythonhosted.org/packages/a3/dc/17031897dae0efacfea57dfd3a82fdd2a2aeb58e0ff71b77b87e44edc772/setuptools-80.9.0-py3-none-any.whl					

<https://files.pythonhosted.org/packages/a3/dc/17031897dae0efacfea57dfd3a82fdd2a2aeb58e0ff71b77b87e44edc772/setuputils-80.9.0-py3-none-any.whl> Python Packaging Authority <distutils-sig@python.org>

PyInstaller pyinstaller-6.14.1-py3-none-win_amd64.whl PyInstaller bundles a Python application and all its dependencies into a single package.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0a854f2e-c91a-44bf-b615-1b280bfcad83> "2002 Copyright 2002 McMillan Enterprises, Inc 2005-2009 Copyright 2005-2009 Giovanni Bajo 2010-2023 Copyright 2010-2023 PyInstaller Development Team 2005-2023 Copyright 2005-2023 PyInstaller Development Team"

<https://www.pyinstaller.org/>

https://files.pythonhosted.org/packages/7c/dd/bb8d5bcb0592f7f5d454ad308051d00ed34f8b08d5003400b825cfe35513/pyinstaller-6.14.1-py3-none-win_amd64.whl Hartmut Goebel, Giovanni Bajo, David Vierra, David Cortesi, Martin Zibricky

Python 2.0 pywin32-310-cp312-cp312-win_amd64.whl Python for Windows Extensions

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/334f0b6a-71d7-4577-ab3d-5705c5b745cf> "2002-2003 Copyright 2002-2003 by Blackdog Software Pty Ltd 1996-2008 Copyright 1996-2008 Greg Stein and Mark Hammond 1994-2008 Copyright 1994-2008 Mark Hammond"

<https://github.com/mhammond/pywin32>

https://files.pythonhosted.org/packages/e3/e5/b0627f8bb84e06991bea89ad8153a9e50ace40b2e1195d68e9dff6b03d0f/pywin32-310-cp312-cp312-win_amd64.whl Mark Hammond (et al)

<< End Patch - Windows Driver Manager / Update Manager >>

<<Start WebUI 25-09>>

=====

DETAIL : WebUI 25-09

=====

<<Start WebUI 25-09 Client Libraries >>

License	Library	Description	License Reference	Copyrights	Homepage
	Download Link	Author			

amCharts	amcharts4-4.10.40	The most advanced amCharts charting library for JavaScript and TypeScript apps.			

<https://github.com/amcharts/amcharts4/blob/master/dist/script/LICENSE>

SE	https://www.amcharts.com/				

	https://github.com/amcharts/amcharts4/zipball/4.10.40	amcharts			

Apache 2.0 cpexcel-0.18.5.js Excel (XLSB/XLSX/XLSM/XLS/XML) and ODS spreadsheet parser and writer

<https://index.mend.io/gri/app/reader/resource/content/asString/48d89cbf-a621-49b3-99b1-651342d09eb0> "2003-2004 Copyright 2003-2004 Excel 2012 Copyright 2012 SheetJS LLC

1900-1904 Copyright 1900-1904 false for"

<https://cdnjs.cloudflare.com/ajax/libs/xlsx/0.18.5/cpexcel.js>

<https://cdnjs.cloudflare.com/ajax/libs/xlsx/0.18.5/cpexcel.js>

Apache 2.0 less-2.7.3.js Leaner CSS
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/less.js/package.json> "2009-2017 Copyright 2009-2017 Alexis Sellier
<self@cloudhead.net>
2009-2016 Copyright 2009-2016 [Alexis Sellier] (<http://cloudhead.io>) & The
Core Less Team" <http://lesscss.org/>
<https://cdnjs.cloudflare.com/ajax/libs/less.js/2.7.3/less.js>

Apache 2.0 less-2.7.3.min.js Leaner CSS
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/63b4c558-009e-48cc-9c73-d0c839d9b8df> "2009-2017 Copyright
2009-2017 Alexis Sellier <self@cloudhead.net>
2009-2016 Copyright 2009-2016 [Alexis Sellier] (<http://cloudhead.io>) & The
Core Less Team" <http://lesscss.org/>
<https://cdnjs.cloudflare.com/ajax/libs/less.js/2.7.3/less.min.js>

Apache 2.0 nv.d3-1.8.6.js A reusable charting library written in d3.js
<https://github.com/novus/nvd3/blob/v1.8.6/package.json> "2011-2014
Copyright 2011-2014 [Novus Partners, Inc.] 2012 Copyright 2012 Michael
Bostock" <http://nvd3.org/>
<https://cdnjs.cloudflare.com/ajax/libs/nvd3/1.8.6/nv.d3.js>

Apache 2.0 nv.d3-1.8.6.min.js A reusable charting library written in
d3.js <https://github.com/novus/nvd3/blob/v1.8.6/package.json> "2011-2014
Copyright 2011-2014 [Novus Partners, Inc.] 2012 Copyright 2012 Michael
Bostock" <http://nvd3.org/>
<https://cdnjs.cloudflare.com/ajax/libs/nvd3/1.8.6/nv.d3.min.js>

Apache 2.0 scipio-erp-Scipio ERP Community Edition 2.0.0 An open source
e-commerce solution <https://sourceforge.net/p/scipio-erp/>
<https://sourceforge.net/p/scipio-erp/>
[https://sourceforge.net/projects/scipio-erp/files/2.0.0/Scipio ERP
Community Edition 2.0.0.zip/download](https://sourceforge.net/projects/scipio-erp/files/2.0.0/Scipio%20ERP%20Community%20Edition%202.0.0.zip/download) jenniferbrehm

Apache 2.0 shim-0.13.0.min.js Excel (XLSB/XLSX/XLSM/XLS/XML) and ODS
spreadsheet parser and writer
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/xlsx/package.j
son](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/xlsx/package.json)
<https://cdnjs.cloudflare.com/ajax/libs/xlsx/0.13.0/shim.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/xlsx/0.13.0/shim.min.js>

BSD 2 angular-chart-1.1.1.js An angular.js wrapper for Chart.js
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/7d8dee56-2b03-467d-ba8a-b5c4241652fb](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7d8dee56-2b03-467d-ba8a-b5c4241652fb) "2016 Copyright 2016
Jerome Touffe-Blin and contributors Copyright Jerome Touffe-Blin
("Author") 2016 Copyright 2016 Jerome Touffe-Blin"
[https://cdnjs.cloudflare.com/ajax/libs/angular-
chart.js/1.1.1/angular-chart.js](https://cdnjs.cloudflare.com/ajax/libs/angular-chart.js/1.1.1/angular-chart.js)
[https://cdnjs.cloudflare.com/ajax/libs/angular-
chart.js/1.1.1/angular-chart.js](https://cdnjs.cloudflare.com/ajax/libs/angular-chart.js/1.1.1/angular-chart.js)

BSD 2 angular-chart-1.1.1.min.js An angular.js wrapper for Chart.js
<https://github.com/jtblin/angular-chart.js/blob/1.1.1/LICENSE>

"2016 Copyright 2016 Jerome Touffe-Blin and contributors Copyright
Jerome Touffe-Blin ("Author") 2016 Copyright 2016 Jerome Touffe-Blin"
[https://cdnjs.cloudflare.com/ajax/libs/angular-
chart.js/1.1.1/angular-chart.min.js](https://cdnjs.cloudflare.com/ajax/libs/angular-chart.js/1.1.1/angular-chart.min.js)
[https://cdnjs.cloudflare.com/ajax/libs/angular-
chart.js/1.1.1/angular-chart.min.js](https://cdnjs.cloudflare.com/ajax/libs/angular-chart.js/1.1.1/angular-chart.min.js)

BSD 2 d3-3.5.17.js A JavaScript visualization library for HTML and
SVG. <https://github.com/d3/d3/blob/v3.5.17/LICENSE> 2010-2016 Copyright
2010-2016 Michael Bostock <https://d3js.org>
<https://cdnjs.cloudflare.com/ajax/libs/d3/3.5.17/d3.js>

BSD 3 d3-3.5.17.min.js A JavaScript visualization library for HTML and
SVG.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/d3/package.json>
n 2010-2016 Copyright 2010-2016 Michael Bostock <https://d3js.org>
<https://cdnjs.cloudflare.com/ajax/libs/d3/3.5.17/d3.min.js>

BSD 3 highlightjs-v9.16.2 Shim repository for Highlight.js. License
File
(<https://github.com/components/highlightjs/blob/v9.16.2/package.json>)
2006 Copyright 2006 Ivan Sagalaev <http://highlightjs.org/>
<https://github.com/components/highlightjs/zipball/v9.16.2components>

MIT angular.js AngularJS - HTML enhanced for web apps! License File
(<https://github.com/angular/angular.js/blob/v1.3.6/LICENSE>) 2010-2014
Copyright 2010-2014 Google, Inc. <http://angularjs.org>
<https://angularjs.org>
<https://github.com/angular/angular.js/zipball/v1.3.6> angular

MIT angular.min.js.gzip angular.min.js.gzip:gzip
<https://github.com/angular/angular.js> Unspecified Copyright

MIT angular-file-saver.bundle-1.1.3.js An AngularJS service that
implements the HTML5 W3C saveAs() in browsers that do not natively
support it [https://github.com/alferov/angular-file-
saver/blob/1.1.3/license.md](https://github.com/alferov/angular-file-saver/blob/1.1.3/license.md) 2015 Copyright 2015 Philipp Alferov
<https://alferov.github.io/angular-file-saver/>
[https://cdnjs.cloudflare.com/ajax/libs/angular-file-
saver/1.1.3/angular-file-saver.bundle.js](https://cdnjs.cloudflare.com/ajax/libs/angular-file-saver/1.1.3/angular-file-saver.bundle.js)

MIT angular-file-saver.bundle-1.1.3.min.js An AngularJS service that
implements the HTML5 W3C saveAs() in browsers that do not natively
support it [https://github.com/alferov/angular-file-
saver/blob/1.1.3/readme.md](https://github.com/alferov/angular-file-saver/blob/1.1.3/readme.md) 2015 Copyright 2015 Philipp Alferov
<https://alferov.github.io/angular-file-saver/>
[https://cdnjs.cloudflare.com/ajax/libs/angular-file-
saver/1.1.3/angular-file-saver.bundle.min.js](https://cdnjs.cloudflare.com/ajax/libs/angular-file-saver/1.1.3/angular-file-saver.bundle.min.js)

MIT angular-file-saver-1.1.3 An AngularJS service that provides
cross-browser compatibility of HTML5 saveAs() -
<http://alferov.github.io/angular-file-saver> License File
(<https://github.com/alferov/angular-file-saver/blob/1.1.3/readme.md>) 2015

Copyright 2015 Philipp Alferov <https://github.com/alferov/angular-file-saver/zipball/1.1.3> <https://github.com/alferov/angular-file-saver/zipball/1.1.3> alferov

MIT angular-file-saver-1.1.3.js An AngularJS service that implements the HTML5 W3C saveAs() in browsers that do not natively support it
<https://github.com/alferov/angular-file-saver/blob/1.1.3/readme.md>
2015 Copyright 2015 Philipp Alferov
<https://alferov.github.io/angular-file-saver/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-file-saver/1.1.3/angular-file-saver.js>

MIT angular-file-saver-1.1.3.min.js An AngularJS service that implements the HTML5 W3C saveAs() in browsers that do not natively support it <https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/angular-file-saver/package.json> 2015 Copyright 2015 Philipp Alferov
<https://alferov.github.io/angular-file-saver/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-file-saver/1.1.3/angular-file-saver.min.js>

MIT angular-gridster-0.13.5.js An implementation of gridster-like widgets for Angular JS. This directive gives you gridster behavior
<https://github.com/ManifestWebDesign/angular-gridster/blob/v0.13.5/LICENSE> 2013 Copyright 2013 Manifest Web Design
<https://manifestwebdesign.github.io/angular-gridster>
<https://cdnjs.cloudflare.com/ajax/libs/angular-gridster/0.13.5/angular-gridster.js>

MIT angular-gridster-0.13.5.min.js An implementation of gridster-like widgets for Angular JS. This directive gives you gridster behavior
<https://github.com/ManifestWebDesign/angular-gridster/blob/v0.13.5/LICENSE> 2013 Copyright 2013 Manifest Web Design
<https://manifestwebdesign.github.io/angular-gridster>
<https://cdnjs.cloudflare.com/ajax/libs/angular-gridster/0.13.5/angular-gridster.min.js>

MIT angular-gridster-fe28af0bf31f7a25d875ec6868c407fde2fa52b7An implementation of gridster-like widgets for Angular JS License File
(<https://github.com/ManifestWebDesign/angular-gridster/blob/fe28af0bf31f7a25d875ec6868c407fde2fa52b7/LICENSE>) 2013
Copyright 2013 Manifest Web Design
<http://manifestwebdesign.github.io/angular-gridster/>
<https://github.com/ManifestWebDesign/angular-gridster/zipball/fe28af0bf31f7a25d875ec6868c407fde2fa52b7>
ManifestWebDesign

MIT angular-idle-1.3.2.js Directives and services for responding to idle users in AngularJS <https://github.com/HackedByChinese/ng-idle/blob/1.3.2/README.md> 2013 Copyright 2013 Mike Grabski
<https://cdnjs.cloudflare.com/ajax/libs/ng-idle/1.3.2/angular-idle.js> <https://cdnjs.cloudflare.com/ajax/libs/ng-idle/1.3.2/angular-idle.js>

MIT angular-idle-1.3.2.min.js Directives and services for responding to idle users in AngularJS
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/ng-idle/package.json> 2013 Copyright 2013 Mike Grabski
<https://cdnjs.cloudflare.com/ajax/libs/ng-idle/1.3.2/angular-idle.min.js> <https://cdnjs.cloudflare.com/ajax/libs/ng-idle/1.3.2/angular-idle.min.js>

MIT angular-nvd3-1.0.9.js An AngularJS directive for NVD3.js reusable charting library
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/angular-nvd3/package.json> 2014 Copyright 2014 Konstantin Skipor
<http://krispo.github.io/angular-nvd3>
<https://cdnjs.cloudflare.com/ajax/libs/angular-nvd3/1.0.9/angular-nvd3.js>

MIT angular-nvd3-1.0.9.min.js An AngularJS directive for NVD3.js reusable charting library <https://github.com/krispo/angular-nvd3/blob/v1.0.9/LICENSE> 2014 Copyright 2014 Konstantin Skipor
<http://krispo.github.io/angular-nvd3>
<https://cdnjs.cloudflare.com/ajax/libs/angular-nvd3/1.0.9/angular-nvd3.min.js>

MIT angular-summernote-0.8.1.js AngularJS directive to Summernote <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f34ccf3b-f317-415a-93e7-9f209ca3f313> 2016 Copyright 2016 JeongHoon Byun | MIT license */
<https://cdnjs.cloudflare.com/ajax/libs/angular-summernote/0.8.1/angular-summernote.js>
<https://cdnjs.cloudflare.com/ajax/libs/angular-summernote/0.8.1/angular-summernote.js>

MIT angular-summernote-0.8.1.min.js AngularJS directive to Summernote <https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/angular-summernote/package.json> 2016 Copyright 2016 JeongHoon Byun | MIT license */ <https://cdnjs.cloudflare.com/ajax/libs/angular-summernote/0.8.1/angular-summernote.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/angular-summernote/0.8.1/angular-summernote.min.js>

MIT angular-timeline-v1.7.0 An AngularJS directive that generates a responsive, data-driven vertical timeline to tell a story, show history or describe a sequence of events. License File
(<https://github.com/rpocklin/angular-timeline/blob/v1.7.0/LICENSE>) 2015 Copyright 2015 Robert Pocklington <https://github.com/rpocklin/angular-timeline/zipball/v1.7.0> <https://github.com/rpocklin/angular-timeline/zipball/v1.7.0> rpocklin

MIT angular-ui-router-1.0.29.js State-based routing for AngularJS
<https://github.com/angular-ui/ui-router/blob/1.0.29/package.json> 2013-2018 Copyright 2013-2018 The AngularUI Team <https://angular-ui.github.io/> <https://cdnjs.cloudflare.com/ajax/libs/angular-ui-router/1.0.29/angular-ui-router.js>

MIT angular-ui-router-1.0.29.min.js State-based routing for AngularJS
<https://index.mend.io/gri/app/reader/resource/content/asString/4f246e2a-1bbd-41a2-8b5f-243d99719f5b> 2013-2018 Copyright 2013-2018 The AngularUI Team <https://angular-ui.github.com/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-router/1.0.29/angular-ui-router.min.js>

MIT angular-ui-tree-2.22.6.js An AngularJS UI component that can sort nested lists, provides drag & drop support and doesn't depend on jQuery
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/angular-ui-tree/package.json> "Copyright 2014 2010-2017 Copyright 2010-2017 <https://github.com/angular>"
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-tree/2.22.6/angular-ui-tree.js>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-tree/2.22.6/angular-ui-tree.js>

MIT angular-ui-tree-2.22.6.min.js An AngularJS UI component that can sort nested lists, provides drag & drop support and doesn't depend on jQuery
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/angular-ui-tree/package.json> "Copyright 2014 2010-2017 Copyright 2010-2017 <https://github.com/angular>"
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-tree/2.22.6/angular-ui-tree.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-tree/2.22.6/angular-ui-tree.min.js>

MIT angular-ui-tree-f814e77abd3098350688933ef912d1e151ad05fb A tree component for AngularJS, without jQuery as dependency. License File
(<https://github.com/angular-ui-tree/angular-ui-tree/blob/f814e77abd3098350688933ef912d1e151ad05fb/LICENSE>) Copyright 2014 <http://angular-ui-tree.github.io/angular-ui-tree>
<https://github.com/angular-ui-tree/angular-ui-tree/zipball/f814e77abd3098350688933ef912d1e151ad05fb> angular-ui-tree

MIT Blob-1.0.20150320.js Blob.js implements the W3C Blob interface in browsers that do not natively support it.
<https://github.com/bjornstar/blob-polyfill/blob/1.0.20150320/package.json> 2014 Copyright 2014 "Eli Grey" (<http://eligrey.com>) <https://cdnjs.cloudflare.com/ajax/libs/blob-polyfill/1.0.20150320/Blob.js>
<https://cdnjs.cloudflare.com/ajax/libs/blob-polyfill/1.0.20150320/Blob.js>

MIT bootstrap-3.4.1.js The most popular front-end framework for developing responsive, mobile first projects on the web.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58f6ea31-9ac5-43ec-a887-7c3203d6e6fd> "2011-2019 Copyright 2011-2019 Copyright 2011-2019 Copyright 2011-2019 Twitter, Inc"
<http://getbootstrap.com/>
<https://cdnjs.cloudflare.com/ajax/libs/twitter-bootstrap/3.4.1/js/bootstrap.js>

MIT bootstrap-3.4.1.min.js The most popular front-end framework for developing responsive, mobile first projects on the web.
https://github.com/twbs/bootstrap/blob/v3.4.1/package.json
"2011-2019 Copyright 2011-2019 Copyright
2011-2019 Copyright 2011-2019 Twitter, Inc" http://getbootstrap.com/
https://cdnjs.cloudflare.com/ajax/libs/twitter-bootstrap/3.4.1/js/bootstrap.min.js

MIT bootstrap-colorpicker-module-3.0.32.js Native AngularJS
colorpicker directive https://github.com/buberdds/angular-bootstrap-colorpicker/blob/v3.0.32/package.json
https://cdnjs.cloudflare.com/ajax/libs/angular-bootstrap-colorpicker/3.0.32/js/bootstrap-colorpicker-module.js
https://cdnjs.cloudflare.com/ajax/libs/angular-bootstrap-colorpicker/3.0.32/js/bootstrap-colorpicker-module.js

MIT bootstrap-colorpicker-module-3.0.32.min.js Native AngularJS
colorpicker directive https://github.com/buberdds/angular-bootstrap-colorpicker/blob/v3.0.32/package.json
https://cdnjs.cloudflare.com/ajax/libs/angular-bootstrap-colorpicker/3.0.32/js/bootstrap-colorpicker-module.min.js
https://cdnjs.cloudflare.com/ajax/libs/angular-bootstrap-colorpicker/3.0.32/js/bootstrap-colorpicker-module.min.js

MIT bootstrap-daterangepicker-v2.1.27 JavaScript Date Range, Date and Time Picker Component https://github.com/dangrossman/daterangepicker
2012-2017 Copyright 2012-2017 Dan Grossman
http://www.daterangepicker.com
https://github.com/dangrossman/bootstrap-daterangepicker/zipball/v2.1.27 dangrossman

MIT bower-angular-aria-v1.6.8 angular-aria.js bower repo License File (https://github.com/angular/bower-angular-aria/blob/v1.6.8/package.json) "2010-2015 Copyright 2010-2015 Google, Inc. http://angularjs.org
2016 Copyright 2016 Angular" https://github.com/angular/bower-angular-aria/zipball/v1.6.8 https://github.com/angular/bower-angular-aria/zipball/v1.6.8 angular

MIT bower-angular-cookies-v1.7.9 angular-cookies bower repo License File (https://github.com/angular/bower-angular-cookies/blob/v1.7.9/README.md) "2010-2015 Copyright 2010-2015 Google, Inc. http://angularjs.org
2016 Copyright 2016 Angular" https://github.com/angular/bower-angular-cookies/zipball/v1.7.9 https://github.com/angular/bower-angular-cookies/zipball/v1.7.9 angular

MIT bower-angular-sanitize-v1.5.7 angular-sanitize bower repo License File (https://github.com/angular/bower-angular-sanitize/blob/v1.5.7/LICENSE.md) "2010-2015 Copyright 2010-2015 Google, Inc. http://angularjs.org
2016 Copyright 2016 Angular" https://github.com/angular/bower-angular-sanitize/zipball/v1.5.7 https://github.com/angular/bower-angular-sanitize/zipball/v1.5.7 angular

MIT Chart.bundle-2.9.4.min.js Simple HTML5 charts using the canvas element.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fe5a48fa-691e-4cef-be8a-a9cd64c2c93f> 2020 Copyright 2020 Chart.js Contributors <http://www.chartjs.org>
<https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.bundle.min.js>

MIT Chart.js Simple HTML5 Charts using the <canvas> tag License File (<https://github.com/chartjs/Chart.js/blob/v2.9.4/LICENSE.md>) 2018 Copyright 2018 Chart.js Contributors <https://www.chartjs.org/>
<https://github.com/chartjs/Chart.js/zipball/v2.9.4> chartjs

MIT Chart-2.9.4.min.js Simple HTML5 charts using the canvas element.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b5ea0099-f000-47e9-b1ee-4e6312b6e439> 2020 Copyright 2020 Chart.js Contributors <http://www.chartjs.org>
<https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js>

MIT daterangepicker-2.1.27.js Date range picker component for Bootstrap
<https://github.com/dangrossman/daterangepicker/blob/v2.1.27/README.md> 2012-2017 Copyright 2012-2017 Dan Grossman
<https://cdnjs.cloudflare.com/ajax/libs/bootstrap-daterangepicker/2.1.27/daterangepicker.js>
<https://cdnjs.cloudflare.com/ajax/libs/bootstrap-daterangepicker/2.1.27/daterangepicker.js>

MIT https://source.codeaurora.org/quic/lc/infra/third_party/bootstrap/-v3.4.1 License File
(https://source.codeaurora.org/quic/lc/infra/third_party/bootstrap/-v3.4.1) "2011-2019 Copyright 2011-2019 ode and documentation copyright 2011-2019 Copyright 2011-2019 Twitter, Inc"
https://source.codeaurora.org/quic/lc/infra/third_party/bootstrap/
https://source.codeaurora.org/quic/lc/infra/third_party/bootstrap/?tag=v3.4.1

MIT javascript-detect-element-resize-v0.5.1 A Cross-Browser, Event-based, Element Resize Detection License File
(<https://github.com/sdecima/javascript-detect-element-resize/blob/v0.5.1/LICENSE>) <https://github.com/sdecima/javascript-detect-element-resize/zipball/v0.5.1>
<https://github.com/sdecima/javascript-detect-element-resize/zipball/v0.5.1> sdecima

MIT jquery.gridster.with-extras-0.5.6.js a drag-and-drop multi-column jQuery grid plugin
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery.gridster/package.json> 2014 Copyright 2014 ducksboard; Licensed MIT */
<http://gridster.net/>

<https://cdnjs.cloudflare.com/ajax/libs/jquery.gridster/0.5.6/jquery.gridster.with-extras.js>

MIT [jquery.gridster.with-extras-0.5.6.min.js](#) a drag-and-drop multi-column jQuery grid plugin
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery.gridster/package.json> 2014 Copyright 2014 ducksboard <http://gridster.net/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery.gridster/0.5.6/jquery.gridster.with-extras.min.js>

MIT [jquery.gridster-0.5.6.js](#) a drag-and-drop multi-column jQuery grid plugin
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0ae75a30-559f-4d6c-ada0-81d793672866> 2014 Copyright 2014 ducksboard; Licensed MIT */ <http://gridster.net/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery.gridster/0.5.6/jquery.gridster.js>

MIT [jquery.gridster-0.5.6.min.js](#) a drag-and-drop multi-column jQuery grid plugin
<https://github.com/ducksboard/gridster.js/blob/v0.5.6/README.md>
2014 Copyright 2014 ducksboard <http://gridster.net/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery.gridster/0.5.6/jquery.gridster.min.js>

MIT [jquery.slim-3.5.1.js](#) JavaScript library for DOM operations
<https://index.mend.io/gri/app/reader/resource/content/asString/e398b5d7-3700-454a-a272-4ebd4268fa9f> "Copyright JS Foundation and other contributors Copyright JS Foundation and other contributors,
<https://js.foundation/> <http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.slim.js>

MIT [jquery-3.5.1](#) jQuery JavaScript Library License File
(<https://github.com/jquery/jquery/blob/3.5.1/package.json>) Copyright JS Foundation and other contributors, <https://js.foundation/>
<https://jquery.com>
<https://github.com/jquery/jquery/zipball/3.5.1> jquery

MIT [jquery-3.5.1.js](#) JavaScript library for DOM operations
<https://github.com/jquery/jquery/blob/3.5.1/LICENSE.txt> "Copyright JS Foundation and other contributors Copyright JS Foundation and other contributors, <https://js.foundation/> <http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.js>

MIT [jquery-3.5.1.min.js](#) JavaScript library for DOM operations
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package.json> 2020 Copyright 2020 OpenJS Foundation and jQuery contributors
<http://jquery.com/>
<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.min.js>

MIT [jquery-3.5.1.slim.min.js](#) JavaScript library for DOM operations
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/jquery/package>

.json "Copyright JS Foundation and other contributors |
jquery.org/license */ Copyright JS Foundation and other contributors,
https://js.foundation/" http://jquery.com/
https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.slim.min
.js

MIT librejs-librejs-7.19 Gnu DistributionsMIT "2011-2014 Copyright
2011-2014 Loic J
2018 Copyright 2018 Nathan Nichols 2014-2015 Copyright 2014-2015 Nik
Nyby" https://ftp.gnu.org/gnu/librejs?wsslib=librejs
https://ftp.gnu.org/gnu/librejs/librejs-7.19.tar.gz gnu

MIT marked-0.2.9.js A markdown parser built for speed
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/marked/package
.json 2011-2013 Copyright 2011-2013 Christopher Jeffrey
https://cdnjs.cloudflare.com/ajax/libs/marked/0.2.9/marked.js
https://cdnjs.cloudflare.com/ajax/libs/marked/0.2.9/marked.js

MIT moment-2.29.4 Parse, validate, manipulate, and display dates in
javascript. momentjs.com
https://github.com/moment/moment/zipball/2.29.4 moment

MIT moment-2.30.1 Parse, validate, manipulate, and display dates in
javascript. License File (https://github.com/ze-
pequeno/moment/blob/2.30.1/README.md) Copyright JS Foundation and other
contributors momentjs.com https://github.com/ze-
pequeno/moment/zipball/2.30.1 ze-pequeno

MIT moment-2.30.1.js Parse, validate, manipulate, and display dates
https://github.com/moment/moment.git http://momentjs.com/
https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.30.1/moment.js

MIT moment-with-locales-2.30.1.js Parse, validate, manipulate, and
display dates
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/moment.js/pack
age.json http://momentjs.com/
https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.30.1/moment-
with-locales.js

MIT moment-with-locales-2.30.1.min.js Parse, validate, manipulate, and
display dates
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/moment.js/pack
age.json http://momentjs.com/
https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.30.1/moment-
with-locales.min.js

MIT ng-idle-1.2.2 Responding to idle users in AngularJS
applications. License File (https://github.com/thoughtassassin/ng-
idle/blob/1.2.2/LICENSE) 2013 Copyright 2013 Mike Grabski
http://hackedbychinese.github.io/ng-idle
https://github.com/thoughtassassin/ng-idle/zipball/1.2.2
thoughtassassin

MIT npm-3.3.0-3.3.0.js Google-styled theme for Bootstrap.
<https://github.com/todc/todc-bootstrap/blob/v3.3.0-3.3.0/package.json> "2011-2014 Copyright 2011-2014 Tim O'Donnell
 Copyright and license] (#copyright-and-license)"
<https://cdnjs.cloudflare.com/ajax/libs/todc-bootstrap/3.3.0-3.3.0/js/npm.js> <https://cdnjs.cloudflare.com/ajax/libs/todc-bootstrap/3.3.0-3.3.0/js/npm.js> Tim O'Donnell

MIT npm-3.4.0-3.4.1.js Google-styled theme for Bootstrap.
<https://github.com/todc/todc-bootstrap/blob/v3.4.0-3.4.1/LICENSE>
 "2011-2018 Copyright 2011-2018 Twitter, Inc 2011-2018 Copyright
 2011-2018 Tim O'Donnell Copyright and license] (#copyright-and-license)"
<https://cdnjs.cloudflare.com/ajax/libs/todc-bootstrap/3.4.0-3.4.1/js/npm.js> <https://cdnjs.cloudflare.com/ajax/libs/todc-bootstrap/3.4.0-3.4.1/js/npm.js>

MIT numeral-2.0.6.min.js Format and manipulate numbers.
<https://github.com/adamwdraper/Numeral-js/blob/2.0.6/LICENSE>
 "2012 Copyright 2012 Adam Draper 2016 Copyright 2016 Adam Draper"
<http://numeraljs.com/>
<https://cdnjs.cloudflare.com/ajax/libs/numeral.js/2.0.6/numeral.min.js>

MIT Numeral-js-2.0.6 A javascript library for formatting and
 manipulating numbers. License File
 (<https://github.com/adamwdraper/Numeral-js/blob/2.0.6/LICENSE>) "2012
 Copyright 2012 Adam Draper 2016 Copyright 2016 Adam Draper"
<http://numeraljs.com> <https://github.com/adamwdraper/Numeral-js/zipball/2.0.6> adamwdraper

MIT opennms-opennms-source-26.0.0-1 A Java based fault and
 performance management system <https://www.npmjs.com/package/bluebird>
 "1999-2015 Copyright 1999-2015 The OpenNMS Group, Inc 1999-2000
 Copyright 1999-2000 s FirstThe OpenNMS Project was started in July of"
<https://sourceforge.net/p/opennms/>
<https://sourceforge.net/projects/opennms/files/OpenNMS-Source/old/opennms-source-26.0.0-1.tar.gz/download> af48

MIT qunit-1.10.0-1.10.0.js An easy-to-use JavaScript Unit Testing
 framework.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/qunit/package.json>
 2012 Copyright 2012 jQuery Foundation and other contributors
<https://qunitjs.com/>
<https://cdnjs.cloudflare.com/ajax/libs/qunit/1.10.0/qunit-1.10.0.js>

MIT select-0.19.8.js AngularJS ui-select
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2070b526-6a7d-4d29-9f5e-becd50cc7a58> 2013-2014 Copyright
 2013-2014 AngularUI <https://cdnjs.cloudflare.com/ajax/libs/angular-ui-select/0.19.8/select.js>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-select/0.19.8/select.js>

MIT select-0.19.8.min.js AngularJS ui-select
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/angular-ui-select/package.json> 2013-2014 Copyright 2013-2014 AngularUI
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-select/0.19.8/select.min.js>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-select/0.19.8/select.min.js>

MIT select2_locale_ar-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ar.js

MIT select2_locale_az-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_az.js

MIT select2_locale_bg-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_bg.js

MIT select2_locale_ca-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ca.js

MIT select2_locale_cs-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_cs.js

MIT select2_locale_da-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite

scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_da.js

MIT [select2_locale_de-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_de.js

MIT [select2_locale_el-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_el.js

MIT [select2_locale_es-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_es.js

MIT [select2_locale_et-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_et.js

MIT [select2_locale_eu-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_eu.js

MIT [select2_locale_fa-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_fa.js

MIT select2_locale_fi-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_fi.js

MIT select2_locale_fr-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_fr.js

MIT select2_locale_gl-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_gl.js

MIT select2_locale_he-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_he.js

MIT select2_locale_hr-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_hr.js

MIT select2_locale_hu-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_hu.js

MIT select2_locale_id-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_id.js

MIT select2_locale_is-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_is.js

MIT select2_locale_it-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_it.js

MIT select2_locale_ja-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ja.js

MIT select2_locale_ka-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ka.js

MIT select2_locale_ko-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.

<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ko.js

MIT select2_locale_lt-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_lt.js

MIT select2_locale_lv-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_lv.js

MIT select2_locale_mk-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_mk.js

MIT select2_locale_ms-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ms.js

MIT select2_locale_nb-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_nb.js

MIT select2_locale_nl-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg

2017 Kevin Brown"<https://select2.org>
[https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale
_nl.js](https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_nl.js)

MIT [select2_locale_pl-3.5.4.js](#) Select2 is a jQuery based replacement
for select boxes. It supports searching, remote data sets, and infinite
scrolling of results.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package
e.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json) <https://select2.org>
[https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale
_pl.js](https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_pl.js)

MIT [select2_locale_pt-BR-3.5.4.js](#) Select2 is a jQuery based
replacement for select boxes. It supports searching, remote data sets,
and infinite scrolling of results.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package
e.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json) <https://select2.org>
[https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale
_pt-BR.js](https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_pt-BR.js)

MIT [select2_locale_pt-PT-3.5.4.js](#) Select2 is a jQuery based
replacement for select boxes. It supports searching, remote data sets,
and infinite scrolling of results.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package
e.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json) "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
[https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale
_pt-PT.js](https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_pt-PT.js)

MIT [select2_locale_ro-3.5.4.js](#) Select2 is a jQuery based replacement
for select boxes. It supports searching, remote data sets, and infinite
scrolling of results.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package
e.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json) "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
[https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale
_ro.js](https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ro.js)

MIT [select2_locale_rs-3.5.4.js](#) Select2 is a jQuery based replacement
for select boxes. It supports searching, remote data sets, and infinite
scrolling of results.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package
e.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json) "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
[https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale
_rs.js](https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_rs.js)

MIT [select2_locale_ru-3.5.4.js](#) Select2 is a jQuery based replacement
for select boxes. It supports searching, remote data sets, and infinite
scrolling of results.
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package
e.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json) "2017 Igor Vaynberg

2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ru.js

MIT select2_locale_sk-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_sk.js

MIT select2_locale_sv-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_sv.js

MIT select2_locale_th-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_th.js

MIT select2_locale_tr-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_tr.js

MIT select2_locale_ug-CN-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_ug-CN.js

MIT select2_locale_uk-3.5.4.js Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg

2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_uk.js

MIT [select2_locale_vi-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> <https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_vi.js

MIT [select2_locale_zh-CN-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_zh-CN.js

MIT [select2_locale_zh-TW-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> "2017 Igor Vaynberg
2017 Kevin Brown"<https://select2.org>
https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2_locale_zh-TW.js

MIT [select2-3.5.4.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> 2012 Copyright 2012 Igor Vaynberg <https://select2.org>
<https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2.js>

MIT [select2-3.5.4.min.js](#) Select2 is a jQuery based replacement for select boxes. It supports searching, remote data sets, and infinite scrolling of results.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/select2/package.json> 2014 Copyright 2014 Igor Vaynberg <https://select2.org>
<https://cdnjs.cloudflare.com/ajax/libs/select2/3.5.4/select2.min.js>

MIT [sizzle-2.3.5.js](#) A pure-JavaScript, bottom-up CSS selector engine designed to be easily dropped in to a host library.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/sizzle/package.json> <http://sizzlejs.com/>
<https://cdnjs.cloudflare.com/ajax/libs/sizzle/2.3.5/sizzle.js>

MIT [sizzle-2.3.5.min.js](#) A pure-JavaScript, bottom-up CSS selector engine designed to be easily dropped in to a host library.

https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/sizzle/package
.json http://sizzlejs.com/
https://cdnjs.cloudflare.com/ajax/libs/sizzle/2.3.5/sizzle.min.js

MIT socket.io.esm-4.6.2.min.js node.js realtime framework server
https://github.com/socketio/socket.io/blob/4.6.2/package.json
"2014-2023 Copyright 2014-2023 Guillermo Rauch 2014-2018 Copyright
2014-2018 Automattic <dev@cloudup.com>" https://socket.io
https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.6.2/socket.io.es
m.min.js

MIT socket.io.msgpack-4.6.2.min.js node.js realtime framework server
https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/socket.io/pack
age.json "2014-2023 Copyright 2014-2023 Guillermo Rauch 2014-2018
Copyright 2014-2018 Automattic <dev@cloudup.com>" https://socket.io
https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.6.2/socket.io.ms
gpack.min.js

MIT socket.io-4.6.2.js node.js realtime framework server
https://github.com/socketio/socket.io/blob/4.6.2/package.json
"2014-2023 Copyright 2014-2023 Guillermo Rauch 2014-2018 Copyright
2014-2018 Automattic <dev@cloudup.com>" https://socket.io
https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.6.2/socket.io.js

MIT socket.io-4.6.2.min.js node.js realtime framework server
https://github.com/socketio/socket.io/blob/4.6.2/Readme.md
"2014-2023 Copyright 2014-2023 Guillermo Rauch 2014-2018 Copyright
2014-2018 Automattic <dev@cloudup.com>" https://socket.io
https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.6.2/socket.io.mi
n.js

MIT socket.io-socket.io-client@4.7.5 Realtime application framework
(Node.JS server) License File
(https://github.com/socketio/socket.io/blob/socket.io-
client@4.7.5/LICENSE) 2014 Copyright 2014 Guillermo Rauch
https://socket.io
https://github.com/socketio/socket.io/zipball/socket.io-
client@4.7.5 socketio

MIT summernote-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
https://github.com/summernote/summernote/blob/v0.9.1/package.json
"2015 Copyright 2015 Summernote Team
(https://github.com/orgs/summernote/people) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" https://summernote.org
https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/summernote.
min.js

MIT summernote-ar-AR-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
https://github.com/summernote/summernote/blob/v0.9.1/package.json
"2015 Copyright 2015 Summernote Team

(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
[https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-ar-AR.min.js](https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-ar-AR.min.js)

MIT summernote-az-AZ-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/pac
kage.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/pac
kage.json) "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
[https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-az-AZ.min.js](https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-az-AZ.min.js)

MIT summernote-bg-BG-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
[https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/pac
kage.json](https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/pac
kage.json) "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
[https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-bg-BG.min.js](https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-bg-BG.min.js)

MIT summernote-bn-BD-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
[https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-bn-BD.min.js](https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer
note-bn-BD.min.js)

MIT summernote-bs4-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
[https://index.mend.io/gri/app/reader/resource/content/asString/123f
dd2c-1b92-43b5-b441-fd9c72818d3c](https://index.mend.io/gri/app/reader/resource/content/asString/123f
dd2c-1b92-43b5-b441-fd9c72818d3c) "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
[https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/summernote-
bs4.min.js](https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/summernote-
bs4.min.js)

MIT summernote-bs5-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
[https://index.mend.io/gri/app/reader/resource/content/asString/bd60
c3ad-d778-4704-8671-451328a44472](https://index.mend.io/gri/app/reader/resource/content/asString/bd60
c3ad-d778-4704-8671-451328a44472) "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
[https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/summernote-
bs5.min.js](https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/summernote-
bs5.min.js)

MIT summernote-ca-ES-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013

Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-ca-ES.min.js>

MIT summernote-cs-CZ-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-cs-CZ.min.js>

MIT summernote-da-DK-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-da-DK.min.js>

MIT summernote-de-CH-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-de-CH.min.js>

MIT summernote-de-DE-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-de-DE.min.js>

MIT summernote-el-GR-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/9cfb4455-46f5-4b49-b9d0-3d141a1b2c1b> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-el-GR.min.js>

MIT summernote-en-US-0.9.0.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote.git> 2013 Copyright 2013
Hackerwins and contributors <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-en-US.js>

MIT summernote-en-US-0.9.0.min.js Super simple WYSIWYG editor on Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/06c70242-f8e3-4a24-bb33-08596ad72e32> 2013 Copyright 2013 Hackerwins and contributors | MIT license */ <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-en-US.min.js>

MIT summernote-es-ES-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013 Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-es-ES.min.js>

MIT summernote-es-EU-0.9.0.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote.git> 2013 Copyright 2013 Hackerwins and contributors <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-es-EU.js>

MIT summernote-es-EU-0.9.0.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> 2013 Copyright 2013 Hackerwins and contributors | MIT license */ <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-es-EU.min.js>

MIT summernote-ext-databasic-0.9.0.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote.git>
<https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/plugin/databasic/summernote-ext-databasic.js>

MIT summernote-ext-hello-0.8.16.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/summernote/summernote/blob/v0.8.16/README.md>
2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.8.16/plugin/hello/summernote-ext-hello.js>

MIT summernote-ext-specialchars-0.8.19.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote.git>
<https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.8.19/plugin/specialchars/summernote-ext-specialchars.js>

MIT summernote-fa-IR-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team

(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-fa-IR.min.js>

MIT summernote-fi-FI-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/1c3a15a4-0fd7-4be7-9e36-06f457ebf80d> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-fi-FI.min.js>

MIT summernote-fr-FR-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-fr-FR.min.js>

MIT summernote-gl-ES-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-gl-ES.min.js>

MIT summernote-he-IL-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-he-IL.min.js>

MIT summernote-hr-HR-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-hr-HR.min.js>

MIT summernote-hu-HU-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>

<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-hu-HU.min.js>

MIT summernote-id-ID-0.9.0.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> 2013 Copyright 2013 Hackerwins and contributors
<https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-id-ID.js>

MIT summernote-id-ID-0.9.0.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> 2013 Copyright 2013 Hackerwins and contributors | MIT license
*/ <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-id-ID.min.js>

MIT summernote-it-IT-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/ca6f5f46-a818-473d-b413-84c474574026> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013 Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-it-IT.min.js>

MIT summernote-ja-JP-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013 Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-ja-JP.min.js>

MIT summernote-ko-KR-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/ac22c2e8-c7ee-43c8-87dd-12e7db9c55a9> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013 Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-ko-KR.min.js>

MIT summernote-lite-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013 Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/summernote-lite.min.js>

MIT summernote-lt-LT-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/3d8d5be5-74a4-470f-80b2-be74af0eacb6> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-lt-LT.min.js>

MIT summernote-lt-LV-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-lt-LV.min.js>

MIT summernote-mn-MN-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-mn-MN.min.js>

MIT summernote-nb-NO-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-nb-NO.min.js>

MIT summernote-nl-NL-0.9.0.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> 2013 Copyright 2013 Hackerwins and contributors
<https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-nl-NL.js>

MIT summernote-nl-NL-0.9.0.min.js Super simple WYSIWYG editor on Bootstrap
<https://index.mend.io/gri/app/reader/resource/content/asString/f21c5a45-fee5-4bb2-a030-3f672832876d> 2013 Copyright 2013 Hackerwins and contributors | MIT license */ <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.0/lang/summernote-nl-NL.min.js>

MIT summernote-pl-PL-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap

<https://index.mend.io/gri/app/reader/resource/content/asString/6d763bd8-0399-43ec-b38a-f220fa990981> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-pl-PL.min.js>

MIT summernote-pt-BR-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-pt-BR.min.js>

MIT summernote-pt-PT-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-pt-PT.min.js>

MIT summernote-ro-RO-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-ro-RO.min.js>

MIT summernote-ru-RU-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://index.mend.io/gri/app/reader/resource/content/asString/27b5d5f1-4c64-47d7-95f6-8915852cc93a> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-ru-RU.min.js>

MIT summernote-sk-SK-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-sk-SK.min.js>

MIT summernote-sl-SI-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team

(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-sl-SI.min.js>

MIT summernote-sr-RS-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-sr-RS.min.js>

MIT summernote-sr-RS-Latin-0.9.1.min.js Super simple WYSIWYG editor
on Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-sr-RS-Latin.min.js>

MIT summernote-sv-SE-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-sv-SE.min.js>

MIT summernote-ta-IN-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-ta-IN.min.js>

MIT summernote-th-TH-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/summernote/summernote/blob/v0.9.1/package.json>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summer-note-th-TH.min.js>

MIT summernote-tr-TR-0.9.1.min.js Super simple WYSIWYG editor on
Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>

<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-tr-TR.min.js>

MIT summernote-uk-UA-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-uk-UA.min.js>

MIT summernote-uz-UZ-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap <https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>
"2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-uz-UZ.min.js>

MIT summernote-v0.9.1Super simple WYSIWYG editor License File
(<https://github.com/summernote/summernote/blob/v0.9.1/LICENSE>) 2015
Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) <https://summernote.org>
<https://github.com/summernote/summernote/zipball/v0.9.1> summernote

MIT summernote-vi-VN-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-vi-VN.min.js>

MIT summernote-zh-CN-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-zh-CN.min.js>

MIT summernote-zh-TW-0.9.1.min.js Super simple WYSIWYG editor on Bootstrap
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/summernote/package.json> "2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>) 2013 Copyright 2013
Hackerwins and contributors | MIT license */" <https://summernote.org>
<https://cdnjs.cloudflare.com/ajax/libs/summernote/0.9.1/lang/summernote-zh-TW.min.js>

MIT ui-bootstrap-2.5.0.js Native AngularJS (Angular) directives for Bootstrap <https://github.com/angular->

ui/bootstrap/blob/2.5.0/package.json 2012-2017 Copyright 2012-2017 the AngularUI Team, <https://github.com/organizations/angular-ui/teams/291112>
<http://angular-ui.github.io/bootstrap/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-bootstrap/2.5.0/ui-bootstrap.js>

MIT ui-bootstrap-2.5.0.min.js Native AngularJS (Angular) directives for Bootstrap <https://github.com/angular-ui/bootstrap/blob/2.5.0/LICENSE> 2012-2017 Copyright 2012-2017 the AngularUI Team, <https://github.com/organizations/angular-ui/teams/291112>
<http://angular-ui.github.io/bootstrap/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-bootstrap/2.5.0/ui-bootstrap.min.js>

MIT ui-bootstrap-tpls-2.5.0.js Native AngularJS (Angular) directives for Bootstrap <https://github.com/angular-ui/bootstrap/blob/2.5.0/LICENSE> 2012-2017 Copyright 2012-2017 the AngularUI Team, <https://github.com/organizations/angular-ui/teams/291112>
<http://angular-ui.github.io/bootstrap/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-bootstrap/2.5.0/ui-bootstrap-tpls.js>

MIT ui-bootstrap-tpls-2.5.0.min.js Native AngularJS (Angular) directives for Bootstrap <https://github.com/angular-ui/bootstrap/blob/2.5.0/package.json> 2012-2017 Copyright 2012-2017 the AngularUI Team, <https://github.com/organizations/angular-ui/teams/291112>
<http://angular-ui.github.io/bootstrap/>
<https://cdnjs.cloudflare.com/ajax/libs/angular-ui-bootstrap/2.5.0/ui-bootstrap-tpls.min.js>

MIT ui-router-1.1.1 The de-facto solution to flexible routing with nested views in AngularJS License File (<https://github.com/angular-ui/ui-router/blob/1.1.1/package.json>) 2013-2018 Copyright 2013-2018 The AngularUI Team <http://ui-router.github.io/> <https://github.com/angular-ui/ui-router/zipball/1.1.1> angular-ui

MIT ui-router-angularjs-1.0.29.js State-based routing for AngularJS <https://github.com/angular-ui/ui-router/blob/1.0.29/LICENSE> 2013-2018 Copyright 2013-2018 The AngularUI Team <https://angular-ui.github.io/> <https://cdnjs.cloudflare.com/ajax/libs/angular-ui-router/1.0.29/ui-router-angularjs.js>

MIT ui-router-angularjs-1.1.1.min.js State-based routing for AngularJS <https://github.com/angular-ui/ui-router/blob/1.1.1/package.json> 2013-2018 Copyright 2013-2018 The AngularUI Team <https://angular-ui.github.io/> <https://cdnjs.cloudflare.com/ajax/libs/angular-ui-router/1.1.1/ui-router-angularjs.min.js>

MIT underscore.string-2.4.0.min.js String manipulation extensions for Underscore.js javascript library. <https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/underscore.string/package.json> 2011 Copyright 2011 Esa-Matti Suuronen esa-matti@suuronen.org <http://epeli.github.com/underscore.string/>

<https://cdnjs.cloudflare.com/ajax/libs/underscore.string/2.4.0/underscore.string.min.js>

MIT underscore-1.12.1 JavaScript's utility _ belt License File
(<https://github.com/jashkenas/underscore/blob/1.12.1/LICENSE>) 2009-2020
Copyright 2009-2020 Jeremy Ashkenas <https://underscorejs.org>
<https://github.com/jashkenas/underscore/zipball/1.12.1> jashkenas

MIT underscore-1.12.1.js JavaScript's functional programming helper library.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/underscore.js/package.json> 2009-2020 Copyright 2009-2020 Jeremy Ashkenas
<http://jashkenas.github.io/underscore/>
<https://cdnjs.cloudflare.com/ajax/libs/underscore.js/1.12.1/underscore.js>

MIT underscore-esm-1.12.1.js JavaScript's functional programming helper library.
<https://github.com/jashkenas/underscore/blob/1.12.1/package.json> 2009-2020 Copyright 2009-2020 Jeremy Ashkenas
<http://jashkenas.github.io/underscore/>
<https://cdnjs.cloudflare.com/ajax/libs/underscore.js/1.12.1/underscore-esm.js>

MIT underscore-esm-min-1.12.1.js JavaScript's functional programming helper library.
<https://github.com/jashkenas/underscore/blob/1.12.1/LICENSE> 2009-2020 Copyright 2009-2020 Jeremy Ashkenas
<http://jashkenas.github.io/underscore/>
<https://cdnjs.cloudflare.com/ajax/libs/underscore.js/1.12.1/underscore-esm-min.js>

MIT underscore-min-1.12.1.js JavaScript's functional programming helper library.
<https://github.com/cdnjs/cdnjs/blob/master/ajax/libs/underscore.js/package.json> 2009-2020 Copyright 2009-2020 Jeremy Ashkenas
<http://jashkenas.github.io/underscore/>
<https://cdnjs.cloudflare.com/ajax/libs/underscore.js/1.12.1/underscore-min.js>

MIT webapps-deploy-v2 Enable GitHub developers to deploy to Azure WebApps using GitHub Actions License File
(<https://github.com/Azure/webapps-deploy/blob/v2/package.json>) Copyright Microsoft Corporation <https://github.com/Azure/webapps-deploy/zipball/v2>
<https://github.com/Azure/webapps-deploy/zipball/v2> Azure

Suspected BSD 3 angular-chart.js.tar.gz
<https://github.com/jtblin/angular-chart.js/>

<< End WebUI 25-09 Client Libraries >>

<<Start WebUI 25-09 Server Libraries >>

License	Library	Description	License	Reference	Copyrights	Homepage
	Download Link	Author				
Apache 2.0	aria-query-5.1.3.tgz	Programmatic access to the ARIA specification		https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/718cdc9e-199a-432f-9a98-3a0cef99382c	"2021 Copyright 2021 Alliance	
		2020 Copyright 2020 Alliance"		https://github.com/Alliance/aria-query#readme		
				https://registry.npmjs.org/aria-query/-/aria-query-5.1.3.tgz		
Apache 2.0	atob-2.1.2.tgz	atob for Node.JS and Linux / Mac / Windows CLI (it's a one-liner)		https://www.npmjs.org/package/atob	"2012-2018 Copyright 2012-2018 Docs copyright 2015 Copyright 2015 AJ ONeal 2012-2018 Copyright 2012-2018 ode copyright"	
				https://git.coolaj86.com/coolaj86/atob.js.git		
				https://registry.npmjs.org/atob/-/atob-2.1.2.tgz		
Apache 2.0	aws-sign2-0.7.0.tgz	AWS signing. Originally pulled from LearnBoost/knox, maintained as vendor in request, now a standalone module.		https://github.com/mikeal/aws-sign#readme	2010 LearnBoost	
				https://github.com/mikeal/aws-sign#readme		
				https://registry.npmjs.org/aws-sign2/-/aws-sign2-0.7.0.tgz		
Apache 2.0	btoa-1.2.1.tgz	btoa for Node.JS (it's a one-liner)		https://git.coolaj86.com/coolaj86/btoa.js/src/branch/master/package.json	"2012-2018 Copyright 2012-2018 Docs copyright 2012-2018 Copyright 2012-2018 ode copyright Copyright and License"	
				https://git.coolaj86.com/coolaj86/btoa.js.git		
				https://registry.npmjs.org/btoa/-/btoa-1.2.1.tgz		
Apache 2.0	caseless-0.12.0.tgz	Caseless object set/get/has, very useful when working with HTTP headers.		https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d06469fe-4b53-4928-9b25-8c4ale4ee786	Unspecified Copyright	
				https://github.com/mikeal/caseless#readme		
				https://registry.npmjs.org/caseless/-/caseless-0.12.0.tgz		
Apache 2.0	crc-32-1.2.2.tgz	Pure-JS CRC-32		https://index.mend.io/gri/app/reader/resource/content/asString/bdb6860e-d73c-4581-80bd-fc23eeb5130e	2014 Copyright 2014 SheetJS LLC	
				https://sheetjs.com/		
				https://registry.npmjs.org/crc-32/-/crc-32-1.2.2.tgz		
Apache 2.0	d3-scale-chromatic-3.1.0.tgz			https://index.mend.io/gri/app/reader/resource/content/asString/d798a4aa-63b2-4d83-9444-c7e3f8b261b0	"2010-2024 Copyright 2010-2024 Mike Bostock 2002 Copyright 2002 Cynthia Brewer, Mark Harrower, and The Pennsylvania State University"	
				https://d3js.org/d3-scale-chromatic/		

<https://registry.npmjs.org/d3-scale-chromatic/-/d3-scale-chromatic-3.1.0.tgz>

Apache 2.0 detect-libc-2.1.0.tgz Node.js module to detect the C standard library (libc) implementation family and version

<https://index.mend.io/gri/app/reader/resource/content/asString/1001e9a8-4f04-4296-a0de-79aaabe0c0cd> 2017 Copyright 2017 Lovell Fuller and others
<https://github.com/lovell/detect-libc#readme>
<https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.0.tgz>

Apache 2.0 detect-libc-2.1.2.tgz Node.js module to detect the C standard library (libc) implementation family and version

<https://index.mend.io/gri/app/reader/resource/content/asString/93c020ed-0356-4221-92b1-4c18b3616997> 2017 Copyright 2017 Lovell Fuller and others
<https://github.com/lovell/detect-libc#readme>
<https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz>

Apache 2.0 doctrine-3.0.0.tgz JSDoc parser

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d522fd19-66ef-4069-af3e-a2e81d348cf6> "Copyright JS Foundation and other contributors, <https://js.foundation> 2012-2011 Copyright 2012-2011 Ariya Hidayat"
<https://github.com/eslint/doctrine>
<https://registry.npmjs.org/doctrine/-/doctrine-3.0.0.tgz>

Apache 2.0 dompurify-3.2.4.tgz DOMPurify is a DOM-only, super-fast, uber-tolerant XSS sanitizer for HTML, MathML and SVG. It's written in JavaScript and works in all modern browsers (Safari, Opera (15+), Internet Explorer (10+), Firefox and Chrome - as well as almost anything else using

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d16cadb3-12d2-4f8b-8595-315d768a5ced> 2025 Copyright 2025 Dr
<https://github.com/cure53/DOMPurify>
<https://registry.npmjs.org/dompurify/-/dompurify-3.2.4.tgz>

Apache 2.0 ecdsa-sig-formatter-1.0.11.tgz Translate ECDSA signatures between ASN.1/DER and JOSE-style concatenation

<https://github.com/Brightspace/node-ecdsa-sig-formatter#readme> 2015 Copyright 2015 D2L Corporation <https://github.com/Brightspace/node-ecdsa-sig-formatter#readme> <https://registry.npmjs.org/ecdsa-sig-formatter/-/ecdsa-sig-formatter-1.0.11.tgz>

Apache 2.0 ejs-3.1.10.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/e93d0d27-95cd-4149-836f-2b60cb96965d> <https://github.com/mde/ejs>
<https://registry.npmjs.org/ejs/-/ejs-3.1.10.tgz>

Apache 2.0 fast-diff-1.1.2.tgz Fast Javascript text diff

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40529094-2a8f-47ff-af33-eac0bb7e8502>
<https://github.com/jhchen/fast-diff#readme>
<https://registry.npmjs.org/fast-diff/-/fast-diff-1.1.2.tgz>

Apache 2.0 filelist-1.0.4.tgz Lazy-evaluating list of files, based on globs or regex patterns

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e6fd5898-a410-4063-a781-e28410a77522>

<https://github.com/mde/filelist>

<https://registry.npmjs.org/filelist/-/filelist-1.0.4.tgz>

Apache 2.0 forever-agent-0.6.1.tgz HTTP Agent that keeps socket connections alive between keep-alive requests. Formerly part of mikeal/request, now a standalone module.

<https://www.npmjs.com/package/forever-agent/v/0.6.1> Unspecified Copyright

<https://github.com/mikeal/forever-agent>

<https://registry.npmjs.org/forever-agent/-/forever-agent-0.6.1.tgz>

Apache 2.0 formik-2.4.5.tgz

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fcfb0372-f438-46a2-9c8c-f5886e807a67>

<https://formik.org> <https://registry.npmjs.org/formik/-/formik-2.4.5.tgz>

Apache 2.0 formik-2.4.6.tgz

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9d85a2e3-19fc-4040-b468-12c4f4f2052c>

<https://formik.org> <https://registry.npmjs.org/formik/-/formik-2.4.6.tgz>

Apache 2.0 formik-2.4.9.tgz Build forms in React, without the tears

<https://index.mend.io/gri/app/reader/resource/content/asString/168fc3fc-0122-445d-869e-42a3eea914bc>

<https://formik.org>

<https://registry.npmjs.org/formik/-/formik-2.4.9.tgz>

Apache 2.0 jake-10.8.7.tgz

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/75f069df-9315-4826-9681-065b76eb766b>

<https://registry.npmjs.org/jake/-/jake-10.8.7.tgz>

<https://registry.npmjs.org/jake/-/jake-10.8.7.tgz>

Apache 2.0 jake-10.9.4.tgz JavaScript build tool, similar to Make or

Rake <https://www.npmjs.com/package/jake?activeTab=versions>

<https://github.com/jakejs/jake#readme>

<https://registry.npmjs.org/jake/-/jake-10.9.4.tgz>

Apache 2.0 js2xmlparser-1.0.0.tgz Parses JavaScript objects into XML

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2c1d03b1-ad02-4328-96c8-5e2dc128af98> 2012 Copyright 2012

Michael Kourlas and other contributors <http://www.kourlas.net>

<https://registry.npmjs.org/js2xmlparser/-/js2xmlparser-1.0.0.tgz>

Apache 2.0 js2xmlparser-3.0.0.tgz Parses JavaScript objects into XML

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9a55f9b6-e2a2-458f-b424-541d8blacflld> 2016-2017 Copyright

2016-2017 Michael Kourlas <https://github.com/michaelkourlas/node->

js2xmlparser#readme <https://registry.npmjs.org/js2xmlparser/-/js2xmlparser-3.0.0.tgz>

Apache 2.0 js-api-loader-1.16.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/710b5fa9-8652-4c71-b77e-999dc35b86e1> <https://github.com/googlemaps/js-api-loader> <https://registry.npmjs.org/@googlemaps/js-api-loader/-/js-api-loader-1.16.8.tgz>

Apache 2.0 JSONStream-1.3.5.tgz
rawStream.pipe(JSONStream.parse()).pipe(streamOfObjects)
<https://www.npmjs.com/package/JSONStream/v/1.3.5> 2011 Copyright
2011 Dominic Tarr<http://github.com/dominictarr/JSONStream>
<https://registry.npmjs.org/JSONStream/-/JSONStream-1.3.5.tgz>

Apache 2.0 libphonenumber-js-1.9.43.tgz A simpler (and smaller) rewrite of Google Android's libphonenumber library in javascript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6e1713fb-f5cf-46fc-9fc8-23f951fdb4aa> 2016 Copyright 2016
catamphetamine <purecatamphetamine@gmail.com>
<https://gitlab.com/catamphetamine/libphonenumber-js#readme>
<https://registry.npmjs.org/libphonenumber-js/-/libphonenumber-js-1.9.43.tgz>

Apache 2.0 markerclusterer-2.5.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/52cc567b-3eb5-4e4b-98de-b4433be20adc> <https://github.com/googlemaps/js-markerclusterer> <https://registry.npmjs.org/@googlemaps/markerclusterer/-/markerclusterer-2.5.3.tgz>

Apache 2.0 node-18.20.2.exe Node.js JavaScript Runtime
<https://www.nuget.org/packages/Node.js.redist/18.20.2/License>
Copyright Node.js<https://github.com/AArnott/Node.js.redist>
<https://api.nuget.org/packages/node.js.redist.18.20.2.nupkg>
Node.js

Apache 2.0 node-apk-parser-0.2.3.tgz Extracts information from APK files.
<https://index.mend.io/gri/app/reader/resource/content/asString/314c77e9-dbe1-4d40-a57a-3e2c9b768670> <https://github.com/arthur-zhang/node-apk-parser> <https://registry.npmjs.org/node-apk-parser/-/node-apk-parser-0.2.3.tgz>

Apache 2.0 oauth-sign-0.9.0.tgz OAuth 1 signing. Formerly a vendor lib in mikeal/request, now a standalone module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6c394e98-3f06-4791-8a66-77f01dc7f78c> Unspecified Copyright
<https://github.com/mikeal/oauth-sign#readme>
<https://registry.npmjs.org/oauth-sign/-/oauth-sign-0.9.0.tgz>

Apache 2.0 parseargs-0.11.0.tgz Polyfill of future proposal for `util.parseArgs()`
<https://index.mend.io/gri/app/reader/resource/content/asString/deb5f28f-6dbb-4e8d-a506-cac0c96e6a72>

<https://github.com/pkgjs/parseargs#readme>
<https://registry.npmjs.org/@pkgjs/parseargs/-/parseargs-0.11.0.tgz>

Apache 2.0 postman-request-2.88.1-postman.33.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7c7c186e-721c-4070-ad70-c8128eb154e3>
<https://github.com/postmanlabs/postman-request#readme>
<https://registry.npmjs.org/postman-request/-/postman-request-2.88.1-postman.33.tgz>

Apache 2.0 react-beautiful-dnd-13.1.1.tgz Beautiful and accessible
drag and drop for lists with React
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f7f9c1c6-d228-447b-a0a0-f8533badcc65> 2019 Copyright 2019
Atlassian Pty Ltd<https://github.com/atlassian/react-beautiful-dnd#readme>
<https://registry.npmjs.org/react-beautiful-dnd/-/react-beautiful-dnd-13.1.1.tgz>

Apache 2.0 react-contenteditable-3.3.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ff08f3cb-6241-49db-98b0-3ea41372effc> 2017 Copyright 2017 Ophir LOJKINE
<https://github.com/lovasoa/react-contenteditable#readme>
<https://registry.npmjs.org/react-contenteditable/-/react-contenteditable-3.3.7.tgz>

Apache 2.0 react-icons-3.11.0.tgz SVG React icons of popular icon packs
using ES6 imports
<https://index.mend.io/gri/app/reader/resource/content/asString/8f723fde-3077-40c1-a28e-d3472b2d3e41> 2018 Copyright 2018 kamijin_fanta
<kamijin@live.jp><https://github.com/react-icons/react-icons#readme>
<https://registry.npmjs.org/react-icons/-/react-icons-3.11.0.tgz>

Apache 2.0 readdir-glob-1.1.3.tgz Recursive fs.readdir with streaming API
and glob filtering.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6c2e7392-3629-4f2b-b460-8c6090a926af> 2020 Copyright 2020
Yann Armelin <https://github.com/Yqnn/node-readdir-glob>
<https://registry.npmjs.org/readdir-glob/-/readdir-glob-1.1.3.tgz>

Apache 2.0 reflect-metadata-0.1.14.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9f942b5f-1713-4c31-8e93-08f6b57f7add> Copyright Microsoft Corporation
<http://rbuckton.github.io/reflect-metadata>
<https://registry.npmjs.org/reflect-metadata/-/reflect-metadata-0.1.14.tgz>

Apache 2.0 rxjs-6.6.7.tgz Reactive Extensions for modern JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/a98e8208-a2fe-4d13-alec-8848259c5eee> 2015-2018 Copyright 2015-2018 Google,
Inc <https://github.com/ReactiveX/RxJS> <https://registry.npmjs.org/rxjs/-/rxjs-6.6.7.tgz>

Apache 2.0 rxjs-compat-6.6.7.tgz

[![CircleCI](https://circleci.com/gh/ReactiveX/rxjs/tree/6.x.svg?style=svg)](https://circleci.com/gh/ReactiveX/rxjs/tree/6.x) [![npm version](https://badge.fury.io/js/%40reactivex%2Frxjs.svg)](http://badge.fury.io/js/%40reactivex%2Frxjs) [![Join the chat](https://index.mend.io/gri/app/reader/resource/content/asString/86099086-a4b7-479e-a393-47ac2d4fc8d3 2015-2018 Copyright 2015-2018 Google, Inc)](https://registry.npmjs.org/rxjs-compat/-/rxjs-compat-6.6.7.tgz) https://registry.npmjs.org/rxjs-compat/-/rxjs-compat-6.6.7.tgz

Apache 2.0 swagger-ui-dist-5.11.4.tgz

https://index.mend.io/gri/app/reader/resource/content/asString/03643546-5839-4a03-8a27-449394e94a98 2020-2021 Copyright 2020-2021 SmartBear Software Inc https://github.com/swagger-api/swagger-ui#readme https://registry.npmjs.org/swagger-ui-dist/-/swagger-ui-dist-5.11.4.tgz

Apache 2.0 tunnel-agent-0.6.0.tgz HTTP proxy tunneling agent. Formerly part of mikeal/request, now a standalone module.

https://github.com/mikeal/tunnel-agent#readme Unspecified Copyright https://github.com/mikeal/tunnel-agent#readme https://registry.npmjs.org/tunnel-agent/-/tunnel-agent-0.6.0.tgz

Apache 2.0 tunnel-agent-0.6.3.tgz HTTP proxy tunneling agent.

https://index.mend.io/gri/app/reader/resource/content/asString/52080837-10b3-4901-91b8-647289e52a82 https://github.com/postmanlabs/tunnel-agent#readme https://registry.npmjs.org/@postman/tunnel-agent/-/tunnel-agent-0.6.3.tgz

Apache 2.0 typescript-4.9.5.tgz

https://index.mend.io/gri/app/reader/resource/content/asString/1b9f50a3-c22d-4037-8f89-951d523eedfa "2018 Copyright 2018 The Khronos Group Inc 1996 Copyright 1996 on the legal protection of databases, as amended and/or succeeded, as well as ot 1991-2017 Copyright 1991-2017 Unicode, Inc 1996 Copyright 1996 and/or similar international agreements. e" https://www.typescriptlang.org/ https://registry.npmjs.org/typescript/-/typescript-4.9.5.tgz

Apache 2.0 xmlcreate-1.0.2.tgz Simple XML builder for Node.js

https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/70b9e328-cf58-4474-9737-0cf61fcbf811 2016-2017 Copyright 2016-2017 Michael Kourlas https://github.com/michaelkourlas/node-xmlcreate#readme https://registry.npmjs.org/xmlcreate/-/xmlcreate-1.0.2.tgz

Blue Oak Model License 1.0.0 jackspeak-3.4.3.tgz

https://index.mend.io/gri/app/reader/resource/content/asString/c2dc758f-009a-4b5e-b995-bf550d52b183 https://github.com/isaacs/jackspeak#readme https://registry.npmjs.org/jackspeak/-/jackspeak-3.4.3.tgz

Blue Oak Model License 1.0.0 package-json-from-dist-1.0.1.tgz Load the local package.json from either src or dist folder
<https://index.mend.io/gri/app/reader/resource/content/asString/065e7743-98cb-4864-9ece-e982c1aac4ec>
<https://github.com/isaacs/package-json-from-dist#readme>
<https://registry.npmjs.org/package-json-from-dist/-/package-json-from-dist-1.0.1.tgz>

Blue Oak Model License 1.0.0 path-scurry-1.11.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/17d90cad-0191-4c6a-acdb-a44e8314ff9b> <https://github.com/isaacs/path-scurry#readme> <https://registry.npmjs.org/path-scurry/-/path-scurry-1.11.1.tgz>

Blue Oak Model License 1.0.0 sax-1.4.3.tgz An evented streaming XML parser in JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/d9fe371a-ea51-40aa-995b-d97dccf6e237> <https://github.com/isaacs/sax#readme> <https://registry.npmjs.org/sax/-/sax-1.4.3.tgz>

BSD winreg-0.0.12.tgz provides access to the windows registry through the REG tool
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5aed2305-9ed9-42c4-b4d1-8ee73de43194>
<https://registry.npmjs.org/winreg/-/winreg-0.0.12.tgz>
<https://registry.npmjs.org/winreg/-/winreg-0.0.12.tgz>

BSD 2 address-2.1.4.tgz Email address and domain validation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7d1c6485-24a5-441c-935a-6bb73af1e76e> 2019 Copyright 2019 Project contributors <https://github.com/hapijs/address#readme>
<https://registry.npmjs.org/@hapi/address/-/address-2.1.4.tgz>

BSD 2 address-4.1.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7edd5e67-770a-4e7c-a4a5-a05b5f2ee219> 2019-2020 Copyright 2019-2020 Sideway, Inc <https://github.com/sideway/address#readme>
<https://registry.npmjs.org/@sideway/address/-/address-4.1.5.tgz>

BSD 2 d3-ease-3.0.1.tgz Easing functions for smooth animation.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fal3aeee-6cbf-4511-926e-7a0d7ab837c3> "2001 Copyright 2001 Robert Penner 2010-2021 Copyright 2010-2021 Mike Bostock"
<https://d3js.org/d3-ease/> <https://registry.npmjs.org/d3-ease/-/d3-ease-3.0.1.tgz>

BSD 2 domelementtype-2.3.0.tgz all the types of nodes in htmlparser2's dom
<https://index.mend.io/gri/app/reader/resource/content/asString/53ed32bc-0a82-4e94-aba7-04cc464d61b2> Copyright Felix Böhm
<https://github.com/fb55/domelementtype#readme>
<https://registry.npmjs.org/domelementtype/-/domelementtype-2.3.0.tgz>

BSD 2 domhandler-4.3.1.tgz Handler for htmlparser2 that turns pages into a dom

<https://index.mend.io/gri/app/reader/resource/content/asString/4377a603-d020-4ad4-8339-285d6c5163f6> Copyright Felix Böhm
<https://github.com/fb55/domhandler#readme>
<https://registry.npmjs.org/domhandler/-/domhandler-4.3.1.tgz>

BSD 2 domhandler-5.0.3.tgz Handler for htmlparser2 that turns pages into a dom

<https://index.mend.io/gri/app/reader/resource/content/asString/79fc3eaa-8e89-4ad8-9dc0-a07815c537d1> Copyright Felix Böhm
<https://github.com/fb55/domhandler#readme>
<https://registry.npmjs.org/domhandler/-/domhandler-5.0.3.tgz>

BSD 2 domutils-2.8.0.tgz Utilities for working with htmlparser2's dom

<https://index.mend.io/gri/app/reader/resource/content/asString/4ed5f05c-ac10-4530-a156-1f87005ad05f> Copyright Felix Böhm
<https://github.com/fb55/domutils#readme>
<https://registry.npmjs.org/domutils/-/domutils-2.8.0.tgz>

BSD 2 domutils-3.1.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/56ca4ed2-ffffb-4035-b793-5f1c37cefa27> Copyright Felix Böhm
<https://github.com/fb55/domutils#readme>
<https://registry.npmjs.org/domutils/-/domutils-3.1.0.tgz>

BSD 2 domutils-3.2.2.tgz Utilities for working with htmlparser2's dom

<https://index.mend.io/gri/app/reader/resource/content/asString/f0403e9d-9c4c-401a-b6e9-59e259fba7e0> Copyright Felix Böhm
<https://github.com/fb55/domutils#readme>
<https://registry.npmjs.org/domutils/-/domutils-3.2.2.tgz>

BSD 2 dotenv-16.6.1.tgz Loads environment variables from .env file

<https://github.com/motdotla/dotenv.git> 2015 Copyright 2015 Scott Motte
<https://github.com/motdotla/dotenv#readme>
<https://registry.npmjs.org/dotenv/-/dotenv-16.6.1.tgz>

BSD 2 dotenv-2.0.0.tgz Loads environment variables from .env file

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7940dbf0-5468-42e6-923e-2a813a993872> 2015 Copyright 2015 Scott Motte
<https://github.com/motdotla/dotenv#readme>
<https://registry.npmjs.org/dotenv/-/dotenv-2.0.0.tgz>

BSD 2 entities-2.2.0.tgz Encode & decode XML and HTML entities with ease

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c9ac0964-f91f-4f7b-bac7-36b6219f7ea5> Copyright Felix Böhm
<https://github.com/fb55/entities#readme>
<https://registry.npmjs.org/entities/-/entities-2.2.0.tgz>

BSD 2 entities-3.0.1.tgz Encode & decode XML and HTML entities with ease

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7940dbf0-5468-42e6-923e-2a813a993872>

nt/asString/a6c2357e-360f-4d7c-bdbd-d729b6a511f1 Copyright Felix Böhm
<https://github.com/fb55/entities#readme>
<https://registry.npmjs.org/entities/-/entities-3.0.1.tgz>

BSD 2 entities-4.5.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/fcd01661-4eb4-44a2-9d76-e50e401c4645> Copyright Felix Böhm
<https://github.com/fb55/entities#readme>
<https://registry.npmjs.org/entities/-/entities-4.5.0.tgz>

BSD 2 esutils-2.0.3.tgz utility box for ECMAScript language tools
<https://github.com/estools/esutils/tree/2.0.3> "2013 Copyright 2013
[Yusuke Suzuki] (<http://github.com/Constellation>) 2013 Copyright 2013
"Yusuke Suzuki" (<http://github.com/Constellation>) "
<https://github.com/estools/esutils>
<https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz>

BSD 2 extract-zip-1.7.0.tgz unzip a zip file into a directory using 100%
javascript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fa84a71e-492b-4930-b0a8-40746bflcla4> 2014 Copyright 2014
Max Ogden and other contributors <https://github.com/maxogden/extract-zip#readme> <https://registry.npmjs.org/extract-zip/-/extract-zip-1.7.0.tgz>

BSD 2 extract-zip-2.0.1.tgz unzip a zip file into a directory using 100%
javascript
<https://index.mend.io/gri/app/reader/resource/content/asString/d2e0921e-169b-4ae8-808b-b447f59204ff> 2014 Copyright 2014 Max Ogden and other
contributors <https://github.com/maxogden/extract-zip#readme>
<https://registry.npmjs.org/extract-zip/-/extract-zip-2.0.1.tgz>

BSD 2 formula-1.2.0.tgz Math and string formula parser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c5ef833a-2de2-4df1-a6c5-7b3626435e34> "2012-2018 Copyright
2012-2018 Alexander Schenkel <alex@alexi.ch> 2019 Copyright 2019 Project
contributors 2012-2018 Copyright 2012-2018 Alexander Schenkel
"alex@alexi.ch" (<mailto:alex@alexi.ch>) "
<https://github.com/hapijs/formula#readme>
<https://registry.npmjs.org/@hapi/formula/-/formula-1.2.0.tgz>

BSD 2 formula-3.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/90d86dbf-95be-4b8b-8258-dcef945d81e5> "2019-2020 Copyright 2019-2020 Sideway
2012-2018 Copyright 2012-2018 copyright"
<https://github.com/hapijs/formula#readme>
<https://registry.npmjs.org/@hapi/formula/-/formula-3.0.2.tgz>

BSD 2 hoek-8.5.1.tgz General purpose node utilities
<https://github.com/hapijs/hoek#readme> "2011-2014 Copyright 2011-
2014 Walmart
2011-2019 Copyright 2011-2019 Sideway Inc, and project contributors 2011
Copyright 2011 Yahoo Inc" <https://github.com/hapijs/hoek#readme>
<https://registry.npmjs.org/@hapi/hoek/-/hoek-8.5.1.tgz>

BSD 2 hoek-9.0.3.tgz General purpose node utilities
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ad61f0e2-3d50-4583-80cd-alc1873bd099> "2011-2014 Copyright 2011-2014 Walmart 2011-2020 Copyright 2011-2020 Sideway Inc, and project contributors 2011 Copyright 2011 Yahoo Inc 2011-2020 Copyright 2011-2020 Sideway Inc" <https://github.com/hapijs/hoek#readme>
<https://registry.npmjs.org/@hapi/hoek/-/hoek-9.0.3.tgz>

BSD 2 hoek-9.3.0.tgz General purpose node utilities
<https://index.mend.io/gri/app/reader/resource/content/asString/f132e149-d5c8-41e5-aee6-f309701f964c> "2011-2014 Copyright 2011-2014 Walmart 2011 Copyright 2011 Yahoo Inc 2011-2020 Copyright 2011-2020 Sideway Inc" <https://github.com/hapijs/hoek#readme>
<https://registry.npmjs.org/@hapi/hoek/-/hoek-9.3.0.tgz>

BSD 2 hoist-non-react-statics-3.3.2.tgz Copies non-react specific statics from a child component to a parent component
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eda56212-b6b7-4089-8910-b68f5b5540ce> 2015 Copyright 2015 Yahoo! <https://github.com/mridgway/hoist-non-react-statics#readme>
<https://registry.npmjs.org/hoist-non-react-statics/-/hoist-non-react-statics-3.3.2.tgz>

BSD 2 http-cache-semantics-4.2.0.tgz Parses Cache-Control and other headers. Helps building correct HTTP caches and proxies
<https://index.mend.io/gri/app/reader/resource/content/asString/53334672-9694-43dd-92be-64acabb1c46d> 2016-2018 Copyright 2016-2018 Kornel Lesi <https://github.com/kornelski/http-cache-semantics#readme>
<https://registry.npmjs.org/http-cache-semantics/-/http-cache-semantics-4.2.0.tgz>

BSD 2 joi-16.1.8.tgz Object schema validation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/956a746d-69ab-494b-a5bb-0573240eff8e> "2012-2019 Copyright 2012-2019 Sideway Inc, and project contributors 2012-2014 Copyright 2012-2014 Walmart" <https://github.com/hapijs/joi#readme>
<https://registry.npmjs.org/@hapi/joi/-/joi-16.1.8.tgz>

BSD 2 joi-date-2.0.1.tgz Joi extension for dates
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/13558d9a-a992-40cf-940f-40af4fb721e4> "2012-2019 Copyright 2012-2019 Sideway Inc, and project contributors 2012-2014 Copyright 2012-2014 Walmart" <https://github.com/hapijs/joi-date#readme> <https://registry.npmjs.org/@hapi/joi-date/-/joi-date-2.0.1.tgz>

BSD 2 pinpoint-1.0.2.tgz Return the filename and line number of the calling function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/55dc875f-de38-4a85-ad0b-a50262c6912a> 2019 Copyright 2019 Sideway Inc, and project contributors <https://github.com/hapijs/pinpoint#readme>
<https://registry.npmjs.org/@hapi/pinpoint/-/pinpoint-1.0.2.tgz>

BSD 2 pinpoint-2.0.0.tgz Return the filename and line number of the calling function

<https://index.mend.io/gri/app/reader/resource/content/asString/fb880e7e-152e-45dd-8686-7e4fcb295a52> 2019-2020 Copyright 2019-2020 Sideway
<https://github.com/sideway/pinpoint#readme>
<https://registry.npmjs.org/@sideway/pinpoint/-/pinpoint-2.0.0.tgz>

BSD 2 pinpoint-2.0.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/c6695fbc-3021-40ad-812c-257362a66ee4> 2019-2020 Copyright 2019-2020 Sideway
<https://github.com/hapijs/pinpoint#readme>
<https://registry.npmjs.org/@hapi/pinpoint/-/pinpoint-2.0.1.tgz>

BSD 2 rw-1.3.3.tgz Now stdin and stdout are files.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4fe4ec81-36af-4608-a93e-7699b16e1111> 2014-2016 Copyright
2014-2016 Michael Bostock <https://github.com/mbostock/rw>
<https://registry.npmjs.org/rw/-/rw-1.3.3.tgz>

BSD 2 topo-3.1.6.tgz Topological sorting with grouping support

<https://index.mend.io/gri/app/reader/resource/content/asString/9d47b56c-17b0-48f9-a807-2aeea57f8854> "2012-2019 Copyright 2012-2019 Sideway Inc, and project contributors
2012-2014 Copyright 2012-2014 Walmart"
<https://github.com/hapijs/topo#readme>
<https://registry.npmjs.org/@hapi/topo/-/topo-3.1.6.tgz>

BSD 2 topo-5.1.0.tgz Topological sorting with grouping support

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bea60cf2-e490-4ccb-91a6-85214ea17a28> "2012-2020 Copyright
2012-2020 Sideway Inc 2012-2014 Copyright 2012-2014 Walmart"
<https://github.com/hapijs/topo#readme>
<https://registry.npmjs.org/@hapi/topo/-/topo-5.1.0.tgz>

BSD 2 uglify-js-2.8.29.tgz JavaScript parser, mangler/compressor and beautifier toolkit

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/be90c7ff-1aff-4721-975a-840c3509a25d> "2012-2013 Copyright
2012-2013 (c) Mihai Bazon <mihai.bazon@gmail.com> Copyright Mihai Bazon"
<http://lisperator.net/uglifyjs>
<https://registry.npmjs.org/uglify-js/-/uglify-js-2.8.29.tgz>

BSD 2 uri-js-4.4.1.tgz An RFC 3986/3987 compliant, scheme extendable URI/IRI parsing/validating/resolving library for JavaScript.

<https://index.mend.io/gri/app/reader/resource/content/asString/4810afa9-a93b-4911-8ea8-a4d03784a8fa> 2011 Copyright 2011 Gary Court
<https://github.com/garycourt/uri-js>
<https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz>

BSD 2 webidl-conversions-3.0.1.tgz Implements the WebIDL algorithms for converting to and from JavaScript values

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4810afa9-a93b-4911-8ea8-a4d03784a8fa>

nt/asString/aa529080-1bc7-47c8-813b-f9b088631d8d 2014 Copyright 2014
Domenic Denicola <https://github.com/jsdom/webidl-conversions#readme>
<https://registry.npmjs.org/webidl-conversions/-/webidl-conversions-3.0.1.tgz>

BSD 2 winreg-1.2.5.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9945a6ec-55e5-4183-bee3-65d3c52ae935> 2016 Copyright 2016
Paul Bottin All rights reserved <http://fresc81.github.io/node-winreg>
<https://registry.npmjs.org/winreg/-/winreg-1.2.5.tgz>

BSD 3 address-5.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6e98744e-5481-4a3e-9f8a-9139feb7978a> 2019-2022 Copyright 2019-2022 Sideway,
Inc <https://github.com/hapijs/address#readme>
<https://registry.npmjs.org/@hapi/address/-/address-5.1.1.tgz>

BSD 3 bcrypt-pbkdf-1.0.2.tgz Port of the OpenBSD bcrypt_pbkdf function to
pure JS <https://github.com/joyent/node-bcrypt-pbkdf#readme> "2016
Copyright 2016 Joyent Inc 2013 Copyright 2013 Ted Unangst
<tedu@openbsd.org> 1997 Copyright 1997 Niels Provos <provos@physnet.uni-
hamburg.de>" <https://github.com/joyent/node-bcrypt-pbkdf#readme>
<https://registry.npmjs.org/bcrypt-pbkdf/-/bcrypt-pbkdf-1.0.2.tgz>

BSD 3 boom-10.0.1.tgz
<https://www.npmjs.com/package/@hapi/boom/v/10.0.1> "2012-2020
Copyright 2012-2020 Sideway Inc
2012-2014 Copyright 2012-2014 Walmart 2012-2022 Copyright 2012-2022
Project contributors" <https://github.com/hapijs/boom#readme>
<https://registry.npmjs.org/@hapi/boom/-/boom-10.0.1.tgz>

BSD 3 bourne-1.3.2.tgz JSON parse with prototype poisoning protection
<https://www.npmjs.com/package/@hapi/bourne> 2019 Copyright 2019
Sideway Inc, and project contributors
<https://github.com/hapijs/bourne#readme>
<https://registry.npmjs.org/@hapi/bourne/-/bourne-1.3.2.tgz>

BSD 3 buffer-equal-constant-time-1.0.1.tgz Constant-time comparison of
Buffers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2824a9b0-d42b-4126-9968-3178224f4d12> "2013 Copyright 2013
GoInstant Inc., a salesforce.com company Copyright GoInstant Inc., a
salesforce.com company" <https://registry.npmjs.org/buffer-equal-constant-time/-/buffer-equal-constant-time-1.0.1.tgz>
<https://registry.npmjs.org/buffer-equal-constant-time/-/buffer-equal-constant-time-1.0.1.tgz>

BSD 3 charenc-0.0.2.tgz character encoding utilities
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d76f4bd6-15bc-4041-ac0f-9c3015e8a139> "2011 Copyright 2011
Paul Vorbach 2009 Copyright 2009 Jeff Mott"
<https://github.com/pvorb/node-charenc#readme>
<https://registry.npmjs.org/charenc/-/charenc-0.0.2.tgz>

BSD 3 core-5.6.3.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/8eccd9da-a769-4c95-9f62-eb0b6b0037e8 2016 Copyright 2016 Philipp Thürwächter & Pattrick Hüper https://js-joda.github.io/js-joda
https://registry.npmjs.org/@js-joda/core/-/core-5.6.3.tgz

BSD 3 core-5.6.5.tgz a date and time library for javascript
https://index.mend.io/gri/app/reader/resource/content/asString/b2a45ddc-32c0-4a8f-a0f9-9298e1c457b3 2016 Copyright 2016 Philipp Thürwächter & Pattrick Hüper https://js-joda.github.io/js-joda
https://registry.npmjs.org/@js-joda/core/-/core-5.6.5.tgz

BSD 3 crypt-0.0.2.tgz utilities for encryption and hashing
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d62a51fd-40b2-4527-bfc0-6cb511280f85 "2011 Copyright 2011 Paul Vorbach 2009 Copyright 2009 Jeff Mott"
https://github.com/pvorb/node-crypt#readme
https://registry.npmjs.org/crypt/-/crypt-0.0.2.tgz

BSD 3 diff-5.2.0.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/d66723dd-ac3e-4d7e-b318-d1627elfdcd1 2009-2015 Copyright 2009-2015 Kevin Decker <kpdecker@gmail.com> https://registry.npmjs.org/diff/-/diff-5.2.0.tgz https://registry.npmjs.org/diff/-/diff-5.2.0.tgz

BSD 3 duplexer2-0.0.2.tgz Like duplexer (http://npm.im/duplexer) but using streams2
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d30ad26d-b2a7-45d4-a265-bc5bc3c9d09e 2013 Copyright 2013 Deoxxa Development https://github.com/deoxxa/duplexer2
https://registry.npmjs.org/duplexer2/-/duplexer2-0.0.2.tgz

BSD 3 duplexer2-0.1.4.tgz Like duplexer but using streams3
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7131222d-4c42-4e12-alb7-d7507aeba0ee 2013 Copyright 2013 Deoxxa Development https://github.com/deoxxa/duplexer2#readme
https://registry.npmjs.org/duplexer2/-/duplexer2-0.1.4.tgz

BSD 3 fast-printf-1.6.10.tgz Fast and spec-compliant printf implementation for Node.js and browser.
https://index.mend.io/gri/app/reader/resource/content/asString/26568cb1-68f2-491c-b787-dfb6fc8b8c14 2021 Copyright 2021 Gajus Kuizinas (http://gajus.com/) https://github.com/gajus/fast-printf#readme
https://registry.npmjs.org/fast-printf/-/fast-printf-1.6.10.tgz

BSD 3 fast-uri-3.1.0.tgz Dependency-free RFC 3986 URI toolbox
https://index.mend.io/gri/app/reader/resource/content/asString/6e090ac9-17e5-4385-b4c7-84583d54b442 "2011-2021 Copyright 2011-2021 Gary Court until https://github.com/garycourt/uri
2021 Copyright 2021 The Fastify team" https://github.com/fastify/fast-uri https://registry.npmjs.org/fast-uri/-/fast-uri-3.1.0.tgz

BSD 3 formula-3.0.1.tgz Math and string formula parser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0d0c3ce3-3092-4152-be6b-d10f1288a5bd> "2019-2020 Copyright 2019-2020 Sideway 2012-2018 Copyright 2012-2018 copyright"
<https://github.com/sideway/formula#readme>
<https://registry.npmjs.org/@sideway/formula/-/formula-3.0.1.tgz>

BSD 3 highlight.js-10.7.3.tgz Syntax highlighting with language autodetection.
<https://index.mend.io/gri/app/reader/resource/content/asString/44ea7005-cc20-4f8d-9b12-d00ef35faea9> 2006 Copyright 2006 Ivan Sagalaev
<https://highlightjs.org/>
<https://registry.npmjs.org/highlight.js/-/highlight.js-10.7.3.tgz>

BSD 3 hoek-11.0.7.tgz General purpose node utilities
<https://index.mend.io/gri/app/reader/resource/content/asString/c4fe9eb3-6e9f-4344-ba13-77492afda966> "2011-2014 Copyright 2011-2014 Walmart 2011-2022 Copyright 2011-2022 Project contributors 2011 Copyright 2011 Yahoo Inc 2011-2020 Copyright 2011-2020 Sideway Inc"
<https://github.com/hapijs/hoek#readme>
<https://registry.npmjs.org/@hapi/hoek/-/hoek-11.0.7.tgz>

BSD 3 ieee754-1.2.1.tgz Read/write IEEE754 floating point numbers from/to a Buffer or array-like object
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9abcc5fe-971a-4a47-a09e-15ecd90f6c32> 2008 Copyright 2008 Fair Oaks Labs, Inc <https://github.com/feross/ieee754#readme>
<https://registry.npmjs.org/ieee754/-/ieee754-1.2.1.tgz>

BSD 3 items-2.1.2.tgz Bare minimum async methods
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8a2641c8-8c3c-4083-a906-8bded1a3a330> "2010-2014 Copyright 2010-2014 Caolan McMahon 2014-2016 Copyright 2014-2016 Project contributors 2014 Copyright 2014 Walmart"
<https://github.com/hapijs/items#readme>
<https://registry.npmjs.org/items/-/items-2.1.2.tgz>

BSD 3 joi-15.1.1.tgz Object schema validation
<https://github.com/sideway/joi/blob/master/LICENSE.md> "2012-2019 Copyright 2012-2019 Sideway Inc, and project contributors 2012-2014 Copyright 2012-2014 Walmart" <https://github.com/hapijs/joi>
<https://registry.npmjs.org/@hapi/joi/-/joi-15.1.1.tgz>

BSD 3 joi-17.13.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e980bf0e-0995-4c62-b7d5-f7e56560a31f> "2012-2022 Copyright 2012-2022 Sideway 2012-2014 Copyright 2012-2014 Walmart 2012-2022 Copyright 2012-2022 Project contributors" <https://github.com/hapijs/joi#readme>
<https://registry.npmjs.org/joi/-/joi-17.13.3.tgz>

BSD 3 joi-18.0.1.tgz Object schema validation
<https://index.mend.io/gri/app/reader/resource/content/asString/996b>

bcd0-7890-437c-bed1-a4cd45c0e717 "2012-2022 Copyright 2012-2022 Sideway
2012-2022 Copyright 2012-2022 Project contributors 2012-2014 Copyright
2012-2014 Walmart" <https://github.com/hapijs/joi#readme>
<https://registry.npmjs.org/joi/-/joi-18.0.1.tgz>

BSD 3 joi-18.0.2.tgz Object schema validation
<https://index.mend.io/gri/app/reader/resource/content/asString/d327c136-8342-4b37-a658-94ff5cedfe5f> "2012-2022 Copyright 2012-2022 Sideway
2012-2014 Copyright 2012-2014 Walmart 2012-2022 Copyright 2012-2022
Project contributors" <https://github.com/hapijs/joi#readme>
<https://registry.npmjs.org/joi/-/joi-18.0.2.tgz>

BSD 3 json-schema-0.4.0.tgz JSON Schema validation and specifications
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8926c755-e744-4449-a850-0564a8cb82c6> "2003-2004 Copyright
2003-2004 Lawrence E. Rosen 2005-2015 Copyright 2005-2015 The Dojo
Foundation" <https://github.com/kriszyp/json-schema#readme>
<https://registry.npmjs.org/json-schema/-/json-schema-0.4.0.tgz>

BSD 3 moo-0.5.2.tgz Optimised tokenizer/lexer generator! ? Much
performance. Moo!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fc06b452-7a11-4213-b704-5a46e5e168f6> 2017 Copyright 2017
Tim Radvan (tjvr) <https://github.com/tjvr/moo#readme>
<https://registry.npmjs.org/moo/-/moo-0.5.2.tgz>

BSD 3 node-forge-1.3.1.tgz JavaScript implementations of network
transports, cryptography, ciphers, PKI, message digests, and various
utilities.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/54fcc1c1-dc31-4c37-9c83-114a4e92decc> 2010 Copyright 2010
Digital Bazaar, Inc <https://github.com/digitalbazaar/forge>
<https://registry.npmjs.org/node-forge/-/node-forge-1.3.1.tgz>

BSD 3 node-forge-1.3.3.tgz JavaScript implementations of network
transports, cryptography, ciphers, PKI, message digests, and various
utilities.
<https://index.mend.io/gri/app/reader/resource/content/asString/9f6613cd-628b-46a9-8ddc-e513e2331983> 2010 Copyright 2010 Digital Bazaar, Inc
<https://github.com/digitalbazaar/forge>
<https://registry.npmjs.org/node-forge/-/node-forge-1.3.3.tgz>

BSD 3 parchment-1.1.4.tgz A document model for rich text editors
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ae96c12e-d100-4f24-9adb-b8b3ed4e537d> 2015 Copyright 2015
Jason Chen <http://quilljs.com/docs/parchment>
<https://registry.npmjs.org/parchment/-/parchment-1.1.4.tgz>

BSD 3 qs-6.11.0.tgz A querystring parser that supports nesting and
arrays, with a depth limit
<https://index.mend.io/gri/app/reader/resource/content/asString/cfa61e0b-cdcf-4932-8b67-722ce657f1ef> 2014 Copyright 2014 Nathan LaFreniere
and other "contributors"
(<https://github.com/ljharb/qs/graphs/contributors>)

<https://github.com/ljharb/qs> <https://registry.npmjs.org/qs/-/qs-6.11.0.tgz>

BSD 3 [qs](https://github.com/ljharb/qs)-6.13.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/f29eelf4-3b0c-4bae-b435-4ef4a51b3664> 2014 Copyright 2014 Nathan LaFreniere and other "contributors"
(<https://github.com/ljharb/qs/graphs/contributors>)
<https://github.com/ljharb/qs> <https://registry.npmjs.org/qs/-/qs-6.13.0.tgz>

BSD 3 [qs](https://github.com/ljharb/qs)-6.5.3.tgz A querystring parser that supports nesting and arrays, with a depth limit

<https://index.mend.io/gri/app/reader/resource/content/asString/31dde663-0a3f-488e-baa5-89683e74f92f> 2014 Copyright 2014 Nathan LaFreniere and other "contributors"
(<https://github.com/ljharb/qs/graphs/contributors>)
<https://github.com/ljharb/qs> <https://registry.npmjs.org/qs/-/qs-6.5.3.tgz>

BSD 3 [quill](https://github.com/ljharb/qs)-1.3.7.tgz Your powerful, rich text editor

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bdb4997a-da77-496d-a95a-61846ca94953> "2014 Copyright 2014 Jason Chen 2013 Copyright 2013 salesforce.com" <http://quilljs.com>
<https://registry.npmjs.org/quill/-/quill-1.3.7.tgz>

BSD 3 [react-transition-group](https://github.com/ljharb/qs)-4.4.5.tgz A react component toolset for managing animations

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f7f9b131-360c-4ca2-a3ef-620317858e14> "2013 Copyright 2013 Facebook, Inc 2018 Copyright 2018 React Community"
<https://github.com/reactjs/react-transition-group#readme>
<https://registry.npmjs.org/react-transition-group/-/react-transition-group-4.4.5.tgz>

BSD 3 [shal](https://github.com/ljharb/qs)-1.1.1.tgz native js function for hashing messages with SHA-1
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c500f03a-4c70-421e-84af-03072cfcaf33> "2011 Copyright 2011 Paul Vorbach 2009 Copyright 2009 Jeff Mott"

<https://github.com/pvorb/node-shal> <https://registry.npmjs.org/shal/-/shal-1.1.1.tgz>

BSD 3 [source-map](https://github.com/ljharb/qs)-0.5.7.tgz Generates and consumes source maps

<https://github.com/mozilla/source-map> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors
<https://github.com/mozilla/source-map>
<https://registry.npmjs.org/source-map/-/source-map-0.5.7.tgz>

BSD 3 [source-map-js](https://github.com/ljharb/qs)-1.0.2.tgz Generates and consumes source maps

<https://index.mend.io/gri/app/reader/resource/content/asString/f491612c-6d66-4280-8213-1a1565505fa0> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors <https://github.com/7rulnik/source-map-js>
<https://registry.npmjs.org/source-map-js/-/source-map-js-1.0.2.tgz>

BSD 3 source-map-js-1.2.1.tgz Generates and consumes source maps
<https://index.mend.io/gri/app/reader/resource/content/asString/469c889a-2ceb-4628-a7a8-8494ffa4405f> 2009-2011 Copyright 2009-2011 Mozilla Foundation and contributors <https://github.com/7rulnik/source-map-js>
<https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz>

BSD 3 sprintf-0.1.5.tgz Sprintf() for node.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/44f47e1f-04a9-4eb0-9f82-ef15d0dd1575> "2007-2013 Copyright 2007-2013 Alexandru Marasteanu <hello 2007-2013 Copyright 2007-2013 Alexandru Marasteanu <hello [at] alexei (dot) ro> Copyright License"
<https://github.com/maritz/node-sprintf>
<https://registry.npmjs.org/sprintf/-/sprintf-0.1.5.tgz>

BSD 3 sprintf-js-1.1.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/dd1ad044-639a-4f0e-afdb-24bfd14a368> 2007 Copyright 2007 Alexandru Mărășteanu <hello@alexei.ro> <https://github.com/alexei/sprintf.js#readme>
<https://registry.npmjs.org/sprintf-js/-/sprintf-js-1.1.3.tgz>

BSD 3 sqlite3-5.1.7 <https://github.com/TryGhost/node-sqlite3/blob/master/LICENSE> Copyright MapBox
<https://github.com/TryGhost/node-sqlite3>
<https://registry.npmjs.org/sqlite3/-/sqlite3-5.1.7.tgz> TryGhost

BSD 3 sqlite3-5.1.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c434e98a-4a6c-44b8-b5e4-a0f8b24533b9> Copyright MapBox
<https://github.com/TryGhost/node-sqlite3>
<https://registry.npmjs.org/sqlite3/-/sqlite3-5.1.7.tgz>

BSD 3 synchronous-promise-2.0.17.tgz Synchronous Promise-like prototype to use in testing where you would have used an ES6 Promise
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0a92fcf-f65a-425b-a310-fc120e1a6203> 2016 Copyright 2016 Davyd McColl <https://github.com/fluffynuts/synchronous-promise#readme>
<https://registry.npmjs.org/synchronous-promise/-/synchronous-promise-2.0.17.tgz>

BSD 3 tlds-1.1.3.tgz TLDS list for domain validation
<https://index.mend.io/gri/app/reader/resource/content/asString/8fb119da-efaa-49f8-8c51-e07fc81d9567> 2019-2022 Copyright 2019-2022 Sideway, Inc <https://github.com/hapijs/tlds#readme>
<https://registry.npmjs.org/@hapi/tlds/-/tlds-1.1.3.tgz>

BSD 3 tlds-1.1.4.tgz TLDS list for domain validation
<https://index.mend.io/gri/app/reader/resource/content/asString/cb614d87-87b3-48a3-99b0-65d55301464d> 2019-2022 Copyright 2019-2022 Sideway, Inc <https://github.com/hapijs/tlds#readme>
<https://registry.npmjs.org/@hapi/tlds/-/tlds-1.1.4.tgz>

BSD 3 topo-6.0.2.tgz Topological sorting with grouping support
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/74add477-74c4-4d30-9acf-4b033b41bce2> "2012-2020 Copyright
2012-2020 Sideway Inc 2012-2014 Copyright 2012-2014 Walmart 2012-2022
Copyright 2012-2022 Project contributors"
<https://github.com/hapijs/topo#readme>
<https://registry.npmjs.org/@hapi/topo/-/topo-6.0.2.tgz>

BSD 3 tough-cookie-4.1.3-postman.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1da74e49-611a-4a23-92dd-a86e62e84643> "2015 Copyright 2015
Salesforce.com, Inc Copyright and License"
<https://github.com/postmanlabs/tough-cookie>
<https://registry.npmjs.org/@postman/tough-cookie/-/tough-cookie-4.1.3-postman.1.tgz>

BSD Zero tslib-1.14.1.tgz Runtime library for TypeScript helper
functions <https://www.typescriptlang.org/> Copyright Microsoft
Corporation <https://www.typescriptlang.org/>
<https://registry.npmjs.org/tslib/-/tslib-1.14.1.tgz>

BSD Zero tslib-2.6.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/32b8abb3-6548-4747-b0e1-4bd148ed0340> Copyright Microsoft
Corporation <https://www.typescriptlang.org/>
<https://registry.npmjs.org/tslib/-/tslib-2.6.2.tgz>

BSD Zero tslib-2.8.0.tgz Runtime library for TypeScript helper
functions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/427cb6ec-3ea4-4aea-937b-b7e83e9da6c2> Copyright Microsoft
Corporation <https://www.typescriptlang.org/>
<https://registry.npmjs.org/tslib/-/tslib-2.8.0.tgz>

BSD Zero tslib-2.8.1.tgz Runtime library for TypeScript helper
functions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40d321a0-45e9-4721-b656-2d3aedcd98cd> Copyright Microsoft
Corporation <https://www.typescriptlang.org/>
<https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz>

CC BY SA 4.0 glob-7.1.6.tgz a little globber
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/609e63d9-bc3c-4f93-9735-a495bf45d26d> Copyright Isaac Z
<https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-7.1.6.tgz>

Creative Commons Public Domain Dedication and Certification cycle-
1.0.3.tgz decycle your json <https://github.com/dscape/cycle> Douglas
Crockford <https://github.com/douglascrockford/JSON-js>
<https://registry.npmjs.org/cycle/-/cycle-1.0.3.tgz>

ISC abbrev-1.0.9.tgz Like ruby's abbrev module, but in js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/609e63d9-bc3c-4f93-9735-a495bf45d26d>

nt/asString/14e7b998-0178-439d-886e-af63d891eb98 Copyright Isaac Z.
Schlueter and Contributors <https://github.com/isaacs/abbrev-js#readme>
<https://registry.npmjs.org/abbrev/-/abbrev-1.0.9.tgz>

ISC abbrev-1.1.1.tgz Like ruby's abbrev module, but in js
<https://github.com/isaacs/abbrev-js/blob/v1.1.1/LICENSE> Copyright
Isaac Z <https://github.com/isaacs/abbrev-js#readme>
<https://registry.npmjs.org/abbrev/-/abbrev-1.1.1.tgz>

ISC ansis-3.17.0.tgz ANSI color lib
<https://index.mend.io/gri/app/reader/resource/content/asString/8758ca9d-3617-4d7f-af5e-2ae5c29d5f7b> 2025 Copyright 2025 webdiscus
<https://github.com/webdiscus/ansis#readme>
<https://registry.npmjs.org/ansis/-/ansis-3.17.0.tgz>

ISC aproba-1.2.0.tgz A ridiculously light-weight argument validator
(now browser friendly)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b5ef74fa-e7fd-4530-8453-5f4fa81b658e> "Copyright {
2015 Copyright 2015 Rebecca Turner <me@re-becca.org>"
<https://github.com/iarna/aproba>
<https://registry.npmjs.org/aproba/-/aproba-1.2.0.tgz>

ISC are-we-there-yet-3.0.1.tgz Keep track of the overall completion of
many disparate processes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f594ec68-85a3-4d47-8e3f-079f6ffdd865> Copyright npm, Inc
<https://github.com/npm/are-we-there-yet>
<https://registry.npmjs.org/are-we-there-yet/-/are-we-there-yet-3.0.1.tgz>

ISC cacache-15.3.0.tgz Fast, fault-tolerant, cross-platform, disk-
based, data-agnostic, content-addressable cache.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3a53d759-49f1-4ec2-8cc0-0cfd0d711eed> Copyright npm, Inc
<https://github.com/npm/cacache#readme>
<https://registry.npmjs.org/cacache/-/cacache-15.3.0.tgz>

ISC child_process-1.0.2.tgz This package name is not currently in
use, but was formerly occupied by another package. To avoid malicious
use, npm is hanging on to the package name, but loosely, and we'll
probably give it to you if you want it.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/95a2cd8b-056a-4de5-afce-ef1991c808c4>
<https://github.com/npm/security-holder#readme>
https://registry.npmjs.org/child_process/-/child_process-1.0.2.tgz

ISC chownr-1.1.4.tgz like `chown -R`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bc30e3b5-e2b8-4453-978f-ff625966716c> Copyright Isaac Z
<https://github.com/isaacs/chownr#readme>
<https://registry.npmjs.org/chownr/-/chownr-1.1.4.tgz>

ISC chownr-2.0.0.tgz like `chown -R`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d02731ca-2114-4f7b-8741-ae835bc9b61f> Copyright Isaac Z
<https://github.com/isaacs/chownr#readme>
<https://registry.npmjs.org/chownr/-/chownr-2.0.0.tgz>

ISC cli-highlight-2.1.11.tgz Syntax highlighting in your terminal
<https://index.mend.io/gri/app/reader/resource/content/asString/f95bc943-1719-4cbb-a2c9-286766af1153> 2016 Copyright 2016 Felix Frederick
Becker <https://github.com/felixfbecker/cli-highlight#readme>
<https://registry.npmjs.org/cli-highlight/-/cli-highlight-2.1.11.tgz>

ISC cliui-2.1.0.tgz easily create complex multi-column command-line-
interfaces
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/24f7ee00-3ae4-444e-85d7-0b1ea4abffec> 2015 Copyright 2015
Contributors <https://github.com/bcoe/cliui>
<https://registry.npmjs.org/cliui/-/cliui-2.1.0.tgz>

ISC cliui-7.0.4.tgz easily create complex multi-column command-line-
interfaces
<https://index.mend.io/gri/app/reader/resource/content/asString/fc67b92b-e512-4219-bc8e-cbdlab8adb4f> 2015 Copyright 2015 Contributors
<https://github.com/yargs/cliui#readme>
<https://registry.npmjs.org/cliui/-/cliui-7.0.4.tgz>

ISC cliui-8.0.1.tgz easily create complex multi-column command-line-
interfaces
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3d262625-9bae-45a4-a74e-3c5fbdddfbb> 2015 Copyright 2015
Contributors <https://github.com/yargs/cliui#readme>
<https://registry.npmjs.org/cliui/-/cliui-8.0.1.tgz>

ISC cliui-8.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6264c124-deaa-4440-a3f5-b8d25b3f0830> 2015 Copyright 2015 Contributors
<https://github.com/yargs/cliui#readme>
<https://registry.npmjs.org/@isaacs/cliui/-/cliui-8.0.2.tgz>

ISC color-support-1.1.3.tgz A module which will endeavor to guess
your terminal's level of color support.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3bab1564-ad54-4aa0-881e-31b6d9e79cc0> "Copyright Isaac Z.
Schlueter and Contributors
Copyright Isaac Z" <https://github.com/isaacs/color-support#readme>
<https://registry.npmjs.org/color-support/-/color-support-1.1.3.tgz>

ISC console-control-strings-1.1.0.tgz A library of cross-platform
tested terminal/console command strings for doing things like color and
cursor positioning. This is a subset of both ansi and vt100. All
control codes included work on both Windows & Unix-like OSes, except
where noted.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7d1ba5ba-f03e-4d88-9eb8-9ad7d46323c9> 2014 Copyright 2014 Rebecca Turner <me@re-becca.org> <https://github.com/iarna/console-control-strings#readme> <https://registry.npmjs.org/console-control-strings/-/console-control-strings-1.1.0.tgz>

ISC crypto-1.0.1.tgz This package is no longer supported and has been deprecated. To avoid malicious use, npm is hanging on to the package name.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7cc0bac1-e25a-4d6c-bda7-bba622d919e4> Unspecified Copyright <https://github.com/npm/deprecate-holder#readme> <https://registry.npmjs.org/crypto/-/crypto-1.0.1.tgz>

ISC d3-7.9.0.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/c416b615-135c-415d-bad9-c4d9b6fa0210> "2010-2023 Copyright 2010-2023 Mike Bostock 2010-2017 Copyright 2010-2017 Mike Bostock" <https://d3js.org> <https://registry.npmjs.org/d3/-/d3-7.9.0.tgz>

ISC d3-array-3.2.4.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/25340c2c-5238-4dca-aea7-8f95c4b8490b> 2010-2023 Copyright 2010-2023 Mike Bostock <https://d3js.org/d3-array/> <https://registry.npmjs.org/d3-array/-/d3-array-3.2.4.tgz>

ISC d3-axis-3.0.0.tgz Displays automatic reference lines for scales. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6a228c23-5dba-45b0-8382-bb16aeaaf0e8> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-axis/> <https://registry.npmjs.org/d3-axis/-/d3-axis-3.0.0.tgz>

ISC d3-brush-3.0.0.tgz Select a one- or two-dimensional region using the mouse or touch. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/84035931-5d56-4ebb-844f-c24ed3056e65> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-brush/> <https://registry.npmjs.org/d3-brush/-/d3-brush-3.0.0.tgz>

ISC d3-chord-3.0.1.tgz Visualize relationships or network flow with an aesthetically-pleasing circular layout. <https://index.mend.io/gri/app/reader/resource/content/asString/4e44ee7a-7dff-4dda-8350-f798bb3a0206> 2021 Copyright 2021 Mike Bostock <https://d3js.org/d3-chord/> <https://registry.npmjs.org/d3-chord/-/d3-chord-3.0.1.tgz>

ISC d3-color-3.1.0.tgz Color spaces! RGB, HSL, Cubehelix, Lab and HCL (Lch). <https://index.mend.io/gri/app/reader/resource/content/asString/617f0336-5fc2-4041-958c-6e40fe503a92> 2010-2022 Copyright 2010-2022 Mike Bostock <https://d3js.org/d3-color/> <https://registry.npmjs.org/d3-color/-/d3-color-3.1.0.tgz>

ISC d3-contour-4.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b083d9a6-a729-4461-bb49-7b81eeaf59a7> 2012-2023 Copyright 2012-2023 Mike Bostock
<https://d3js.org/d3-contour/> <https://registry.npmjs.org/d3-contour/-/d3-contour-4.0.2.tgz>

ISC d3-delaunay-6.0.4.tgz Compute the Voronoi diagram of a set of two-dimensional points.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/237b44f2-8402-449f-84ca-5f10219999b6> "2021 Copyright 2021 Mapbox
2018-2021 Copyright 2018-2021 Observable, Inc"
<https://github.com/d3/d3-delaunay> <https://registry.npmjs.org/d3-delaunay/-/d3-delaunay-6.0.4.tgz>

ISC d3-dispatch-3.0.1.tgz Register named callbacks and call them with arguments.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4615832d-4849-4e17-9f08-bd6532efb866> 2010-2021 Copyright 2010-2021 Mike Bostock
<https://d3js.org/d3-dispatch/>
<https://registry.npmjs.org/d3-dispatch/-/d3-dispatch-3.0.1.tgz>

ISC d3-drag-3.0.0.tgz Drag and drop SVG, HTML or Canvas using mouse or touch input.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a6ac5a5e-8222-4da6-924f-086cf4ad81dd> 2010-2021 Copyright 2010-2021 Mike Bostock
<https://d3js.org/d3-drag/>
<https://registry.npmjs.org/d3-drag/-/d3-drag-3.0.0.tgz>

ISC d3-dsv-3.0.1.tgz A parser and formatter for delimiter-separated values, such as CSV and TSV
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0f4f2282-9a11-4359-8461-c60e6fc9a6c3> 2013-2021 Copyright 2013-2021 Mike Bostock
<https://d3js.org/d3-dsv/>
<https://registry.npmjs.org/d3-dsv/-/d3-dsv-3.0.1.tgz>

ISC d3-fetch-3.0.1.tgz Convenient parsing for Fetch.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2e255070-da47-4a08-8f90-990dc9999ea0> 2016-2021 Copyright 2016-2021 Mike Bostock
<https://d3js.org/d3-fetch/>
<https://registry.npmjs.org/d3-fetch/-/d3-fetch-3.0.1.tgz>

ISC d3-force-3.0.0.tgz Force-directed graph layout using velocity Verlet integration.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4b95f026-7045-4a46-bc95-5793b586835c> 2010-2021 Copyright 2010-2021 Mike Bostock
<https://d3js.org/d3-force/>
<https://registry.npmjs.org/d3-force/-/d3-force-3.0.0.tgz>

ISC d3-format-3.1.0.tgz Format numbers for human consumption.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e68541d7-0c65-45e8-bb7d-9a5af354f9be> 2010-2021 Copyright 2010-2021 Mike Bostock
<https://d3js.org/d3-format/>
<https://registry.npmjs.org/d3-format/-/d3-format-3.1.0.tgz>

ISC d3-hierarchy-3.1.2.tgz Layout algorithms for visualizing hierarchical data.

<https://index.mend.io/gri/app/reader/resource/content/asString/6c914583-5ca6-41a4-a4f8-b43c4fd96a38> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-hierarchy/>
<https://registry.npmjs.org/d3-hierarchy/-/d3-hierarchy-3.1.2.tgz>

ISC d3-interpolate-3.0.1.tgz Interpolate numbers, colors, strings, arrays, objects, whatever!

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/29b83a69-8019-48d6-bc3d-f49493411a65> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-interpolate/>
<https://registry.npmjs.org/d3-interpolate/-/d3-interpolate-3.0.1.tgz>

ISC d3-path-3.1.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/2edf8a59-ab46-4ec1-b105-b4edda8d10f7> 2015-2022 Copyright 2015-2022 Mike Bostock <https://d3js.org/d3-path/> <https://registry.npmjs.org/d3-path/-/d3-path-3.1.0.tgz>

ISC d3-polygon-3.0.1.tgz Operations for two-dimensional polygons.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40ee8803-ecaf-41bf-83d3-aab45464aa22> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-polygon/>
<https://registry.npmjs.org/d3-polygon/-/d3-polygon-3.0.1.tgz>

ISC d3-quadtree-3.0.1.tgz Two-dimensional recursive spatial subdivision.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e47b6b1-7225-4922-b2f7-292abe5fc091> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-quadtree/>
<https://registry.npmjs.org/d3-quadtree/-/d3-quadtree-3.0.1.tgz>

ISC d3-random-3.0.1.tgz Generate random numbers from various distributions.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a51e7564-1213-445a-8c74-ccbe7d75bbd0> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-random/>
<https://registry.npmjs.org/d3-random/-/d3-random-3.0.1.tgz>

ISC d3-scale-4.0.2.tgz Encodings that map abstract data to visual representation.

<https://index.mend.io/gri/app/reader/resource/content/asString/6dcae03a-a047-4f5d-9665-37191fc4165b> 2024 Copyright 2024 Mike Bostock and Observable, Inc. <https://d3js.org/d3-scale/>
<https://registry.npmjs.org/d3-scale/-/d3-scale-4.0.2.tgz>

ISC d3-selection-3.0.0.tgz Data-driven DOM manipulation: select elements and join them to data.

<https://index.mend.io/gri/app/reader/resource/content/asString/80334060-7341-45e5-9f7d-1d124ac07eb9> 2024 Copyright 2024 Mike Bostock and

Observable, Inc. <https://d3js.org/d3-selection/>
<https://registry.npmjs.org/d3-selection/-/d3-selection-3.0.0.tgz>

ISC d3-shape-3.2.0.tgz Graphical primitives for visualization, such as lines and areas.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d7e8ed22-e6f9-45e3-b97c-a2ce032ccd41> 2010-2022 Copyright 2010-2022 Mike Bostock <https://d3js.org/d3-shape/>
<https://registry.npmjs.org/d3-shape/-/d3-shape-3.2.0.tgz>

ISC d3-time-3.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/adff7042-ce8e-4cae-b794-61726d06c9c2> 2010-2022 Copyright 2010-2022 Mike Bostock <https://d3js.org/d3-time/> <https://registry.npmjs.org/d3-time/-/d3-time-3.1.0.tgz>

ISC d3-time-format-4.1.0.tgz A JavaScript time formatter and parser inspired by strftime and strptime.
<https://index.mend.io/gri/app/reader/resource/content/asString/6e378f92-5ba1-4864-b913-69247f228b40> 2024 Copyright 2024 Mike Bostock and Observable, Inc. <https://d3js.org/d3-time-format/>
<https://registry.npmjs.org/d3-time-format/-/d3-time-format-4.1.0.tgz>

ISC d3-timer-3.0.1.tgz An efficient queue capable of managing thousands of concurrent animations.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d6eed67d-b08c-4c7c-8a9a-0c46c78a1ec3> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-timer/>
<https://registry.npmjs.org/d3-timer/-/d3-timer-3.0.1.tgz>

ISC d3-transition-3.0.1.tgz Animated transitions for D3 selections.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5a94fadf-7173-4b3f-8b5f-903d7473c02f> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-transition/>
<https://registry.npmjs.org/d3-transition/-/d3-transition-3.0.1.tgz>

ISC d3-zoom-3.0.0.tgz Pan and zoom SVG, HTML or Canvas using mouse or touch input.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/582b38af-b37b-4ae1-9d6e-1e9b72868a60> 2010-2021 Copyright 2010-2021 Mike Bostock <https://d3js.org/d3-zoom/>
<https://registry.npmjs.org/d3-zoom/-/d3-zoom-3.0.0.tgz>

ISC delaunator-5.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/17b71f55-3e21-407e-9aea-db50dcdcd43b> 2021 Copyright 2021 Mapbox
<https://github.com/mapbox/delaunator#readme>
<https://registry.npmjs.org/delaunator/-/delaunator-5.0.1.tgz>

ISC foreground-child-3.3.1.tgz Run a child as if it's the foreground process. Give it stdio. Exit when it exits.

<https://index.mend.io/gri/app/reader/resource/content/asString/717f084f-9b93-41bc-817c-82603943663c> 2015-2023 Copyright 2015-2023 Isaac Z. Schlueter and Contributors <https://github.com/tapjs/foreground-child#readme> <https://registry.npmjs.org/foreground-child/-/foreground-child-3.3.1.tgz>

ISC fs.realpath-1.0.0.tgz Use node's fs.realpath, but fall back to the JS implementation if the native one fails
<https://github.com/isaacs/fs.realpath> "Copyright Isaac Z. Schlueter and Contributors
Copyright Isaac Z" <https://github.com/isaacs/fs.realpath#readme>
<https://registry.npmjs.org/fs.realpath/-/fs.realpath-1.0.0.tgz>

ISC fs-1.1.1.tgz filesystem utilities for the npm cli
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c7b42448-2f54-4b5b-86bd-8726c77cc5d5> Copyright npm, Inc
<https://registry.npmjs.org/@npmcli/fs/-/fs-1.1.1.tgz>
<https://registry.npmjs.org/@npmcli/fs/-/fs-1.1.1.tgz>

ISC fs-minipass-2.1.0.tgz fs read and write streams based on minipass
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/15d33d0b-b0eb-4891-9396-ff52d88ab341> Copyright Isaac Z
<https://github.com/npm/fs-minipass#readme>
<https://registry.npmjs.org/fs-minipass/-/fs-minipass-2.1.0.tgz>

ISC fstream-1.0.12.tgz Advanced file system stream things
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f03659a8-0a17-49f4-b864-f43530b9da9f> "Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z"
<https://github.com/npm/fstream#readme>
<https://registry.npmjs.org/fstream/-/fstream-1.0.12.tgz>

ISC gauge-4.0.4.tgz A terminal based horizontal gauge
<https://index.mend.io/gri/app/reader/resource/content/asString/c1a406d1-36ae-4ffb-bb77-cb94930743a9> Copyright npm, Inc
<https://github.com/npm/gauge> <https://registry.npmjs.org/gauge/-/gauge-4.0.4.tgz>

ISC get-caller-file-2.0.5.tgz [![Build Status](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master)](https://travis-ci.org/stefanpenner/get-caller-file) [![Build status](https://ci.appveyor.com/api/projects/status/ol2q94g1932cy14a/branch/master?svg=true)](https://ci.a
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/26c4397e-5307-4578-b7eb-ce9beb1b4897> 2018 Copyright 2018 Stefan Penner <https://github.com/stefanpenner/get-caller-file#readme>
<https://registry.npmjs.org/get-caller-file/-/get-caller-file-2.0.5.tgz>

ISC glob-10.4.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bcab0c2e-5a5a-435d-aalc-9423659db078> 2009-2023 Copyright 2009-2023 Isaac Z. Schlueter and Contributors <https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-10.4.5.tgz>

ISC glob-7.1.7.tgz a little globber
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2033887b-9806-4279-bba5-35e43ad5bc0a> Copyright Isaac Z
<https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-7.1.7.tgz>

ISC glob-7.2.3.tgz a little globber
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1526e0d4-7eb6-48a6-8eef-e4cf1e913a88> Copyright Isaac Z.
Schlueter and Contributors <https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-7.2.3.tgz>

ISC glob-8.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0be906c1-7532-469e-a783-e36bbaaf53de> 2009-2022 Copyright 2009-2022 Isaac Z.
Schlueter and Contributors <https://github.com/isaacs/node-glob#readme>
<https://registry.npmjs.org/glob/-/glob-8.1.0.tgz>

ISC glob-promise-3.4.0.tgz Promise version of glob
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ca9424cb-700f-4c0f-9ffc-1e4cle25fe38> "Copyright
ahmadnassri.com" (https://www.ahmadnassri.com) • 2015 Copyright 2015
Ahmad Nassri <ahmad@ahmadnassri.com>
<https://github.com/ahmadnassri/glob-promise>
<https://registry.npmjs.org/glob-promise/-/glob-promise-3.4.0.tgz>

ISC graceful-fs-4.2.11.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3b331a44-3414-4653-b4d8-72752de2439f> 2011-2022 Copyright 2011-2022 Isaac Z.
Schlueter <https://github.com/isaacs/node-graceful-fs#readme>
<https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz>

ISC har-schema-2.0.0.tgz JSON Schema for HTTP Archive (HAR)
<https://github.com/ahmadnassri/har-schema> "2015 Copyright 2015
Ahmad Nassri <ahmad@ahmadnassri.com> Copyright ahmadnassri.com"
<https://github.com/ahmadnassri/har-schema>
<https://registry.npmjs.org/har-schema/-/har-schema-2.0.0.tgz>

ISC has-unicode-2.0.1.tgz Try to guess if your terminal supports
unicode
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8523c8d2-f78d-4fa5-b381-8efe93ec0de2> 2014 Copyright 2014
Rebecca Turner <me@re-becca.org> <https://github.com/iarna/has-unicode>
<https://registry.npmjs.org/has-unicode/-/has-unicode-2.0.1.tgz>

ISC infer-owner-1.0.4.tgz Infer the owner of a path based on the owner
of its nearest existing parent <https://github.com/npm/infer-owner#readme>
Copyright npm, Inc. and Contributors
<https://github.com/npm/infer-owner#readme>
<https://registry.npmjs.org/infer-owner/-/infer-owner-1.0.4.tgz>

ISC inflight-1.0.6.tgz Add callbacks to requests in flight to avoid
 async duplication
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c5bald34-bd4c-463a-a8e9-68652e28833d> Copyright Isaac Z.
 Schlueter <https://github.com/isaacs/inflight>
<https://registry.npmjs.org/inflight/-/inflight-1.0.6.tgz>

ISC inherits-2.0.3.tgz Browser-friendly inheritance fully
 compatible with standard node.js inherits()
<https://github.com/isaacs/inherits/tree/v2.0.3> "Copyright Isaac
 Z. Schlueter
 Copyright Isaac Z" <https://github.com/isaacs/inherits#readme>
<https://registry.npmjs.org/inherits/-/inherits-2.0.3.tgz>

ISC inherits-2.0.4.tgz Browser-friendly inheritance fully
 compatible with standard node.js inherits()
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d1e237f-a87e-4a98-bc29-f262658ebala> Copyright Isaac Z
<https://github.com/isaacs/inherits#readme>
<https://registry.npmjs.org/inherits/-/inherits-2.0.4.tgz>

ISC ini-1.3.8.tgz An ini encoder/decoder for node
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d3ec0bf-11f5-4392-827f-0af2ee690641> Copyright Isaac Z
<https://github.com/isaacs/ini#readme>
<https://registry.npmjs.org/ini/-/ini-1.3.8.tgz>

ISC internmap-2.0.3.tgz Map and Set with automatic key interning
<https://index.mend.io/gri/app/reader/resource/content/asString/fb0d9288-3255-4ec8-8f22-76c15998b7d7> 2021 Copyright 2021 Mike Bostock
<https://github.com/mbostock/internmap/>
<https://registry.npmjs.org/internmap/-/internmap-2.0.3.tgz>

ISC isexe-2.0.0.tgz Minimal module to check if a file is executable.
<https://github.com/isaacs/isexe#readme> Copyright Isaac Z.
 Schlueter and Contributors <https://github.com/isaacs/isexe#readme>
<https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz>

ISC json-stringify-safe-5.0.1.tgz Like JSON.stringify, but doesn't
 blow up on circular refs. <https://github.com/moll/json-stringify-safe>
 "Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z"
<https://github.com/isaacs/json-stringify-safe>
<https://registry.npmjs.org/json-stringify-safe/-/json-stringify-safe-5.0.1.tgz>

ISC kdbush-4.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1a62032e-d43b-4f5b-b745-9b3890642fa3> 2018 Copyright 2018 Vladimir Agafonkin
<https://github.com/mourner/kdbush#readme>
<https://registry.npmjs.org/kdbush/-/kdbush-4.0.2.tgz>

ISC listenercount-1.0.1.tgz backwards compatible version of builtin
 events.listenercount
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1a62032e-d43b-4f5b-b745-9b3890642fa3>

nt/asString/305833b6-c841-438a-a1d4-ecbc60945d4c "Copyright MMXV jden
<jason@denizac.org> Copyright MMXV jden ""jason@denizac.org""
(mailto:jason@denizac.org)" [https://github.com/jden/node-](https://github.com/jden/node-listenercount#readme)
listenercount#readme [https://registry.npmjs.org/listenercount/-](https://registry.npmjs.org/listenercount/-/listenercount-1.0.1.tgz)
/listenercount-1.0.1.tgz

ISC lru-cache-10.4.3.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/a110](https://index.mend.io/gri/app/reader/resource/content/asString/a1101c01-9c90-4ca2-80bc-e7fc3ad7adcc)
1c01-9c90-4ca2-80bc-e7fc3ad7adcc 2010-2023 Copyright 2010-2023 Isaac Z.
Schlueter and Contributors [https://github.com/isaacs/node-lru-](https://github.com/isaacs/node-lru-cache#readme)
cache#readme [https://registry.npmjs.org/lru-cache/-/lru-cache-](https://registry.npmjs.org/lru-cache/-/lru-cache-10.4.3.tgz)
10.4.3.tgz

ISC lru-cache-6.0.0.tgz A cache object that deletes the least-
recently-used items. <https://github.com/isaacs/node-lru-cache>
Copyright Isaac Z <https://github.com/isaacs/node-lru-cache#readme>
<https://registry.npmjs.org/lru-cache/-/lru-cache-6.0.0.tgz>

ISC make-dir-1.3.0.tgz Make a directory and its parents if needed -
Think `mkdir -p` <https://github.com/sindresorhus/make-dir> "Copyright
Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/make-dir#readme>
<https://registry.npmjs.org/make-dir/-/make-dir-1.3.0.tgz>

ISC make-fetch-happen-9.1.0.tgz Opinionated, caching, retrying fetch
client
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/469a5e53-589a-4af0-8e1a-039abba7a2e3)
nt/asString/469a5e53-589a-4af0-8e1a-039abba7a2e3 Copyright npm, Inc
<https://github.com/npm/make-fetch-happen#readme>
[https://registry.npmjs.org/make-fetch-happen/-/make-fetch-happen-](https://registry.npmjs.org/make-fetch-happen/-/make-fetch-happen-9.1.0.tgz)
9.1.0.tgz

ISC make-plural-4.3.0.tgz Translates Unicode CLDR pluralization rules
to executable JavaScript
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4ae3b2c2-a2f4-4ae7-95e3-eb9d6f90724c)
nt/asString/4ae3b2c2-a2f4-4ae7-95e3-eb9d6f90724c 2014-2016 Copyright
2014-2016 by Eemeli Aro <eemeli@gmail.com>
<https://github.com/eemeli/make-plural#readme>
<https://registry.npmjs.org/make-plural/-/make-plural-4.3.0.tgz>

ISC make-plural-6.2.2.tgz Unicode CLDR pluralization rules as
JavaScript functions
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/11100778-1728-4243-bfd1-8bd4c79bdc87)
nt/asString/11100778-1728-4243-bfd1-8bd4c79bdc87 2014-2019 Copyright
2014-2019 by Eemeli Aro <eemeli@gmail.com>
<https://github.com/eemeli/make-plural#readme>
<https://registry.npmjs.org/make-plural/-/make-plural-6.2.2.tgz>

ISC minimatch-3.0.8.tgz a glob matcher in javascript
[https://index.mend.io/gri/app/reader/resource/content/asString/7fcf](https://index.mend.io/gri/app/reader/resource/content/asString/7fcf6ba0-daa5-4cde-8751-1005a4493e21)
6ba0-daa5-4cde-8751-1005a4493e21 Copyright Isaac Z. Schlueter and
Contributors <https://github.com/isaacs/minimatch#readme>
<https://registry.npmjs.org/minimatch/-/minimatch-3.0.8.tgz>

ISC minimatch-3.1.2.tgz a glob matcher in javascript
<https://index.mend.io/gri/app/reader/resource/content/asString/06aed408-7a93-4bd2-a980-3051900f36e8> Copyright Isaac Z. Schlueter and Contributors
<https://github.com/isaacs/minimatch#readme>
<https://registry.npmjs.org/minimatch/-/minimatch-3.1.2.tgz>

ISC minimatch-5.1.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/beeabdb2d-7853-4d21-a773-96eld5610be6> 2011-2023 Copyright 2011-2023 Isaac Z. Schlueter and Contributors
<https://github.com/isaacs/minimatch#readme>
<https://registry.npmjs.org/minimatch/-/minimatch-5.1.6.tgz>

ISC minimatch-9.0.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/5faaefca-1379-4c7e-ab6f-f8716bfea816> 2011-2023 Copyright 2011-2023 Isaac Z. Schlueter and Contributors
<https://github.com/isaacs/minimatch#readme>
<https://registry.npmjs.org/minimatch/-/minimatch-9.0.5.tgz>

ISC minipass-3.3.6.tgz minimal implementation of a PassThrough stream
<https://index.mend.io/gri/app/reader/resource/content/asString/17bea882-9521-4c29-a954-c4f6a272641e> 2017-2022 Copyright 2017-2022 npm, Inc
<https://github.com/isaacs/minipass#readme>
<https://registry.npmjs.org/minipass/-/minipass-3.3.6.tgz>

ISC minipass-5.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/cfa0a76f-6d4d-413e-9753-71dfd530ab9a> 2017-2023 Copyright 2017-2023 npm, Inc
<https://github.com/isaacs/minipass#readme>
<https://registry.npmjs.org/minipass/-/minipass-5.0.0.tgz>

ISC minipass-7.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/03616f91-ce97-456f-9abb-7eb407459cd2> 2017-2023 Copyright 2017-2023 npm, Inc
<https://github.com/isaacs/minipass#readme>
<https://registry.npmjs.org/minipass/-/minipass-7.1.2.tgz>

ISC minipass-collect-1.0.2.tgz A Minipass stream that collects all the data into a single chunk
<https://index.mend.io/gri/app/reader/resource/content/asString/9234596c-2a23-4e2e-92c7-96c7f5fcfald> Copyright Isaac Z
<https://registry.npmjs.org/minipass-collect/-/minipass-collect-1.0.2.tgz>
<https://registry.npmjs.org/minipass-collect/-/minipass-collect-1.0.2.tgz>

ISC minipass-flush-1.0.5.tgz A Minipass stream that calls a flush function before emitting 'end'
<https://index.mend.io/gri/app/reader/resource/content/asString/d5c2fa8e-636a-41d9-88c7-6874b9eb623e> Copyright Isaac Z
<https://github.com/isaacs/minipass-flush#readme>
<https://registry.npmjs.org/minipass-flush/-/minipass-flush-1.0.5.tgz>

ISC minipass-pipeline-1.2.4.tgz create a pipeline of streams using Minipass
 <https://index.mend.io/gri/app/reader/resource/content/asString/1267c6c9-17e0-4892-8feb-8d42092bd63c> Copyright Isaac Z
 <https://registry.npmjs.org/minipass-pipeline/-/minipass-pipeline-1.2.4.tgz> <https://registry.npmjs.org/minipass-pipeline/-/minipass-pipeline-1.2.4.tgz>

ISC minipass-sized-1.0.3.tgz A Minipass stream that raises an error if you get a different number of bytes than expected
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a06024c1-3c92-45fa-9ae4-0d22c17c196f> Copyright Isaac Z
 <https://github.com/isaacs/minipass-sized#readme>
 <https://registry.npmjs.org/minipass-sized/-/minipass-sized-1.0.3.tgz>

ISC nopt-5.0.0.tgz Option parsing for Node, supporting types, shorthands, etc. Used by npm.
 <https://index.mend.io/gri/app/reader/resource/content/asString/c76f43bc-9e49-40ea-90ea-092cf9de51ef> Copyright Isaac Z
 <https://github.com/npm/nopt#readme> <https://registry.npmjs.org/nopt/-/nopt-5.0.0.tgz>

ISC npmlog-6.0.2.tgz logger for npm
 <https://index.mend.io/gri/app/reader/resource/content/asString/3ab80133-e5dc-409b-846d-689b66b7c7ef> Copyright npm, Inc
 <https://github.com/npm/npmlog#readme>
 <https://registry.npmjs.org/npmlog/-/npmlog-6.0.2.tgz>

ISC once-1.4.0.tgz Run a function exactly one time
 <https://github.com/isaacs/once#readme> Copyright Isaac Z.
Schlueter and Contributors <https://github.com/isaacs/once#readme>
 <https://registry.npmjs.org/once/-/once-1.4.0.tgz>

ISC picocolors-1.0.0.tgz The tiniest and the fastest library for terminal output formatting with ANSI colors
 <https://index.mend.io/gri/app/reader/resource/content/asString/ee67b2d3-7ebd-437f-a610-fe8890d40dae> 2021 Copyright 2021 Alexey Raspopov, Kostiantyn Denysov, Anton Verinov
 <https://github.com/alexeyraspopov/picocolors#readme>
 <https://registry.npmjs.org/picocolors/-/picocolors-1.0.0.tgz>

ISC picocolors-1.1.1.tgz The tiniest and the fastest library for terminal output formatting with ANSI colors
 <https://index.mend.io/gri/app/reader/resource/content/asString/52b36f95-45e9-4e2f-8acf-6866940db217> 2021-2024 Copyright 2021-2024 Oleksii Raspopov <https://github.com/alexeyraspopov/picocolors#readme>
 <https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz>

ISC promise-inflight-1.0.1.tgz One promise for multiple requests in flight to avoid async duplication
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/25a8c367-0d94-48ce-aeac-d1c8681a9889> 2017 Copyright 2017 Rebecca Turner <me@re-becca.org> <https://github.com/iarna/promise->

inflight#readme <https://registry.npmjs.org/promise-inflight/-/promise-inflight-1.0.1.tgz>

ISC proto-list-1.2.4.tgz A utility for managing a prototype chain
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f558397a-9acd-4d25-a7ec-c23d0dc6e068> "Copyright Isaac Z. Schlueter and Contributors
Copyright Isaac Z" <https://github.com/isaacs/proto-list#readme>
<https://registry.npmjs.org/proto-list/-/proto-list-1.2.4.tgz>

ISC rimraf-2.7.1.tgz A deep deletion module for node (like `rm -rf`)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/537c60e2-6683-4eff-89b4-216db44653af> Copyright Isaac Z
<https://github.com/isaacs/rimraf#readme>
<https://registry.npmjs.org/rimraf/-/rimraf-2.7.1.tgz>

ISC rimraf-3.0.2.tgz A deep deletion module for node (like `rm -rf`)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/04857362-7a8f-4e85-888c-0ad758e9fc1d> Copyright Isaac Z
<https://github.com/isaacs/rimraf#readme>
<https://registry.npmjs.org/rimraf/-/rimraf-3.0.2.tgz>

ISC safe-identifier-0.4.2.tgz Sanitize strings for use as JavaScript identifiers & property names
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4902f10a-773f-43f4-8603-1cf4b8de905c> 2019 Copyright 2019
by Eemeli Aro <eemeli@gmail.com> <https://github.com/eemeli/safe-identifier#readme>
<https://registry.npmjs.org/safe-identifier/-/safe-identifier-0.4.2.tgz>

ISC sanitize-filename-1.6.3.tgz Sanitize a string for use as a filename
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/74b91333-1d67-47fc-9472-839d4140246b> "2004 Copyright 2004
Sam Hocevar <sam@hocevar.net>
2004 Copyright 2004 Sam Hocevar \<sam@hocevar.net>"
<https://github.com/parshap/node-sanitize-filename#readme>
<https://registry.npmjs.org/sanitize-filename/-/sanitize-filename-1.6.3.tgz>

ISC saxes-5.0.1.tgz An evented streaming XML parser in JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1ba61c76-44f8-4f72-9b92-a72af740f183> Unspecified Copyright
<https://github.com/lddubeau/saxes#readme>
<https://registry.npmjs.org/saxes/-/saxes-5.0.1.tgz>

ISC semver-6.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/caae5d80-1d67-4fca-8e9b-ff11f4914be2> "Copyright Isaac Z. Schlueter and
Contributors Copyright Isaac Z" <https://github.com/npm/node-semver#readme>
<https://registry.npmjs.org/semver/-/semver-6.3.1.tgz>

ISC semver-7.6.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e85d5b1a-3e1a-47f7-8181-afdled8f9942> "Copyright Isaac Z. Schlueter and

Contributors Copyright Isaac Z" <https://github.com/npm/node-semver#readme> <https://registry.npmjs.org/semver/-/semver-7.6.3.tgz>

ISC semver-7.7.2.tgz The semantic version parser used by npm.
<https://index.mend.io/gri/app/reader/resource/content/asString/3ac782d4-87ed-490e-8699-d76182f7d3d2> "Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z" <https://github.com/npm/node-semver#readme> <https://registry.npmjs.org/semver/-/semver-7.7.2.tgz>

ISC semver-7.7.3.tgz The semantic version parser used by npm.
<https://index.mend.io/gri/app/reader/resource/content/asString/14601d30-16bc-4a13-8475-d19b4ef13590> "Copyright Isaac Z. Schlueter and Contributors Copyright Isaac Z" <https://github.com/npm/node-semver#readme> <https://registry.npmjs.org/semver/-/semver-7.7.3.tgz>

ISC set-blocking-2.0.0.tgz set blocking stdio and stderr ensuring that terminal output does not truncate
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e27b6a3f-e48e-425d-96e9-d8ffd5d7c19b> 2016 Copyright 2016 Contributors <https://github.com/yargs/set-blocking#readme> <https://registry.npmjs.org/set-blocking/-/set-blocking-2.0.0.tgz>

ISC setprototypeof-1.1.1.tgz A small polyfill for Object.setPrototypeOf <https://github.com/wesleytodd/setprototypeof> 2015 Copyright 2015 Wes Todd <https://github.com/wesleytodd/setprototypeof> <https://registry.npmjs.org/setprototypeof/-/setprototypeof-1.1.1.tgz>

ISC setprototypeof-1.2.0.tgz A small polyfill for Object.setPrototypeOf
<https://index.mend.io/gri/app/reader/resource/content/asString/a67807b2-1904-4f0e-ae8b-3d06a8f15ba9> 2015 Copyright 2015 Wes Todd <https://github.com/wesleytodd/setprototypeof> <https://registry.npmjs.org/setprototypeof/-/setprototypeof-1.2.0.tgz>

ISC signal-exit-3.0.7.tgz when you want to fire an event no matter how a process exits.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b8699132-c4e5-40c4-85d4-1d74e85c0261> 2015 Copyright 2015 Contributors <https://github.com/tapjs/signal-exit> <https://registry.npmjs.org/signal-exit/-/signal-exit-3.0.7.tgz>

ISC signal-exit-4.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e0fa36d6-5da7-4f27-94fc-4f79f515163f> 2015-2023 Copyright 2015-2023 Benjamin Coe <https://github.com/tapjs/signal-exit#readme> <https://registry.npmjs.org/signal-exit/-/signal-exit-4.1.0.tgz>

ISC ssri-8.0.1.tgz Standard Subresource Integrity library -- parses, serializes, generates, and verifies integrity metadata according to the

SRI spec.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b5eded84-ce98-472b-aae0-0919474a75a6> Copyright npm, Inc
<https://github.com/npm/ssri#readme><https://registry.npmjs.org/ssri/-/ssri-8.0.1.tgz>

ISC supercluster-8.0.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/8e9d6fb8-7c95-444f-a467-1b9fdc95ed2c> 2021 Copyright 2021 Mapbox
<https://github.com/mapbox/supercluster#readme>
<https://registry.npmjs.org/supercluster/-/supercluster-8.0.1.tgz>

ISC tar-6.2.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/52bc7990-6b7c-4cef-834e-afcd8190ec19> Copyright Isaac Z. Schlueter and Contributors
<https://github.com/isaacs/node-tar#readme>
<https://registry.npmjs.org/tar/-/tar-6.2.1.tgz>

ISC unique-filename-1.1.1.tgz Generate a unique filename for use in temporary directories or caches.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3c258f37-a635-4ae3-8884-bcfc0d2e376d> Copyright npm, Inc
<https://github.com/iarna/unique-filename>
<https://registry.npmjs.org/unique-filename/-/unique-filename-1.1.1.tgz>

ISC unique-slug-2.0.2.tgz Generate a unique character string suitable for use in files and URLs.

<https://index.mend.io/gri/app/reader/resource/content/asString/c6200f1e-f45f-4e8d-829b-1b406e822dbb> Copyright npm, Inc
<https://github.com/iarna/unique-slug#readme>
<https://registry.npmjs.org/unique-slug/-/unique-slug-2.0.2.tgz>

ISC which-2.0.2.tgz Like which(1) unix command. Find the first instance of an executable in the PATH.

<https://index.mend.io/gri/app/reader/resource/content/asString/574f6197-44cc-4e55-8710-a3cb45ea9021> Copyright Isaac Z
<https://github.com/isaacs/node-which#readme>
<https://registry.npmjs.org/which/-/which-2.0.2.tgz>

ISC wide-align-1.1.5.tgz A wide-character aware text alignment function for use on the console or with fixed width fonts.

<https://index.mend.io/gri/app/reader/resource/content/asString/7d06aef6-5960-42db-85b5-dfb433eccd6d> 2015 Copyright 2015 Rebecca Turner
<me@re-becca.org><https://github.com/iarna/wide-align#readme>
<https://registry.npmjs.org/wide-align/-/wide-align-1.1.5.tgz>

ISC wrappy-1.0.2.tgz Callback wrapping utility

<https://github.com/npm/wrappy> Copyright Isaac Z. Schlueter and Contributors
<https://github.com/npm/wrappy>
<https://registry.npmjs.org/wrappy/-/wrappy-1.0.2.tgz>

ISC y18n-5.0.8.tgz the bare-bones internationalization library used by yargs
<https://index.mend.io/gri/app/reader/resource/content/asString/6ed5c081-d500-4232-9762-0ee5d2415079> 2015 Copyright 2015 Contributors
<https://github.com/yargs/y18n> <https://registry.npmjs.org/y18n/-/y18n-5.0.8.tgz>

ISC yallist-4.0.0.tgz Yet Another Linked List
<https://github.com/isaacs/yallist#readme> Copyright Isaac Z
<https://github.com/isaacs/yallist#readme>
<https://registry.npmjs.org/yallist/-/yallist-4.0.0.tgz>

ISC yaml-1.10.2.tgz JavaScript parser and stringifier for YAML
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9ff89171-2517-4c3d-9cc8-607f2d8ec89a> 2018 Copyright 2018 Eemeli Aro <eemeli@gmail.com> <https://eemeli.org/yaml/v1/>
<https://registry.npmjs.org/yaml/-/yaml-1.10.2.tgz>

ISC yaml-2.0.0-1.tgz JavaScript parser and stringifier for YAML
<https://index.mend.io/gri/app/reader/resource/content/asString/aa45a7c4-alec-4c15-8ac7-6d98d1835315> "2018 Copyright 2018 Eemeli Aro <eemeli@gmail.com> Copyright Eemeli Aro <eemeli@gmail.com>"
<https://eemeli.org/yaml/> <https://registry.npmjs.org/yaml/-/yaml-2.0.0-1.tgz>

ISC yaml-2.8.1.tgz JavaScript parser and stringifier for YAML
<https://www.npmjs.com/package/yaml?activeTab=versions> Copyright Eemeli Aro <eemeli@gmail.com> <https://eemeli.org/yaml/>
<https://registry.npmjs.org/yaml/-/yaml-2.8.1.tgz>

ISC yargs-parser-20.2.9.tgz the mighty option parser used by yargs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/73314c96-e0dc-463c-ab35-021b97b8c8c4> 2016 Copyright 2016 Contributors <https://github.com/yargs/yargs-parser#readme>
<https://registry.npmjs.org/yargs-parser/-/yargs-parser-20.2.9.tgz>

ISC yargs-parser-21.1.1.tgz the mighty option parser used by yargs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9285ef43-88de-491c-a16c-c9747d49dc19> 2016 Copyright 2016 Contributors <https://github.com/yargs/yargs-parser#readme>
<https://registry.npmjs.org/yargs-parser/-/yargs-parser-21.1.1.tgz>

MIT abort-controller-1.1.0.tgz Microsoft Azure SDK for JavaScript - Aborter
<https://index.mend.io/gri/app/reader/resource/content/asString/c166b8c8-b669-4216-976c-da18ad6e9835> "2018 Copyright 2018 Microsoft 2020 Copyright 2020 Microsoft" <https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/core/abort-controller/README.md>
<https://registry.npmjs.org/@azure/abort-controller/-/abort-controller-1.1.0.tgz>

MIT abort-controller-2.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c2eb3af-373d-4e8c-b9e2-e480c356804b> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/core/abort-controller/README.md> <https://registry.npmjs.org/@azure/abort-controller/-/abort-controller-2.1.2.tgz>

MIT abort-controller-3.0.0.tgz An implementation of WHATWG AbortController interface.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/375232ef-95ce-4bca-b71c-ed934bbdf8a> 2017 Copyright 2017 Toru Nagashima <https://github.com/mysticatea/abort-controller#readme>
<https://registry.npmjs.org/abort-controller/-/abort-controller-3.0.0.tgz>

MIT accept-language-2.0.17.tgz HTTP Accept-Language parser for node
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1622c4f7-2c97-41a3-b7b4-19fed6fe2b3a> 2014 Copyright 2014 Tingan Ho <https://github.com/tinganho/node-accept-language>
<https://registry.npmjs.org/accept-language/-/accept-language-2.0.17.tgz>

MIT accept-language-3.0.18.tgz Accept-Language parser for nodejs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5e3a809e-2e4d-46c8-a79e-a73d550569ca> 2014 Copyright 2014 Tingan Ho <https://github.com/tinganho/node-accept-language>
<https://registry.npmjs.org/accept-language/-/accept-language-3.0.18.tgz>

MIT accept-language-3.0.20.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/31dd6f76-b7b8-464b-b849-dd3243b998ae> 2014 Copyright 2014 Tingan Ho
<https://github.com/tinganho/node-accept-language>
<https://registry.npmjs.org/accept-language/-/accept-language-3.0.20.tgz>

MIT accepts-1.3.8.tgz Higher-level content negotiation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dd85a54c-8c44-4a54-aed4-793e818275ea> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com> 2014 Copyright 2014 Jonathan Ong <me@jongleberry.com>"
<https://github.com/jshttp/accepts#readme>
<https://registry.npmjs.org/accepts/-/accepts-1.3.8.tgz>

MIT adm-zip-0.4.16.tgz Javascript implementation of zip for nodejs with support for electron original-fs. Allows user to create or extract zip files both in memory or to/from disk
<https://index.mend.io/gri/app/reader/resource/content/asString/742e9797-726d-4ecd-b71a-a3406ffd437f> 2012 Copyright 2012 Another-D-Mention Software and other contributors, <https://github.com/cthackers/adm-zip>
<https://registry.npmjs.org/adm-zip/-/adm-zip-0.4.16.tgz>

MIT adm-zip-0.5.16.tgz Javascript implementation of zip for nodejs with support for electron original-fs. Allows user to create or extract

zip files both in memory or to/from disk

<https://index.mend.io/gri/app/reader/resource/content/asString/523b705a-a46f-40d8-8f81-d5e593228401> 2012 Copyright 2012 Another-D-Mention Software and other contributors <https://github.com/cthackers/adm-zip>
<https://registry.npmjs.org/adm-zip/-/adm-zip-0.5.16.tgz>

MIT agent-base-4.3.0.tgz Turn a function into an `http.Agent` instance

<https://index.mend.io/gri/app/reader/resource/content/asString/d00d779a-5d70-4fba-a8da-b917768e4015> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/node-agent-base#readme>
<https://registry.npmjs.org/agent-base/-/agent-base-4.3.0.tgz>

MIT agent-base-6.0.2.tgz Turn a function into an `http.Agent` instance

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/670c40e4-d90c-4852-866d-454724c6f754> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net>
<https://github.com/TooTallNate/node-agent-base#readme>
<https://registry.npmjs.org/agent-base/-/agent-base-6.0.2.tgz>

MIT agent-base-7.1.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/1b61c113-3bf2-4b44-a4a3-0095f8188cae> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/proxy-agents#readme>
<https://registry.npmjs.org/agent-base/-/agent-base-7.1.1.tgz>

MIT agent-base-7.1.4.tgz Turn a function into an `http.Agent` instance

<https://index.mend.io/gri/app/reader/resource/content/asString/f24e27e5-7ac4-4ec2-8009-06e66ec06e94> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/proxy-agents#readme>
<https://registry.npmjs.org/agent-base/-/agent-base-7.1.4.tgz>

MIT agentkeepalive-4.6.0.tgz Missing keepalive http.Agent

<https://index.mend.io/gri/app/reader/resource/content/asString/b51804cc-8d46-4e13-b4e7-0b02ac6f44cc> "2012-2015 Copyright 2012-2015 fengmk2 Copyright (c) node-modules and other contributors"
<https://github.com/node-modules/agentkeepalive#readme>
<https://registry.npmjs.org/agentkeepalive/-/agentkeepalive-4.6.0.tgz>

MIT aggregate-error-3.1.0.tgz Create an error from multiple errors

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6446fd4c-1faa-4efa-80af-c6d3c759264b> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/aggregate-error#readme>
<https://registry.npmjs.org/aggregate-error/-/aggregate-error-3.1.0.tgz>

MIT ajv-6.12.6.tgz Another JSON Schema Validator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8a0ffbd6-2afd-4a8f-962d-c252ed5e1354> 2015-2017 Copyright 2015-2017 Evgeny Poberezkin <https://github.com/ajv-validator/ajv>
<https://registry.npmjs.org/ajv/-/ajv-6.12.6.tgz>

MIT ajv-8.17.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b8c68245-fbe8-45cd-87ee-12c0632cbc75> 2015-2021 Copyright 2015-2021 Evgeny Poberezkin <https://ajv.js.org> <https://registry.npmjs.org/ajv/-/ajv-8.17.1.tgz>

MIT align-text-0.1.4.tgz Align the text in a string.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cc0deb3d-3c44-4098-b982-151a8ec08587> "2015 Copyright 2015 Jon Schlinkert 2015 Copyright 2015 Jon Schlinkert"
(<https://github.com/jonschlinkert>) "
<https://github.com/jonschlinkert/align-text>
<https://registry.npmjs.org/align-text/-/align-text-0.1.4.tgz>

MIT animated-number-react-0.1.2.tgz Super easy way to animate numbers with React
<https://index.mend.io/gri/app/reader/resource/content/asString/bbd0352b-c4c1-40db-a942-4256e44d258d> 2018 Copyright 2018 Leonardo Cardoso
<https://registry.npmjs.org/animated-number-react/-/animated-number-react-0.1.2.tgz> <https://registry.npmjs.org/animated-number-react/-/animated-number-react-0.1.2.tgz>

MIT ansi-regex-2.1.1.tgz Regular expression for matching ANSI escape codes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/535504eb-a76e-4791-9f30-074420d25a53> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/chalk/ansi-regex#readme>
<https://registry.npmjs.org/ansi-regex/-/ansi-regex-2.1.1.tgz>

MIT ansi-regex-5.0.1.tgz Regular expression for matching ANSI escape codes
<https://index.mend.io/gri/app/reader/resource/content/asString/89aa53b-0636-44ed-98c0-cb483e2d535a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/chalk/ansi-regex#readme>
<https://registry.npmjs.org/ansi-regex/-/ansi-regex-5.0.1.tgz>

MIT ansi-regex-6.2.2.tgz Regular expression for matching ANSI escape codes
<https://index.mend.io/gri/app/reader/resource/content/asString/24ee9e05-9986-4f76-bd52-1981f992ecf8> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/ansi-regex#readme>
<https://registry.npmjs.org/ansi-regex/-/ansi-regex-6.2.2.tgz>

MIT ansi-styles-2.2.1.tgz ANSI escape codes for styling strings in the terminal
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5a2819c6-dcd1-4b64-88ed-ec2455736adc> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
 <https://github.com/chalk/ansi-styles#readme>
 <https://registry.npmjs.org/ansi-styles/-/ansi-styles-2.2.1.tgz>

MIT ansi-styles-3.2.1.tgz ANSI escape codes for styling strings in the terminal
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6dd84928-ab20-4af4-9ff7-38bb90a786ac> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
 <https://github.com/chalk/ansi-styles#readme>
 <https://registry.npmjs.org/ansi-styles/-/ansi-styles-3.2.1.tgz>

MIT ansi-styles-4.3.0.tgz ANSI escape codes for styling strings in the terminal
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1c7bfb99-bc6d-4f66-b0de-a3d01d1cf7c2> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
 <https://github.com/chalk/ansi-styles#readme>
 <https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz>

MIT ansi-styles-5.2.0.tgz ANSI escape codes for styling strings in the terminal
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b12f2aaf-1e16-44d7-a780-a7090161ba44> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
 <https://github.com/chalk/ansi-styles#readme>
 <https://registry.npmjs.org/ansi-styles/-/ansi-styles-5.2.0.tgz>

MIT ansi-styles-6.2.3.tgz ANSI escape codes for styling strings in the terminal
 <https://index.mend.io/gri/app/reader/resource/content/asString/af25fa56-a135-4b29-8e22-3067daa9236e> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
 <https://github.com/chalk/ansi-styles#readme>
 <https://registry.npmjs.org/ansi-styles/-/ansi-styles-6.2.3.tgz>

MIT any-promise-1.3.0.tgz Resolve any installed ES6 compatible promise
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f17e3b02-6a56-436e-9a6e-0233e84801ca> 2014-2016 Copyright 2014-2016 Kevin Beaty <http://github.com/kevinbeaty/any-promise>
 <https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz>

MIT api-2.20.7.tgz React.js Google Maps API integration
 <https://index.mend.io/gri/app/reader/resource/content/asString/644e21e9-8348-4977-8bdf-3189835276b9> 2018-1984 Copyright 2018-1984 gmail.com.com> <https://react-google-maps-api-docs.netlify.app>
 <https://registry.npmjs.org/@react-google-maps/api/-/api-2.20.7.tgz>

MIT `append-field-1.0.0.tgz` A [W3C HTML JSON forms spec] (<http://www.w3.org/TR/html-json-forms/>) compliant field appender (for lack of a better name). Useful for people implementing ``application/x-www-form-urlencoded`` and ``multipart/form-data`` parsers.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d87ac722-ed04-4dea-a6d2-b7134fd7cafb> 2015 Copyright 2015
Linus Unnebäck <https://github.com/LinusU/node-append-field#readme>
<https://registry.npmjs.org/append-field/-/append-field-1.0.0.tgz>

MIT `app-root-path-3.1.0.tgz` Determine an app's root path from anywhere inside the app
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5b0ddfce-249b-413d-9bdb-146af90c397f> 2014 Copyright 2014
Chris Morrell <https://github.com/inxilpro/node-app-root-path>
<https://registry.npmjs.org/app-root-path/-/app-root-path-3.1.0.tgz>

MIT `archiver-5.3.2.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/1559285a-8eae-4d89-9f6a-15ee07627bb6> 2012-2014 Copyright 2012-2014 Chris
Talkington <https://github.com/archiverjs/node-archiver>
<https://registry.npmjs.org/archiver/-/archiver-5.3.2.tgz>

MIT `archiver-utils-2.1.0.tgz` utility functions for archiver
<https://index.mend.io/gri/app/reader/resource/content/asString/f7acda30-97f0-44c4-9817-e938964b0fe8> 2015 Copyright 2015 Chris Talkington
<https://github.com/archiverjs/archiver-utils#readme>
<https://registry.npmjs.org/archiver-utils/-/archiver-utils-2.1.0.tgz>

MIT `archiver-utils-3.0.4.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/68b11e2d-06eb-4015-93a3-457e5c307788> 2015 Copyright 2015 Chris Talkington
<https://github.com/archiverjs/archiver-utils#readme>
<https://registry.npmjs.org/archiver-utils/-/archiver-utils-3.0.4.tgz>

MIT `aria-query-5.0.4.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/f7b874b7-d5c7-4435-9247-da8413f6758b> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/aria-query> <https://registry.npmjs.org/@types/aria-query/-/aria-query-5.0.4.tgz>

MIT `arraybuffer.prototype.slice-1.0.4.tgz` ES spec-compliant shim for `ArrayBuffer.prototype.slice`
<https://index.mend.io/gri/app/reader/resource/content/asString/4abe97fe-ada9-4607-9e58-220c0d076b28> 2023 Copyright 2023 ECMAScript Shims
<https://github.com/es-shims/ArrayBuffer.prototype.slice#readme>
<https://registry.npmjs.org/arraybuffer.prototype.slice/-/arraybuffer.prototype.slice-1.0.4.tgz>

MIT array-buffer-byte-length-1.0.2.tgz Get the byte length of an
ArrayBuffer, even in engines without a `byteLength` method.
<https://index.mend.io/gri/app/reader/resource/content/asString/848b0ccf-8266-4bfc-a0be-eale9a3d246c> 2023 Copyright 2023 Inspect JS
<https://github.com/inspect-js/array-buffer-byte-length#readme>
<https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-length-1.0.2.tgz>

MIT array-flatten-1.1.1.tgz Flatten an array of nested arrays into
a single flat array <https://github.com/blakeembrey/array-flatten> 2014
Copyright 2014 Blake Embrey (hello@blakeembrey.com)
<https://github.com/blakeembrey/array-flatten>
<https://registry.npmjs.org/array-flatten/-/array-flatten-1.1.1.tgz>

MIT asap-2.0.6.tgz High-priority task queue for Node.js and browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/92470ce1-fd5a-4928-b7f2-2c58ce36a2f0> "2009-2014 Copyright
2009-2014 Contributors 2009-2014 Copyright 2009-2014 by Contributors"
<https://github.com/kriskowal/asap#readme>
<https://registry.npmjs.org/asap/-/asap-2.0.6.tgz>

MIT asn1-0.2.6.tgz Contains parsers and serializers for ASN.1
(currently BER only)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f0e4518b-ec26-420c-9666-463956412bea> 2011 Copyright 2011
Mark Cavage, All rights reserved <https://github.com/joyent/node-asn1#readme>
<https://registry.npmjs.org/asn1/-/asn1-0.2.6.tgz>

MIT assert-plus-1.0.0.tgz Extra assertions on top of node's assert
module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dcb08e8f-7df6-4a2d-8030-3bf79ee2bae6> 2012 Copyright 2012
Mark Cavage <https://github.com/mcavage/node-assert-plus#readme>
<https://registry.npmjs.org/assert-plus/-/assert-plus-1.0.0.tgz>

MIT async-2.6.4.tgz Higher-order functions and common patterns for
asynchronous code
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8870de6f-393e-4ad2-bd32-7da00f3dc321> 2010-2018 Copyright
2010-2018 Caolan McMahon <https://caolan.github.io/async/>
<https://registry.npmjs.org/async/-/async-2.6.4.tgz>

MIT async-3.2.4.tgz Higher-order functions and common patterns for
asynchronous code
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9e2c0caf-bc48-4a36-a18e-4c71ffb641ef> 2010-2018 Copyright
2010-2018 Caolan McMahon <https://caolan.github.io/async/>
<https://registry.npmjs.org/async/-/async-3.2.4.tgz>

MIT async-3.2.6.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bcbb3cd4-9fc6-430c-946d-9d6659dbf236> 2010-2018 Copyright

2010-2018 Caolan McMahon <https://caolan.github.io/async/>
<https://registry.npmjs.org/async/-/async-3.2.6.tgz>

MIT `async-function-1.0.0.tgz` A function that returns the normally hidden ``AsyncFunction`` constructor
<https://index.mend.io/gri/app/reader/resource/content/asString/38607fb0-6883-4924-80c8-7c039a5bb745> 2016 Copyright 2016 EduardoRFS
<https://github.com/ljharb/async-function#readme>
<https://registry.npmjs.org/async-function/-/async-function-1.0.0.tgz>

MIT `async-generator-function-1.0.0.tgz` A function that returns the normally hidden ``AsyncGeneratorFunction`` constructor
<https://index.mend.io/gri/app/reader/resource/content/asString/378edf9b-0dc1-4460-9dce-599c9999d69f> 2016 Copyright 2016 EduardoRFS
<https://github.com/ljharb/async-generator-function#readme>
<https://registry.npmjs.org/async-generator-function/-/async-generator-function-1.0.0.tgz>

MIT `asynckit-0.4.0.tgz` Minimal async jobs utility library, with streams support <https://github.com/alexindigo/asynckit> 2016 Copyright 2016 Alex Indigo <https://github.com/alexindigo/asynckit#readme>
<https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz>

MIT `available-typed-arrays-1.0.7.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/9e82fc8a-99bc-45ff-8889-ed6aa63cb947> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/available-typed-arrays#readme>
<https://registry.npmjs.org/available-typed-arrays/-/available-typed-arrays-1.0.7.tgz>

MIT `aws4-1.13.2.tgz` Signs and prepares requests using AWS Signature Version 4
<https://index.mend.io/gri/app/reader/resource/content/asString/c53d3963-9b9a-4464-a5fa-b9286564d578> 2013 Copyright 2013 Michael Hart (michael.hart.au@gmail.com) <https://github.com/mhart/aws4#readme>
<https://registry.npmjs.org/aws4/-/aws4-1.13.2.tgz>

MIT `axios-1.12.2.tgz` Promise based HTTP client for the browser and node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/20d1e3f1-1c08-4c01-9334-aacf0721e11c> 2014 Copyright 2014 Matt Zabriskie & Collaborators <https://axios-http.com>
<https://registry.npmjs.org/axios/-/axios-1.12.2.tgz>

MIT `axios-1.13.2.tgz` Promise based HTTP client for the browser and node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/c7089dff-270b-417f-a551-ffb2c7321750> 2014 Copyright 2014 Matt Zabriskie & Collaborators <https://axios-http.com>
<https://registry.npmjs.org/axios/-/axios-1.13.2.tgz>

MIT `babelify-8.0.0.tgz` Babel browserify transform
<https://index.whitesourcesoftware.com/gri/app/reader/resource/conte>

nt/asString/d4e70ec2-5845-424d-9546-965bbb42b7f8 2015 Copyright 2015
Sebastian McKenzie <https://github.com/babel/babelify>
<https://registry.npmjs.org/babelify/-/babelify-8.0.0.tgz>

MIT babel-plugin-11.11.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1963056b-651d-4643-8b93-ca058a9cbe22> Copyright Emotion team and other
contributors <https://emotion.sh>
<https://registry.npmjs.org/@emotion/babel-plugin/-/babel-plugin-11.11.0.tgz>

MIT babel-plugin-macros-3.1.0.tgz Allows you to build compile-time
libraries
<https://index.mend.io/gri/app/reader/resource/content/asString/f6f5330d-c53d-46ff-9861-45f534da34fd> 2020 Copyright 2020 Kent C
<https://github.com/kentcdodds/babel-plugin-macros#readme>
<https://registry.npmjs.org/babel-plugin-macros/-/babel-plugin-macros-3.1.0.tgz>

MIT balanced-match-1.0.2.tgz Match balanced character pairs, like
"{" and "}"
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8dfd63f3-ffaf-4c50-a90c-e25d067f0cc2> 2013 Copyright 2013
Julian Gruber <julian@juliangruber.com>
<https://github.com/juliangruber/balanced-match>
<https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz>

MIT base-5.0.0-beta.40.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f38b31ba-29fd-40b0-aea8-88ba8208ffdd> 2014 Copyright 2014 Call-Em-All
<https://mui.com/base-ui/> <https://registry.npmjs.org/@mui/base/-/base-5.0.0-beta.40.tgz>

MIT base64-arraybuffer-0.1.5.tgz Encode/decode base64 data into
ArrayBuffers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cb7571da-62e1-48e6-bfb2-d28ae2ad21e0> 2012 Copyright 2012
Niklas von Hertzen <https://github.com/niklasvh/base64-arraybuffer>
<https://registry.npmjs.org/base64-arraybuffer/-/base64-arraybuffer-0.1.5.tgz>

MIT base64-arraybuffer-1.0.2.tgz Encode/decode base64 data into
ArrayBuffers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f444eb57-25a7-407f-aaf6-c6e4f07af504> 2012 Copyright 2012
Niklas von Hertzen <https://github.com/niklasvh/base64-arraybuffer>
<https://registry.npmjs.org/base64-arraybuffer/-/base64-arraybuffer-1.0.2.tgz>

MIT base64id-2.0.0.tgz Generates a base64 id
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c4f46e68-c2e5-463a-ac02-434ee9a445f1> 2012-2016 Copyright
2012-2016 Kristian Faeldt <faeldt>

<https://github.com/faeldt/base64id#readme>
<https://registry.npmjs.org/base64id/-/base64id-2.0.0.tgz>

MIT base64-js-1.5.1.tgz Base64 encoding/decoding in pure JS
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/69f85d8d-c86c-4a6b-a099-bd146b51aa40> 2014 Copyright 2014
Jameson Little <https://github.com/beatgammit/base64-js>
<https://registry.npmjs.org/base64-js/-/base64-js-1.5.1.tgz>

MIT bcp47-1.1.2.tgz Parser for the BCP 47 language tag specification
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bffd5d87-09a3-4be7-89ff-e2549a3638a3> 2015 Copyright 2015
Gabriel Llamas <https://github.com/gagle/node-bcp47>
<https://registry.npmjs.org/bcp47/-/bcp47-1.1.2.tgz>

MIT beeper-1.1.1.tgz Make your terminal beep
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/67e9331c-94a7-4a45-abc5-0200a2722844> "Copyright Sindre
Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/beeper#readme>
<https://registry.npmjs.org/beeper/-/beeper-1.1.1.tgz>

MIT better-queue-3.8.12.tgz Better Queue for NodeJS
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cabc330d-8327-4c85-bfc0-ecb5fc500193> 2016 Copyright 2016
Leander <https://github.com/diamondio/better-queue>
<https://registry.npmjs.org/better-queue/-/better-queue-3.8.12.tgz>

MIT better-queue-memory-1.0.4.tgz A really fast memory store for
better-queue
<https://index.mend.io/gri/app/reader/resource/content/asString/a4c9b39f-7ea7-4fc9-add7-8d0c512d8ad7> 2016 Copyright 2016 Diamond
<https://github.com/diamondio/better-queue-memory#readme>
<https://registry.npmjs.org/better-queue-memory/-/better-queue-memory-1.0.4.tgz>

MIT binary-0.3.0.tgz Unpack multibyte binary values from buffers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3b2decb9-ad0f-4fc6-aa6e-d1265437732e> Copyright James
Halliday <https://registry.npmjs.org/binary/-/binary-0.3.0.tgz>
<https://registry.npmjs.org/binary/-/binary-0.3.0.tgz>

MIT bindings-1.5.0.tgz Helper module for loading your native
module's .node file <https://www.npmjs.com/package/bindings> "2012
Copyright 2012 Nathan Rajlich & nathan@tootallnate.net"; 2012
Copyright 2012 Nathan Rajlich <nathan@tootallnate.net>"
<https://github.com/TooTallNate/node-bindings>
<https://registry.npmjs.org/bindings/-/bindings-1.5.0.tgz>

MIT bl-1.2.3.tgz Buffer List: collect buffers and access with a
standard readable Buffer interface, streamable too!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c425e7ac-eabf-46a0-908f-8fc092ddb2a1> 2013-2016 Copyright

2013-2016 bl contributors <https://github.com/rvagg/bl>
<https://registry.npmjs.org/bl/-/bl-1.2.3.tgz>

MIT bl-4.1.0.tgz Buffer List: collect buffers and access with a
standard readable Buffer interface, streamable too!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8725859c-b6bd-477d-bde2-72e91692065d> 2013-2019 Copyright
2013-2019 bl contributors <https://github.com/rvagg/bl>
<https://registry.npmjs.org/bl/-/bl-4.1.0.tgz>

MIT bl-6.0.16.tgz Buffer List: collect buffers and access with a
standard readable Buffer interface, streamable too!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/451754ba-d02d-4690-8ede-905b984ee81a> 2013-2019 Copyright
2013-2019 bl contributors <https://github.com/rvagg/bl>
<https://registry.npmjs.org/bl/-/bl-6.0.16.tgz>

MIT bl-6.1.3.tgz Buffer List: collect buffers and access with a
standard readable Buffer interface, streamable too!
<https://index.mend.io/gri/app/reader/resource/content/asString/098a768c-abf5-4c5e-93f2-9575cd104b95> 2013-2019 Copyright 2013-2019 bl
contributors <https://github.com/rvagg/bl>
<https://registry.npmjs.org/bl/-/bl-6.1.3.tgz>

MIT bl-6.1.5.tgz Buffer List: collect buffers and access with a
standard readable Buffer interface, streamable too!
<https://index.mend.io/gri/app/reader/resource/content/asString/107900b1-14b9-49e6-8943-2735a5721c90> 2013-2019 Copyright 2013-2019 bl
contributors <https://github.com/rvagg/bl>
<https://registry.npmjs.org/bl/-/bl-6.1.5.tgz>

MIT blob-0.1.0.tgz Abstracts out Blob and uses BlobBuilder in cases
where it is supported with any vendor prefix.
<https://index.mend.io/gri/app/reader/resource/content/asString/13f80739-70f8-4733-b535-9003aad3298f> 2014 Copyright 2014 Rase-
<https://github.com/amitport/blob> <https://registry.npmjs.org/blob/-/blob-0.1.0.tgz>

MIT bluebird-2.11.0.tgz Full featured Promises/A+ implementation
with exceptionally good performance
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c3b8634f-a6e4-4516-9106-68878add45f3> "2015 Copyright 2015
Petka Antonov 2013-2015 Copyright 2013-2015 Petka Antonov 5876 Copyright
5876 Plato <http://stackoverflow.com/a/19385911/99>"
<https://github.com/petkaantonov/bluebird>
<https://registry.npmjs.org/bluebird/-/bluebird-2.11.0.tgz>

MIT bluebird-3.4.7.tgz Full featured Promises/A+ implementation
with exceptionally good performance
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62fed0dd-48b9-4037-813a-25deaeff3a3a> "2013-2015 Copyright
2013-2015 Petka Antonov 2013-2016 Copyright 2013-2016 Petka Antonov"
<https://github.com/petkaantonov/bluebird>
<https://registry.npmjs.org/bluebird/-/bluebird-3.4.7.tgz>

MIT bluebird-3.7.2.tgz Full featured Promises/A+ implementation
with exceptionally good performance
<https://github.com/petkaantonov/bluebird> "2013-2018 Copyright
2013-2018 Petka Antonov 2013-2019 Copyright 2013-2019 Petka Antonov"
<https://github.com/petkaantonov/bluebird>
<https://registry.npmjs.org/bluebird/-/bluebird-3.7.2.tgz>

MIT body-parser-1.19.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/253e18c4-8b3f-43d5-8eec-1b636df6272e> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/body-parser> <https://registry.npmjs.org/@types/body-parser/-/body-parser-1.19.5.tgz>

MIT body-parser-1.19.6.tgz TypeScript definitions for body-parser
<https://index.mend.io/gri/app/reader/resource/content/asString/4269b724-7611-4b9d-878b-0b9ba70f1cac> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/body-parser> <https://registry.npmjs.org/@types/body-parser/-/body-parser-1.19.6.tgz>

MIT body-parser-1.20.3.tgz Node.js body parsing middleware
<https://index.mend.io/gri/app/reader/resource/content/asString/9c7e1e65-a41b-47b6-a6a8-f9d317810979> "2014 Copyright 2014 Jonathan Ong
<me@jongleberry.com> 2014-2015 Copyright 2014-2015 Douglas Christopher
Wilson <doug@somethingdoug.com>" <https://github.com/expressjs/body-parser#readme> <https://registry.npmjs.org/body-parser/-/body-parser-1.20.3.tgz>

MIT browser-2.9.0.tgz Lightweight browser detector
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1af0db8e-6f94-407e-ba48-342b07f14dfa> 2015 Copyright 2015
Dustin Diaz (the "Original Author")
<https://github.com/lancedikson/browser>
<https://registry.npmjs.org/browser/-/browser-2.9.0.tgz>

MIT brace-expansion-1.1.11.tgz Brace expansion as known from sh/bash
<https://github.com/juliangruber/brace-expansion> 2013 Copyright
2013 Julian Gruber <julian@juliangruber.com>
<https://github.com/juliangruber/brace-expansion>
<https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.11.tgz>

MIT brace-expansion-1.1.12.tgz Brace expansion as known from sh/bash
<https://index.mend.io/gri/app/reader/resource/content/asString/153dbbf2-7036-40bd-91c0-bb8b49eb0bce> 2013 Copyright 2013 Julian Gruber
<julian@juliangruber.com> <https://github.com/juliangruber/brace-expansion>
<https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.12.tgz>

MIT brace-expansion-2.0.1.tgz Brace expansion as known from sh/bash
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/06e16d6d-5c49-4a0b-ab37-b97fe6d02673> 2013 Copyright 2013

Julian Gruber <julian@juliangruber.com>
 <https://github.com/juliangruber/brace-expansion>
 <https://registry.npmjs.org/brace-expansion/-/brace-expansion-2.0.1.tgz>

MIT brace-expansion-2.0.2.tgz Brace expansion as known from sh/bash
 <https://index.mend.io/gri/app/reader/resource/content/asString/ceac9e93-1a02-4d6a-93ff-024ca8a35f97> 2013 Copyright 2013 Julian Gruber
 <julian@juliangruber.com> <https://github.com/juliangruber/brace-expansion> <https://registry.npmjs.org/brace-expansion/-/brace-expansion-2.0.2.tgz>

MIT brotli-1.3.3.tgz A port of the Brotli compression algorithm as used in WOFF2
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/feb7be9b-b604-486e-8a39-d4a45d533903> Unspecified Copyright
 <https://github.com/devongovett/brotli.js>
 <https://registry.npmjs.org/brotli/-/brotli-1.3.3.tgz>

MIT buffer-5.7.1.tgz Node.js Buffer API, for the browser
 <https://index.mend.io/gri/app/reader/resource/content/asString/88a85808-7e35-4a6f-a110-4ffd3382013b> Copyright Feross Aboukhadijeh, and other contributors
 <https://github.com/feross/buffer>
 <https://registry.npmjs.org/buffer/-/buffer-5.7.1.tgz>

MIT buffer-6.0.3.tgz Node.js Buffer API, for the browser
 <https://index.mend.io/gri/app/reader/resource/content/asString/a893bdca-bf22-4f27-b0ca-ea353ff22cb4> Copyright Feross Aboukhadijeh, and other contributors
 <https://github.com/feross/buffer>
 <https://registry.npmjs.org/buffer/-/buffer-6.0.3.tgz>

MIT buffer-alloc-1.2.0.tgz A [ponyfill](<https://ponyfill.com>) for `Buffer.alloc`.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/173ae4d8-8156-4c30-815e-270ffb8b8ec3> "2018 Copyright 2018 Linus Unnebäck 2018.0 Copyright 2018.0 Linus Unnebäck"
 <https://github.com/LinusU/buffer-alloc#readme>
 <https://registry.npmjs.org/buffer-alloc/-/buffer-alloc-1.2.0.tgz>

MIT buffer-alloc-unsafe-1.1.0.tgz A [ponyfill](<https://ponyfill.com>) for `Buffer.allocUnsafe`.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/803c32a7-31a3-4494-8fbf-de973f8d58ce> "2018 Copyright 2018 Linus Unnebäck 2018.0 Copyright 2018.0 Linus Unnebäck" <https://github.com/LinusU/buffer-alloc-unsafe#readme> <https://registry.npmjs.org/buffer-alloc-unsafe/-/buffer-alloc-unsafe-1.1.0.tgz>

MIT buffer-crc32-0.2.13.tgz A pure javascript CRC32 algorithm that plays nice with binary data
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/03b0db37-c7a1-4699-8938-1e8a6228492e> "2013 Copyright 2013 Brian J

2013 Copyright 2013 Brian J. Brennan"

<https://github.com/brianloveswords/buffer-crc32>

<https://registry.npmjs.org/buffer-crc32/-/buffer-crc32-0.2.13.tgz>

MIT buffer-fill-1.0.0.tgz A [ponyfill](<https://ponyfill.com>) for
`Buffer.fill`.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/18349901-dcae-4182-b052-0ce21fab00c3> 2018.0 Copyright
2018.0 Linus Unnebäck <https://github.com/linusu/buffer-fill#readme>
<https://registry.npmjs.org/buffer-fill/-/buffer-fill-1.0.0.tgz>

MIT buffer-from-1.1.2.tgz A [ponyfill](<https://ponyfill.com>) for
`Buffer.from`, uses native implementation if available.

<https://index.mend.io/gri/app/reader/resource/content/asString/6c3b5b94-0cb6-4e35-b7dc-295f9fec91be> 2016-2018 Copyright 2016-2018 Linus
Unneb <https://github.com/LinusU/buffer-from#readme>
<https://registry.npmjs.org/buffer-from/-/buffer-from-1.1.2.tgz>

MIT buffer-indexof-polyfill-1.0.2.tgz This is a polyfill for
Buffer#indexOf introduced in NodeJS 4.0.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0b92c207-0e31-4757-a4ba-3540f43c7db5> 2015 Copyright 2015
Sarosia <https://github.com/sarosia/buffer-indexof-polyfill#readme>
<https://registry.npmjs.org/buffer-indexof-polyfill/-/buffer-indexof-polyfill-1.0.2.tgz>

MIT bundle-name-4.1.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/d54b84f7-9b43-4df2-b799-cf2add5fa01f> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/bundle-name#readme>
<https://registry.npmjs.org/bundle-name/-/bundle-name-4.1.0.tgz>

MIT busboy-1.6.0.tgz A streaming parser for HTML form data for node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/937d0443-52cf-48a0-b3aa-9305093f5383> Copyright Brian White
<https://github.com/mscdex/busboy#readme>
<https://registry.npmjs.org/busboy/-/busboy-1.6.0.tgz>

MIT bytes-3.1.2.tgz Utility to parse a string bytes to bytes and vice-versa

<https://index.mend.io/gri/app/reader/resource/content/asString/9a4f332b-2df2-4417-ad98-23013b1c0ce6> "2015 Copyright 2015 Jed Watson
<jed.watson@me.com> 2014 Copyright 2014 TJ Holowaychuk <tj@vision-media.ca>" <https://github.com/visionmedia/bytes.js#readme>
<https://registry.npmjs.org/bytes/-/bytes-3.1.2.tgz>

MIT cache-11.11.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/f0eb0892-68a6-47d2-975e-bfcfb09daa87> Copyright Emotion team and other
contributors <https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/cache/-/cache-11.11.0.tgz>

MIT call-bind-1.0.7.tgz <https://github.com/ljharb/call-bind?tab=MIT-1-ov-file#readme> 2020 Copyright 2020 Jordan Harband
<https://github.com/ljharb/call-bind#readme>
<https://registry.npmjs.org/call-bind/-/call-bind-1.0.7.tgz>

MIT call-bind-1.0.8.tgz Robustly `.call.bind()` a function
<https://index.mend.io/gri/app/reader/resource/content/asString/448d49f8-3905-413b-a452-39f521450c5a> 2020 Copyright 2020 Jordan Harband
<https://github.com/ljharb/call-bind#readme>
<https://registry.npmjs.org/call-bind/-/call-bind-1.0.8.tgz>

MIT call-bind-apply-helpers-1.0.2.tgz Helper functions around Function call/apply/bind, for use in `call-bind`
<https://index.mend.io/gri/app/reader/resource/content/asString/8b8572b9-7396-4dca-8f54-d8c18c401d0e> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/call-bind-apply-helpers#readme>
<https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz>

MIT call-bound-1.0.3.tgz Robust call-bound JavaScript intrinsics, using `call-bind` and `get-intrinsic`.
<https://index.mend.io/gri/app/reader/resource/content/asString/117a2900-17a9-4e3f-9aee-a3ec60d00b79> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/call-bound#readme>
<https://registry.npmjs.org/call-bound/-/call-bound-1.0.3.tgz>

MIT call-bound-1.0.4.tgz Robust call-bound JavaScript intrinsics, using `call-bind` and `get-intrinsic`.
<https://index.mend.io/gri/app/reader/resource/content/asString/14b9a994-6b6b-4f81-8c51-e2578d79d41a> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/call-bound#readme>
<https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz>

MIT call-me-maybe-1.0.2.tgz Let your JS API users either give you a callback or receive a promise
<https://index.mend.io/gri/app/reader/resource/content/asString/ed65c1b1-4568-4adb-a622-f25d2fe34133> 2015 Copyright 2015 Eric McCarthy
<https://github.com/limulus/call-me-maybe#readme>
<https://registry.npmjs.org/call-me-maybe/-/call-me-maybe-1.0.2.tgz>

MIT callsites-3.1.0.tgz Get callsites from the V8 stack trace API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9fae3fae-8828-4e26-b8f8-10562b5cf274> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/callsites#readme>
<https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz>

MIT camelcase-1.2.1.tgz Convert a dash/dot/underscore/space separated string to camelCase: foo-bar → fooBar
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d3d712ad-708c-4f65-a777-be0042c25fa2> "Copyright Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/camelcase>
 <https://registry.npmjs.org/camelcase/-/camelcase-1.2.1.tgz>

MIT camelcase-5.3.1.tgz Convert a dash/dot/underscore/space
separated string to camelCase or PascalCase: `foo-bar` → `fooBar`
 <https://github.com/sindresorhus/camelcase/blob/main/license>
 "Copyright Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/camelcase#readme>
 <https://registry.npmjs.org/camelcase/-/camelcase-5.3.1.tgz>

MIT camelize-1.0.0.tgz recursively transform key strings to camel-
case
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6fb7b48e-4311-43d8-8e75-8b42b9fd3571> James Halliday
 <https://github.com/substack/camelize>
 <https://registry.npmjs.org/camelize/-/camelize-1.0.0.tgz>

MIT canvg-3.0.11.tgz JavaScript SVG parser and renderer on Canvas.
 <https://index.mend.io/gri/app/reader/resource/content/asString/0f25e3be-69c9-4a21-b78f-2b3751680d70> 2010 Copyright 2010 present Gabe Lerner
(gabelerner@gmail.com) - <https://github.com/canvg/canvg>
 <https://github.com/canvg/canvg#readme>
 <https://registry.npmjs.org/canvg/-/canvg-3.0.11.tgz>

MIT center-align-0.1.3.tgz Center-align the text in a string.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d0a6a36-5333-4269-b85f-22e93d4019f2> 2015 Copyright 2015
Jon Schlinkert <https://github.com/jonschlinkert/center-align>
 <https://registry.npmjs.org/center-align/-/center-align-0.1.3.tgz>

MIT chainsaw-0.1.0.tgz Build chainable fluent interfaces the easy
way... with a freakin' chainsaw! <https://github.com/substack/node-chainsaw/blob/0.1.0/LICENSE> 2010 Copyright 2010 James Halliday
(mail@substack.net) <https://registry.npmjs.org/chainsaw/-/chainsaw-0.1.0.tgz>

MIT chalk-1.1.3.tgz Terminal string styling done right. Much color.
 <https://github.com/chalk/chalk#readme> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/chalk/chalk#readme>
 <https://registry.npmjs.org/chalk/-/chalk-1.1.3.tgz>

MIT chalk-2.4.2.tgz Terminal string styling done right
 <https://github.com/chalk/chalk#readme> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
 <https://github.com/chalk/chalk#readme>
 <https://registry.npmjs.org/chalk/-/chalk-2.4.2.tgz>

MIT chalk-4.1.2.tgz Terminal string styling done right
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/34fb81ca-0537-4e78-9004-3e7949bdd6ae> Copyright Sindre

Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

<https://github.com/chalk/chalk#readme>

<https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz>

MIT chardet-0.5.0.tgz Character detector

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6e29c482-0537-48d0-8049-4061f841b310> 2018 Copyright 2018

Dmitry Shirokov <https://github.com/runk/node-chardet>

<https://registry.npmjs.org/chardet/-/chardet-0.5.0.tgz>

MIT chart.js-2.9.4.tgz Simple HTML5 charts using the canvas element.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f3be1774-0ad7-4c4d-947c-a75258c68d1d> 2018 Copyright 2018

Chart.js Contributors <https://www.chartjs.org>

<https://registry.npmjs.org/chart.js/-/chart.js-2.9.4.tgz>

MIT chartjs-color-2.4.1.tgz Color conversion and manipulation with CSS string support

<https://index.mend.io/gri/app/reader/resource/content/asString/bbfbf6c3-6fc8-4e36-a471-ea56529b8eb0> 2012 Copyright 2012 Heather Arthur

<https://github.com/chartjs/chartjs-color#readme>

<https://registry.npmjs.org/chartjs-color/-/chartjs-color-2.4.1.tgz>

MIT chartjs-color-string-0.6.0.tgz Parser and generator for CSS color strings

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/644fca1f-7251-4fc1-9bd0-3390e29cfce5> 2011 Copyright 2011

Heather Arthur <fayearthur@gmail.com>

<https://github.com/chartjs/chartjs-color-string#readme>

<https://registry.npmjs.org/chartjs-color-string/-/chartjs-color-string-0.6.0.tgz>

MIT checksum-0.1.1.tgz Checksum utility for node

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b5c59624-881b-42f5-a460-5a488a6e9754>

<https://registry.npmjs.org/checksum/-/checksum-0.1.1.tgz>

<https://registry.npmjs.org/checksum/-/checksum-0.1.1.tgz>

MIT circular-json-0.5.9.tgz JSON does not handle circular references. This version does

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6be8ddc3-410d-43b1-843c-57aab43ebbcd> 2013-2017 Copyright

2013-2017 by Andrea Giammarchi - @WebReflection

<https://github.com/WebReflection/circular-json>

<https://registry.npmjs.org/circular-json/-/circular-json-0.5.9.tgz>

MIT class-validator-0.14.2.tgz Decorator-based property validation for classes.

<https://index.mend.io/gri/app/reader/resource/content/asString/8f321f67-4ba9-4308-b107-8678d8675f1e> 2015-2020 Copyright 2015-2020 TypeStack

<https://github.com/typestack/class-validator#readme>

<https://registry.npmjs.org/class-validator/-/class-validator-0.14.2.tgz>

MIT clean-stack-2.2.0.tgz Clean up error stack traces
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d6f94e15-de5e-4bab-9dc9-fbaff6462256> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/clean-stack#readme>
<https://registry.npmjs.org/clean-stack/-/clean-stack-2.2.0.tgz>

MIT clone-2.1.2.tgz deep cloning of objects and arrays
<https://github.com/pvorb/clone/blob/master/LICENSE> 2015 Copyright 2015 Paul Vorbach
<https://github.com/pvorb/node-clone#readme>
<https://registry.npmjs.org/clone/-/clone-2.1.2.tgz>

MIT clsx-2.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7b91f852-f8c7-4181-bc41-0d37b7b08c4b> Copyright Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)
<https://github.com/lukeed/clsx#readme>
<https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz>

MIT code-frame-7.27.1.tgz Generate errors that contain a code frame that point to source locations.
<https://index.mend.io/gri/app/reader/resource/content/asString/546b0d03-7473-4671-bc58-61d610ab0af5> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://babel.dev/docs/en/next/babel-code-frame>
<https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.27.1.tgz>

MIT codemirror-5.65.19.tgz Full-featured in-browser code editor
<https://index.mend.io/gri/app/reader/resource/content/asString/a0ab2897-386a-4c89-ae55-139d6639152a> 2017 Copyright 2017 by Marijn Haverbeke <marijn@haverbeke.berlin> and others
<https://codemirror.net/5/>
<https://registry.npmjs.org/codemirror/-/codemirror-5.65.19.tgz>

MIT codemirror-5.65.20.tgz Full-featured in-browser code editor
<https://index.mend.io/gri/app/reader/resource/content/asString/9c2d1466-39f9-42ef-ad40-adcaaaf72556> 2017 Copyright 2017 by Marijn Haverbeke <marijn@haverbeke.berlin> and others
<https://codemirror.net/5/>
<https://registry.npmjs.org/codemirror/-/codemirror-5.65.20.tgz>

MIT code-point-at-1.1.0.tgz ES2015 `String#codePointAt()` ponyfill
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/37938be5-0c9a-41ce-b5ba-1ac4ed700792> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/code-point-at#readme>
<https://registry.npmjs.org/code-point-at/-/code-point-at-1.1.0.tgz>

MIT color-3.2.1.tgz Color conversion and manipulation with CSS string support
<https://index.mend.io/gri/app/reader/resource/content/asString/6ae8>

08a6-7967-497b-8d31-e888e8bbd51e 2012 Copyright 2012 Heather Arthur
<https://github.com/Qix-/color#readme>
<https://registry.npmjs.org/color/-/color-3.2.1.tgz>

MIT color-5.0.3.tgz Color conversion and manipulation with CSS string support
<https://index.mend.io/gri/app/reader/resource/content/asString/3303c6e9-cddd-4985-bd94-d423a2d5da56> 2012 Copyright 2012 Heather Arthur
<https://github.com/Qix-/color#readme>
<https://registry.npmjs.org/color/-/color-5.0.3.tgz>

MIT color-convert-1.9.3.tgz Plain color conversion functions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eb5ab5fc-86d8-4f91-ae26-dedfd0677037> "2011-2016 Copyright 2011-2016 Heather Arthur and Josh Junon 2011-2016 Copyright 2011-2016 Heather Arthur <fayearthur@gmail.com>" <https://github.com/Qix-/color-convert#readme> <https://registry.npmjs.org/color-convert/-/color-convert-1.9.3.tgz>

MIT color-convert-2.0.1.tgz Plain color conversion functions
<https://github.com/Qix-/color-convert#readme> "2011-2016 Copyright 2011-2016 Heather Arthur and Josh Junon 2011-2016 Copyright 2011-2016 Heather Arthur <fayearthur@gmail.com>" <https://github.com/Qix-/color-convert#readme> <https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz>

MIT color-convert-3.1.3.tgz Plain color conversion functions
<https://index.mend.io/gri/app/reader/resource/content/asString/c887ae92-89c6-4902-b6a0-86eee58fab72> "2016-2021 Copyright 2016-2021 Josh Junon 2011-2016 Copyright 2011-2016 Heather Arthur 2011-2016 Copyright 2011-2016 Heather Arthur <fayearthur@gmail.com> 2016-2021 Copyright 2016-2021 Josh Junon <josh@junon.me>" <https://github.com/Qix-/color-convert#readme> <https://registry.npmjs.org/color-convert/-/color-convert-3.1.3.tgz>

MIT color-name-1.1.3.tgz A list of color names and its values
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f1efdafd-cd48-4a9e-9bd6-e91ed141e31b> 2015 Copyright 2015 Dmitry Ivanov <https://github.com/dfcreative/color-name>
<https://registry.npmjs.org/color-name/-/color-name-1.1.3.tgz>

MIT color-name-1.1.4.tgz A list of color names and its values
<https://github.com/colorjs/color-name> 2015 Copyright 2015 Dmitry Ivanov <https://github.com/colorjs/color-name>
<https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz>

MIT color-name-2.1.0.tgz A list of color names and its values
<https://index.mend.io/gri/app/reader/resource/content/asString/541c7af5-69d3-44d1-a91f-e2c2afec5b3b> 2015 Copyright 2015 Dmitry Ivanov
<https://github.com/colorjs/color-name>
<https://registry.npmjs.org/color-name/-/color-name-2.1.0.tgz>

MIT colors-1.0.3.tgz get colors in your node.js console
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/541c7af5-69d3-44d1-a91f-e2c2afec5b3b>

nt/asString/14c31305-6c79-42c0-8244-eaab6e2a6374 "Copyright Marak Squires
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/Marak/colors.js
https://registry.npmjs.org/colors/-/colors-1.0.3.tgz

MIT colors-1.4.0.tgz get colors in your node.js console
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6b2ef7b1-f6ad-4da2-927e-67b48e3dcd2a "Copyright Marak Squires
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/Marak/colors.js
https://registry.npmjs.org/colors/-/colors-1.4.0.tgz

MIT colors-1.6.0.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/eb20aab7-2049-432d-b222-c8b31de0f876 "Copyright DABH
(https://github.com/DABH) Copyright Marak Squires Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/DABH/colors.js
https://registry.npmjs.org/@colors/colors/-/colors-1.6.0.tgz

MIT colorspace-1.1.4.tgz Generate HEX colors for a given namespace.
https://index.mend.io/gri/app/reader/resource/content/asString/2e9d67c2-e0c2-4711-aa64-ba4fd288f3ce 2015 Copyright 2015 Arnout Kazemier, Martijn Swaagman, the Contributors
https://github.com/3rd-Eden/colorspace
https://registry.npmjs.org/colorspace/-/colorspace-1.1.4.tgz

MIT colorspace-1.1.6.tgz Generate HEX colors for a given namespace using color v5
https://index.mend.io/gri/app/reader/resource/content/asString/ae945c0b-38c1-41b8-8db4-267d2b852b44 2015 Copyright 2015 Arnout Kazemier, Martijn Swaagman, the Contributors
https://github.com/so-ric/colorspace
https://registry.npmjs.org/@so-ric/colorspace/-/colorspace-1.1.6.tgz

MIT color-string-1.9.1.tgz Parser and generator for CSS color strings
https://index.mend.io/gri/app/reader/resource/content/asString/8601af81-fcd3-4751-aeb3-0e15b5785796 2011 Copyright 2011 Heather Arthur <fayearthur@gmail.com>
https://github.com/Qix-/color-string#readme
https://registry.npmjs.org/color-string/-/color-string-1.9.1.tgz

MIT color-string-2.1.4.tgz Parser and generator for CSS color strings
https://index.mend.io/gri/app/reader/resource/content/asString/990ed5e0-cldf-45bf-a2a3-d72e444d0748 2011 Copyright 2011 Heather Arthur <fayearthur@gmail.com>
https://github.com/Qix-/color-string#readme
https://registry.npmjs.org/color-string/-/color-string-2.1.4.tgz

MIT combined-stream-1.0.8.tgz A stream that emits multiple other streams one after another. https://github.com/felixge/node-combined-stream
2011 Copyright 2011 Debuggable Limited <felix@debuggable.com>
https://github.com/felixge/node-combined-stream

<https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz>

MIT commander-11.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ac869e0e-d5bc-4d7a-b8ec-d23b9c6328db> 2011 Copyright 2011 TJ Holowaychuk
<tj@vision-media.ca> <https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-11.1.0.tgz>

MIT commander-12.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/fb6d746d-1e0c-4f1e-bfca-cc406f9e06d7> 2011 Copyright 2011 TJ Holowaychuk
<tj@vision-media.ca> <https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-12.1.0.tgz>

MIT commander-2.20.3.tgz the complete solution for node.js command-line programs <https://github.com/tj/commander.js/tree/v2.20.3> 2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca>
<https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-2.20.3.tgz>

MIT commander-6.2.0.tgz the complete solution for node.js command-line programs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ee3b1e27-a33c-48bd-9892-09ce0cce5ed8> 2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca>
<https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-6.2.0.tgz>

MIT commander-7.2.0.tgz the complete solution for node.js command-line programs
<https://index.mend.io/gri/app/reader/resource/content/asString/4cfb365d-0f8f-4bf1-8495-3cc7d08c3e48> 2011 Copyright 2011 TJ Holowaychuk
<tj@vision-media.ca> <https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-7.2.0.tgz>

MIT commander-9.5.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c9f6eed1-a624-49be-8c8d-f039de2f3e21> 2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca>
<https://github.com/tj/commander.js#readme>
<https://registry.npmjs.org/commander/-/commander-9.5.0.tgz>

MIT compare-version-0.1.2.tgz Compare semver version numbers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f28e6048-56a2-449f-b7e7-751dfa18eb00> Copyright Kevin Martensson <https://github.com/kevva/compare-version>
<https://registry.npmjs.org/compare-version/-/compare-version-0.1.2.tgz>

MIT compare-versions-3.6.0.tgz Compare semver version strings to find greater, equal or lesser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/02c24ebd-c8a1-4ea7-a7aa-0658c7ac0150> 2015-2017 Copyright

2015-2017 Ole Michelsen <https://github.com/omichelsen/compare-versions#readme> <https://registry.npmjs.org/compare-versions/-/compare-versions-3.6.0.tgz>

MIT compare-versions-5.0.3.tgz Compare semver version strings to find greater, equal or lesser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b8127dd7-b366-443d-bf06-f62519c8202c> 2015-2021 Copyright 2015-2021 Ole Michelsen <https://github.com/omichelsen/compare-versions#readme> <https://registry.npmjs.org/compare-versions/-/compare-versions-5.0.3.tgz>

MIT component-emitter-3.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0055a2e3-69af-4c21-80ed-5c9778a2fcea> 2014 Copyright 2014 Component contributors <dev@component.io>
<https://github.com/socketio/emitter#readme>
<https://registry.npmjs.org/@socket.io/component-emitter/-/component-emitter-3.1.2.tgz>

MIT compress-commons-4.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f578272b-6620-4bb8-845d-4efcb0821dd9> 2014 Copyright 2014 Chris Talkington, contributors <https://github.com/archiverjs/node-compress-commons>
<https://registry.npmjs.org/compress-commons/-/compress-commons-4.1.2.tgz>

MIT compressible-2.0.18.tgz Compressible Content-Type / mime checking
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cf68a51c-5b22-4f92-8261-d7bf75061719> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com> 2013 Copyright 2013 Jonathan Ong <me@jongleberry.com> 2014 Copyright 2014 Jeremiah Senkpiel <fishrock123@rocketmail.com>"
<https://github.com/jshttp/compressible#readme>
<https://registry.npmjs.org/compressible/-/compressible-2.0.18.tgz>

MIT compression-1.8.1.tgz Node.js compression middleware
<https://www.npmjs.com/package/compression> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/expressjs/compression#readme>
<https://registry.npmjs.org/compression/-/compression-1.8.1.tgz>

MIT concat-map-0.0.1.tgz concatenative mapdashery
<https://github.com/substack/node-concat-map> Copyright James Halliday <https://github.com/substack/node-concat-map>
<https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz>

MIT concat-stream-1.6.2.tgz writable stream that concatenates strings or binary data and calls a callback with the result
<https://github.com/maxogden/concat-stream/blob/master/LICENSE> 2013 Copyright 2013 Max Ogden <https://github.com/maxogden/concat->

stream#readme <https://registry.npmjs.org/concat-stream/-/concat-stream-1.6.2.tgz>

MIT concat-stream-2.0.0.tgz writable stream that concatenates strings or binary data and calls a callback with the result
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f9517a83-8c7b-4827-a1b1-3f5891545bd7> 2013 Copyright 2013 Max Ogden <https://github.com/maxogden/concat-stream#readme>
<https://registry.npmjs.org/concat-stream/-/concat-stream-2.0.0.tgz>

MIT config-chain-1.1.13.tgz HANDLE CONFIGURATION ONCE AND FOR ALL
<https://index.mend.io/gri/app/reader/resource/content/asString/eb56d365-174d-456f-9e3a-66ec5cacbef7> 2011 Copyright 2011 Dominic Tarr
<http://github.com/dominictarr/config-chain>
<https://registry.npmjs.org/config-chain/-/config-chain-1.1.13.tgz>

MIT connect-3.4.38.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b53cc417-b232-44e1-b225-76d7939dcd20> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/connect> <https://registry.npmjs.org/@types/connect/-/connect-3.4.38.tgz>

MIT connect-flash-0.1.1.tgz Flash message middleware for Connect.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c3ce20b1-3cc9-4e82-bca2-a143fe26912a> "2012-2013 Copyright 2012-2013 Jared Hanson 2012-2013 Copyright 2012-2013 Jared Hanson <"
<https://registry.npmjs.org/connect-flash/-/connect-flash-0.1.1.tgz>
<https://registry.npmjs.org/connect-flash/-/connect-flash-0.1.1.tgz>

MIT connection-string-0.5.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/afb5e663-b5b0-413b-85ca-b846826c8c6a> 2022 Copyright 2022 Daniel Hensby
<https://github.com/tediousjs/connection-string#readme>
<https://registry.npmjs.org/@tediousjs/connection-string/-/connection-string-0.5.0.tgz>

MIT connect-multiparty-2.2.0.tgz multipart parsing middleware for connect using multiparty
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e779f66b-acd8-474f-9da9-04420b619d3c> "2010 Copyright 2010 Sencha Inc 2011 Copyright 2011 TJ Holowaychuk 2013 Copyright 2013 Andrew Kelley" <https://github.com/expressjs/connect-multiparty#readme>
<https://registry.npmjs.org/connect-multiparty/-/connect-multiparty-2.2.0.tgz>

MIT content-disposition-0.5.4.tgz Create and parse Content-Disposition header
<https://index.mend.io/gri/app/reader/resource/content/asString/eb58ce7c-692b-4e14-ad75-82e75b18704c> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/jshttp/content-disposition>

disposition#readme <https://registry.npmjs.org/content-disposition/-/content-disposition-0.5.4.tgz>

MIT content-security-policy-builder-2.1.0.tgz Build Content
Security Policy directives.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2b10e6c9-f1c1-40cb-8f77-ad284f0655c8> 2015-2019 Copyright
2015-2019 Evan Hahn <https://github.com/helmetjs/content-security-policy-builder> <https://registry.npmjs.org/content-security-policy-builder/-/content-security-policy-builder-2.1.0.tgz>

MIT content-type-1.0.5.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fade8145-042e-49ea-b3c1-17d85288bbcb> 2015 Copyright 2015
Douglas Christopher Wilson <https://github.com/jshttp/content-type#readme> <https://registry.npmjs.org/content-type/-/content-type-1.0.5.tgz>

MIT convert-source-map-1.9.0.tgz Converts a source-map from/to
different formats and allows adding/changing properties.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b0e73fe3-8261-477d-8f2e-57f3c97c6d35> 2013 Copyright 2013
Thorsten Lorenz <https://github.com/thlorenz/convert-source-map>
<https://registry.npmjs.org/convert-source-map/-/convert-source-map-1.9.0.tgz>

MIT cookie-0.7.0.tgz HTTP server cookie parsing and serialization
<https://index.mend.io/gri/app/reader/resource/content/asString/5af23cb1-cb9e-43d5-9e41-052ee408a89e> "2012-2014 Copyright 2012-2014 Roman
Shtylman <shtylman@gmail.com>
2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/cookie#readme>
<https://registry.npmjs.org/cookie/-/cookie-0.7.0.tgz>

MIT cookie-0.7.1.tgz HTTP server cookie parsing and serialization
<https://index.mend.io/gri/app/reader/resource/content/asString/52e29b59-711b-4fb2-a4f8-fdeb9ef1bc5e> "2012-2014 Copyright 2012-2014 Roman
Shtylman <shtylman@gmail.com>
2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/cookie#readme>
<https://registry.npmjs.org/cookie/-/cookie-0.7.1.tgz>

MIT cookie-0.7.2.tgz HTTP server cookie parsing and serialization
<https://index.mend.io/gri/app/reader/resource/content/asString/873bf761-3e7e-426d-864d-d15a5eab9c1c> "2012-2014 Copyright 2012-2014 Roman
Shtylman <shtylman@gmail.com>
2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/cookie#readme>
<https://registry.npmjs.org/cookie/-/cookie-0.7.2.tgz>

MIT cookie-parser-1.4.7.tgz Parse HTTP request cookies
<https://index.mend.io/gri/app/reader/resource/content/asString/d0819d09-fee9-409d-b8e2-20d927de4253> "2015 Copyright 2015 Douglas
Christopher Wilson <doug@somethingdoug.com> 2014 Copyright 2014 TJ

Holowaychuk <tj@vision-media.ca>" <https://github.com/expressjs/cookie-parser#readme> <https://registry.npmjs.org/cookie-parser/-/cookie-parser-1.4.7.tgz>

MIT cookie-signature-1.0.6.tgz Sign and unsign cookies
<https://github.com/tj/node-cookie-signature> 2012 Copyright 2012 LearnBoost <tj@learnboost.com> <https://github.com/visionmedia/node-cookie-signature> <https://registry.npmjs.org/cookie-signature/-/cookie-signature-1.0.6.tgz>

MIT cookie-signature-1.0.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/10c096f8-7866-455f-97b5-9b2d870093fc> 2012 Copyright 2012 LearnBoost <tj@learnboost.com> <https://github.com/visionmedia/node-cookie-signature#readme> <https://registry.npmjs.org/cookie-signature/-/cookie-signature-1.0.7.tgz>

MIT core-1.6.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c4d02d12-2728-4e3a-92df-084dcd48f1e8> 2021 Copyright 2021 Floating UI contributors <https://floating-ui.com>
<https://registry.npmjs.org/@floating-ui/core/-/core-1.6.1.tgz>

MIT core-2.11.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bbe3f087-b8be-470c-9c97-6cae6bc2c8da> 2019 Copyright 2019 Federico Zivolo
<https://registry.npmjs.org/@popperjs/core/-/core-2.11.8.tgz>
<https://registry.npmjs.org/@popperjs/core/-/core-2.11.8.tgz>

MIT core-3.4.0.tgz PluralFormat and SelectFormat Message and i18n Tool - A JavaScript Implementation of the ICU standards.
<https://index.mend.io/gri/app/reader/resource/content/asString/706f2d2f-2ae5-48d6-967d-c2bb13a94abd> "Copyright OpenJS Foundation and contributors, <https://openjsf.org/> Copyright OpenJS Foundation" (<https://openjsf.org/>) and messageformat contributors"
<http://messageformat.github.io/messageformat/api/core/>
<https://registry.npmjs.org/@messageformat/core/-/core-3.4.0.tgz>

MIT core-auth-1.10.1.tgz Provides low-level interfaces and helper methods for authentication in Azure SDK
<https://index.mend.io/gri/app/reader/resource/content/asString/a7aaf3ce-7676-4e47-988c-612173f367f8> Copyright Microsoft Corporation
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-auth/README.md> <https://registry.npmjs.org/@azure/core-auth/-/core-auth-1.10.1.tgz>

MIT core-auth-1.9.0.tgz Provides low-level interfaces and helper methods for authentication in Azure SDK
<https://index.mend.io/gri/app/reader/resource/content/asString/0504eb37-3a3e-4b30-8c5e-8eedbe261381> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-auth/README.md> <https://registry.npmjs.org/@azure/core-auth/-/core-auth-1.9.0.tgz>

MIT core-client-1.10.1.tgz Core library for interfacing with AutoRest generated code
<https://index.mend.io/gri/app/reader/resource/content/asString/106f3aa8-dcb3-4636-91b1-1edb37223aaa> Copyright Microsoft Corporation
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-client/> <https://registry.npmjs.org/@azure/core-client/-/core-client-1.10.1.tgz>

MIT core-client-1.9.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a5093ede-264f-42dd-b121-2386471cddf7> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-client/> <https://registry.npmjs.org/@azure/core-client/-/core-client-1.9.2.tgz>

MIT core-client-2.5.1.tgz Core library for interfacing with Azure Rest Clients
<https://index.mend.io/gri/app/reader/resource/content/asString/162637b0-67f4-4b0d-baff-b65e29e4017e> Copyright Microsoft Corporation
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-client-rest/> <https://registry.npmjs.org/@azure-rest/core-client/-/core-client-2.5.1.tgz>

MIT core-downloads-tracker-5.15.16.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/446c4515-8ec0-400b-bbcc-363e0df8eef2> 2014 Copyright 2014 Call-Em-All
<https://mui.com/> <https://registry.npmjs.org/@mui/core-downloads-tracker/-/core-downloads-tracker-5.15.16.tgz>

MIT core-http-compat-2.0.1.tgz Core HTTP Compatibility Library to bridge the gap between Core V1 & V2 packages.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a61706df-0275-43e5-83e8-52134e589397> "2018 Copyright 2018 Microsoft 2020 Copyright 2020 Microsoft"
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-http-compat/> <https://registry.npmjs.org/@azure/core-http-compat/-/core-http-compat-2.0.1.tgz>

MIT core-http-compat-2.3.1.tgz Core HTTP Compatibility Library to bridge the gap between Core V1 & V2 packages.
<https://index.mend.io/gri/app/reader/resource/content/asString/816ff45d-0b6d-4950-9b70-ee29a79fcbe7> "2018 Copyright 2018 Microsoft Copyright Microsoft Corporation" <https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-http-compat/> <https://registry.npmjs.org/@azure/core-http-compat/-/core-http-compat-2.3.1.tgz>

MIT core-js-3.33.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b334182f-f1d4-4aec-9828-43a00e3df0ec> 2014-2023 Copyright 2014-2023 Denis Pushkarev <https://github.com/zloirock/core-js#readme>
<https://registry.npmjs.org/core-js/-/core-js-3.33.1.tgz>

MIT core-js-3.42.0.tgz Standard library
<https://index.mend.io/gri/app/reader/resource/content/asString/74c28f4f-b866-4351-9a06-ec9f0030201b> 2014-2025 Copyright 2014-2025 Denis Pushkarev <https://github.com/zloirock/core-js#readme>
<https://registry.npmjs.org/core-js/-/core-js-3.42.0.tgz>

MIT core-js-3.45.1.tgz Standard library
<https://index.mend.io/gri/app/reader/resource/content/asString/21c26702-219b-4670-a80f-c886011097fe> 2014-2025 Copyright 2014-2025 Denis Pushkarev <https://github.com/zloirock/core-js#readme>
<https://registry.npmjs.org/core-js/-/core-js-3.45.1.tgz>

MIT core-lro-2.7.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6ea9267f-a2c6-408b-b18d-f4be918f8bb4> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-lro/README.md> <https://registry.npmjs.org/@azure/core-lro/-/core-lro-2.7.2.tgz>

MIT core-paging-1.6.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f978198c-9153-40cd-91f9-08fe9df7599a> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/core/core-paging/README.md> <https://registry.npmjs.org/@azure/core-paging/-/core-paging-1.6.2.tgz>

MIT core-rest-pipeline-1.17.0.tgz Isomorphic client library for making HTTP requests in node.js and browser.
<https://index.mend.io/gri/app/reader/resource/content/asString/642689f6-3255-4480-b515-a343f838e803> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-rest-pipeline/> <https://registry.npmjs.org/@azure/core-rest-pipeline/-/core-rest-pipeline-1.17.0.tgz>

MIT core-rest-pipeline-1.22.1.tgz Isomorphic client library for making HTTP requests in node.js and browser.
<https://index.mend.io/gri/app/reader/resource/content/asString/d34e610d-8116-4728-ae4b-19a8ca777617> "2018 Copyright 2018 Microsoft Copyright Microsoft Corporation" <https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-rest-pipeline/>
<https://registry.npmjs.org/@azure/core-rest-pipeline/-/core-rest-pipeline-1.22.1.tgz>

MIT core-rest-pipeline-1.22.2.tgz Isomorphic client library for making HTTP requests in node.js and browser.
<https://index.mend.io/gri/app/reader/resource/content/asString/7afd0f96-a43c-4586-bd58-18ccf0e1265a> "2018 Copyright 2018 Microsoft Copyright Microsoft Corporation" <https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-rest-pipeline/>
<https://registry.npmjs.org/@azure/core-rest-pipeline/-/core-rest-pipeline-1.22.2.tgz>

MIT core-tracing-1.2.0.tgz Provides low-level interfaces and helper methods for tracing in Azure SDK

<https://index.mend.io/gri/app/reader/resource/content/asString/89a638fd-639f-483f-ae38-6ea3107cb693> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-tracing/README.md><https://registry.npmjs.org/@azure/core-tracing/-/core-tracing-1.2.0.tgz>

MIT core-tracing-1.3.1.tgz Provides low-level interfaces and helper methods for tracing in Azure SDK

<https://index.mend.io/gri/app/reader/resource/content/asString/c4e4c456-bf40-4301-a892-e7dea67b23a8> "2018 Copyright 2018 Microsoft Copyright Microsoft Corporation" <https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-tracing/README.md>
<https://registry.npmjs.org/@azure/core-tracing/-/core-tracing-1.3.1.tgz>

MIT core-util-1.11.0.tgz Core library for shared utility methods
<https://index.mend.io/gri/app/reader/resource/content/asString/6084238d-4450-4ee0-9d7b-b88cb1cbc166> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-util/> <https://registry.npmjs.org/@azure/core-util/-/core-util-1.11.0.tgz>

MIT core-util-1.13.1.tgz Core library for shared utility methods
<https://index.mend.io/gri/app/reader/resource/content/asString/5d0518d3-72ac-4332-8dc9-da0eaf77f27e> "2018 Copyright 2018 Microsoft Copyright Microsoft Corporation" <https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/core-util/> <https://registry.npmjs.org/@azure/core-util/-/core-util-1.13.1.tgz>

MIT core-util-is-1.0.2.tgz The `util.is\*` functions introduced in Node v0.12. <https://github.com/isaacs/core-util-is/tree/v1.0.2> Copyright Node.js contributors <https://github.com/isaacs/core-util-is#readme>
<https://registry.npmjs.org/core-util-is/-/core-util-is-1.0.2.tgz>

MIT core-util-is-1.0.3.tgz The `util.is\*` functions introduced in Node v0.12.
<https://index.mend.io/gri/app/reader/resource/content/asString/254156eb-c0cc-42aa-9d09-f7c1fc9554d2> Copyright Node.js contributors
<https://github.com/isaacs/core-util-is#readme>
<https://registry.npmjs.org/core-util-is/-/core-util-is-1.0.3.tgz>

MIT cors-2.8.19.tgz TypeScript definitions for cors
<https://index.mend.io/gri/app/reader/resource/content/asString/f2c2f22b-8895-4539-b22c-5e05c9c75108> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/cors> <https://registry.npmjs.org/@types/cors/-/cors-2.8.19.tgz>

MIT cors-2.8.5.tgz Node.js CORS middleware
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c858071f-8f78-4b14-9760-cfa26eb5ab98> 2013 Copyright 2013 Troy Goode <troygoode@gmail.com>

<https://github.com/expressjs/cors#readme>
<https://registry.npmjs.org/cors/-/cors-2.8.5.tgz>

MIT cosmiconfig-7.1.0.tgz Find and load configuration from a package.json property, rc file, or CommonJS module
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b83e4be9-25c1-4e69-8c96-7d4aa92a46f8> 2015 Copyright 2015 David Clark
 <https://github.com/davidtheclark/cosmiconfig#readme>
 <https://registry.npmjs.org/cosmiconfig/-/cosmiconfig-7.1.0.tgz>

MIT crc32-stream-4.0.3.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/ec83673b-274d-449a-a241-69b97bdc1b1a> 2014 Copyright 2014 Chris Talkington, contributors
 <https://github.com/archiverjs/node-crc32-stream>
 <https://registry.npmjs.org/crc32-stream/-/crc32-stream-4.0.3.tgz>

MIT cross-env-7.0.3.tgz Run scripts that set and use environment variables across platforms
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4fdc411e-ea28-4341-aeda-8155d24a800d> 2017 Copyright 2017 Kent C
 <https://github.com/kentcdodds/cross-env#readme>
 <https://registry.npmjs.org/cross-env/-/cross-env-7.0.3.tgz>

MIT cross-fetch-3.1.5.tgz Universal WHATWG Fetch API for Node, Browsers and React Native
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0c1bb63c-104d-4cc1-a10c-1f3358347363> 2017 Copyright 2017 Leonardo Quixadá
 <https://github.com/lquixada/cross-fetch>
 <https://registry.npmjs.org/cross-fetch/-/cross-fetch-3.1.5.tgz>

MIT cross-spawn-7.0.5.tgz Cross platform child_process#spawn and child_process#spawnSync
 <https://index.mend.io/gri/app/reader/resource/content/asString/91608101-c251-4c84-9881-275ec76964b5> 2018 Copyright 2018 Made With MOXY Lda
 <hello@moxystudio> <https://github.com/moxystudio/node-cross-spawn>
 <https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.5.tgz>

MIT cross-spawn-7.0.6.tgz Cross platform child_process#spawn and child_process#spawnSync
 <https://index.mend.io/gri/app/reader/resource/content/asString/6f7a94ae-b9c5-4543-a9df-b1bf27e2b907> 2018 Copyright 2018 Made With MOXY Lda
 <hello@moxystudio> <https://github.com/moxystudio/node-cross-spawn>
 <https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz>

MIT csrf-3.1.0.tgz primary logic behind csrf tokens
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d3910d49-8496-4162-8fb0-85ea554f49c0> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
2014 Copyright 2014 Jonathan Ong <me@jongleberry.com>"
 <https://github.com/pillarjs/csrf#readme>
 <https://registry.npmjs.org/csrf/-/csrf-3.1.0.tgz>

MIT css-box-model-1.2.1.tgz Get accurate and well named css box
model information about an Element ?
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/13f73cb8-5730-431c-86af-10e308789f50> 2018 Copyright 2018
Alex Reardon <https://github.com/alexreardon/css-box-model#readme>
<https://registry.npmjs.org/css-box-model/-/css-box-model-1.2.1.tgz>

MIT cssfontparser-1.2.1.tgz parse shorthand css font strings"
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/237eb43a-7884-4f08-888a-d81e80819cc4>
<https://github.com/tmpvar/cssfontparser>
<https://registry.npmjs.org/cssfontparser/-/cssfontparser-1.2.1.tgz>

MIT css-line-break-1.0.1.tgz css-line-break ===== A
JavaScript library for Line Breaking and identifying Word Boundaries,
[implementing the Unicode Line Breaking Algorithm (UAX
#14)] (<http://unicode.org/reports/tr14/>)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b7d8a14f-65e6-4e03-b616-fd7400820142> 2017 Copyright 2017
Niklas von Herten <https://github.com/niklasvh/css-line-break#readme>
<https://registry.npmjs.org/css-line-break/-/css-line-break-1.0.1.tgz>

MIT css-line-break-2.1.0.tgz css-line-break =====
<https://index.mend.io/gri/app/reader/resource/content/asString/58da01ab-3304-4f57-9202-44cc48539181> 2017 Copyright 2017 Niklas von Herten
<https://github.com/niklasvh/css-line-break#readme>
<https://registry.npmjs.org/css-line-break/-/css-line-break-2.1.0.tgz>

MIT csstype-3.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/993c6b26-702c-40b4-995f-cdd7eecldlf9> 2017-2018 Copyright 2017-2018 Fredrik
Nicol <https://github.com/frenic/csstype#readme>
<https://registry.npmjs.org/csstype/-/csstype-3.1.2.tgz>

MIT csstype-3.1.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/2b703ldd-bf52-449e-b236-15fc7adba421> 2017-2018 Copyright 2017-2018 Fredrik
Nicol <https://github.com/frenic/csstype#readme>
<https://registry.npmjs.org/csstype/-/csstype-3.1.3.tgz>

MIT csurf-1.11.0.tgz CSRF token middleware
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1f8508f1-fdbd-499f-99a1-8ea72b95a502> "2014-2016 Copyright
2014-2016 Douglas Christopher Wilson <doug@somethingdoug.com>
2014 Copyright 2014 Jonathan Ong <me@jongleberry.com>"
<https://github.com/expressjs/csurf#readme>
<https://registry.npmjs.org/csurf/-/csurf-1.11.0.tgz>

MIT csvtojson-2.0.10.tgz A tool concentrating on converting csv data
to JSON with customised parser supporting

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f4c9ae91-e8fc-471f-a1ff-dc81cd5ffafe> 2013 Copyright 2013 Keyang Xiang
<https://github.com/Keyang/node-csvtojson>
<https://registry.npmjs.org/csvtojson/-/csvtojson-2.0.10.tgz>

MIT csvtojson-2.0.14.tgz A tool concentrating on converting csv data to JSON with customised parser supporting
<https://index.mend.io/gri/app/reader/resource/content/asString/b7095bbf-f3ed-4aff-9792-1c24bcafbdda> 2013 Copyright 2013 Keyang Xiang
<https://github.com/Keyang/node-csvtojson>
<https://registry.npmjs.org/csvtojson/-/csvtojson-2.0.14.tgz>

MIT d3-geo-3.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/82aaace3-d180-4eaf-9581-86ba6a953c42> "2010-2024 Copyright 2010-2024 Mike Bostock 2008-2012 Copyright 2008-2012 Charles Karney"
<https://d3js.org/d3-geo/> <https://registry.npmjs.org/d3-geo/-/d3-geo-3.1.1.tgz>

MIT dashdash-1.14.1.tgz A light, featureful and explicit option parsing library.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5d37e765-2065-49c9-a853-6e1c11e4325d> "2013 Copyright 2013 Joyent Inc 2013 Copyright 2013 Trent Mick"
<https://github.com/trentm/node-dashdash#readme>
<https://registry.npmjs.org/dashdash/-/dashdash-1.14.1.tgz>

MIT dasherize-2.0.0.tgz recursively transform key strings to dash-case
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/65ee669d-09d3-4546-8c56-ee40b747dcd9>
<https://github.com/shahata/dasherize>
<https://registry.npmjs.org/dasherize/-/dasherize-2.0.0.tgz>

MIT data-view-buffer-1.0.2.tgz Get the ArrayBuffer out of a DataView, robustly.
<https://index.mend.io/gri/app/reader/resource/content/asString/98021cea-fccf-4a03-a462-c43ac443b48e> 2023 Copyright 2023 Jordan Harband
<https://github.com/inspect-js/data-view-buffer#readme>
<https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-1.0.2.tgz>

MIT data-view-byte-length-1.0.2.tgz Get the byteLength out of a DataView, robustly.
<https://index.mend.io/gri/app/reader/resource/content/asString/8183af4d-8bbd-4f20-b2ce-964a30a652c1> 2024 Copyright 2024 Jordan Harband
<https://github.com/inspect-js/data-view-byte-length#readme>
<https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-length-1.0.2.tgz>

MIT data-view-byte-offset-1.0.1.tgz Get the byteOffset out of a DataView, robustly.
<https://index.mend.io/gri/app/reader/resource/content/asString/e7c02ddb-c769-4591-9e1a-c0f3e173882d> 2024 Copyright 2024 Jordan Harband

<https://github.com/inspect-js/data-view-byte-offset#readme>
<https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-offset-1.0.1.tgz>

MIT date-fns-2.30.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7c2da6fc-7009-4c23-bf15-fea0c27ed3ce> "2021 Copyright 2021 Sasha Koss and Lesha Koss <https://kossnocorp.mit-license.org> Copyright Sasha Koss" (<https://kossnocorp.mit-license.org/>)
<https://github.com/date-fns/date-fns#readme>
<https://registry.npmjs.org/date-fns/-/date-fns-2.30.0.tgz>

MIT date-skeleton-1.1.0.tgz A parser & formatter for ICU DateFormat skeleton strings
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/56ef86b3-0887-423e-9c71-e4b4dlb3d746> Copyright OpenJS Foundation and contributors, <https://openjsf.org/>
<http://messageformat.github.io/messageformat/api/date-skeleton/>
<https://registry.npmjs.org/@messageformat/date-skeleton/-/date-skeleton-1.1.0.tgz>

MIT date-time-1.1.0.tgz Pretty UTC datetime: 2014-01-09 06:46:01 UTC
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b0405224-361a-4263-8092-efe461d7404a> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/date-time#readme>
<https://registry.npmjs.org/date-time/-/date-time-1.1.0.tgz>

MIT dayjs-1.11.13.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9fad7f3-2a33-49f7-b135-cdf4f8b15368> 2018 Copyright 2018 iamkun
<https://day.js.org> <https://registry.npmjs.org/dayjs/-/dayjs-1.11.13.tgz>

MIT dayjs-1.11.18.tgz 2KB immutable date time library alternative to Moment.js with the same modern API
<https://index.mend.io/gri/app/reader/resource/content/asString/1fbc873e-94e9-4503-ae59-1944e94c509c> 2018 Copyright 2018 iamkun
<https://day.js.org> <https://registry.npmjs.org/dayjs/-/dayjs-1.11.18.tgz>

MIT dayjs-1.11.19.tgz 2KB immutable date time library alternative to Moment.js with the same modern API
<https://index.mend.io/gri/app/reader/resource/content/asString/a68365cf-24f6-4b7c-a480-13bdf1f05ea5> 2018 Copyright 2018 iamkun
<https://day.js.org> <https://registry.npmjs.org/dayjs/-/dayjs-1.11.19.tgz>

MIT debug-2.6.9.tgz small debugging utility
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ce2740f2-6005-4bdb-afe0-1effd87a05b9> "2014-2016 Copyright 2014-2016 TJ Holowaychuk <tj@vision-media.ca> 2014-2016 Copyright 2014-2016 TJ Holowaychuk 2014 Copyright 2014 TJ Holowaychuk <tj@vision-media.ca>

media.ca>" <https://github.com/visionmedia/debug#readme>
<https://registry.npmjs.org/debug/-/debug-2.6.9.tgz>

MIT debug-3.2.7.tgz small debugging utility
<https://github.com/visionmedia/debug#readme> "2014-2017 Copyright
2014-2017 TJ Holowaychuk <tj@vision-media.ca> 2014 Copyright 2014 TJ
Holowaychuk <tj@vision-media.ca> 2014-2017 Copyright 2014-2017 TJ
Holowaychuk" <https://github.com/visionmedia/debug#readme>
<https://registry.npmjs.org/debug/-/debug-3.2.7.tgz>

MIT debug-4.1.12.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/722a
2d37-62ce-4582-ab5e-769b7a7db1a4](https://index.mend.io/gri/app/reader/resource/content/asString/722a2d37-62ce-4582-ab5e-769b7a7db1a4) Copyright Microsoft Corporation
[https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type
s/debug](https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/debug) <https://registry.npmjs.org/@types/debug/-/debug-4.1.12.tgz>

MIT debug-4.1.9.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/0308
551d-d07d-4655-8835-73f30bfa87e7](https://index.mend.io/gri/app/reader/resource/content/asString/0308551d-d07d-4655-8835-73f30bfa87e7) Copyright Microsoft Corporation
[https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type
s/debug](https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/debug) <https://registry.npmjs.org/@types/debug/-/debug-4.1.9.tgz>

MIT debug-4.3.4.tgz Lightweight debugging utility for Node.js and the
browser
[https://index.mend.io/gri/app/reader/resource/content/asString/2580
9d8a-581f-4ab9-ab37-31ffeeffe1768](https://index.mend.io/gri/app/reader/resource/content/asString/25809d8a-581f-4ab9-ab37-31ffeeffe1768) "2017 Copyright 2017 TJ Holowaychuk
<tj@vision-media.ca> 2021 Copyright 2021 Josh Junon"
<https://github.com/debug-js/debug#readme>
<https://registry.npmjs.org/debug/-/debug-4.3.4.tgz>

MIT debug-4.3.7.tgz Lightweight debugging utility for Node.js and the
browser
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/7b1435b9-4b7e-491b-936e-f6d18b8c1714](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7b1435b9-4b7e-491b-936e-f6d18b8c1714) "2018-2021 Copyright
2018-2021 Josh Junon 2014-2017 Copyright 2014-2017 TJ Holowaychuk
<tj@vision-media.ca>" <https://github.com/debug-js/debug#readme>
<https://registry.npmjs.org/debug/-/debug-4.3.7.tgz>

MIT debug-4.4.3.tgz Lightweight debugging utility for Node.js and the
browser
[https://index.mend.io/gri/app/reader/resource/content/asString/6691
330a-ad4d-4eb3-82dd-d7d3050b3753](https://index.mend.io/gri/app/reader/resource/content/asString/6691330a-ad4d-4eb3-82dd-d7d3050b3753) "2018-2021 Copyright 2018-2021 Josh
Junon
2014-2017 Copyright 2014-2017 TJ Holowaychuk <tj@vision-media.ca>"
<https://github.com/debug-js/debug#readme>
<https://registry.npmjs.org/debug/-/debug-4.4.3.tgz>

MIT decamelize-1.2.0.tgz Convert a camelized string into a lowercased
one with a custom separator: unicornRainbow → unicorn_rainbow
<https://github.com/sindresorhus/decamelize#readme> "Copyright
Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/decamelize#readme>
 <https://registry.npmjs.org/decamelize/-/decamelize-1.2.0.tgz>

MIT decompress-4.2.1.tgz Extracting archives made easy
 <https://index.mend.io/gri/app/reader/resource/content/asString/08304a69-0b8f-4b94-8114-bea5b6f22f6c> Copyright Kevin Mårtensson
<kevinmartensson@gmail.com> (github.com/kevva)
 <https://github.com/kevva/decompress#readme>
 <https://registry.npmjs.org/decompress/-/decompress-4.2.1.tgz>

MIT decompress-response-6.0.0.tgz Decompress a HTTP response if
needed
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eef881d2-a4b6-4a89-b253-f72c00b860ef> Copyright Sindre
Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
 <https://github.com/sindresorhus/decompress-response#readme>
 <https://registry.npmjs.org/decompress-response/-/decompress-response-6.0.0.tgz>

MIT decompress-tar-4.1.1.tgz decompress tar plugin
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2064f242-elf7-4b0d-a461-90ad7d364e6c> "Copyright Kevin
Martensson
Copyright Kevin Mårtensson <kevinmartensson@gmail.com>
(github.com/kevva)" <https://github.com/kevva/decompress-tar#readme>
 <https://registry.npmjs.org/decompress-tar/-/decompress-tar-4.1.1.tgz>

MIT decompress-tarbz2-4.1.1.tgz decompress tar.bz2 plugin
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/69961699-168c-4dc0-9b43-be07901e7088> "Copyright Kevin
Martensson
Copyright Kevin Mårtensson <kevinmartensson@gmail.com>
(github.com/kevva)" <https://github.com/kevva/decompress-tarbz2#readme>
 <https://registry.npmjs.org/decompress-tarbz2/-/decompress-tarbz2-4.1.1.tgz>

MIT decompress-targz-4.1.1.tgz decompress tar.gz plugin
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f241567-5ca9-44bf-86cc-8903eb2203a0> "Copyright Kevin
Martensson
Copyright Kevin Mårtensson <kevinmartensson@gmail.com>
(github.com/kevva)" <https://github.com/kevva/decompress-targz#readme>
 <https://registry.npmjs.org/decompress-targz/-/decompress-targz-4.1.1.tgz>

MIT decompress-unzip-4.0.1.tgz decompress zip plugin
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c7d79101-b47b-4710-9761-eef3dbe2c3f3> "Copyright Kevin
Martensson
Copyright Kevin Mårtensson <kevinmartensson@gmail.com>"
 <https://github.com/kevva/decompress-unzip#readme>

<https://registry.npmjs.org/decompress-unzip/-/decompress-unzip-4.0.1.tgz>

MIT dedent-1.7.0.tgz A string tag that strips indentation from multi-line strings. 

<https://index.mend.io/gri/app/reader/resource/content/asString/be5f903f-9b06-48d7-b843-2dd765b0e63e> <https://github.com/dmnd/dedent>
<https://registry.npmjs.org/dedent/-/dedent-1.7.0.tgz>

MIT deep-equal-1.1.2.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/5fdf7371-f8e1-40e3-ae5c-c5d5a7c79ae2> 2012-2009 Copyright 2012-2009 Thomas Robinson <280north.com> <https://github.com/inspect-js/node-deep-equal#readme> <https://registry.npmjs.org/deep-equal/-/deep-equal-1.1.2.tgz>

MIT deep-equal-2.2.2.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/aca839a1-7121-4bd7-8939-353db68368f8> 2012-2009 Copyright 2012-2009 Thomas Robinson <280north.com> <https://github.com/inspect-js/node-deep-equal#readme> <https://registry.npmjs.org/deep-equal/-/deep-equal-2.2.2.tgz>

MIT deep-extend-0.6.0.tgz Recursive object extending

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/376c54ec-dd9d-4ede-9bf0-e7a54b46b119> 2013-2018 Copyright 2013-2018 Viacheslav Lotsmanov <https://github.com/unclechu/node-deep-extend> <https://registry.npmjs.org/deep-extend/-/deep-extend-0.6.0.tgz>

MIT deepmerge-2.2.1.tgz A library for deep (recursive) merging of Javascript objects

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/74a6bc2e-e562-49bb-ac5e-c38c7780023e> 2012 Copyright 2012 Nicholas Fisher <https://github.com/KyleAMathews/deepmerge> <https://registry.npmjs.org/deepmerge/-/deepmerge-2.2.1.tgz>

MIT deepmerge-4.3.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/9f936f47-58c8-4623-a139-73f7f507545d> 2012 Copyright 2012 James Halliday, Josh Duff, and other contributors <https://github.com/TehShrike/deepmerge> <https://registry.npmjs.org/deepmerge/-/deepmerge-4.3.1.tgz>

MIT default-browser-5.2.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/b3224593-7ff8-4f8b-a5e3-88dc5e7ae1fa> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>) <https://github.com/sindresorhus/default-browser#readme> <https://registry.npmjs.org/default-browser/-/default-browser-5.2.1.tgz>

MIT default-browser-5.4.0.tgz Get the default browser

<https://index.mend.io/gri/app/reader/resource/content/asString/f81da0b5-6410-45f4-a910-0134ead41890> Copyright Sindre Sorhus

<sindresorhus@gmail.com> <https://sindresorhus.com>
<https://github.com/sindresorhus/default-browser#readme>
<https://registry.npmjs.org/default-browser/-/default-browser-5.4.0.tgz>

MIT default-browser-id-5.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b67d6fc8-056a-4323-b325-07ca933d519f> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/default-browser-id#readme>
<https://registry.npmjs.org/default-browser-id/-/default-browser-id-5.0.0.tgz>

MIT default-browser-id-5.0.1.tgz Get the bundle identifier of the default browser (macOS). Example: com.apple.Safari
<https://index.mend.io/gri/app/reader/resource/content/asString/4d1d9bdf-5812-4ab2-b75f-9270d9abb2c3> Copyright Sindre Sorhus
<sindresorhus@gmail.com> <https://sindresorhus.com>
<https://github.com/sindresorhus/default-browser-id#readme>
<https://registry.npmjs.org/default-browser-id/-/default-browser-id-5.0.1.tgz>

MIT define-data-property-1.1.4.tgz
<https://github.com/ljharb/define-data-property?tab=MIT-1-ov-file#readme> 2023 Copyright 2023 Jordan Harband
<https://github.com/ljharb/define-data-property#readme>
<https://registry.npmjs.org/define-data-property/-/define-data-property-1.1.4.tgz>

MIT define-lazy-prop-2.0.0.tgz Define a lazily evaluated property on an object
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/bcfa9aac-1111-4683-ac5c-754879472b2b> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/sindresorhus/define-lazy-prop#readme>
<https://registry.npmjs.org/define-lazy-prop/-/define-lazy-prop-2.0.0.tgz>

MIT define-lazy-prop-3.0.0.tgz Define a lazily evaluated property on an object
<https://index.mend.io/gri/app/reader/resource/content/asString/26d49851-98a1-49da-9d91-9f345d4525e6> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/define-lazy-prop#readme>
<https://registry.npmjs.org/define-lazy-prop/-/define-lazy-prop-3.0.0.tgz>

MIT define-properties-1.2.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0e49536-8e18-405e-bec0-3f1f9f99d72a> 2015 Copyright 2015 Jordan Harband
<https://github.com/ljharb/define-properties#readme>
<https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.tgz>

MIT delayed-stream-1.0.0.tgz Buffers events from a stream until you are ready to handle them. <https://github.com/felixge/node-delayed-stream> 2011 Copyright 2011 Debuggable Limited <felix@debuggable.com> <https://github.com/felixge/node-delayed-stream> <https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz>

MIT delegates-1.0.0.tgz delegate methods and accessors to another property <https://github.com/tj/node-delegates#readme> 2015 Copyright 2015 TJ Holowaychuk <tj@vision-media.ca> <https://github.com/visionmedia/node-delegates#readme> <https://registry.npmjs.org/delegates/-/delegates-1.0.0.tgz>

MIT depd-1.1.2.tgz Deprecate all the things <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f6437cbb-7a97-4acc-8c85-190b5b0f31c5> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/dougwilson/nodejs-depd#readme> <https://registry.npmjs.org/depd/-/depd-1.1.2.tgz>

MIT depd-2.0.0.tgz Deprecate all the things <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/008d5f81-2b06-4619-a5c5-a46fb0b0e087> 2014-2018 Copyright 2014-2018 Douglas Christopher Wilson <https://github.com/dougwilson/nodejs-depd#readme> <https://registry.npmjs.org/depd/-/depd-2.0.0.tgz>

MIT destroy-1.2.0.tgz destroy a stream if possible <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b285e073-ba15-42ac-9667-30a291e695e2> "2015-2022 Copyright 2015-2022 Douglas Christopher Wilson doug@somethingdoug.com 2014 Copyright 2014 Jonathan Ong me@jongleberry.com" <https://github.com/stream-utils/destroy#readme> <https://registry.npmjs.org/destroy/-/destroy-1.2.0.tgz>

MIT diagnostics-2.0.3.tgz Tools for debugging your node.js modules and event loop <https://index.mend.io/gri/app/reader/resource/content/asString/8e6d71ff-8767-492e-a1b5-74bd9d992905> 2015 Copyright 2015 Arnout Kazemier, Martijn Swaagman, the Contributors <https://github.com/3rd-Eden/diagnostics> <https://registry.npmjs.org/@dabh/diagnostics/-/diagnostics-2.0.3.tgz>

MIT diagnostics-2.0.8.tgz Tools for debugging your node.js modules and event loop <https://index.mend.io/gri/app/reader/resource/content/asString/5dc64eee-aba8-4634-ada4-d9ad1cf57825> 2015 Copyright 2015 Arnout Kazemier, Martijn Swaagman, the Contributors <https://github.com/DABH/diagnostics> <https://registry.npmjs.org/@dabh/diagnostics/-/diagnostics-2.0.8.tgz>

MIT dom-1.6.5.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/4cf0>

ce91-68db-410f-9eff-cea61980effd 2021 Copyright 2021 Floating UI contributors <https://floating-ui.com>
<https://registry.npmjs.org/@floating-ui/dom/-/dom-1.6.5.tgz>

MIT dom-8.20.1.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/48ee356a-1f53-41b1-86e7-957cd1b4b7ea> 2017 Copyright 2017 Kent C. Dodds
<https://github.com/testing-library/dom-testing-library#readme>
<https://registry.npmjs.org/@testing-library/dom/-/dom-8.20.1.tgz>

MIT dom-accessibility-api-0.5.16.tgz Implements <https://w3c.github.io/accname/>
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a9fec72c-2586-4e28-b1b6-437851d3de31> 2020 Copyright 2020 Sebastian Silberman <https://github.com/epsllon/dom-accessibility-api#readme> <https://registry.npmjs.org/dom-accessibility-api/-/dom-accessibility-api-0.5.16.tgz>

MIT dom-helpers-5.2.1.tgz tiny modular DOM lib for ie9+ <https://index.mend.io/gri/app/reader/resource/content/asString/c1f8f146-d077-4b75-a0c4-36a2f8dd03ad> 2015 Copyright 2015 Jason Quense
<https://github.com/react-bootstrap/dom-helpers#readme>
<https://registry.npmjs.org/dom-helpers/-/dom-helpers-5.2.1.tgz>

MIT dom-serializer-1.4.1.tgz render domhandler DOM nodes to a string <https://index.mend.io/gri/app/reader/resource/content/asString/be6db5a6-1cb8-4a5d-b2a6-13fe7fbe5ca0> 2014 Copyright 2014 The cheeriojs contributors <https://github.com/cheeriojs/dom-renderer#readme>
<https://registry.npmjs.org/dom-serializer/-/dom-serializer-1.4.1.tgz>

MIT dom-serializer-2.0.0.tgz render domhandler DOM nodes to a string <https://index.mend.io/gri/app/reader/resource/content/asString/be986aa2-bcab-4cee-bd7a-4b60b81ce4ae> 2014 Copyright 2014 The cheeriojs contributors <https://github.com/cheeriojs/dom-serializer#readme>
<https://registry.npmjs.org/dom-serializer/-/dom-serializer-2.0.0.tgz>

MIT dont-sniff-mimetype-1.1.0.tgz Middleware to prevent mimetype from being sniffed <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/13cd4bb4-a7de-4b9c-b7ff-8e656d81f3e4> "2014-2019 Copyright 2014-2019 Evan Hahn 2014-2019 Copyright 2014-2019 Evan Hahn, Adam Baldwin" <https://helmetjs.github.io/docs/dont-sniff-mimetype>
<https://registry.npmjs.org/dont-sniff-mimetype/-/dont-sniff-mimetype-1.1.0.tgz>

MIT dunder-proto-1.0.1.tgz If available, the `Object.prototype.\_\_proto\_\_` accessor and mutator, call-bound <https://index.mend.io/gri/app/reader/resource/content/asString/1278ebc1-d22f-4773-987d-3a2070cb29b8> 2024 Copyright 2024 ECMAScript Shims
<https://github.com/es-shims/dunder-proto#readme>

<https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz>

MIT duplexer-0.1.2.tgz Creates a duplex stream
 <https://index.mend.io/gri/app/reader/resource/content/asString/8cfa0894-b71c-4067-a0c7-b7584b39c566> 2012 Copyright 2012 Raynos
 <https://github.com/Raynos/duplexer>
 <https://registry.npmjs.org/duplexer/-/duplexer-0.1.2.tgz>

MIT eastasianwidth-0.2.0.tgz Get East Asian Width from a character.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/14f0d10a-ae76-49cd-a708-451df643221a> Unspecified Copyright
 <https://github.com/komagata/eastasianwidth#readme>
 <https://registry.npmjs.org/eastasianwidth/-/eastasianwidth-0.2.0.tgz>

MIT ecc-jsbn-0.1.2.tgz ECC JS code based on JSBN
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a6fb2290-0200-443b-bbc5-857a8ff4b7f4> 2014 Copyright 2014
Jeremie Miller <https://github.com/quartzjer/ecc-jsbn>
 <https://registry.npmjs.org/ecc-jsbn/-/ecc-jsbn-0.1.2.tgz>

MIT ee-first-1.1.1.tgz return the first event in a set of ee/event
pairs <https://github.com/jonathanong/ee-first> 2014 Copyright 2014
Jonathan Ong me@jongleberry.com <https://github.com/jonathanong/ee-first>
 <https://registry.npmjs.org/ee-first/-/ee-first-1.1.1.tgz>

MIT emoji-regex-8.0.0.tgz A regular expression to match all Emoji-only
symbols as per the Unicode Standard.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/251c88f7-1447-488c-9f78-24655c69e14f> Copyright Mathias
Bynens <<https://mathiasbynens.be/>> <https://mths.be/emoji-regex>
 <https://registry.npmjs.org/emoji-regex/-/emoji-regex-8.0.0.tgz>

MIT emoji-regex-9.2.2.tgz A regular expression to match all Emoji-only
symbols as per the Unicode Standard.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/08c6f086-95c4-49de-8300-5fab616b4fc4> Copyright Mathias
Bynens <<https://mathiasbynens.be/>> <https://mths.be/emoji-regex>
 <https://registry.npmjs.org/emoji-regex/-/emoji-regex-9.2.2.tgz>

MIT enabled-2.0.0.tgz Check if a certain debug flag is enabled.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c575dd2b-a797-4cfc-8445-cc33afb627c9> 2015 Copyright 2015
Arnout Kazemier, Martijn Swaagman, the Contributors
 <https://github.com/3rd-Eden/enabled#readme>
 <https://registry.npmjs.org/enabled/-/enabled-2.0.0.tgz>

MIT encodeurl-1.0.2.tgz Encode a URL to a percent-encoded form,
excluding already-encoded sequences
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e8b82c36-6a18-453d-9674-3303a2624459> 2016 Copyright 2016
Douglas Christopher Wilson <https://github.com/pillarjs/encodeurl#readme>
 <https://registry.npmjs.org/encodeurl/-/encodeurl-1.0.2.tgz>

MIT encodeurl-2.0.0.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/cb4d18b5-487c-4436-889b-3fbd4557c673 2016 Copyright 2016 Douglas Christopher Wilson
https://github.com/pillarjs/encodeurl#readme
https://registry.npmjs.org/encodeurl/-/encodeurl-2.0.0.tgz

MIT encoding-0.1.13.tgz Convert encodings, uses iconv-lite
https://index.mend.io/gri/app/reader/resource/content/asString/d3215c6a-2907-4b7c-af65-b582ecb01551 2012-2014 Copyright 2012-2014 Andris Reinman
https://github.com/andris9/encoding#readme
https://registry.npmjs.org/encoding/-/encoding-0.1.13.tgz

MIT end-of-stream-1.4.4.tgz Call a callback when a readable/writable/duplex stream has completed or failed.
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4a396a42-ba15-4692-a72f-e90779bdef62 2014 Copyright 2014 Mathias Buus
https://github.com/mafintosh/end-of-stream
https://registry.npmjs.org/end-of-stream/-/end-of-stream-1.4.4.tgz

MIT end-of-stream-1.4.5.tgz Call a callback when a readable/writable/duplex stream has completed or failed.
https://index.mend.io/gri/app/reader/resource/content/asString/bf5f6ca9-ed7d-4bec-8acd-4cee562dbecc 2014 Copyright 2014 Mathias Buus
https://github.com/mafintosh/end-of-stream
https://registry.npmjs.org/end-of-stream/-/end-of-stream-1.4.5.tgz

MIT engine.io-6.6.4.tgz The realtime engine behind Socket.IO. Provides the foundation of a bidirectional connection between client and server
https://index.mend.io/gri/app/reader/resource/content/asString/3f30e620-c83e-4ec9-a6b2-ca71d3db7ca3 "2014 Copyright 2014 Guillermo Rauch <guillermo@learnboost.com> 2014 Copyright 2014 Guillermo Rauch and Socket.IO contributors Copyright Passing in requests"
https://github.com/socketio/socket.io/tree/main/packages/engine.io#readme
https://registry.npmjs.org/engine.io/-/engine.io-6.6.4.tgz

MIT engine.io-client-6.6.3.tgz Client for the realtime Engine
https://index.mend.io/gri/app/reader/resource/content/asString/770c0d1d-d3c6-494d-a945-6cc8213df693 "2014 Copyright 2014 Guillermo Rauch and Socket.IO contributors 2014-2018 Copyright 2014-2018 Automattic <dev@cloudup.com> 2014 Copyright 2014 Automattic, Inc"
https://github.com/socketio/socket.io/tree/main/packages/engine.io-client#readme
https://registry.npmjs.org/engine.io-client/-/engine.io-client-6.6.3.tgz

MIT engine.io-parser-5.2.3.tgz
https://index.mend.io/gri/app/reader/resource/content/asString/fe44c10d-4fba-4796-b6b9-0d418e05c130 "2014-2015 Copyright 2014-2015 Automattic <dev@cloudup.com> 2014 Copyright 2014 Guillermo Rauch and

Socket.IO contributors"

<https://github.com/socketio/socket.io/tree/main/packages/engine.io-parser#readme> <https://registry.npmjs.org/engine.io-parser/-/engine.io-parser-5.2.3.tgz>

MIT env-paths-2.2.1.tgz Get paths for storing things like data, config, cache, etc
<https://index.mend.io/gri/app/reader/resource/content/asString/610bae3a-bf2f-4578-9e4c-86f6a22ea554> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/env-paths#readme>
<https://registry.npmjs.org/env-paths/-/env-paths-2.2.1.tgz>

MIT enzyme-adapter-react-17-0.8.0.tgz JavaScript Testing utilities for React
<https://index.mend.io/gri/app/reader/resource/content/asString/ae9df06c-1f87-4ab0-999e-3be6e549f633> 2015-2020 Copyright 2015-2020 Airbnb, Inc
<https://enzymejs.github.io/enzyme/>
<https://registry.npmjs.org/@wojtekmaj/enzyme-adapter-react-17/-/enzyme-adapter-react-17-0.8.0.tgz>

MIT enzyme-adapter-utils-0.2.0.tgz JavaScript Testing utilities for React
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/137f2359-5318-43e5-ac96-4788e8e39bd7> 2015-2020 Copyright 2015-2020 Airbnb, Inc
<https://enzymejs.github.io/enzyme/>
<https://registry.npmjs.org/@wojtekmaj/enzyme-adapter-utils/-/enzyme-adapter-utils-0.2.0.tgz>

MIT enzyme-shallow-equal-1.0.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1064fddd-03e2-42bc-9377-bb0cda05fb7b> 2015 Copyright 2015 Airbnb, Inc. and contributors
<https://enzymejs.github.io/enzyme/>
<https://registry.npmjs.org/enzyme-shallow-equal/-/enzyme-shallow-equal-1.0.7.tgz>

MIT err-code-1.1.2.tgz Create an error with a code
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4940b693-e049-47a2-9cb3-991eb9d316d8> IndigoUnited
<https://github.com/IndigoUnited/js-err-code#readme>
<https://registry.npmjs.org/err-code/-/err-code-1.1.2.tgz>

MIT err-code-2.0.3.tgz Create an error with a code
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f31a237-260c-4454-8bb6-57a47550be73> Unspecified Copyright
<https://github.com/IndigoUnited/js-err-code#readme>
<https://registry.npmjs.org/err-code/-/err-code-2.0.3.tgz>

MIT error-ex-1.3.4.tgz Easy error subclassing and stack customization
<https://index.mend.io/gri/app/reader/resource/content/asString/fb750c47-18b9-4e78-9a64-069fe1131012> 2015 Copyright 2015 JD Ballard
<https://github.com/qix-/node-error-ex#readme>
<https://registry.npmjs.org/error-ex/-/error-ex-1.3.4.tgz>

MIT es6-error-4.1.1.tgz Easily-extendable error for use with ES6 classes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7de6966f-2885-41c0-924b-3ecc17cdd416> 2015 Copyright 2015 Ben Youngblood <https://github.com/bjyoungblood/es6-error>
<https://registry.npmjs.org/es6-error/-/es6-error-4.1.1.tgz>

MIT es6-promise-4.2.8.tgz A lightweight library that provides tools for organizing asynchronous code
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d8f92920-718f-41cd-9929-1c73d43d9789> 2014 Copyright 2014 Yehuda Katz, Tom Dale, Stefan Penner and contributors
<https://github.com/stefanpenner/es6-promise>
<https://registry.npmjs.org/es6-promise/-/es6-promise-4.2.8.tgz>

MIT es6-promisify-5.0.0.tgz Converts callback-based functions to ES6 Promises
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8da1631e-25d5-4238-b2c8-62c43171dfbb> 2014 Mike Hall
<https://github.com/digitaldesignlabs/es6-promisify#readme>
<https://registry.npmjs.org/es6-promisify/-/es6-promisify-5.0.0.tgz>

MIT es-abstract-1.24.0.tgz ECMAScript spec abstract operations.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/426b92c6-9dd0-48f8-93f1-6250dec64eb2> 2015 Copyright 2015 Jordan Harband <https://github.com/ljharb/es-abstract#readme>
<https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.0.tgz>

MIT escalade-3.2.0.tgz A tiny (183B to 210B) and fast utility to ascend parent directories
<https://index.mend.io/gri/app/reader/resource/content/asString/88b1a25d-e0aa-485f-a6d2-b5829ede21ff> "Copyright Luke Edwards
 Copyright Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)"
<https://github.com/lukeed/escalade#readme>
<https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz>

MIT escape-html-1.0.3.tgz Escape string for use in HTML
<https://github.com/component/escape-html> "2015 Copyright 2015 Andreas Lubbe
 2015 Copyright 2015 Tiancheng "Timothy" Gu 2012-2013 Copyright 2012-2013 TJ Holowaychuk" <https://github.com/component/escape-html>
<https://registry.npmjs.org/escape-html/-/escape-html-1.0.3.tgz>

MIT escape-string-regexp-1.0.5.tgz Escape RegExp special characters
<https://github.com/sindresorhus/escape-string-regexp> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)" <https://github.com/sindresorhus/escape-string-regexp>
<https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-1.0.5.tgz>

MIT escape-string-regexp-4.0.0.tgz Escape RegExp special characters
<https://index.mend.io/gri/app/reader/resource/content/asString/bcf624ae-fff2-4a67-a81f-f55a97d8d97a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/escape-string-regexp#readme>
<https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz>

MIT es-define-property-1.0.1.tgz `Object.defineProperty`, but not IE 8's broken one.
<https://index.mend.io/gri/app/reader/resource/content/asString/5783dab2-3c83-4e8e-8f1b-fca155b9839c> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/es-define-property#readme>
<https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz>

MIT es-errors-1.3.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/914d3fc8-9ba6-45b3-9811-4f84151218ea> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/es-errors#readme>
<https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz>

MIT es-get-iterator-1.1.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3da8f727-6771-41fa-892a-e7464c08d3dd> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/es-get-iterator#readme>
<https://registry.npmjs.org/es-get-iterator/-/es-get-iterator-1.1.3.tgz>

MIT esm-3.2.25.tgz Tomorrow's ECMAScript modules today!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/96d095c7-9942-4c0d-a959-8b3f3c7456c9> Copyright esm contributors
<https://github.com/standard-things/esm#readme>
<https://registry.npmjs.org/esm/-/esm-3.2.25.tgz>

MIT es-set-tostringtag-2.1.0.tgz A helper to optimistically set Symbol.toStringTag, when possible.
<https://index.mend.io/gri/app/reader/resource/content/asString/d159b4f4-3854-4f9b-b97a-5def6a7d32a1> 2022 Copyright 2022 ECMAScript Shims
<https://github.com/es-shims/es-set-tostringtag#readme>
<https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz>

MIT es-to-primitive-1.3.0.tgz ECMAScript "ToPrimitive" algorithm. Provides ES5 and ES2015 versions.
<https://index.mend.io/gri/app/reader/resource/content/asString/145e8fae-66a7-4ec9-844f-0a3f514aaebd> 2015 Copyright 2015 Jordan Harband
<https://github.com/ljharb/es-to-primitive#readme>
<https://registry.npmjs.org/es-to-primitive/-/es-to-primitive-1.3.0.tgz>

MIT etag-1.8.1.tgz Create simple HTTP ETags
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58ce179f-b778-4eaa-9036-4e5504df9a15> 2014-2016 Copyright

2014-2016 Douglas Christopher Wilson
<https://github.com/jshttp/etag#readme>
<https://registry.npmjs.org/etag/-/etag-1.8.1.tgz>

MIT eventemitter3-2.0.3.tgz EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8db21342-eab8-4c00-9d33-fd23e9f2b192> 2014 Copyright 2014 Arnout Kazemier <https://github.com/primus/eventemitter3#readme>
<https://registry.npmjs.org/eventemitter3/-/eventemitter3-2.0.3.tgz>

MIT eventemitter3-4.0.7.tgz EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d30f08d5-8fd8-45ce-89b3-8dc0cd5dc9c2> 2014 Copyright 2014 Arnout Kazemier <https://github.com/primus/eventemitter3#readme>
<https://registry.npmjs.org/eventemitter3/-/eventemitter3-4.0.7.tgz>

MIT events-3.3.0.tgz Node's event emitter for all engines.
<https://index.mend.io/gri/app/reader/resource/content/asString/07138599-5a28-4e79-835d-a8d8c037e2c8> Copyright Joyent, Inc. and other Node contributors <https://github.com/Gozala/events#readme>
<https://registry.npmjs.org/events/-/events-3.3.0.tgz>

MIT event-stream-3.3.5.tgz construct pipes of streams of events
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c66feb6b-e5dc-4440-8d47-257ef8c82150> 2011 Copyright 2011 Dominic Tarr <http://github.com/dominictarr/event-stream>
<https://registry.npmjs.org/event-stream/-/event-stream-3.3.5.tgz>

MIT event-target-shim-5.0.1.tgz An implementation of WHATWG EventTarget interface.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d539df0f-b9bc-41b8-aef0-69e99b993da7> 2015 Copyright 2015 Toru Nagashima <https://github.com/mysticatea/event-target-shim>
<https://registry.npmjs.org/event-target-shim/-/event-target-shim-5.0.1.tgz>

MIT exceljs-4.4.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8c36b785-baba-435f-8823-aba761c3ff9e> 2014-2019 Copyright 2014-2019 Guyon Roche <https://github.com/exceljs/exceljs#readme>
<https://registry.npmjs.org/exceljs/-/exceljs-4.4.0.tgz>

MIT expand-template-2.0.3.tgz Expand placeholders in a template string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/14b7f471-8d9b-4238-813d-5cb8c559b7be> 2018 Copyright 2018 Lars-Magnus Skog <https://github.com/ralphtheninja/expand-template>
<https://registry.npmjs.org/expand-template/-/expand-template-2.0.3.tgz>

MIT express-4.17.23.tgz TypeScript definitions for express
<https://index.mend.io/gri/app/reader/resource/content/asString/3dd7e33b-ec3d-45ea-b93f-930c2a988802> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express> <https://registry.npmjs.org/@types/express/-/express-4.17.23.tgz>

MIT express-4.17.25.tgz TypeScript definitions for express
<https://index.mend.io/gri/app/reader/resource/content/asString/d2c12d7e-cb86-4bf5-834a-26664e309f88> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express> <https://registry.npmjs.org/@types/express/-/express-4.17.25.tgz>

MIT express-4.20.0.tgz Fast, unopinionated, minimalist web framework
<https://index.mend.io/gri/app/reader/resource/content/asString/003b0480-5f39-4133-aa94-f2fal975100> "2009-2014 Copyright 2009-2014 TJ Holowaychuk <tj@vision-media.ca> 2013-2014 Copyright 2013-2014 Roman Shtylman <shtylman 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>" <http://expressjs.com/>
<https://registry.npmjs.org/express/-/express-4.20.0.tgz>

MIT express-4.21.0.tgz Fast, unopinionated, minimalist web framework
<https://index.mend.io/gri/app/reader/resource/content/asString/492deb52-c3dd-4635-a82c-594805176090> "2009-2014 Copyright 2009-2014 TJ Holowaychuk <tj@vision-media.ca> 2013-2014 Copyright 2013-2014 Roman Shtylman <shtylman 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>" <http://expressjs.com/>
<https://registry.npmjs.org/express/-/express-4.21.0.tgz>

MIT express-4.21.2.tgz Fast, unopinionated, minimalist web framework
<https://index.mend.io/gri/app/reader/resource/content/asString/f34c793a-72ba-46f5-ab14-flf2e97a4e9b> "2009-2014 Copyright 2009-2014 TJ Holowaychuk <tj@vision-media.ca> 2013-2014 Copyright 2013-2014 Roman Shtylman <shtylman 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>" <http://expressjs.com/>
<https://registry.npmjs.org/express/-/express-4.21.2.tgz>

MIT express-joi-validation-3.0.0.tgz validate express application inputs and parameters using joi
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e2873261-ale7-4905-a337-ele67d08e791> 2017 Copyright 2017 Evan Shortiss <evanshortiss@gmail.com>
<https://github.com/evanshortiss/express-joi-validation#readme>
<https://registry.npmjs.org/express-joi-validation/-/express-joi-validation-3.0.0.tgz>

MIT express-openapi-validator-4.13.9.tgz Automatically validate API requests and responses with OpenAPI 3 and Express.

<https://www.npmjs.com/package/express-openapi-validator/v/4.13.9>
2019 Copyright 2019 Carmine M. DiMascio
<https://github.com/cdimascio/express-openapi-validator#readme>
<https://registry.npmjs.org/express-openapi-validator/-/express-openapi-validator-4.13.9.tgz>

MIT express-serve-static-core-4.17.43.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f83ef8a7-a48b-4d69-a31f-52bd2d9c38fc> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express-serve-static-core> <https://registry.npmjs.org/@types/express-serve-static-core/-/express-serve-static-core-4.17.43.tgz>

MIT express-serve-static-core-4.19.6.tgz TypeScript definitions for express-serve-static-core
<https://index.mend.io/gri/app/reader/resource/content/asString/417b4c1b-4cbf-4900-9c8b-ca01c5ca429b> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express-serve-static-core> <https://registry.npmjs.org/@types/express-serve-static-core/-/express-serve-static-core-4.19.6.tgz>

MIT express-serve-static-core-4.19.7.tgz TypeScript definitions for express-serve-static-core
<https://index.mend.io/gri/app/reader/resource/content/asString/2eb390f2-e6fd-4fbb-aa3e-4311aeba49ef> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/express-serve-static-core> <https://registry.npmjs.org/@types/express-serve-static-core/-/express-serve-static-core-4.19.7.tgz>

MIT express-session-1.18.1.tgz Simple session middleware for Express
<https://index.mend.io/gri/app/reader/resource/content/asString/9656daed-b0b0-42f7-9da8-361f4e046432> "2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca> 2010 Copyright 2010 Sencha Inc 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/expressjs/session#readme>
<https://registry.npmjs.org/express-session/-/express-session-1.18.1.tgz>

MIT express-session-1.18.2.tgz Simple session middleware for Express
<https://www.npmjs.com/package/express-session> "2011 Copyright 2011 TJ Holowaychuk <tj@vision-media.ca> 2010 Copyright 2010 Sencha Inc 2014-2015 Copyright 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>" <https://github.com/expressjs/session#readme>
<https://registry.npmjs.org/express-session/-/express-session-1.18.2.tgz>

MIT express-winston-4.2.0.tgz express.js middleware for winstonjs/winston
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7e22d3e1-01ee-4315-8891-44f036d19941> "2012 Copyright 2012 Bithavoc.io - <http://bithavoc.io> 2012 Copyright 2012 Bithavoc.io and Contributors - <http://bithavoc.io>" <https://github.com/bithavoc/express-winston#readme> <https://registry.npmjs.org/express-winston/-/express-winston-4.2.0.tgz>

MIT extend-3.0.2.tgz Port of jQuery.extend for node.js and the browser
<https://github.com/justmoon/node-extend#readme> 2014 Copyright
 2014 Stefan Thomas <https://github.com/justmoon/node-extend#readme>
<https://registry.npmjs.org/extend/-/extend-3.0.2.tgz>

MIT extsprintf-1.3.0.tgz extended POSIX-style sprintf
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9387e2a0-ald4-413b-8362-21508d28587f> 2012 Copyright 2012
 Joyent, Inc <https://github.com/davepacheco/node-extsprintf>
<https://registry.npmjs.org/extsprintf/-/extsprintf-1.3.0.tgz>

MIT eyes-0.1.8.tgz a customizable value inspector
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/51a7793e-7ea7-4905-813f-f6fdelffa727> 2009 Copyright 2009
 cloudhead <https://registry.npmjs.org/eyes/-/eyes-0.1.8.tgz>
<https://registry.npmjs.org/eyes/-/eyes-0.1.8.tgz>

MIT fast-csv-4.3.6.tgz CSV parser and writer
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5fc42441-b439-4925-8b5c-646b9d6156f2> 2011-2019 Copyright
 2011-2019 C <http://c2fo.github.com/fast-csv>
<https://registry.npmjs.org/fast-csv/-/fast-csv-4.3.6.tgz>

MIT fast-deep-equal-3.1.3.tgz Fast deep equal
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b9d4c5b7-9bc5-4910-bcb2-8dd86c6569c1> 2017 Copyright 2017
 Evgeny Poberezkin <https://github.com/epoberezkin/fast-deep-equal#readme>
<https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz>

MIT fast-json-stable-stringify-2.1.0.tgz deterministic
 `JSON.stringify()` - a faster version of substack's json-stable-strigify
 without jsonify <https://github.com/epoberezkin/fast-json-stable-stringify>
 "2013 Copyright 2013 James Halliday
 2017 Copyright 2017 Evgeny Poberezkin"
<https://github.com/epoberezkin/fast-json-stable-stringify>
<https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.0.tgz>

MIT fast-png-6.4.0.tgz PNG image decoder and encoder written
 entirely in JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/7342377c-f52c-43f5-a833-b54c38f754ff> 2015 Copyright 2015 Michaël Zasso
<https://github.com/image-js/fast-png#readme>
<https://registry.npmjs.org/fast-png/-/fast-png-6.4.0.tgz>

MIT fast-safe-stringify-2.1.1.tgz Safely and quickly serialize
 JavaScript objects
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4e5e39ce-c889-4c06-80fa-872bc0555355> "2017 Copyright 2017
 David Mark Clements & Matteo Collina 2018 Copyright 2018 David Mark
 Clements, Matteo Collina & Ruben Bridgewater 2016 Copyright 2016 David
 Mark Clements" <https://github.com/davidmarkclements/fast-safe-stringify>

stringify#readme <https://registry.npmjs.org/fast-safe-stringify/-/fast-safe-stringify-2.1.1.tgz>

MIT fast-xml-parser-4.5.0.tgz Validate XML, Parse XML, Build XML without C/C++ based libraries
<https://index.mend.io/gri/app/reader/resource/content/asString/d07d2f88-50e1-495f-9469-7896bb5b95a2> 2017 Copyright 2017 Amit Kumar Gupta
<https://github.com/NaturalIntelligence/fast-xml-parser#readme>
<https://registry.npmjs.org/fast-xml-parser/-/fast-xml-parser-4.5.0.tgz>

MIT fd-slicer-1.1.0.tgz safely create multiple ReadStream or WriteStream objects from the same file descriptor
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4fccc10b-5c5c-481b-bb2f-89d02d7b3f24> 2014 Copyright 2014 Andrew Kelley
<https://github.com/andrewrk/node-fd-slicer#readme>
<https://registry.npmjs.org/fd-slicer/-/fd-slicer-1.1.0.tgz>

MIT feature-policy-0.3.0.tgz Middleware to set the Feature-Policy HTTP header
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7a4dd70f-8c64-4245-a80c-8586a8abf9ae> 2018-2019 Copyright 2018-2019 Evan Hahn
<https://helmetjs.github.io/docs/feature-policy/>
<https://registry.npmjs.org/feature-policy/-/feature-policy-0.3.0.tgz>

MIT fecha-2.3.3.tgz Date formatting and parsing
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/253cae29-b133-47a6-89b2-4254ded83e3e> 2015 Copyright 2015 Taylor Hakes
<https://github.com/taylorhakes/fecha>
<https://registry.npmjs.org/fecha/-/fecha-2.3.3.tgz>

MIT fecha-4.2.3.tgz Date formatting and parsing
<https://index.mend.io/gri/app/reader/resource/content/asString/a034949c-feda-47fb-b757-e3a97cdb4e2b> "2005 parse('November 4, 2005', 'longDate'); // new Date(2005, 10, 4) 1971-2030 Copyright 1971-2030 td> 2014 Copyright 2014 rd, 2015 Copyright 2015 Taylor Hakes"
<https://github.com/taylorhakes/fecha>
<https://registry.npmjs.org/fecha/-/fecha-4.2.3.tgz>

MIT fflate-0.8.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/72a73d5b-f189-4050-9ae7-3a6adffa4799> "Copyright library 2023 Copyright 2023 Arjun Barrett"
<https://101arrowz.github.io/fflate>
<https://registry.npmjs.org/fflate/-/fflate-0.8.2.tgz>

MIT figures-1.7.0.tgz Unicode symbols with Windows CMD fallbacks
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4f230362-ef9a-4b9f-aa94-52f0365ed15a> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/figures#readme>
<https://registry.npmjs.org/figures/-/figures-1.7.0.tgz>

MIT file-saver-2.0.5.tgz An HTML5 saveAs() FileSaver implementation
<https://index.mend.io/gri/app/reader/resource/content/asString/b0228248-237f-46a7-8e0f-940686208a19> 2016 Copyright 2016 "Eli Grey"
 (http://eligrey.com) <https://github.com/eligrey/FileSaver.js#readme>
<https://registry.npmjs.org/file-saver/-/file-saver-2.0.5.tgz>

MIT file-stream-rotator-0.4.1.tgz Automated stream rotation useful for log files
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/85596b04-c668-47aa-9ba2-2e5c3bebc870>
<https://github.com/rogerc/file-stream-rotator#readme>
<https://registry.npmjs.org/file-stream-rotator/-/file-stream-rotator-0.4.1.tgz>

MIT file-stream-rotator-0.6.1.tgz Automated stream rotation useful for log files
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/45d60d9e-ea84-475c-821b-ecad386a0242> 2022 Copyright 2022 Roger Castells
<https://github.com/rogerc/file-stream-rotator#readme>
<https://registry.npmjs.org/file-stream-rotator/-/file-stream-rotator-0.6.1.tgz>

MIT file-type-3.9.0.tgz Detect the file type of a Buffer/Uint8Array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62ddb9b-4383-44a2-916b-d3c3ad7142b4> "Copyright Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/file-type#readme>
<https://registry.npmjs.org/file-type/-/file-type-3.9.0.tgz>

MIT file-type-5.2.0.tgz Detect the file type of a Buffer/Uint8Array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d51b9782-0adb-4952-a28f-640d370176ea> "Copyright Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/file-type#readme>
<https://registry.npmjs.org/file-type/-/file-type-5.2.0.tgz>

MIT file-type-6.2.0.tgz Detect the file type of a Buffer/Uint8Array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/85958009-1f0f-4164-aae5-3eab0ce6b399> "Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com) Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/file-type#readme>
<https://registry.npmjs.org/file-type/-/file-type-6.2.0.tgz>

MIT file-uri-to-path-1.0.0.tgz Convert a file: URI to a file path
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8a1f4e42-ea55-4470-9763-dab91fe41cd1> 2014 Copyright 2014 Nathan Rajlich <nathan@tootallnate.net>
<https://github.com/TooTallNate/file-uri-to-path>
<https://registry.npmjs.org/file-uri-to-path/-/file-uri-to-path-1.0.0.tgz>

MIT finalhandler-1.2.0.tgz Node.js final http responder
<https://index.mend.io/gri/app/reader/resource/content/asString/7627aa7c-440c-42f8-9a6d-e4738ed037ea> 2014-2022 Copyright 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>
<https://github.com/pillarjs/finalhandler#readme>
<https://registry.npmjs.org/finalhandler/-/finalhandler-1.2.0.tgz>

MIT finalhandler-1.3.1.tgz Node.js final http responder
<https://index.mend.io/gri/app/reader/resource/content/asString/7571696b-eb57-4bc4-90ef-07979e9d3ba9> 2014-2022 Copyright 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>
<https://github.com/pillarjs/finalhandler#readme>
<https://registry.npmjs.org/finalhandler/-/finalhandler-1.3.1.tgz>

MIT find-process-1.4.11.tgz find process info by port/pid/name etc.
<https://index.mend.io/gri/app/reader/resource/content/asString/29a62066-2059-4a57-b037-67bc9558b4ec> 2016 Copyright 2016 Zoujie
<https://github.com/yibn2008/find-process#readme>
<https://registry.npmjs.org/find-process/-/find-process-1.4.11.tgz>

MIT find-process-2.0.0.tgz find process info by port/pid/name etc.
<https://index.mend.io/gri/app/reader/resource/content/asString/21b2d3d3-da94-4494-a711-8338c0505771> 2016 Copyright 2016 Zoujie
<https://github.com/yibn2008/find-process#readme>
<https://registry.npmjs.org/find-process/-/find-process-2.0.0.tgz>

MIT find-root-1.1.0.tgz find the closest package.json
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2c2c37f5-ce3a-4e26-8246-1acfbf4a3d4a> 2017 Copyright 2017 jsdnxx
<https://github.com/js-n/find-root#readme>
<https://registry.npmjs.org/find-root/-/find-root-1.1.0.tgz>

MIT fn.name-1.1.0.tgz Extract names from functions
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9cf2e1d0-7266-477f-a78f-180078a5436d> 2015 Copyright 2015 Arnout Kazemier, Martijn Swaagman, the Contributors
<https://github.com/3rd-Eden/fn.name>
<https://registry.npmjs.org/fn.name/-/fn.name-1.1.0.tgz>

MIT fn-name-3.0.0.tgz Get the name of a named function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/934742e1-88a4-4560-b8f1-a21398dc1544> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/fn-name#readme>
<https://registry.npmjs.org/fn-name/-/fn-name-3.0.0.tgz>

MIT follow-redirects-1.15.11.tgz HTTP and HTTPS modules that follow redirects.
<https://index.mend.io/gri/app/reader/resource/content/asString/3ab7099f-96b7-4bd3-b4c4-7f707c4d1c90> 2014 Copyright 2014 Olivier Lalonde

<olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
 <https://github.com/follow-redirects/follow-redirects>
 <https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz>

MIT follow-redirects-1.15.6.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/88741df9-f335-4f25-9384-b69209ec7a18> 2014 Copyright 2014 Olivier Lalonde
<olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
 <https://github.com/follow-redirects/follow-redirects>
 <https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.6.tgz>

MIT follow-redirects-1.15.9.tgz HTTP and HTTPS modules that follow redirects.
 <https://index.mend.io/gri/app/reader/resource/content/asString/9024f072-e5b8-4b82-9853-cee1812e581d> 2014 Copyright 2014 Olivier Lalonde
<olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh
 <https://github.com/follow-redirects/follow-redirects>
 <https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.9.tgz>

MIT fontkit-1.1.1.tgz An advanced font engine for Node and the browser
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b36946d8-79c9-4db7-9aa3-19091961aebc>
 <https://github.com/Hopding/fontkit> <https://registry.npmjs.org/@pdf-lib/fontkit/-/fontkit-1.1.1.tgz>

MIT for-each-0.3.5.tgz A better forEach
 <https://index.mend.io/gri/app/reader/resource/content/asString/ee3d15f3-c277-423a-b79d-85c4f433a018> 2012 Copyright 2012 Raynos
 <https://github.com/Raynos/for-each> <https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz>

MIT format-4.3.5.tgz fast-csv formatting module
 <https://index.mend.io/gri/app/reader/resource/content/asString/433680a9-d599-48c6-85c4-4f84e1fc90eb> 2011-2019 Copyright 2011-2019 C
 <http://c2fo.github.com/fast-csv/packages/format>
 <https://registry.npmjs.org/@fast-csv/format/-/format-4.3.5.tgz>

MIT formatter-1.2.5.tgz Formats SQL queries. Part of SQLTools
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5310f7d2-76ec-4fab-b645-d37deed90d50> 2019 Copyright 2019
Matheus Teixeira <https://github.com/mtxr/vscode-sqltools#readme>
 <https://registry.npmjs.org/@sqltools/formatter/-/formatter-1.2.5.tgz>

MIT form-data-3.1.1.tgz A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4998a4ff-6070-458a-b87e-cdfe454b62d7> "2012 Copyright 2012
Felix Geisendörfer (felix@debuggable.com) and contributors

2020 Copyright 2020 Postman Inc" <https://github.com/postmanlabs/form-data#readme> <https://registry.npmjs.org/@postman/form-data/-/form-data-3.1.1.tgz>

MIT form-data-4.0.4.tgz A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.
<https://index.mend.io/gri/app/reader/resource/content/asString/52359521-91f8-46d2-8a85-484a887617b1> 2012 Copyright 2012 Felix Geisendörfer (felix@debuggable.com) and contributors <https://github.com/form-data/form-data#readme> <https://registry.npmjs.org/form-data/-/form-data-4.0.4.tgz>

MIT form-data-4.0.5.tgz A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.
<https://index.mend.io/gri/app/reader/resource/content/asString/92687df8-f443-4fbc-82c4-0846a5613301> 2012 Copyright 2012 Felix Geisendörfer felix@debuggable.com and contributors <https://github.com/form-data/form-data#readme> <https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz>

MIT forwarded-0.2.0.tgz Parse HTTP X-Forwarded-For header
<https://index.mend.io/gri/app/reader/resource/content/asString/6fae9da0-75ae-4c87-9804-24a6c828b36d> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/jshttp/forwarded#readme> <https://registry.npmjs.org/forwarded/-/forwarded-0.2.0.tgz>

MIT fresh-0.5.2.tgz HTTP response freshness testing
<https://github.com/jshttp/fresh#readme> "2016-2017 Copyright 2016-2017 Douglas Christopher Wilson <doug@somethingdoug.com> 2012 Copyright 2012 TJ Holowaychuk <tj@vision-media.ca>"
<https://github.com/jshttp/fresh#readme>
<https://registry.npmjs.org/fresh/-/fresh-0.5.2.tgz>

MIT from-0.1.7.tgz Easy way to make a Readable Stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a344c70f-9e05-45f7-907d-ce59a9572f18> 2011 Copyright 2011 Dominic Tarr <https://github.com/dominictarr/from#readme> <https://registry.npmjs.org/from/-/from-0.1.7.tgz>

MIT fs-constants-1.0.0.tgz Require constants across node and the browser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fe80b96c-e4f5-4fab-9efd-2141070e2499> 2018 Copyright 2018 Mathias Buus <https://github.com/mafintosh/fs-constants> <https://registry.npmjs.org/fs-constants/-/fs-constants-1.0.0.tgz>

MIT fs-extra-11.3.2.tgz fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as recursive mkdir, copy, and remove.
<https://index.mend.io/gri/app/reader/resource/content/asString/16261f67-740e-4df8-8ada-54221f4c87fc> 2011-2024 Copyright 2011-2024 JP

Richardson <https://github.com/jprichardson/node-fs-extra>
<https://registry.npmjs.org/fs-extra/-/fs-extra-11.3.2.tgz>

MIT fs-extra-4.0.3.tgz fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as mkdir -p, cp -r, and rm -rf. <https://github.com/jprichardson/node-fs-extra> "2011-2017 Copyright 2011-2017 JP Richardson 2011-2017 Copyright 2011-2017 [JP Richardson] (<https://github.com/jprichardson>) "
<https://github.com/jprichardson/node-fs-extra>
<https://registry.npmjs.org/fs-extra/-/fs-extra-4.0.3.tgz>

MIT function.prototype.name-1.1.8.tgz An ES2015 spec-compliant `Function.prototype.name` shim
<https://index.mend.io/gri/app/reader/resource/content/asString/1bb2d862-d0ca-43ca-8442-0cb74d2052aa> 2016 Copyright 2016 Jordan Harband
<https://github.com/es-shims/Function.prototype.name#readme>
<https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-1.1.8.tgz>

MIT function-bind-1.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4fff819f-5ebd-402d-8e69-81c0ad388f77> 2013 Copyright 2013 Raynos
<https://github.com/Raynos/function-bind>
<https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz>

MIT functions-have-names-1.2.3.tgz Does this JS environment support the `name` property on functions?
<https://index.mend.io/gri/app/reader/resource/content/asString/f4aac483-0c0f-481e-ab75-cad321614da9> 2019 Copyright 2019 Jordan Harband
<https://github.com/inspect-js/functions-have-names#readme>
<https://registry.npmjs.org/functions-have-names/-/functions-have-names-1.2.3.tgz>

MIT generator-7.28.3.tgz Turns an AST into code.
<https://index.mend.io/gri/app/reader/resource/content/asString/ee86bee2-eaf8-4bf2-a6b8-fb755cede0ee> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-generator>
<https://registry.npmjs.org/@babel/generator/-/generator-7.28.3.tgz>

MIT generator-function-2.0.0.tgz A function that returns the normally hidden `GeneratorFunction` constructor
<https://index.mend.io/gri/app/reader/resource/content/asString/54026d49-3baf-4d99-af10-01f1fcea65f5> 2015 Copyright 2015 Tiancheng "Timothy" Gu
<https://github.com/ljharb/generator-function#readme>
<https://registry.npmjs.org/generator-function/-/generator-function-2.0.0.tgz>

MIT generator-function-2.0.1.tgz A function that returns the normally hidden `GeneratorFunction` constructor
<https://index.mend.io/gri/app/reader/resource/content/asString/813a6480-20d1-494d-ab0c-82ff9fac8243> 2015 Copyright 2015 Tiancheng "Timothy" Gu
<https://github.com/TimothyGu/generator-function#readme>

<https://registry.npmjs.org/generator-function/-/generator-function-2.0.1.tgz>

MIT generic-pool-2.5.4.tgz Generic resource pooling for Node.JS
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40c9daa1-1a6c-45f1-8f40-2a4e2b87ac01> 2010-2016 Copyright 2010-2016 James Cooper <james@bitmechanic.com>
<https://github.com/coopernurse/node-pool#readme>
<https://registry.npmjs.org/generic-pool/-/generic-pool-2.5.4.tgz>

MIT gen-mapping-0.3.13.tgz Generate source maps
<https://index.mend.io/gri/app/reader/resource/content/asString/0bf50bb3-fa4f-4c42-a653-a25c98ae11be> 2024 Copyright 2024 Justin Ridgewell <justin@ridgewell.name>
<https://github.com/jridgewell/sourcemap/tree/main/packages/gen-mapping> <https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz>

MIT get-intrinsic-1.3.0.tgz Get and robustly cache all JS language-level intrinsics at first require time
<https://index.mend.io/gri/app/reader/resource/content/asString/918f3ec8-6d85-408b-b9e3-394f81864bb3> 2020 Copyright 2020 Jordan Harband
<https://github.com/ljharb/get-intrinsic#readme>
<https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz>

MIT get-intrinsic-1.3.1.tgz Get and robustly cache all JS language-level intrinsics at first require time
<https://index.mend.io/gri/app/reader/resource/content/asString/551ae5ec-04e9-4e42-bd7e-a9e451fa3689> 2020 Copyright 2020 Jordan Harband
<https://github.com/ljharb/get-intrinsic#readme>
<https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.1.tgz>

MIT getpass-0.1.7.tgz getpass for node.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1c4bb020-2b71-4773-a2ec-270ba6da53e2> Copyright Joyent, Inc
<https://github.com/arekinath/node-getpass#readme>
<https://registry.npmjs.org/getpass/-/getpass-0.1.7.tgz>

MIT get-stdin-4.0.1.tgz Easier stdin
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6df651ba-50f3-4b81-986c-7e201b1b6959> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/get-stdin>
<https://registry.npmjs.org/get-stdin/-/get-stdin-4.0.1.tgz>

MIT get-stream-2.3.1.tgz Get a stream as a string, buffer, or array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dae9b3d0-eee4-41de-8bdd-21b16c3ec3d0> "Copyright Sindre Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/get-stream#readme>
 <https://registry.npmjs.org/get-stream/-/get-stream-2.3.1.tgz>

MIT get-stream-5.2.0.tgz Get a stream as a string, buffer, or array
 <https://github.com/sindresorhus/get-stream#readme> Copyright Sindre
 Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
 <https://github.com/sindresorhus/get-stream#readme>
 <https://registry.npmjs.org/get-stream/-/get-stream-5.2.0.tgz>

MIT get-symbol-description-1.1.0.tgz Gets the description of a Symbol.
 Handles `Symbol()` vs `Symbol('')` properly when possible.
 [https://index.mend.io/gri/app/reader/resource/content/asString/a7ac
 09ad-bac9-4ffc-b556-bad4c1fc670e](https://index.mend.io/gri/app/reader/resource/content/asString/a7ac09ad-bac9-4ffc-b556-bad4c1fc670e) 2021 Copyright 2021 Inspect JS
 <https://github.com/inspect-js/get-symbol-description#readme>
 [https://registry.npmjs.org/get-symbol-description/-/get-symbol-
 description-1.1.0.tgz](https://registry.npmjs.org/get-symbol-description/-/get-symbol-
 description-1.1.0.tgz)

MIT github-from-package-0.0.0.tgz return the github url from a
 package.json file
 [https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
 nt/asString/fb01cac2-b339-43ca-aa80-c93c731797d4](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fb01cac2-b339-43ca-aa80-c93c731797d4) James Halliday
 <https://github.com/substack/github-from-package>
 [https://registry.npmjs.org/github-from-package/-/github-from-
 package-0.0.0.tgz](https://registry.npmjs.org/github-from-package/-/github-from-
 package-0.0.0.tgz)

MIT globalthis-1.0.4.tgz
 [https://index.mend.io/gri/app/reader/resource/content/asString/403f
 c1cf-6e44-49c9-86fd-3cc5ddf531ed](https://index.mend.io/gri/app/reader/resource/content/asString/403fc1cf-6e44-49c9-86fd-3cc5ddf531ed) 2016 Copyright 2016 Jordan Harband
 <https://github.com/ljharb/System.global#readme>
 <https://registry.npmjs.org/globalthis/-/globalthis-1.0.4.tgz>

MIT google.maps-3.58.1.tgz TypeScript definitions for google.maps
 [https://index.mend.io/gri/app/reader/resource/content/asString/ab06
 9778-b066-41de-8dff-c85362b02244](https://index.mend.io/gri/app/reader/resource/content/asString/ab069778-b066-41de-8dff-c85362b02244) Copyright Microsoft Corporation
 [https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/type
 s/google.maps](https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/google.maps) [https://registry.npmjs.org/@types/google.maps/-
 /google.maps-3.58.1.tgz](https://registry.npmjs.org/@types/google.maps/-
 /google.maps-3.58.1.tgz)

MIT gopd-1.2.0.tgz `Object.getOwnPropertyDescriptor`, but accounts
 for IE's broken implementation.
 [https://index.mend.io/gri/app/reader/resource/content/asString/4d2b
 824a-5963-4ed6-9d0b-f7955280948a](https://index.mend.io/gri/app/reader/resource/content/asString/4d2b824a-5963-4ed6-9d0b-f7955280948a) 2022 Copyright 2022 Jordan Harband
 <https://github.com/ljharb/gopd#readme>
 <https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz>

MIT har-validator-5.1.5.tgz Extremely fast HTTP Archive (HAR)
 validator using JSON Schema
 [https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
 nt/asString/ada8c6c5-1b7e-4c2e-b260-44a17b866d9b](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ada8c6c5-1b7e-4c2e-b260-44a17b866d9b) 2018 Copyright 2018
 Ahmad Nassri <ahmad@ahmadnassri.com>
 <https://github.com/ahmadnassri/node-har-validator>
 <https://registry.npmjs.org/har-validator/-/har-validator-5.1.5.tgz>

MIT has-1.0.4.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f85b5e2f-49e3-4400-acf1-9f3dadfc246d> 2013 Copyright 2013
 Thiago de Arruda <https://github.com/tarruda/has>
<https://registry.npmjs.org/has/-/has-1.0.4.tgz>

MIT has-ansi-2.0.0.tgz Check if a string has ANSI escape codes
<https://github.com/nodejs/node/blob/master/LICENSE> "Copyright
 Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/has-ansi>
<https://registry.npmjs.org/has-ansi/-/has-ansi-2.0.0.tgz>

MIT has-bigints-1.1.0.tgz Determine if the JS environment has BigInt
 support.
<https://index.mend.io/gri/app/reader/resource/content/asString/b30cbaa3-7673-4100-8dfc-6c9a2db6b941> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/has-bigints#readme>
<https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz>

MIT has-flag-3.0.0.tgz Check if argv has a specific flag
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/432d494f-d445-4ade-8a50-a8821b1f5c9f> "Copyright Sindre
 Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/has-flag#readme>
<https://registry.npmjs.org/has-flag/-/has-flag-3.0.0.tgz>

MIT has-flag-4.0.0.tgz Check if argv has a specific flag
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6962406e-be41-4ab5-9259-fe68620f36f4> "Copyright Sindre
 Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/has-flag#readme>
<https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz>

MIT hash-0.9.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/8535bbb7-fad4-4ecf-a04d-2caee332cd2c> "Copyright Emotion team and other
 contributors 2016 Copyright 2016 Kye Hohenberger"
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/hash/-/hash-0.9.1.tgz>

MIT hasown-2.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bela4d5-56d0-45ab-80c1-3fd8c5955691> Copyright Jordan Harband and
 contributors <https://github.com/inspect-js/hasOwn#readme>
<https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz>

MIT has-property-descriptors-1.0.2.tgz <https://github.com/inspect-js/has-property-descriptors?tab=MIT-1-ov-file#readme> 2022 Copyright
 2022 Inspect JS <https://github.com/inspect-js/has-property->

descriptors#readme <https://registry.npmjs.org/has-property-descriptors/-/has-property-descriptors-1.0.2.tgz>

MIT has-proto-1.2.0.tgz Does this environment have the ability to get the [[Prototype]] of an object on creation with `\_\_proto\_\_`?
<https://index.mend.io/gri/app/reader/resource/content/asString/e088aa7b-0059-44c3-ab14-34aa426b35db> 2022 Copyright 2022 Inspect JS
<https://github.com/inspect-js/has-proto#readme>
<https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz>

MIT has-symbols-1.1.0.tgz Determine if the JS environment has Symbol support. Supports spec, or shams.
<https://index.mend.io/gri/app/reader/resource/content/asString/978dbla5-a727-4d7a-898e-bf3f43c9ba2d> 2016 Copyright 2016 Jordan Harband
<https://github.com/ljharb/has-symbols#readme>
<https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz>

MIT has-tostringtag-1.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9e0372a8-407f-426a-8713-80107dd32f28> 2021 Copyright 2021 Inspect JS
<https://github.com/inspect-js/has-tostringtag#readme>
<https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz>

MIT helmet-3.23.3.tgz help secure Express/Connect apps with various HTTP headers
<https://index.mend.io/gri/app/reader/resource/content/asString/401cc403-7699-404e-896c-973ca041ba33> 2012-2020 Copyright 2012-2020 Evan Hahn, Adam Baldwin <https://helmetjs.github.io/>
<https://registry.npmjs.org/helmet/-/helmet-3.23.3.tgz>

MIT helmet-crossdomain-0.4.0.tgz Set the X-Permitted-Cross-Domain-Policies header in Express apps
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f5517064-efd8-48ed-a53b-06c4bec9ca6f> 2014-2019 Copyright 2014-2019 Evan Hahn, Adam Baldwin
<https://helmetjs.github.io/docs/crossdomain/>
<https://registry.npmjs.org/helmet-crossdomain/-/helmet-crossdomain-0.4.0.tgz>

MIT helmet-csp-2.10.0.tgz Content Security Policy middleware.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0dd66c0d-d6fc-458c-9f4e-07ff1318a2b7> 2014-2020 Copyright 2014-2020 Evan Hahn, Adam Baldwin <https://helmetjs.github.io/docs/csp/>
<https://registry.npmjs.org/helmet-csp/-/helmet-csp-2.10.0.tgz>

MIT helper-globals-7.28.0.tgz A collection of JavaScript globals for Babel internal usage <https://github.com/babel/babel.git> 2014 Copyright 2014 Sebastian McKenzie and other contributors
<https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz> <https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz>

MIT helper-module-imports-7.27.1.tgz Babel helper functions for inserting module loads
<https://index.mend.io/gri/app/reader/resource/content/asString/21d849d9-1c8a-42ae-a2a0-7e79a89e5a13> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-module-imports> <https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.27.1.tgz>

MIT helper-string-parser-7.27.1.tgz A utility package to parse strings
<https://index.mend.io/gri/app/reader/resource/content/asString/61ce199d-9068-4633-b1a4-9223a2079f01> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-helper-string-parser> <https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz>

MIT helper-validator-identifier-7.27.1.tgz Validate identifier/keywords name
<https://index.mend.io/gri/app/reader/resource/content/asString/fa49c13e-ac66-4843-a87a-c39d3ada0e1c> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.27.1.tgz>
<https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.27.1.tgz>

MIT helper-validator-identifier-7.28.5.tgz Validate identifier/keywords name
<https://index.mend.io/gri/app/reader/resource/content/asString/df6c4619-48cf-431c-a95a-dele73ff1da7> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz>
<https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz>

MIT hide-powered-by-1.1.0.tgz Middleware to remove the X-Powered-By header
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/16c3287f-25ec-4832-9813-75ed1c792a67> "2014-2019 Copyright 2014-2019 Evan Hahn 2014-2019 Copyright 2014-2019 Evan Hahn, Adam Baldwin" <https://helmetjs.github.io/docs/hide-powered-by/>
<https://registry.npmjs.org/hide-powered-by/-/hide-powered-by-1.1.0.tgz>

MIT highlight-words-core-1.2.3.tgz Utility functions shared by react-highlight-words and react-native-highlight-words
<https://index.mend.io/gri/app/reader/resource/content/asString/4ec3b951-2b9c-4ddf-b31b-65f7a4a4c3ff> 2015 Copyright 2015 Treasure Data
<https://registry.npmjs.org/highlight-words-core/-/highlight-words-core-1.2.3.tgz> <https://registry.npmjs.org/highlight-words-core/-/highlight-words-core-1.2.3.tgz>

MIT history-4.10.1.tgz Manage session history with JavaScript
<https://github.com/ReactTraining/history#readme> Copyright React

Training 2016-2018 <https://github.com/ReactTraining/history#readme>
<https://registry.npmjs.org/history/-/history-4.10.1.tgz>

MIT hoist-non-react-statics-3.3.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/da431d58-06b2-4a39-b396-c7af0f9d75c1> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/hoist-non-react-statics> <https://registry.npmjs.org/@types/hoist-non-react-statics/-/hoist-non-react-statics-3.3.4.tgz>

MIT hoist-non-react-statics-3.3.6.tgz TypeScript definitions for hoist-non-react-statics
<https://index.mend.io/gri/app/reader/resource/content/asString/b36fa28d-877a-44c8-b221-1ec7d9f5212b> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/hoist-non-react-statics> <https://registry.npmjs.org/@types/hoist-non-react-statics/-/hoist-non-react-statics-3.3.6.tgz>

MIT hoist-non-react-statics-3.3.7.tgz TypeScript definitions for hoist-non-react-statics
<https://index.mend.io/gri/app/reader/resource/content/asString/ef647e23-252b-4d64-a7a4-10a308d85dd1> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/hoist-non-react-statics> <https://registry.npmjs.org/@types/hoist-non-react-statics/-/hoist-non-react-statics-3.3.7.tgz>

MIT hooker-0.2.3.tgz Monkey-patch (hook) functions for debugging and stuff.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2584baf4-fc18-4463-ae9d-a031252c3e8e> 2012 Copyright 2012 Cowboy" Ben Alman
<http://github.com/cowboy/javascript-hooker>
<https://registry.npmjs.org/hooker/-/hooker-0.2.3.tgz>

MIT hpkp-2.0.0.tgz HTTP Public Key Pinning (HPKP) middleware
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ed035d69-c93c-4b21-bd0c-dec639f483dd> 2015-2016 Copyright 2015-2016 Evan Hahn <https://github.com/helmetjs/hpkp#readme>
<https://registry.npmjs.org/hpkp/-/hpkp-2.0.0.tgz>

MIT hsts-2.2.0.tgz HTTP Strict Transport Security middleware.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/707ea918-525e-4d02-8b62-73f20537f335> "2014-2019 Copyright 2014-2019 Evan Hahn
2014-2019 Copyright 2014-2019 Evan Hahn, Adam Baldwin"
<https://helmetjs.github.io/docs/hsts/>
<https://registry.npmjs.org/hsts/-/hsts-2.2.0.tgz>

MIT html2canvas-1.0.0-alpha.12.tgz Screenshots with JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4265b124-11e8-482b-8a61-7556241f1586> 2012 Copyright 2012 Niklas von Herten <https://html2canvas.hertzen.com>
<https://registry.npmjs.org/html2canvas/-/html2canvas-1.0.0-alpha.12.tgz>

MIT html2canvas-1.4.1.tgz Screenshots with JavaScript
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/694alef0-5ada-4c04-8caf-ded7d9e4d1c7> 2012 Copyright 2012
Niklas von Herten <https://html2canvas.herten.com>
 <https://registry.npmjs.org/html2canvas/-/html2canvas-1.4.1.tgz>

MIT html-dom-parser-1.2.0.tgz HTML to DOM parser.
 <https://index.mend.io/gri/app/reader/resource/content/asString/65002eee-ffffb-4f20-b98c-f2d316f9a048> 2016 Copyright 2016 Menglin "Mark" Xu
<mark@remarkablemark.org> <https://github.com/remarkablemark/html-dom-parser#readme>
 <https://registry.npmjs.org/html-dom-parser/-/html-dom-parser-1.2.0.tgz>

MIT htmlparser2-7.2.0.tgz Fast & forgiving HTML/XML parser
 <https://index.mend.io/gri/app/reader/resource/content/asString/f37b965d-9335-47fb-a2e0-362faad1bdaf> 2010-2011 Copyright 2010-2011 Chris
Winberry <chris@winberry.net>
 <https://github.com/fb55/htmlparser2#readme>
 <https://registry.npmjs.org/htmlparser2/-/htmlparser2-7.2.0.tgz>

MIT htmlparser2-8.0.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/9daf06e7-1591-4f80-ba65-0068b28fad72> 2010-2011 Copyright 2010-2011 Chris
Winberry <chris@winberry.net>
 <https://github.com/fb55/htmlparser2#readme>
 <https://registry.npmjs.org/htmlparser2/-/htmlparser2-8.0.2.tgz>

MIT html-parse-stringify-3.0.1.tgz Parses well-formed HTML (meaning
all tags closed) into an AST and back. quickly.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/92e9be21-a4c3-4982-8228-4a5b6b620c83> 2014-2022 npm, Inc.
 <https://github.com/henrikjoreteg/html-parse-stringify>
 <https://registry.npmjs.org/html-parse-stringify/-/html-parse-stringify-3.0.1.tgz>

MIT html-prettify-1.0.7.tgz HTML markup formatter
 <https://index.mend.io/gri/app/reader/resource/content/asString/45b62668-dbb8-49dc-ab62-b40656660697> 2020 Copyright 2020 Dominik Michal
 <https://github.com/Dmc0125/html-prettify#readme>
 <https://registry.npmjs.org/html-prettify/-/html-prettify-1.0.7.tgz>

MIT html-react-parser-1.4.14.tgz HTML to React parser.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/de8c20d6-dfbf-4007-a03d-03349e070a34> 2016 Copyright 2016
Menglin "Mark" Xu <mark@remarkablemark.org>
 <https://github.com/remarkablemark/html-react-parser#readme>
 <https://registry.npmjs.org/html-react-parser/-/html-react-parser-1.4.14.tgz>

MIT http-errors-1.7.3.tgz Create HTTP error objects
 <https://github.com/jshttp/http-errors#readme> "2014 Copyright 2014
Jonathan Ong me@jongleberry.com 2016 Copyright 2016 Douglas Christopher
Wilson doug@somethingdoug.com" <https://github.com/jshttp/http->

errors#readme <https://registry.npmjs.org/http-errors/-/http-errors-1.7.3.tgz>

MIT http-errors-1.8.1.tgz Create HTTP error objects
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9e462fb8-b113-456b-b280-9cef3cc8c469> "2014 Copyright 2014 Jonathan Ong me@jongleberry.com 2016 Copyright 2016 Douglas Christopher Wilson doug@somethingdoug.com" <https://github.com/jshttp/http-errors#readme> <https://registry.npmjs.org/http-errors/-/http-errors-1.8.1.tgz>

MIT http-errors-2.0.0.tgz Create HTTP error objects
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f8118c93-e3c4-44f6-8a56-600d761ab5b4> "2014 Copyright 2014 Jonathan Ong me@jongleberry.com 2016 Copyright 2016 Douglas Christopher Wilson doug@somethingdoug.com" <https://github.com/jshttp/http-errors#readme> <https://registry.npmjs.org/http-errors/-/http-errors-2.0.0.tgz>

MIT http-errors-2.0.4.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/fed75be2-cff9-46ee-a82f-20bf9ba34e8f> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/http-errors> <https://registry.npmjs.org/@types/http-errors/-/http-errors-2.0.4.tgz>

MIT http-errors-2.0.5.tgz TypeScript definitions for http-errors
 <https://index.mend.io/gri/app/reader/resource/content/asString/6e58be17-a38b-4f90-990d-58ff9943eb54> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/http-errors> <https://registry.npmjs.org/@types/http-errors/-/http-errors-2.0.5.tgz>

MIT http-proxy-1.18.1.tgz HTTP proxying for the masses
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/76ded69e-c6f2-467e-a63b-c7837bb5a480> "2010-2016 Copyright 2010-2016 Charlie Robbins, Jarrett Cruger & the Contributors 2010-2016 Copyright 2010-2016 Charlie Robbins, Jarrett Cruger & the Contributors. Permission is hereby granted," <https://github.com/http-party/node-http-proxy#readme> <https://registry.npmjs.org/http-proxy/-/http-proxy-1.18.1.tgz>

MIT http-proxy-agent-4.0.1.tgz An HTTP(s) proxy `http.Agent` implementation for HTTP
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e97bd892-0d4a-4083-9e2e-75b815e18f1a> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net>
 <https://github.com/TooTallNate/node-http-proxy-agent#readme> <https://registry.npmjs.org/http-proxy-agent/-/http-proxy-agent-4.0.1.tgz>

MIT http-proxy-agent-7.0.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/825fe4c4-f6ff-4b3c-b55e-f94f56fc10a0> 2013 Copyright 2013 Nathan Rajlich

<nathan@tootallnate.net> <https://github.com/TooTallNate/proxy-agents#readme> <https://registry.npmjs.org/http-proxy-agent/-/http-proxy-agent-7.0.2.tgz>

MIT [http-signature-1.3.6.tgz](#) Reference implementation of Joyent's HTTP Signature scheme.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fd4a7c73-15fa-47c2-9ee4-1a321882c0b3> Copyright Joyent, Inc
<https://github.com/joyent/node-http-signature/>
<https://registry.npmjs.org/http-signature/-/http-signature-1.3.6.tgz>

MIT [https-proxy-agent-2.2.4.tgz](#) An HTTP(s) proxy `http.Agent` implementation for HTTPS <https://github.com/TooTallNate/node-https-proxy-agent> "2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net>"
<https://github.com/TooTallNate/node-https-proxy-agent#readme>
<https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-2.2.4.tgz>

MIT [https-proxy-agent-5.0.1.tgz](#) An HTTP(s) proxy `http.Agent` implementation for HTTPS
<https://index.mend.io/gri/app/reader/resource/content/asString/c127697d-e95a-4d23-93e8-668af4b76320> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/node-https-proxy-agent#readme> <https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-5.0.1.tgz>

MIT [https-proxy-agent-7.0.5.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/da4bb827-5b1d-4e5a-8ce9-5c9e804ae376> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/proxy-agents#readme> <https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-7.0.5.tgz>

MIT [https-proxy-agent-7.0.6.tgz](#) An HTTP(s) proxy `http.Agent` implementation for HTTPS
<https://index.mend.io/gri/app/reader/resource/content/asString/b9562b27-55fe-4a3e-9f70-9fc5dfc1fa00> 2013 Copyright 2013 Nathan Rajlich <nathan@tootallnate.net> <https://github.com/TooTallNate/proxy-agents#readme> <https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-7.0.6.tgz>

MIT [humanize-ms-1.2.1.tgz](#) transform humanize time to ms
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8180e997-e14f-4d65-a54a-be49c46ef8fc> 2014 dead_horse
<https://github.com/node-modules/humanize-ms#readme>
<https://registry.npmjs.org/humanize-ms/-/humanize-ms-1.2.1.tgz>

MIT [i18n-0.14.0.tgz](#) lightweight translation module with dynamic json storage
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/52e4041d-3967-4162-9d0c-2cflae04b264> 2011 Copyright 2011 Marcus Spiegel <marcus.spiegel@gmail.com>

<http://github.com/mashpie/il8n-node>
<https://registry.npmjs.org/il8n/-/il8n-0.14.0.tgz>

MIT il8n-0.15.2.tgz lightweight translation module with dynamic json storage
<https://index.mend.io/gri/app/reader/resource/content/asString/33b75e9a-cbc6-4bd8-a181-bc36dd9e5997> 2011 Copyright 2011 Marcus Spiegel
<marcus.spiegel@gmail.com> <http://github.com/mashpie/il8n-node>
<https://registry.npmjs.org/il8n/-/il8n-0.15.2.tgz>

MIT il8n-0.5.0.tgz lightweight translation module with dynamic json storage
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7e4589f5-d5ad-4029-b3d2-2858086390ca> "2011-2014 Copyright 2011-2014 Marcus Spiegel 2011-2013 Copyright 2011-2013 Marcus Spiegel
<marcus.spiegel@gmail.com>" <http://github.com/mashpie/il8n-node>
<https://registry.npmjs.org/il8n/-/il8n-0.5.0.tgz>

MIT il8n-0.8.6.tgz lightweight translation module with dynamic json storage
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e71b743c-1a71-4d8a-a853-6ae3d185accb> 2011 Copyright 2011 Marcus Spiegel <marcus.spiegel@gmail.com>
<http://github.com/mashpie/il8n-node>
<https://registry.npmjs.org/il8n/-/il8n-0.8.6.tgz>

MIT il8next-19.9.2.tgz il8next internationalization framework
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a2f1cc7f-b26d-4fe8-b22c-20a0974cff37> 2017 Copyright 2017 il8next
<https://www.il8next.com>
<https://registry.npmjs.org/il8next/-/il8next-19.9.2.tgz>

MIT il8next-browser-languagedetector-4.3.1.tgz language detector used in browser environment for il8next
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f021138-582d-4d9b-8887-6fcd51bbb32b> 2015 Copyright 2015 il8next
<https://github.com/il8next/il8next-browser-languageDetector>
<https://registry.npmjs.org/il8next-browser-languagedetector/-/il8next-browser-languagedetector-4.3.1.tgz>

MIT il8next-http-backend-1.4.5.tgz il8next-http-backend is a backend layer for il8next using in Node.js, in the browser and for Deno.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1b7b9339-5c0d-4af2-8567-9e21c7c1fae5> 2022 Copyright 2022 il8next
<https://github.com/il8next/il8next-http-backend>
<https://registry.npmjs.org/il8next-http-backend/-/il8next-http-backend-1.4.5.tgz>

MIT ibm_db-3.2.4 https://github.com/ibmdb/node-ibm_db/blob/master/LICENSE "2013 Copyright 2013 Dan VerWeire
""dverweire@gmail.com"" (mailto:dverweire@gmail.com) 2014 Copyright 2014 IBM Corporation 2010 Copyright 2010 Lee Smith ""notwink@gmail.com""
(mailto:notwink@gmail.com)

2010 Copyright 2010 IBM Corporation <opendev@us.ibm.com> 2010 Copyright
2010 Lee Smith <notwink@gmail.com>" [https://github.com/ibmdb/node-](https://github.com/ibmdb/node-ibm_db/)
[ibm_db/ https://registry.npmjs.org/ibm_db/-/ibm_db-3.2.4.tgz](https://registry.npmjs.org/ibm_db/-/ibm_db-3.2.4.tgz)
ibmdb

MIT [ibm_db-3.2.4.tgz](https://index.mend.io/gri/app/reader/resource/content/asString/357593d6-e241-4df0-b410-f2c743fdda8c) <https://index.mend.io/gri/app/reader/resource/content/asString/357593d6-e241-4df0-b410-f2c743fdda8c> "2013 Copyright 2013 Dan VerWeire
"dverweire@gmail.com" (mailto:dverweire@gmail.com) 2014 Copyright 2014
IBM Corporation 2010 Copyright 2010 Lee Smith "notwink@gmail.com"
(mailto:notwink@gmail.com) 2010 Copyright 2010 IBM Corporation
<opendev@us.ibm.com> 2010 Copyright 2010 Lee Smith <notwink@gmail.com>"
https://github.com/ibmdb/node-ibm_db/
https://registry.npmjs.org/ibm_db/-/ibm_db-3.2.4.tgz

MIT [iconv-lite-0.4.24.tgz](https://github.com/ashtuchkin/iconv-lite) Convert character encodings in pure
javascript. <https://github.com/ashtuchkin/iconv-lite> 2011 Copyright
2011 Alexander Shtuchkin <https://github.com/ashtuchkin/iconv-lite>
<https://registry.npmjs.org/iconv-lite/-/iconv-lite-0.4.24.tgz>

MIT [iconv-lite-0.6.3.tgz](https://github.com/ashtuchkin/iconv-lite) Convert character encodings in pure
javascript.
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2bd3ef54-bb40-4a3e-84ac-e54929644bac)
[nt/asString/2bd3ef54-bb40-4a3e-84ac-e54929644bac](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2bd3ef54-bb40-4a3e-84ac-e54929644bac) 2011 Copyright 2011
Alexander Shtuchkin <https://github.com/ashtuchkin/iconv-lite>
<https://registry.npmjs.org/iconv-lite/-/iconv-lite-0.6.3.tgz>

MIT [identity-4.12.0.tgz](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md) Provides credential implementations for
Azure SDK libraries that can authenticate with Microsoft Entra ID
[https://index.mend.io/gri/app/reader/resource/content/asString/dad1](https://index.mend.io/gri/app/reader/resource/content/asString/dad1dad6-434c-49d1-b551-188c9288d067)
[dad6-434c-49d1-b551-188c9288d067](https://index.mend.io/gri/app/reader/resource/content/asString/dad1dad6-434c-49d1-b551-188c9288d067) Copyright Microsoft Corporation
[https://github.com/Azure/azure-sdk-for-](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md)
[js/tree/main/sdk/identity/identity/README.md](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md)
<https://registry.npmjs.org/@azure/identity/-/identity-4.12.0.tgz>

MIT [identity-4.13.0.tgz](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md) Provides credential implementations for
Azure SDK libraries that can authenticate with Microsoft Entra ID
[https://index.mend.io/gri/app/reader/resource/content/asString/e2be](https://index.mend.io/gri/app/reader/resource/content/asString/e2beelcb-6249-426f-b952-7b3d8163be5f)
[elcb-6249-426f-b952-7b3d8163be5f](https://index.mend.io/gri/app/reader/resource/content/asString/e2beelcb-6249-426f-b952-7b3d8163be5f) Copyright Microsoft Corporation
[https://github.com/Azure/azure-sdk-for-](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md)
[js/tree/main/sdk/identity/identity/README.md](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md)
<https://registry.npmjs.org/@azure/identity/-/identity-4.13.0.tgz>

MIT [identity-4.5.0.tgz](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md) Provides credential implementations for
Azure SDK libraries that can authenticate with Microsoft Entra ID
[https://index.mend.io/gri/app/reader/resource/content/asString/ac2b](https://index.mend.io/gri/app/reader/resource/content/asString/ac2ba9df-9458-4b55-a6a1-aa684d83a1bb)
[a9df-9458-4b55-a6a1-aa684d83a1bb](https://index.mend.io/gri/app/reader/resource/content/asString/ac2ba9df-9458-4b55-a6a1-aa684d83a1bb) 2020 Copyright 2020 Microsoft
[https://github.com/Azure/azure-sdk-for-](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md)
[js/tree/main/sdk/identity/identity/README.md](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/identity/identity/README.md)
<https://registry.npmjs.org/@azure/identity/-/identity-4.5.0.tgz>

MIT if-async-3.7.4.tgz async conditional execution for async.js or standalone usage
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fc91d2bf-4fd5-4b72-9ce0-db5f37a7695c> 2014 Copyright 2014 Yaniv Kessler <https://github.com/kessler/if-async>
<https://registry.npmjs.org/if-async/-/if-async-3.7.4.tgz>

MIT immediate-3.0.6.tgz A cross browser microtask library
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/22c1c01c-85c3-447c-8fc5-17d2c287c747> 2012 Copyright 2012 Barnesandnoble.com, llc, Donavon West, Domenic Denicola, Brian Cavalier
<https://registry.npmjs.org/immediate/-/immediate-3.0.6.tgz>
<https://registry.npmjs.org/immediate/-/immediate-3.0.6.tgz>

MIT immutability-helper-3.1.1.tgz mutate a copy of data without changing the original source
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/06fdc76c-09a4-41c9-aab3-c603fa7a42d9> 2017 Copyright 2017 Moshe Kolodny <https://github.com/kolodny/immutability-helper#readme>
<https://registry.npmjs.org/immutability-helper/-/immutability-helper-3.1.1.tgz>

MIT import-fresh-3.3.1.tgz Import a module while bypassing the cache
<https://index.mend.io/gri/app/reader/resource/content/asString/5cf4c404-c000-47eb-aaaf-f82a1378b1f9> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/import-fresh#readme>
<https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz>

MIT imurmurhash-0.1.4.tgz An incremental implementation of MurmurHash3
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/32229d17-5830-4d90-9628-7a6ae7a4a1f8> 2013 Copyright 2013 Gary Court, Jens Taylor <https://github.com/jensyt/imurmurhash-js>
<https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz>

MIT indent-string-4.0.0.tgz Indent each line in a string
<https://github.com/sindresorhus/indent-string#readme> "Copyright Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/sindresorhus/indent-string#readme>
<https://registry.npmjs.org/indent-string/-/indent-string-4.0.0.tgz>

MIT infobox-2.20.0.tgz InfoBox for React.js Google Maps API
<https://index.mend.io/gri/app/reader/resource/content/asString/499c8833-9291-4882-b13f-da77c7fe6008> 2020 Copyright 2020 Alexey Lyakhov
<https://react-google-maps-api-docs.netlify.app>
<https://registry.npmjs.org/@react-google-maps/infobox/-/infobox-2.20.0.tgz>

MIT inline-style-parser-0.1.1.tgz An inline style parser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d1355680-d09f-4b05-83ea-aa5bd0159d34> Unspecified Copyright

<https://github.com/remarkablemark/inline-style-parser#readme>
<https://registry.npmjs.org/inline-style-parser/-/inline-style-parser-0.1.1.tgz>

MIT install-0.13.0.tgz Minimal JavaScript module loader
<https://index.mend.io/gri/app/reader/resource/content/asString/7391c62a-5bbf-4f7d-b750-34f65fbef10f> 2015 Copyright 2015 Benjamin Newman
<ben@benjamn.com><http://github.com/benjamn/install>
<https://registry.npmjs.org/install/-/install-0.13.0.tgz>

MIT internal-slot-1.1.0.tgz ES spec-like internal slots
<https://index.mend.io/gri/app/reader/resource/content/asString/e2f575a9-9694-4a5a-9201-06cdcb287a7e> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/internal-slot#readme>
<https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz>

MIT invariant-2.2.4.tgz invariant
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/35f4651a-6177-43da-8ded-8f26c93abe3b> 2013 Copyright 2013 Facebook, Inc
<https://github.com/zertosh/invariant#readme>
<https://registry.npmjs.org/invariant/-/invariant-2.2.4.tgz>

MIT iobuffer-5.4.0.tgz Read and write binary data on ArrayBuffers
<https://index.mend.io/gri/app/reader/resource/content/asString/e1802bd9-6588-4e38-b989-febadb593d23> 2015 Copyright 2015 Michaël Zasso
<https://github.com/image-js/iobuffer#readme>
<https://registry.npmjs.org/iobuffer/-/iobuffer-5.4.0.tgz>

MIT ipaddr.js-1.9.1.tgz A library for manipulating IPv4 and IPv6 addresses in JavaScript.
<https://github.com/whitequark/ipaddr.js#readme> 2011-2017
Copyright 2011-2017 whitequark <whitequark@whitequark.org>
<https://github.com/whitequark/ipaddr.js#readme>
<https://registry.npmjs.org/ipaddr.js/-/ipaddr.js-1.9.1.tgz>

MIT ip-address-10.0.1.tgz A library for parsing IPv4 and IPv6 IP addresses in node and the browser.
<https://index.mend.io/gri/app/reader/resource/content/asString/7b8380d3-4de8-462f-8de6-10278a64e5a8> 2011 Copyright 2011 by Beau Gunderson
<https://github.com/beaugunderson/ip-address#readme>
<https://registry.npmjs.org/ip-address/-/ip-address-10.0.1.tgz>

MIT irregular-plurals-1.4.0.tgz Map of nouns to their irregular plural form
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e5ccf155-e36d-4de0-b6a1-84698f8beab5> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/irregular-plurals#readme>
<https://registry.npmjs.org/irregular-plurals/-/irregular-plurals-1.4.0.tgz>

MIT is-arguments-1.2.0.tgz Is this an arguments object? It's a harder question than you think.
<https://index.mend.io/gri/app/reader/resource/content/asString/81197074-ba66-4318-8704-882313745bf4> 2014 Copyright 2014 Jordan Harband
<https://github.com/inspect-js/is-arguments>
<https://registry.npmjs.org/is-arguments/-/is-arguments-1.2.0.tgz>

MIT isarray-0.0.1.tgz Array#isArray for older browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3adc92c8-5a93-49b1-8fea-1ce3daabd3bf> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com>
<https://github.com/juliangruber/isarray>
<https://registry.npmjs.org/isarray/-/isarray-0.0.1.tgz>

MIT isarray-1.0.0.tgz Array#isArray for older browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d51c76b-3fb0-4de2-ade2-0a4fec8f13da> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com>
<https://github.com/juliangruber/isarray>
<https://registry.npmjs.org/isarray/-/isarray-1.0.0.tgz>

MIT isarray-2.0.5.tgz Array#isArray for older browsers
<https://github.com/juliangruber/isarray> 2013 Copyright 2013 Julian Gruber <julian@juliangruber.com> <https://github.com/juliangruber/isarray>
<https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz>

MIT is-array-buffer-3.0.5.tgz Is this value a JS ArrayBuffer?
<https://index.mend.io/gri/app/reader/resource/content/asString/d05de342-5230-4f85-a324-fbed99787087> 2015 Copyright 2015 Chen Gengyuan, Inspect JS <https://github.com/inspect-js/is-array-buffer#readme>
<https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz>

MIT is-arrayish-0.2.1.tgz Determines if an object can be used as an array <https://github.com/qix-/node-is-arrayish#readme> 2015 Copyright 2015 JD Ballard <https://github.com/qix-/node-is-arrayish#readme>
<https://registry.npmjs.org/is-arrayish/-/is-arrayish-0.2.1.tgz>

MIT is-arrayish-0.3.4.tgz Determines if an object can be used as an array
<https://index.mend.io/gri/app/reader/resource/content/asString/730d025b-120d-448b-96ec-cbf8fb3afcc8> 2015 Copyright 2015 JD Ballard
<https://github.com/qix-/node-is-arrayish#readme>
<https://registry.npmjs.org/is-arrayish/-/is-arrayish-0.3.4.tgz>

MIT is-async-function-2.1.1.tgz Determine if a function is a native async function.
<https://index.mend.io/gri/app/reader/resource/content/asString/00205b0d-37fa-4485-8a45-3bddb3e352f2> 2021 Copyright 2021 Jordan Harband
<https://github.com/inspect-js/is-async-function#readme>
<https://registry.npmjs.org/is-async-function/-/is-async-function-2.1.1.tgz>

MIT is-bigint-1.1.0.tgz Is this value an ES BigInt?
<https://index.mend.io/gri/app/reader/resource/content/asString/b3b963a6-a672-4a93-97be-395d42e4232a> 2018 Copyright 2018 Jordan Harband
<https://github.com/inspect-js/is-bigint#readme>
<https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz>

MIT is-boolean-object-1.2.2.tgz Is this value a JS Boolean? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/9ed591e8-06da-4f8e-a8b7-e9f983066a7f> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-boolean-object#readme>
<https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.tgz>

MIT is-buffer-1.1.6.tgz Determine if an object is a Buffer
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/80ebc6f7-a535-40f7-9540-5554a310dc83> "Copyright Feross Aboukhadijeh Copyright Feross Aboukhadijeh" (http://feross.org)"
<https://github.com/feross/is-buffer#readme>
<https://registry.npmjs.org/is-buffer/-/is-buffer-1.1.6.tgz>

MIT is-callable-1.2.7.tgz Is this JS value callable? Works with Functions and GeneratorFunctions, despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/8b1be241-f1e9-4b5b-aba8-5942acf22a32> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-callable#readme>
<https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz>

MIT is-core-module-2.16.1.tgz Is this specifier a node.js core module?
<https://index.mend.io/gri/app/reader/resource/content/asString/32b14531-7f96-4a9b-91a9-e5d887262578> 2014 Copyright 2014 Dave Justice
<https://github.com/inspect-js/is-core-module>
<https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz>

MIT is-data-view-1.0.2.tgz Is this value a JS DataView? This module works cross-realm/iframe, does not depend on `instanceof` or mutable properties, and despite ES6 Symbol.toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/5d20b29e-339f-4ae3-acb0-1008da793f3c> 2024 Copyright 2024 Inspect JS
<https://github.com/inspect-js/is-data-view#readme>
<https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz>

MIT is-date-object-1.1.0.tgz Is this value a JS Date object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/9e4bc683-80ff-4870-91ae-faec25eb7e10> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-date-object#readme>
<https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz>

MIT is-docker-2.2.1.tgz Check if the process is running inside a Docker container
<https://index.mend.io/gri/app/reader/resource/content/asString/ab14583f-a4c9-46d9-93a0-eb308474491a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-docker#readme>
<https://registry.npmjs.org/is-docker/-/is-docker-2.2.1.tgz>

MIT is-docker-3.0.0.tgz Check if the process is running inside a Docker container
<https://index.mend.io/gri/app/reader/resource/content/asString/ecc547f7-406d-40c0-8dd2-e07f9aa05e1b> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-docker#readme>
<https://registry.npmjs.org/is-docker/-/is-docker-3.0.0.tgz>

MIT is-dom-node-1.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9d7f90cd-dc7f-454e-b76c-b8ba2538c4c7> 2023 Copyright 2023 Chris Barth
<https://github.com/xml/dom/is-dom-node#readme>
<https://registry.npmjs.org/@xml/dom/is-dom-node/-/is-dom-node-1.0.1.tgz>

MIT is-finalizationregistry-1.1.1.tgz Is this value a JS FinalizationRegistry? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/2480b800-a4dc-40dc-96f8-af27ab20d9bf> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/is-finalizationregistry#readme>
<https://registry.npmjs.org/is-finalizationregistry/-/is-finalizationregistry-1.1.1.tgz>

MIT is-finite-1.1.0.tgz ES2015 Number.isFinite() ponyfill
<https://github.com/sindresorhus/is-finite#readme> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/is-finite#readme>
<https://registry.npmjs.org/is-finite/-/is-finite-1.1.0.tgz>

MIT is-fullwidth-code-point-1.0.0.tgz Check if the character represented by a given Unicode code point is fullwidth
<https://github.com/sindresorhus/is-fullwidth-code-point> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-fullwidth-code-point>
<https://registry.npmjs.org/is-fullwidth-code-point/-/is-fullwidth-code-point-1.0.0.tgz>

MIT is-fullwidth-code-point-3.0.0.tgz Check if the character represented by a given Unicode code point is fullwidth
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a29952b9-fcf2-4766-817e-c468411fe3a7> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-fullwidth-code-point#readme>

<https://registry.npmjs.org/is-fullwidth-code-point/-/is-fullwidth-code-point-3.0.0.tgz>

MIT `is-generator-function-1.1.0.tgz` Determine if a function is a native generator function.
<https://index.mend.io/gri/app/reader/resource/content/asString/2b493f88-9510-4ca5-9840-95334c57f46e> 2014 Copyright 2014 Jordan Harband
<https://github.com/inspect-js/is-generator-function#readme>
<https://registry.npmjs.org/is-generator-function/-/is-generator-function-1.1.0.tgz>

MIT `is-inside-container-1.0.0.tgz` Check if the process is running inside a container (Docker/Podman)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7c778a3e-0206-48d9-87f2-f803dec1268a> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-inside-container#readme>
<https://registry.npmjs.org/is-inside-container/-/is-inside-container-1.0.0.tgz>

MIT `is-lambda-1.0.1.tgz` Detect if your code is running on an AWS Lambda server
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/58a55a7a-066e-4105-bfa9-7c777278b12d> 2016-2017 Copyright 2016-2017 Thomas Watson Steen <https://github.com/watson/is-lambda>
<https://registry.npmjs.org/is-lambda/-/is-lambda-1.0.1.tgz>

MIT `is-map-2.0.3.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/6fdf2bd2-82ee-4b30-b11c-65c83bc661bf> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-map#readme>
<https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz>

MIT `is-natural-number-4.0.1.tgz` Check if a value is a natural number
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5ba85ff2-639f-495e-ac6e-b31cc4a0b8b1> "2014-2016 Copyright 2014-2016 [Shinnosuke Watanabe] (<https://github.com/shinnn>) 2014-2016 Copyright 2014-2016 Shinnosuke Watanabe"
<https://github.com/shinnn/is-natural-number.js#readme>
<https://registry.npmjs.org/is-natural-number/-/is-natural-number-4.0.1.tgz>

MIT `is-negative-zero-2.0.3.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/8a6c3fd5-c3ab-4924-89ca-50b08eb01433> 2014 Copyright 2014 Jordan Harband
<https://github.com/inspect-js/is-negative-zero>
<https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-2.0.3.tgz>

MIT `is-number-object-1.1.1.tgz` Is this value a JS Number object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/1ee96e4b-b71c-49d6-9fe7-dedc2e6c3a3f> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-number-object#readme>

<https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz>

MIT is-plain-object-5.0.0.tgz Returns true if an object was created by the `Object` constructor, or `Object.create(null)`.
<https://index.mend.io/gri/app/reader/resource/content/asString/c28581e6-a381-400a-8119-7597cf299d72> "2014-2017 Copyright 2014-2017 Jon Schlinkert 2019 Copyright 2019 ""Jon Schlinkert""
(<https://github.com/jonschlinkert>)"
<https://github.com/jonschlinkert/is-plain-object>
<https://registry.npmjs.org/is-plain-object/-/is-plain-object-5.0.0.tgz>

MIT is-promise-2.2.2.tgz Test whether an object looks like a promises-a+ promise
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7474cf9e-53f0-4447-96a0-5f4c6711da32> 2014 Copyright 2014 Forbes Lindesay <https://github.com/then/is-promise#readme>
<https://registry.npmjs.org/is-promise/-/is-promise-2.2.2.tgz>

MIT is-prop-valid-1.2.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dd91f17d-7646-457f-977a-0f36574ac5bb> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/is-prop-valid/-/is-prop-valid-1.2.2.tgz>

MIT is-regex-1.2.1.tgz Is this value a JS regex? Works cross-realm/iframe, and despite ES6 `@@toStringTag`
<https://index.mend.io/gri/app/reader/resource/content/asString/8e28cb65-89f2-45e7-bd51-394745177863> 2014 Copyright 2014 Jordan Harband
<https://github.com/inspect-js/is-regex>
<https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz>

MIT is-set-2.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c7565740-4d70-466f-848e-d28c505a800c> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-set#readme>
<https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz>

MIT is-shared-array-buffer-1.0.4.tgz Is this value a JS SharedArrayBuffer?
<https://index.mend.io/gri/app/reader/resource/content/asString/8239616d-fbde-4cff-9688-f771407f608c> 2021 Copyright 2021 Inspect JS
<https://github.com/inspect-js/is-shared-array-buffer#readme>
<https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buffer-1.0.4.tgz>

MIT isstream-0.1.2.tgz Determine if an object is a Stream
<https://github.com/rvagg/isstream> "2015 Copyright 2015 Rod Vagg 2015 Copyright 2015 Rod Vagg [@rvagg] (<https://twitter.com/rvagg>) and licenced under the MIT licence 2015 Copyright 2015 Rod Vagg ""@rvagg"" (<https://twitter.com/rvagg>) and licenced under the MIT licence"

<https://github.com/rvagg/isstream>
<https://registry.npmjs.org/isstream/-/isstream-0.1.2.tgz>

MIT is-stream-1.1.0.tgz Check if something is a Node.js stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cd7fe954-986d-4e25-86be-aef2556b6f38> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/is-stream#readme>
<https://registry.npmjs.org/is-stream/-/is-stream-1.1.0.tgz>

MIT is-stream-2.0.1.tgz Check if something is a Node.js stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/85f8444f-dc13-4314-9d45-1085bafbc7dd> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-stream#readme>
<https://registry.npmjs.org/is-stream/-/is-stream-2.0.1.tgz>

MIT is-string-1.1.1.tgz Is this value a JS String object or primitive? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/1e162d24-286c-4c15-8c46-e057a9e4b557> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-string#readme>
<https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz>

MIT is-symbol-1.1.1.tgz Determine if a value is an ES6 Symbol or not.
<https://index.mend.io/gri/app/reader/resource/content/asString/94351052-bf6c-42a2-832e-535a6c1ff93b> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-symbol#readme>
<https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz>

MIT is-typedarray-1.0.0.tgz Detect whether or not an object is a Typed Array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5e2f009c-0a4b-4bdd-ae7f-18dc65d15adc> Copyright Hugh Kennedy
<https://github.com/hughsk/is-typedarray>
<https://registry.npmjs.org/is-typedarray/-/is-typedarray-1.0.0.tgz>

MIT is-typed-array-1.1.15.tgz Is this value a JS Typed Array? This module works cross-realm/iframe, does not depend on `instanceof` or mutable properties, and despite ES6 Symbol.toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/8c172270-ca4e-4b0f-a15f-9e40c1dcdbba> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/is-typed-array#readme>
<https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz>

MIT is-utf8-0.2.1.tgz Detect if a buffer is utf8 encoded.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/32b1dc04-2df8-4088-8753-14029545752d> 2014 Copyright 2014

Wei Fanzhe <https://github.com/wayfind/is-utf8#readme>
<https://registry.npmjs.org/is-utf8/-/is-utf8-0.2.1.tgz>

MIT is-weakmap-2.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9b007708-f461-4013-8147-20ef942f13fe> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-weakmap#readme>
<https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz>

MIT is-weakref-1.1.1.tgz Is this value a JS WeakRef? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/6672a711-bd7e-419d-b9e8-001ed9771bea> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/is-weakref#readme>
<https://registry.npmjs.org/is-weakref/-/is-weakref-1.1.1.tgz>

MIT is-weakset-2.0.4.tgz Is this value a JS WeakSet? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
<https://index.mend.io/gri/app/reader/resource/content/asString/8ea7d2cb-8a58-4fcf-8359-f667ca300483> 2019 Copyright 2019 Inspect JS
<https://github.com/inspect-js/is-weakset#readme>
<https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz>

MIT is-wsl-2.2.0.tgz Check if the process is running inside Windows Subsystem for Linux (Bash on Windows)
<https://index.mend.io/gri/app/reader/resource/content/asString/3483eb68-7333-474c-a622-efc6e4087a6b> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/is-wsl#readme>
<https://registry.npmjs.org/is-wsl/-/is-wsl-2.2.0.tgz>

MIT is-wsl-3.1.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/43fb8b59-58f8-4df0-8736-6da6339311d8> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/is-wsl#readme>
<https://registry.npmjs.org/is-wsl/-/is-wsl-3.1.0.tgz>

MIT jest-canvas-mock-2.5.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3576e68a-b77f-4f38-b060-4f778a0ea08d>
<https://github.com/hustcc/jest-canvas-mock#readme>
<https://registry.npmjs.org/jest-canvas-mock/-/jest-canvas-mock-2.5.2.tgz>

MIT jsbn-0.1.1.tgz The jsbn library is a fast, portable implementation of large-number math in pure JavaScript, enabling public-key crypto and other applications on desktop and mobile browsers.
<https://github.com/andyperlitch/jsbn#readme> 2003-2005 Copyright 2003-2005 Tom Wu <https://github.com/andyperlitch/jsbn#readme>
<https://registry.npmjs.org/jsbn/-/jsbn-0.1.1.tgz>

MIT js-cookie-2.2.1.tgz A simple, lightweight JavaScript API for handling cookies

<https://index.mend.io/gri/app/reader/resource/content/asString/9bfc639e-1b50-46ad-90ed-7c321584ca25> 2018 Copyright 2018 Klaus Hartl, Fagner Brack, GitHub Contributors <https://github.com/js-cookie/js-cookie#readme> <https://registry.npmjs.org/js-cookie/-/js-cookie-2.2.1.tgz>

MIT jsgesc-3.1.0.tgz Given some data, jsgesc returns the shortest possible stringified & ASCII-safe representation of that data.
<https://index.mend.io/gri/app/reader/resource/content/asString/d6bc2836-f06e-4348-ad8f-611568adb730> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/jsgesc>
<https://registry.npmjs.org/jsgesc/-/jsgesc-3.1.0.tgz>

MIT jshint-stylish-2.2.1.tgz Stylish reporter for JSHint
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/691df8f4-2749-4449-8ba9-6ae786ed1ed1> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/jshint-stylish#readme>
<https://registry.npmjs.org/jshint-stylish/-/jshint-stylish-2.2.1.tgz>

MIT js-md4-0.3.2.tgz A simple MD4 hash function for JavaScript supports UTF-8 encoding.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/83064e39-2f2b-4b91-80b5-0ee57cb918bd> 2015-2017 Copyright 2015-2017 Yi-Cyuan Chen <https://github.com/emn178/js-md4>
<https://registry.npmjs.org/js-md4/-/js-md4-0.3.2.tgz>

MIT jsonfile-4.0.0.tgz Easily read/write JSON files.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/979a5809-43b2-453e-8035-47f17fc81dae> "2012-2016 Copyright 2012-2016 JP Richardson 2012-2015 Copyright 2012-2015 JP Richardson
<jprichardson@gmail.com> 2012-2016 Copyright 2012-2016 JP Richardson
<jprichardson@gmail.com>" <https://github.com/jprichardson/node-jsonfile#readme> <https://registry.npmjs.org/jsonfile/-/jsonfile-4.0.0.tgz>

MIT jsonfile-6.2.0.tgz Easily read/write JSON files.
<https://index.mend.io/gri/app/reader/resource/content/asString/0a3be74b-b962-41db-b656-f471b1e9354b> "2012-2016 Copyright 2012-2016 JP Richardson 2012-2015 Copyright 2012-2015 JP Richardson
<jprichardson@gmail.com>" <https://github.com/jprichardson/node-jsonfile#readme> <https://registry.npmjs.org/jsonfile/-/jsonfile-6.2.0.tgz>

MIT jsonparse-1.3.1.tgz This is a pure-js JSON streaming parser for node.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6c62be04-7de7-4f1e-81df-65c82cbab70b> "2011-2012 Copyright 2011-2012 Tim Caswell 2012 Copyright 2012 Tim Caswell"
<https://github.com/creationix/jsonparse#readme>
<https://registry.npmjs.org/jsonparse/-/jsonparse-1.3.1.tgz>

MIT json-parse-even-better-errors-2.3.1.tgz JSON.parse with context information on error
<https://index.mend.io/gri/app/reader/resource/content/asString/98f8ff08-c4e6-4a14-86a9-88e4940a156b> "Copyright npm, Inc 2017 Copyright 2017 Kat Marchán"
<https://github.com/npm/json-parse-even-better-errors#readme> <https://registry.npmjs.org/json-parse-even-better-errors/-/json-parse-even-better-errors-2.3.1.tgz>

MIT jsonschema-1.5.0.tgz A fast and easy to use JSON Schema validator
<https://index.mend.io/gri/app/reader/resource/content/asString/1a8663e1-678d-49d3-823e-6c8857236b79> "2012-2015 Copyright 2012-2015 Tom de Grunt <tom@degrunt.nl> 2012-2019 Copyright 2012-2019 Tom de Grunt <tom@degrunt.nl>"
<https://github.com/tdegrunt/jsonschema#readme> <https://registry.npmjs.org/jsonschema/-/jsonschema-1.5.0.tgz>

MIT json-schema-7.0.15.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ceb2c393-c3a2-4757-a17e-c7e5df31aa47> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/json-schema> <https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz>

MIT json-schema-ref-parser-9.0.9.tgz Parse, Resolve, and Dereference JSON Schema \$ref pointers
<https://index.mend.io/gri/app/reader/resource/content/asString/12b6d862-6648-436c-a42a-e4a9cc7c458d> 2015 Copyright 2015 James Messinger
<https://apitools.dev/json-schema-ref-parser/>
<https://registry.npmjs.org/json-schema-ref-parser/-/json-schema-ref-parser-9.0.9.tgz>

MIT json-schema-traverse-0.4.1.tgz Traverse JSON Schema passing each schema object to callback
<https://github.com/epoberezkin/json-schema-traverse#readme> 2017 Copyright 2017 Evgeny Poberezkin
<https://github.com/epoberezkin/json-schema-traverse#readme>
<https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz>

MIT json-schema-traverse-1.0.0.tgz Traverse JSON Schema passing each schema object to callback
<https://index.mend.io/gri/app/reader/resource/content/asString/cf9be98a-4b2f-4c16-a390-5a0b35a9f202> 2017 Copyright 2017 Evgeny Poberezkin
<https://github.com/epoberezkin/json-schema-traverse#readme>
<https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-1.0.0.tgz>

MIT jsonwebtoken-9.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b5d81c03-0c17-45af-9421-806d2eb8ed1c> 2015 Copyright 2015 Auth0, Inc
<https://github.com/auth0/node-jwebtoken#readme>
<https://registry.npmjs.org/jwt/-/jsonwebtoken-9.0.2.tgz>

MIT jsonwebtoken-9.0.3.tgz JSON Web Token implementation (symmetric and asymmetric)

<https://index.mend.io/gri/app/reader/resource/content/asString/c66089ef-935a-409d-88b7-6bd0e3d94cda> 2015 Copyright 2015 Auth0, Inc
<https://github.com/auth0/node-jsonwebtoken#readme>
<https://registry.npmjs.org/jsonwebtoken/-/jsonwebtoken-9.0.3.tgz>

MIT jspdf-3.0.3.tgz PDF Document creation from JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/1b55d670-e427-43dc-9a2f-0799ee793b65> "2015-2025 Copyright 2015-2025 yWorks GmbH
2010-2025 Copyright 2010-2025 James Hall"
<https://github.com/parallax/jsPDF>
<https://registry.npmjs.org/jspdf/-/jspdf-3.0.3.tgz>

MIT jsprim-2.0.2.tgz utilities for primitive JavaScript types
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/527860fe-e4ce-4b6e-869b-ceeffbe49586> 2012 Copyright 2012 Joyent, Inc
<https://github.com/joyent/node-jsprim#readme>
<https://registry.npmjs.org/jsprim/-/jsprim-2.0.2.tgz>

MIT js-tokens-4.0.0.tgz A regex that tokenizes JavaScript.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/644c80d6-6343-45ae-90a0-9808d169c412> "2014-2018 Copyright 2014-2018 Simon Lydell 2014-2015 Copyright 2014-2015 2016, 2017, 2018 Simon Lydell"
<https://github.com/lydell/js-tokens#readme>
<https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz>

MIT js-yaml-4.1.0.tgzYAML 1.2 parser and serializer
<https://index.mend.io/gri/app/reader/resource/content/asString/ef026470-36cc-4f4d-8a77-ab7a7adc83c1> 2011-2015 Copyright 2011-2015 by Vitaly Puzrin
<https://github.com/nodeca/js-yaml#readme>
<https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.0.tgz>

MIT jszip-3.10.1.tgz Create, read and edit .zip files with JavaScript
<http://stuartk.com/jszip>
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/30f10b3d-cd79-4811-84d1-e870c846ee0e> 2009-2016 Copyright 2009-2016 Stuart Knightley
<https://github.com/Stuk/jszip#readme>
<https://registry.npmjs.org/jszip/-/jszip-3.10.1.tgz>

MIT jwa-1.4.1.tgz JWA implementation (supports all JWS algorithms)
<https://github.com/brianloveswords/node-jwa#readme> "2013 Copyright 2013 Brian J 2013 Copyright 2013 Brian J. Brennan"
<https://github.com/brianloveswords/node-jwa#readme>
<https://registry.npmjs.org/jwa/-/jwa-1.4.1.tgz>

MIT jwa-1.4.2.tgz JWA implementation (supports all JWS algorithms)
<https://index.mend.io/gri/app/reader/resource/content/asString/50a33abc-45d1-416f-b2a7-2e47a29be20a> "2013 Copyright 2013 Brian J 2013 Copyright 2013 Brian J. Brennan"
<https://github.com/brianloveswords/node-jwa#readme>
<https://registry.npmjs.org/jwa/-/jwa-1.4.2.tgz>

MIT jwa-2.0.0.tgz JWA implementation (supports all JWS algorithms)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/01a4460f-683c-498a-bc6f-5911e5d827fd> 2013 Copyright 2013
Brian J <https://github.com/brianloveswords/node-jwa#readme>
<https://registry.npmjs.org/jwa/-/jwa-2.0.0.tgz>

MIT jwa-2.0.1.tgz JWA implementation (supports all JWS algorithms)
<https://index.mend.io/gri/app/reader/resource/content/asString/b04b17eb-88dc-43a4-94a4-dfd2ad8331b6> "2013 Copyright 2013 Brian J
2013 Copyright 2013 Brian J. Brennan"
<https://github.com/brianloveswords/node-jwa#readme>
<https://registry.npmjs.org/jwa/-/jwa-2.0.1.tgz>

MIT jws-3.2.2.tgz Implementation of JSON Web Signatures
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ddec8d38-ac1d-42cd-84b6-1c374736b068> "2013-2015 Copyright
2013-2015 Brian J 2013 Copyright 2013 Brian J. Brennan"
<https://github.com/brianloveswords/node-jws#readme>
<https://registry.npmjs.org/jws/-/jws-3.2.2.tgz>

MIT jws-4.0.0.tgz Implementation of JSON Web Signatures
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/de25066a-ada8-48e1-bea0-56fffd95ebba> "2013 Copyright 2013
Brian J 2013-2015 Copyright 2013-2015 Brian J"
<https://github.com/brianloveswords/node-jws#readme>
<https://registry.npmjs.org/jws/-/jws-4.0.0.tgz>

MIT jws-4.0.1.tgz Implementation of JSON Web Signatures
<https://index.mend.io/gri/app/reader/resource/content/asString/01fb87b2-a5a3-4f68-9cd3-5a42f28b13bb> "2013-2015 Copyright 2013-2015 Brian J
2013 Copyright 2013 Brian J. Brennan"
<https://github.com/brianloveswords/node-jws#readme>
<https://registry.npmjs.org/jws/-/jws-4.0.1.tgz>

MIT jwt-simple-0.5.6.tgz JWT(JSON Web Token) encode and decode module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1d5d3f5d-988c-4464-bee2-64cfdcle35e6> 2011 Copyright 2011
Kazuhito Hokamura <k.hokamura@gmail.com>
<https://github.com/hokaccha/node-jwt-simple#readme>
<https://registry.npmjs.org/jwt-simple/-/jwt-simple-0.5.6.tgz>

MIT keyvault-common-2.0.0.tgz Common internal functionality for all
of the Azure Key Vault clients in the Azure SDK for JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/634ea006-0d3b-44bc-94cb-210f22a99ead> 2022 Copyright 2022 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/keyvault/keyvault-common/README.md>
<https://registry.npmjs.org/@azure/keyvault-common/-/keyvault-common-2.0.0.tgz>

MIT keyvault-keys-4.10.0.tgz Isomorphic client library for Azure
KeyVault's keys.
<https://index.mend.io/gri/app/reader/resource/content/asString/6605785b-743a-48f2-938d-76ceb4565262> Copyright Microsoft Corporation

<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/keyvault/keyvault-keys/README.md>
<https://registry.npmjs.org/@azure/keyvault-keys/-/keyvault-keys-4.10.0.tgz>

MIT keyvault-keys-4.9.0.tgz Isomorphic client library for Azure KeyVault's keys.
<https://index.mend.io/gri/app/reader/resource/content/asString/30a0d7de-c3ad-469d-9407-46able1f017a> 2020 Copyright 2020 Microsoft
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/keyvault/keyvault-keys/README.md>
<https://registry.npmjs.org/@azure/keyvault-keys/-/keyvault-keys-4.9.0.tgz>

MIT kind-of-3.2.2.tgz Get the native type of a value.
<https://github.com/jonschlinkert/kind-of> "2017 Copyright 2017 [Jon Schlinkert] (<https://github.com/jonschlinkert>) 2014-2017 Copyright 2014-2017 Jon Schlinkert 2017 Copyright 2017 Jon Schlinkert"" (<https://github.com/jonschlinkert>) "
<https://github.com/jonschlinkert/kind-of>
<https://registry.npmjs.org/kind-of/-/kind-of-3.2.2.tgz>

MIT kuler-2.0.0.tgz Color your terminal using CSS/hex color codes
<https://index.mend.io/gri/app/reader/resource/content/asString/e763f271-9a19-4ce0-ac40-1a0520de8b0b> 2014 Copyright 2014 Arnout Kazemier
<https://github.com/3rd-Eden/kuler>
<https://registry.npmjs.org/kuler/-/kuler-2.0.0.tgz>

MIT lazy-cache-1.0.4.tgz Cache requires to be lazy-loaded when needed.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/050c4f65-170a-4032-bb60-b0131b933441> "2015-2016 Copyright 2015-2016 Jon Schlinkert 2016 Copyright 2016 Jon Schlinkert"" (<https://github.com/jonschlinkert>) "
<https://github.com/jonschlinkert/lazy-cache>
<https://registry.npmjs.org/lazy-cache/-/lazy-cache-1.0.4.tgz>

MIT lazystream-1.0.1.tgz Open Node Streams on demand.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2e9e9e9a-934e-4f21-9acb-632fe9a27de5> 2013 Copyright 2013 J. Pommerening, contributors <https://github.com/jpommerening/node-lazystream> <https://registry.npmjs.org/lazystream/-/lazystream-1.0.1.tgz>

MIT lie-3.3.0.tgz A basic but performant promise implementation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7c717041-2c5f-4871-bda5-3363881599d3> "2014-2018 Copyright 2014-2018 Calvin Metcalf 2014-2018 Copyright 2014-2018 Calvin Metcalf, Jordan Harband" <https://github.com/calvinmetcalf/lie#readme>
<https://registry.npmjs.org/lie/-/lie-3.3.0.tgz>

MIT lines-and-columns-1.2.4.tgz Maps lines and columns to character offsets and back.
<https://index.mend.io/gri/app/reader/resource/content/asString/84b6>

9ff9-ee1f-4275-a5e3-8197342a4640 2015 Copyright 2015 Brian Donovan
<https://github.com/eventualbuddha/lines-and-columns#readme>
<https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz>

MIT linkify-it-5.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/5c733b3d-54b2-465e-ae70-cc275006e74b> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/linkify-it> <https://registry.npmjs.org/@types/linkify-it/-/linkify-it-5.0.0.tgz>

MIT lodash.clonedeep-4.5.0.tgz The lodash method `\_.cloneDeep` exported as a module. <https://github.com/lodash/lodash> 2023 Copyright 2023 JS Foundation <https://lodash.com/>
<https://registry.npmjs.org/lodash.clonedeep/-/lodash.clonedeep-4.5.0.tgz>

MIT lodash.defaults-4.2.0.tgz The lodash method `\_.defaults` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/69a457ee-053d-42f5-baf5-32eb40081c87> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
<https://registry.npmjs.org/lodash.defaults/-/lodash.defaults-4.2.0.tgz>

MIT lodash.difference-4.5.0.tgz The lodash method `\_.difference` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d20b08ac-f1d9-4d5d-8660-b1d27e75348c> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
<https://registry.npmjs.org/lodash.difference/-/lodash.difference-4.5.0.tgz>

MIT lodash.escaperegexp-4.1.2.tgz The lodash method `\_.escapeRegExp` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2cbab5f0-566d-45ec-8bfc-860a520d97a4> Copyright jQuery Foundation and other contributors <<https://jquery.org/>>
<https://lodash.com/>
<https://registry.npmjs.org/lodash.escaperegexp/-/lodash.escaperegexp-4.1.2.tgz>

MIT lodash.flatten-4.4.0.tgz The lodash method `\_.flatten` exported as a module. <https://github.com/lodash/lodash/tree/4.4.0> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
<https://registry.npmjs.org/lodash.flatten/-/lodash.flatten-4.4.0.tgz>

MIT lodash.get-4.4.2.tgz The lodash method `\_.get` exported as a module. <https://www.npmjs.com/package/lodash.get> Copyright jQuery Foundation and other contributors <<https://jquery.org/>> <https://lodash.com/> <https://registry.npmjs.org/lodash.get/-/lodash.get-4.4.2.tgz>

MIT lodash.groupby-4.6.0.tgz The lodash method `\_.groupBy` exported as a module. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/005272f8-fe6e-4289-a57e-753a9583d595> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/> <https://registry.npmjs.org/lodash.groupby/-/lodash.groupby-4.6.0.tgz>

MIT lodash.includes-4.3.0.tgz The lodash method `\_.includes` exported as a module. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d068ddb-c66e-4095-b064-97957c55facc> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/> <https://registry.npmjs.org/lodash.includes/-/lodash.includes-4.3.0.tgz>

MIT lodash.isboolean-3.0.3.tgz The lodash method `\_.isBoolean` exported as a module. <https://lodash.com/> "2009-2016 Copyright 2009-2016 Based on Underscore.js, copyright 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/> <https://registry.npmjs.org/lodash.isboolean/-/lodash.isboolean-3.0.3.tgz>

MIT lodash.isequal-4.5.0.tgz The Lodash method `\_.isEqual` exported as a module. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/36788bb5-11c3-47d1-ac61-2152fe8cc748> 2023 Copyright 2023 JS Foundation <https://lodash.com/> <https://registry.npmjs.org/lodash.isequal/-/lodash.isequal-4.5.0.tgz>

MIT lodash.isfunction-3.0.9.tgz The Lodash method `\_.isFunction` exported as a module. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dcb4656f-led9-4432-a350-bb89708b2eff> Copyright JS Foundation and other contributors <<https://js.foundation/>> <https://lodash.com/> <https://registry.npmjs.org/lodash.isfunction/-/lodash.isfunction-3.0.9.tgz>

MIT lodash.isinteger-4.0.4.tgz The lodash method `\_.isInteger` exported as a module. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/36788bb5-11c3-47d1-ac61-2152fe8cc748>

nt/asString/c582e409-7c07-4680-b8b3-ac384ed6e327 Copyright jQuery Foundation and other contributors <<https://jquery.org/>>
<https://lodash.com/>
<https://registry.npmjs.org/lodash.isinteger/-/lodash.isinteger-4.0.4.tgz>

MIT lodash.isnil-4.0.0.tgz The lodash method `_.isNil` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f2f4f4b8-552a-4eb1-98a3-f7fa8f8aa475> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, 2009-2016 Copyright 2009-2016 Based on Underscore.js, copyright 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
<https://registry.npmjs.org/lodash.isnil/-/lodash.isnil-4.0.0.tgz>

MIT lodash.isnumber-3.0.3.tgz The lodash method `_.isNumber` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e8b1cd4d-602e-4ff4-a58b-973c8fdcccb6> "2009-2016 Copyright 2009-2016 Based on Underscore.js, copyright 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
<https://registry.npmjs.org/lodash.isnumber/-/lodash.isnumber-3.0.3.tgz>

MIT lodash.isplainobject-4.0.6.tgz The lodash method `_.isPlainObject` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/97571b08-7b08-429b-9d9a-bb4c5c19bae5> Copyright jQuery Foundation and other contributors <<https://jquery.org/>>
<https://lodash.com/>
<https://registry.npmjs.org/lodash.isplainobject/-/lodash.isplainobject-4.0.6.tgz>

MIT lodash.isstring-4.0.1.tgz The lodash method `_.isString` exported as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/61b3e397-90ca-48d3-bc29-7c7f38d41e53> "2009-2016 Copyright 2009-2016 Jeremy Ashkenas, 2009-2016 Copyright 2009-2016 Based on Underscore.js, copyright 2012-2016 Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
<https://registry.npmjs.org/lodash.isstring/-/lodash.isstring-4.0.1.tgz>

MIT lodash.isundefined-3.0.1.tgz The modern build of lodash's `_.isUndefined` as a module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/827ff486-a3a3-44c5-b88d-760e593b8aa4> "2012-2015 Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>> 2009-2015 Copyright 2009-2015 Jeremy Ashkenas, 2009-2015 Copyright 2009-2015 Based on Underscore.js, copyright" <https://lodash.com/>
<https://registry.npmjs.org/lodash.isundefined/-/lodash.isundefined-3.0.1.tgz>

MIT lodash.mergewith-4.6.2.tgz The Lodash method `\_.mergeWith`
exported as a module.
 <https://github.com/lodash/lodash/blob/master/LICENSE> Copyright
OpenJS Foundation and other contributors <<https://openjsf.org/>>
 <https://lodash.com/>
 <https://registry.npmjs.org/lodash.mergewith/-/lodash.mergewith-4.6.2.tgz>

MIT lodash.once-4.1.1.tgz The lodash method `\_.once` exported as a
module. <https://lodash.com/> Copyright jQuery Foundation and other
contributors <<https://jquery.org/>><https://lodash.com/>
 <https://registry.npmjs.org/lodash.once/-/lodash.once-4.1.1.tgz>

MIT lodash.union-4.6.0.tgz The lodash method `\_.union` exported as a
module.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cdfd82cd-ae65-4fc3-a254-2667d9039724> "2009-2016 Copyright
2009-2016 Jeremy Ashkenas, Copyright jQuery Foundation and other
contributors <<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo
Foundation <<http://dojofoundation.org/>>" <https://lodash.com/>
 <https://registry.npmjs.org/lodash.union/-/lodash.union-4.6.0.tgz>

MIT lodash.uniq-4.5.0.tgz The lodash method `\_.uniq` exported as a
module. <https://lodash.com/> "2009-2016 Copyright 2009-2016 Jeremy
Ashkenas, Copyright jQuery Foundation and other contributors
<<https://jquery.org/>> 2012-2016 Copyright 2012-2016 The Dojo Foundation
<<http://dojofoundation.org/>>" <https://lodash.com/>
 <https://registry.npmjs.org/lodash.uniq/-/lodash.uniq-4.5.0.tgz>

MIT lodash.zipobject-4.1.3.tgz The lodash method `\_.zipObject`
exported as a module.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d3e6fe01-d000-4f4d-bcc5-fea24b8c7bba> Copyright jQuery
Foundation and other contributors <<https://jquery.org/>>
 <https://lodash.com/>
 <https://registry.npmjs.org/lodash.zipobject/-/lodash.zipobject-4.1.3.tgz>

MIT lodash-4.17.21.tgz Lodash modular utilities.
 <https://index.mend.io/gri/app/reader/resource/content/asString/78d39746-a595-4b41-b70d-7eccc8199f7e> Copyright OpenJS Foundation and other
contributors <<https://openjsf.org/>> <https://lodash.com/>
 <https://registry.npmjs.org/lodash/-/lodash-4.17.21.tgz>

MIT lodash-es-4.17.21.tgz Lodash exported as ES modules.
 <https://index.mend.io/gri/app/reader/resource/content/asString/5e2699d7-2e1b-450a-980d-eldfae03015c> Copyright OpenJS Foundation and other
contributors <<https://openjsf.org/>> <https://lodash.com/custom-builds>
 <https://registry.npmjs.org/lodash-es/-/lodash-es-4.17.21.tgz>

MIT logform-1.10.0.tgz An mutable object-based log format designed
for chaining & objectMode streams.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5e2699d7-2e1b-450a-980d-eldfae03015c>

nt/asString/e91b67cf-263d-4972-be56-9ad89d260e78 2017 Copyright 2017
Charlie Robbins & the Contributors
<https://github.com/winstonjs/logform#readme>
<https://registry.npmjs.org/logform/-/logform-1.10.0.tgz>

MIT logform-2.7.0.tgz An mutable object-based log format designed for
chaining & objectMode streams.
[https://index.mend.io/gri/app/reader/resource/content/asString/1e9c
deed-777b-4fd0-be5d-ba1198b95976](https://index.mend.io/gri/app/reader/resource/content/asString/1e9cdeed-777b-4fd0-be5d-ba1198b95976) 2017 Copyright 2017 Charlie Robbins &
the Contributors <https://github.com/winstonjs/logform#readme>
<https://registry.npmjs.org/logform/-/logform-2.7.0.tgz>

MIT logger-1.1.4.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/1163
9a34-0b95-456f-b0b9-72a38bf25e42](https://index.mend.io/gri/app/reader/resource/content/asString/11639a34-0b95-456f-b0b9-72a38bf25e42) 2020 Copyright 2020 Microsoft
[https://github.com/Azure/azure-sdk-for-
js/tree/main/sdk/core/logger/README.md](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/core/logger/README.md)
<https://registry.npmjs.org/@azure/logger/-/logger-1.1.4.tgz>

MIT logger-1.3.0.tgz Microsoft Azure SDK for JavaScript - Logger
[https://index.mend.io/gri/app/reader/resource/content/asString/ea9e
41a3-02e9-4128-b796-1f4b088ef614](https://index.mend.io/gri/app/reader/resource/content/asString/ea9e41a3-02e9-4128-b796-1f4b088ef614) "2018 Copyright 2018 Microsoft
Copyright Microsoft Corporation" [https://github.com/Azure/azure-sdk-for-
js/tree/main/sdk/core/logger/README.md](https://github.com/Azure/azure-sdk-for-js/tree/main/sdk/core/logger/README.md)
<https://registry.npmjs.org/@azure/logger/-/logger-1.3.0.tgz>

MIT loglevel-1.8.1.tgz Minimal lightweight logging for JavaScript,
adding reliable log level methods to any available console.log methods
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/45de3a14-551b-4903-800d-bdfca5880bcb](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/45de3a14-551b-4903-800d-bdfca5880bcb) 2013 Copyright 2013
Tim Perry <https://github.com/pimterry/loglevel>
<https://registry.npmjs.org/loglevel/-/loglevel-1.8.1.tgz>

MIT loglevel-1.9.2.tgz Minimal lightweight logging for JavaScript,
adding reliable log level methods to any available console.log methods
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/40eb3d09-3e47-4c52-8f54-f18c9339cb53](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40eb3d09-3e47-4c52-8f54-f18c9339cb53) 2013 Copyright 2013
Tim Perry <https://github.com/pimterry/loglevel>
<https://registry.npmjs.org/loglevel/-/loglevel-1.9.2.tgz>

MIT log-rotate-stream-1.0.2.tgz Stream data to a rotating log file
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/3ffaae06-41ae-46ab-9f97-ec5769aee574](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3ffaae06-41ae-46ab-9f97-ec5769aee574) 2015 Copyright 2015
Brian Green <https://github.com/briangreenery/log-rotate-stream>
[https://registry.npmjs.org/log-rotate-stream/-/log-rotate-stream-
1.0.2.tgz](https://registry.npmjs.org/log-rotate-stream/-/log-rotate-stream-1.0.2.tgz)

MIT log-symbols-1.0.2.tgz Colored symbols for various log levels.
Example: ✓ success
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/ab7356d6-6d55-44c9-8860-d3ee43a93d91](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ab7356d6-6d55-44c9-8860-d3ee43a93d91) "Copyright Sindre
Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/log-symbols>
<https://registry.npmjs.org/log-symbols/-/log-symbols-1.0.2.tgz>

MIT longest-1.0.1.tgz Get the longest item in an array.
<https://github.com/jonschlinkert/longest> "2014-2015 Copyright
 2014-2015 Jon Schlinkert 2015 Copyright 2015 Jon Schlinkert"
<https://github.com/jonschlinkert/longest>
<https://registry.npmjs.org/longest/-/longest-1.0.1.tgz>

MIT loose-envify-1.4.0.tgz Fast (and loose) selective `process.env`
 replacer using js-tokens instead of an AST
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d4bed348-d4ce-4c79-bb18-742e59512995> 2015 Copyright 2015
 Andres Suarez <zertosh@gmail.com> <https://github.com/zertosh/loose-envify>
<https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz>

MIT luxon-1.28.1.tgz Immutable date wrapper
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/84d21f4f-9226-4d28-b377-18d87b362e7f> 2019 Copyright 2019
 JS Foundation and other contributors
<https://github.com/moment/luxon#readme>
<https://registry.npmjs.org/luxon/-/luxon-1.28.1.tgz>

MIT luxon-3.4.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/bf3fa099-a870-4c8d-9d33-fc42e668d111> 2019 Copyright 2019 JS Foundation and
 other contributors <https://github.com/moment/luxon#readme>
<https://registry.npmjs.org/luxon/-/luxon-3.4.4.tgz>

MIT lz-string-1.5.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d7d82cb3-3e19-4723-931b-b689f55f7d2b> 2013 Copyright 2013
 pieroxy <http://pieroxy.net/blog/pages/lz-string/index.html>
<https://registry.npmjs.org/lz-string/-/lz-string-1.5.0.tgz>

MIT map-stream-0.0.7.tgz construct pipes of streams of events
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cf8e6700-69df-4116-b69d-56e804b2e262> 2011 Copyright 2011
 Dominic Tarr <http://github.com/dominictarr/map-stream>
<https://registry.npmjs.org/map-stream/-/map-stream-0.0.7.tgz>

MIT markdown-it-14.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9e1a429b-b399-47ab-8c13-5751692a3689> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/markdown-it> <https://registry.npmjs.org/@types/markdown-it/-/markdown-it-14.1.2.tgz>

MIT marker-clusterer-2.20.0.tgz Marker Clusterer for React.js Google
 Maps API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/234be4e5-144b-4160-8792-422b5608d530> 2020 Copyright 2020

Alexey Lyakhov <https://react-google-maps-api-docs.netlify.app>
<https://registry.npmjs.org/@react-google-maps/marker-clusterer/-/marker-clusterer-2.20.0.tgz>

MIT material-5.15.16.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0bb2b85b-bbf3-4d69-84a3-08035586e966> 2014 Copyright 2014 Call-Em-All
<https://mui.com/material-ui/>
<https://registry.npmjs.org/@mui/material/-/material-5.15.16.tgz>

MIT math-interval-parser-2.0.1.tgz Parse math interval
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6d445a4e-dee6-4c02-9dbc-76008a2345f9> "Copyright Dmitry Semigradsky Copyright Dmitry Semigradsky <semigradskyd@gmail.com> (<https://github.com/Semigradsky>)" <https://github.com/Semigradsky/math-interval-parser#readme> <https://registry.npmjs.org/math-interval-parser/-/math-interval-parser-2.0.1.tgz>

MIT math-intrinsics-1.1.0.tgz ES Math-related intrinsics and helpers, robustly cached.
<https://index.mend.io/gri/app/reader/resource/content/asString/37a0ac94-b088-4f4a-b760-814cleedc9a3> 2024 Copyright 2024 ECMAScript Shims
<https://github.com/es-shims/math-intrinsics#readme>
<https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz>

MIT mdurl-2.0.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a7a9c89b-e93e-4259-9f37-9d78bb632dc3> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/mdurl> <https://registry.npmjs.org/@types/mdurl/-/mdurl-2.0.0.tgz>

MIT media-typer-0.3.0.tgz Simple RFC 6838 media type parser and formatter <https://github.com/jshttp/media-typer> 2014 Copyright 2014 Douglas Christopher Wilson <https://github.com/jshttp/media-typer>
<https://registry.npmjs.org/media-typer/-/media-typer-0.3.0.tgz>

MIT media-typer-1.1.0.tgz Simple RFC 6838 media type parser and formatter
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/44f72386-f7cb-440e-aac6-f5747ce7f613> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/jshttp/media-typer#readme> <https://registry.npmjs.org/media-typer/-/media-typer-1.1.0.tgz>

MIT memoize-0.8.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6a4dc951-b342-4517-957c-7f2cee840926> "Copyright Emotion team and other contributors 2016 Copyright 2016 Kye Hohenberger"
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/memoize/-/memoize-0.8.1.tgz>

MIT memoize-one-4.0.3.tgz A memoization library which only remembers the latest invocation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9287540b-db59-4395-bbf6-ecc6350102b6> 2017 Copyright 2017 Alexander Reardon
<https://github.com/alexreardon/memoize-one#readme>
<https://registry.npmjs.org/memoize-one/-/memoize-one-4.0.3.tgz>

MIT memoize-one-5.2.1.tgz A memoization library which only remembers the latest invocation
<https://index.mend.io/gri/app/reader/resource/content/asString/d4120fb4-3ccd-45a2-84b3-92a485cdd0bb> 2019 Copyright 2019 Alexander Reardon
<https://github.com/alexreardon/memoize-one#readme>
<https://registry.npmjs.org/memoize-one/-/memoize-one-5.2.1.tgz>

MIT merge-descriptors-1.0.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/8dbae3c3-d9fe-417f-a20d-9269e70c6d82> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com>
2013 Copyright 2013 Jonathan Ong <me@jongleberry.com>"
<https://github.com/sindresorhus/merge-descriptors#readme>
<https://registry.npmjs.org/merge-descriptors/-/merge-descriptors-1.0.3.tgz>

MIT messageformat-2.3.0.tgz PluralFormat and SelectFormat Message and i18n Tool - A JavaScript Implementation of the ICU standards.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0583a598-7bdd-4afa-8dba-5cad88c5db2b> 2012-2018 Copyright 2012-2018 Alex Sexton, Eemeli Aro, and Contributors
<https://messageformat.github.io/messageformat/>
<https://registry.npmjs.org/messageformat/-/messageformat-2.3.0.tgz>

MIT messageformat-formatters-2.0.1.tgz Formatters for messageformat
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2ac7a790-1d7a-4c9f-9ec4-0971e3e348ee> 2012-2018 Copyright 2012-2018 Alex Sexton, Eemeli Aro, and Contributors
<https://messageformat.github.io/>
<https://registry.npmjs.org/messageformat-formatters/-/messageformat-formatters-2.0.1.tgz>

MIT messageformat-parser-4.1.3.tgz A PEG.js parser for ICU MessageFormat strings
<https://index.mend.io/gri/app/reader/resource/content/asString/3ce64e9e-2f99-4f37-8fb6-70122eb242c5> Copyright OpenJS Foundation and contributors, <https://openjsf.org/> <https://messageformat.github.io/>
<https://registry.npmjs.org/messageformat-parser/-/messageformat-parser-4.1.3.tgz>

MIT methods-1.1.2.tgz HTTP methods that node supports
<https://github.com/jshttp/methods> "2015-2016 Copyright 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com> 2013-2014 Copyright 2013-2014 TJ Holowaychuk <tj@vision-media.ca>"
<https://github.com/jshttp/methods>
<https://registry.npmjs.org/methods/-/methods-1.1.2.tgz>

MIT mime-1.3.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c0f12c5d-f6df-4212-a9cb-925e157b5a6c> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/mime> <https://registry.npmjs.org/@types/mime/-/mime-1.3.5.tgz>

MIT mime-1.6.0.tgz A comprehensive library for mime-type mapping
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ef21af4a-3492-4b46-8d7e-dbb26524a9fd> 2010 Copyright 2010 Benjamin Thomas, Robert Kieffer <https://github.com/broofa/node-mime#readme> <https://registry.npmjs.org/mime/-/mime-1.6.0.tgz>

MIT mime-db-1.52.0.tgz Media Type Database
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8c1fde9b-eed8-475b-a05b-c022c78be64e> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2015-2022 Copyright 2015-2022 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/mime-db#readme>
<https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz>

MIT mime-db-1.54.0.tgz Media Type Database
<https://index.mend.io/gri/app/reader/resource/content/asString/e7cd296f-c746-4865-81eb-9ccfb977b601> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2015-2022 Copyright 2015-2022 Douglas Christopher Wilson <doug@somethingdoug.com>" <https://github.com/jshttp/mime-db#readme> <https://registry.npmjs.org/mime-db/-/mime-db-1.54.0.tgz>

MIT mime-types-2.1.35.tgz The ultimate javascript content-type utility.
<https://index.mend.io/gri/app/reader/resource/content/asString/1632c3a4-9d48-4066-a2d9-8321f440b236> "2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com> 2014 Copyright 2014 Jonathan Ong <me@jongleberry.com>" <https://github.com/jshttp/mime-types#readme> <https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz>

MIT mimic-response-3.1.0.tgz Mimic a Node.js HTTP response stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/679488c0-5629-41e0-8956-b4218723b491> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/mimic-response#readme>
<https://registry.npmjs.org/mimic-response/-/mimic-response-3.1.0.tgz>

MIT minimatch-5.1.2.tgz TypeScript definitions for minimatch
<https://index.mend.io/gri/app/reader/resource/content/asString/bd504b43-edb2-469e-b204-64b4a84250cd> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/minimatch> <https://registry.npmjs.org/@types/minimatch/-/minimatch-5.1.2.tgz>

MIT minimist-1.2.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f9bd8a8-b694-45ef-90e6-b25e4ef8f5d7> 2013 James Halliday

<https://github.com/minimistjs/minimist>
<https://registry.npmjs.org/minimist/-/minimist-1.2.8.tgz>

MIT minipass-fetch-1.4.1.tgz An implementation of window.fetch in Node.js using Minipass streams
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fd426d5b-9c60-45d6-8d47-1a65004f7283> "Copyright Isaac Z. Schlueter and Contributors 2016 Copyright 2016 David Frank"
<https://github.com/npm/minipass-fetch#readme>
<https://registry.npmjs.org/minipass-fetch/-/minipass-fetch-1.4.1.tgz>

MIT minizlib-2.1.2.tgz A small fast zlib stream built on [minipass] (<http://npm.im/minipass>) and Node.js's zlib binding.
<https://index.mend.io/gri/app/reader/resource/content/asString/4f2ee0f9-a0b4-4b56-a173-9635f3a38e0f> "Copyright Isaac Z. Schlueter and Contributors Copyright Node.js contributors"
<https://github.com/isaacs/minizlib#readme>
<https://registry.npmjs.org/minizlib/-/minizlib-2.1.2.tgz>

MIT mkdirp-1.0.4.tgz Recursively mkdir, like `mkdir -p`
<https://index.mend.io/gri/app/reader/resource/content/asString/f53d9cd0-4534-41e2-9943-9d37601417fd> Copyright James Halliday (mail@substack.net) and Isaac Z <https://github.com/isaacs/node-mkdirp#readme> <https://registry.npmjs.org/mkdirp/-/mkdirp-1.0.4.tgz>

MIT mkdirp-2.1.6.tgz Recursively mkdir, like `mkdir -p`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1a06edf7-1b62-46f2-9b7a-070eb2169422> 2011-2023 Copyright 2011-2023 James Halliday <https://github.com/isaacs/node-mkdirp#readme>
<https://registry.npmjs.org/mkdirp/-/mkdirp-2.1.6.tgz>

MIT mkdirp-classic-0.5.3.tgz Mirror of mkdirp 0.5.2
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f5ac92e2-b2fb-4fd5-b939-74151619a313> 2020 Copyright 2020 James Halliday (mail@substack.net) and Mathias Buus
<https://github.com/mafintosh/mkdirp-classic>
<https://registry.npmjs.org/mkdirp-classic/-/mkdirp-classic-0.5.3.tgz>

MIT moment-2.29.4.tgz Parse, validate, manipulate, and display dates
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/94eb6389-1b30-4f30-81b0-35c560885544> Copyright JS Foundation and other contributors <https://momentjs.com>
<https://registry.npmjs.org/moment/-/moment-2.29.4.tgz>

MIT moment-2.30.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a3873ce8-78a3-4140-b3ce-186f8c068c01> Copyright JS Foundation and other contributors <https://momentjs.com>
<https://registry.npmjs.org/moment/-/moment-2.30.1.tgz>

MIT moment-timezone-0.5.48.tgz Parse and display moments in any
timezone.
<https://index.mend.io/gri/app/reader/resource/content/asString/f7a2c399-c0b5-4db0-a455-9deb14507615> Copyright JS Foundation and other
contributors <http://momentjs.com/timezone/>
<https://registry.npmjs.org/moment-timezone/-/moment-timezone-0.5.48.tgz>

MIT moo-color-1.0.3.tgz A javascript class that provides convenience
for color parsing and manipulating.
<https://index.mend.io/gri/app/reader/resource/content/asString/4290e9c9-bd73-4d2d-90ce-fc9ab8bca071> 2018 Copyright 2018 archco
<https://github.com/archco/moo-color#readme>
<https://registry.npmjs.org/moo-color/-/moo-color-1.0.3.tgz>

MIT move-file-1.1.2.tgz move a file (fork of move-file)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c76e9dba-7ebc-4b1d-af13-54252e7e4436> "Copyright Sindre
Sorhus ""sindresorhus@gmail.com"" (mailto:sindresorhus@gmail.com)
(<https://sindresorhus.com>) Copyright npm, Inc"
<https://github.com/npm/move-file#readme>
<https://registry.npmjs.org/@npmcli/move-file/-/move-file-1.1.2.tgz>

MIT ms-2.0.0.tgz Tiny milisecond conversion utility
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6a9b91eb-da45-4c0c-9624-c148388d340b> 2016 Copyright 2016
Zeit, Inc <https://github.com/zeit/ms#readme>
<https://registry.npmjs.org/ms/-/ms-2.0.0.tgz>

MIT ms-2.1.0.tgz TypeScript definitions for ms
<https://index.mend.io/gri/app/reader/resource/content/asString/2361cc4c-e72b-49f0-abaa-3bfef9f25da9> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/ms> <https://registry.npmjs.org/@types/ms/-/ms-2.1.0.tgz>

MIT ms-2.1.2.tgz Tiny millisecond conversion utility
<https://github.com/vercel/ms> 2016 Copyright 2016 Zeit, Inc
<https://github.com/zeit/ms#readme> <https://registry.npmjs.org/ms/-/ms-2.1.2.tgz>

MIT ms-2.1.3.tgz Tiny millisecond conversion utility
<https://index.mend.io/gri/app/reader/resource/content/asString/6152a828-7eaa-41c5-ac5f-34c79036f795> 2020 Copyright 2020 Vercel, Inc
<https://github.com/vercel/ms#readme>
<https://registry.npmjs.org/ms/-/ms-2.1.3.tgz>

MIT msal-browser-3.26.1.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/6df2f799-7d66-4939-blee-83440253babf> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-browser/-/msal-browser-3.26.1.tgz>

MIT msal-browser-4.22.1.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/b9f4a22c-df44-4cb0-aec6-640ac780b198> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-browser/-/msal-browser-4.22.1.tgz>

MIT msal-browser-4.24.0.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/895dae05-15db-4cbc-b4e0-dd05fcbab6> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-browser/-/msal-browser-4.24.0.tgz>

MIT msal-browser-4.26.2.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/a61a85e1-fcf5-4900-b4a5-50446f4afa25> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-browser/-/msal-browser-4.26.2.tgz>

MIT msal-common-14.15.0.tgz Microsoft Authentication Library for js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/950e3869-ac00-4260-a9cb-5d9aa2828b3c> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-common/-/msal-common-14.15.0.tgz>

MIT msal-common-15.12.0.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/bf88fdcc-8adc-48a9-82f4-20a0630b8bb4> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-common/-/msal-common-15.12.0.tgz>

MIT msal-common-15.13.0.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/c0945a0b-3c53-406c-99ce-73a1b3142d74> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-common/-/msal-common-15.13.0.tgz>

MIT msal-common-15.13.2.tgz Microsoft Authentication Library for js
<https://index.mend.io/gri/app/reader/resource/content/asString/e8e2913a-6b75-4143-85d6-0deb05989bed> Copyright Microsoft Corporation
<https://github.com/AzureAD/microsoft-authentication-library-for-js#readme> <https://registry.npmjs.org/@azure/msal-common/-/msal-common-15.13.2.tgz>

MIT msal-node-2.15.0.tgz Microsoft Authentication Library for Node
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4b6fb9cb-d24d-4f1b-b298-52f46241e68d> "Copyright Microsoft Corporation

2020 Copyright 2020 Microsoft" <https://github.com/AzureAD/microsoft-authentication-library-for-js#readme>
<https://registry.npmjs.org/@azure/msal-node/-/msal-node-2.15.0.tgz>

MIT msal-node-3.7.3.tgz Microsoft Authentication Library for Node
<https://index.mend.io/gri/app/reader/resource/content/asString/65ac7cd6-522b-4236-aa04-6907fab2d60a> "Copyright Microsoft Corporation
2020 Copyright 2020 Microsoft" <https://github.com/AzureAD/microsoft-authentication-library-for-js#readme>
<https://registry.npmjs.org/@azure/msal-node/-/msal-node-3.7.3.tgz>

MIT msal-node-3.8.0.tgz Microsoft Authentication Library for Node
<https://index.mend.io/gri/app/reader/resource/content/asString/3ef6b04c-ef7b-451c-b1bc-6a66c4b17ea9> "Copyright Microsoft Corporation 2020
Copyright 2020 Microsoft" <https://github.com/AzureAD/microsoft-authentication-library-for-js#readme>
<https://registry.npmjs.org/@azure/msal-node/-/msal-node-3.8.0.tgz>

MIT msal-node-3.8.3.tgz Microsoft Authentication Library for Node
<https://index.mend.io/gri/app/reader/resource/content/asString/167507e1-a02b-403a-a706-7fc6197d39a0> "Copyright Microsoft Corporation 2020
Copyright 2020 Microsoft" <https://github.com/AzureAD/microsoft-authentication-library-for-js#readme>
<https://registry.npmjs.org/@azure/msal-node/-/msal-node-3.8.3.tgz>

MIT mssql-11.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/8220b90-c63f-4f39-8da6-efc34dlca38d> 2013-2018 Copyright 2013-2018 Patrik
Simek and contributors <https://github.com/tediousjs/node-mssql#readme>
<https://registry.npmjs.org/mssql/-/mssql-11.0.1.tgz>

MIT multer-1.4.12.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/d3a27291-67ef-48e9-9cef-245496d7f700> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/multer>
<https://registry.npmjs.org/@types/multer/-/multer-1.4.12.tgz>

MIT multer-2.0.2.tgz Middleware for handling `multipart/form-data`.
<https://www.npmjs.com/package/multer/v/0.1.7?activeTab=versions>
2014 Copyright 2014 Hage Yaapa
<<http://www.hacksparrow.com>> (<http://www.hacksparrow.com>)>
<https://github.com/expressjs/multer#readme>
<https://registry.npmjs.org/multer/-/multer-2.0.2.tgz>

MIT multiline-1.0.2.tgz Multiline strings in JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f57161b6-1266-4fd0-951f-elc57a84d75f> "Copyright Sindre
Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/multiline>
<https://registry.npmjs.org/multiline/-/multiline-1.0.2.tgz>

MIT multiparty-4.2.3.tgz multipart/form-data parser which supports streaming
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d6768837-4270-422f-b732-d1e3e74d3a49> "2013 Copyright 2013 Felix Geisendörfer 2014 Copyright 2014 Andrew Kelley 2014 Copyright 2014 Douglas Christopher Wilson"
<https://github.com/pillarjs/multiparty#readme>
<https://registry.npmjs.org/multiparty/-/multiparty-4.2.3.tgz>

MIT mustache-4.2.0.tgz Logic-less {{mustache}} templates with JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3ce698b5-d5fe-443b-a6e3-5f1b4045317e> "2010-2014 Copyright 2010-2014 Jan Lehnardt 2010-2015 Copyright 2010-2015 The mustache.js community 2009 Copyright 2009 Chris Wanstrath (Ruby)"
<https://github.com/janl/mustache.js>
<https://registry.npmjs.org/mustache/-/mustache-4.2.0.tgz>

MIT mz-2.7.0.tgz modernize node.js to current ECMAScript standards
<https://github.com/normalize/mz#readme> 2014-2016 Copyright 2014-2016 Jonathan Ong me@jongleberry.com and Contributors
<https://github.com/normalize/mz#readme>
<https://registry.npmjs.org/mz/-/mz-2.7.0.tgz>

MIT nan-2.22.0.tgz Native Abstractions for Node.js: C++ header for Node 0.8 -> 23 compatibility
<https://index.mend.io/gri/app/reader/resource/content/asString/6ba5e96e-4c75-4d40-9baf-225a93f66b4c> "2018 Copyright 2018 NAN WG Members / Collaborators (listed above) 2018 Copyright 2018 NAN contributors"" (https://github.com/nodejs/nan#wg-members--collaborators) Copyright and I have not modified Copyright The contribution was provided directly to me by some other" <https://github.com/nodejs/nan#readme>
<https://registry.npmjs.org/nan/-/nan-2.22.0.tgz>

MIT nan-2.22.1 Native Abstractions for Node.js: C++ header for Node 0.8 -> 22 compatibility License File (null) "2018 Copyright 2018 NAN WG Members / Collaborators (listed above) 2018 Copyright 2018 NAN contributors"" (https://github.com/nodejs/nan#wg-members--collaborators) Copyright and I have not modified Copyright The contribution was provided directly to me by some other" <https://github.com/nodejs/nan#readme>
<https://registry.npmjs.org/nan/-/nan-2.22.1.tgz> nodejs

MIT nanoid-3.3.11.tgzA tiny (116 bytes), secure URL-friendly unique string ID generator
<https://index.mend.io/gri/app/reader/resource/content/asString/01c186d6-06ed-41f5-8898-6f3f9fa1ec84> 2017 Copyright 2017 Andrey Sitnik <andrey@sitnik.ru> <https://github.com/ai/nanoid#readme>
<https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz>

MIT nanoid-3.3.8.tgz A tiny (116 bytes), secure URL-friendly unique string ID generator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/168984ad-8430-4f35-ac0e-fc10061e5c8b> 2017 Copyright 2017 Andrey Sitnik <andrey@sitnik.ru> <https://github.com/ai/nanoid#readme>
<https://registry.npmjs.org/nanoid/-/nanoid-3.3.8.tgz>

MIT nan-v2.14.0 Native Abstractions for Node.js License File
(<https://github.com/nodejs/nan/blob/v2.14.0/package.json>) "2018 Copyright 2018 NAN WG Members / Collaborators (listed above) 2018 Copyright 2018 NAN contributors"<https://github.com/nodejs/nan/zipball/v2.14.0>
<https://github.com/nodejs/nan/zipball/v2.14.0> nodejs

MIT napi-build-utils-2.0.0.tgz A set of utilities to assist developers of tools that build N-API native add-ons
<https://index.mend.io/gri/app/reader/resource/content/asString/1d9d7c8f-05a4-4f1b-94d0-dda8575acbda> 2018 Copyright 2018 inspiredware
<https://github.com/inspiredware/napi-build-utils#readme>
<https://registry.npmjs.org/napi-build-utils/-/napi-build-utils-2.0.0.tgz>

MIT native-duplexpair-1.0.0.tgz Make a full duplex stream with 2 Duplex endpoints, using the native version of `Duplex`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e45d3bc5-be4c-4a7b-8cc1-708b39eadb9b> 2017 Copyright 2017 Anna Henningsen <https://github.com/tediousjs/native-duplexpair#readme>
<https://registry.npmjs.org/native-duplexpair/-/native-duplexpair-1.0.0.tgz>

MIT natural-sort-1.0.0.tgz Sorting with support for numbers, dates, unicode and more.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ed162232-882e-483d-9721-e55e306d488b> "Copyright Studio B12 GmbH
2014 Copyright 2014 Studio B12 GmbH" <https://github.com/studio-b12/natural-sort#readme>
<https://registry.npmjs.org/natural-sort/-/natural-sort-1.0.0.tgz>

MIT ncp-2.0.0.tgz Asynchronous recursive file copy utility.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6f68fe99-aee4-4596-b6ed-01d8185a09f4> 2011 Copyright 2011 by Charlie McConnell <https://github.com/AvianFlu/ncp>
<https://registry.npmjs.org/ncp/-/ncp-2.0.0.tgz>

MIT negotiator-0.6.3.tgz HTTP content negotiation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e04b5f0-31c4-4200-9ada-d8a6dc4c7b10> "2014-2015 Copyright 2014-2015 Douglas Christopher Wilson 2012-2014 Copyright 2012-2014 Federico Romero 2012-2014 Copyright 2012-2014 Isaac Z. Schlueter"
<https://github.com/jshttp/negotiator#readme>
<https://registry.npmjs.org/negotiator/-/negotiator-0.6.3.tgz>

MIT negotiator-0.6.4.tgz HTTP content negotiation
<https://index.mend.io/gri/app/reader/resource/content/asString/4f52>

fd43-0a2f-4eae-808a-58a86d5ba7f7 "2014-2015 Copyright 2014-2015 Douglas Christopher Wilson 2012-2014 Copyright 2012-2014 Federico Romero 2012-2014 Copyright 2012-2014 Isaac Z. Schlueter"

<https://github.com/jshttp/negotiator#readme>

<https://registry.npmjs.org/negotiator/-/negotiator-0.6.4.tgz>

MIT ng-surprise-0.3.0.tgz [![Code Climate] (<https://codeclimate.com/github/rafaelcamargo/ng-surprise/badges/gpa.svg>)] (<https://codeclimate.com/github/rafaelcamargo/ng-surprise>) [![Test Coverage] (<https://codeclimate.com/github/rafaelcamargo/ng-surprise/badges/coverage.svg>)] (<https://codeclimate.com/github/rafaelcamargo/ng-surprise/badges/coverage.svg>)]

[<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/299c47dd-33d5-4173-9718-248498890d77>]

2015 Copyright 2015 Rafael Camargo <https://github.com/rafaelcamargo/ng-surprise#readme>

<https://registry.npmjs.org/ng-surprise/-/ng-surprise-0.3.0.tgz>

MIT nocache-2.1.0.tgzMiddleware to destroy caching

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dac555f5-6fb8-416e-a68d-6a961574509d> "2014-2019 Copyright 2014-2019 Evan Hahn 2014-2019 Copyright 2014-2019 Evan Hahn, Adam Baldwin"

<https://helmetjs.github.io/docs/nocache/>

<https://registry.npmjs.org/nocache/-/nocache-2.1.0.tgz>

MIT nocache-3.0.4.tgzMiddleware to destroy caching

<https://index.mend.io/gri/app/reader/resource/content/asString/c9b01bd0-9d21-4414-bf3f-a65970e74bf2> 2014-2022 Copyright 2014-2022 Evan Hahn <https://github.com/helmetjs/nocache>

<https://registry.npmjs.org/nocache/-/nocache-3.0.4.tgz>

MIT node-14.18.63.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/7c135e52-9690-4d5c-9cb3-d439029cd0c5> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node> <https://registry.npmjs.org/@types/node/-/node-14.18.63.tgz>

MIT node-20.11.17.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/eab0fb35-c6c2-483f-af6b-bdable2949a2> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node> <https://registry.npmjs.org/@types/node/-/node-20.11.17.tgz>

MIT node-20.8.7.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/355331ab-f6bf-416e-ac25-bd31012ee899> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node> <https://registry.npmjs.org/@types/node/-/node-20.8.7.tgz>

MIT node-22.13.10.tgzTypeScript definitions for node

<https://index.mend.io/gri/app/reader/resource/content/asString/e7825953-6d85-4e7a-89ba-2a9e470fac38> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>

s/node <https://registry.npmjs.org/@types/node/-/node-22.13.10.tgz>

MIT node-22.13.4.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/de797808-5843-4e5d-9fdf-1824cf2e4800> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-22.13.4.tgz>

MIT node-22.7.5.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/2ac5fc5e-6d14-47c5-8e44-8ecdf6b7ba53> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-22.7.5.tgz>

MIT node-24.10.1.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/a7778e41-c643-4c82-8722-de40bd2573f4> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-24.10.1.tgz>

MIT node-24.3.1.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/4ce506eb-108a-441b-ad3a-5bdf56245987> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-24.3.1.tgz>

MIT node-24.4.0.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/7c4d8b9d-9977-4f2f-97ef-d90a67e5c660> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-24.4.0.tgz>

MIT node-24.5.0.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/4b650e85-0b45-4e45-b61b-5e91aealf9e4> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-24.5.0.tgz>

MIT node-24.5.2.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/822c11ec-582c-43aa-910c-904047049c76> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-24.5.2.tgz>

MIT node-24.6.0.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/f2a543ae-f8e3-44d5-ae59-748e93592fed> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node>
s/node <https://registry.npmjs.org/@types/node/-/node-24.6.0.tgz>

MIT node-24.7.1.tgz TypeScript definitions for node
<https://index.mend.io/gri/app/reader/resource/content/asString/6ae41eab-0244-4840-aaal-8f4f4efa7214> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/node> <https://registry.npmjs.org/@types/node/-/node-24.7.1.tgz>

MIT node-abi-3.77.0.tgz Get the Node ABI for a given target and runtime, and vice versa.
<https://index.mend.io/gri/app/reader/resource/content/asString/7acd0f10-54e0-458d-96c0-b96cd3b2cc2f> 2016 Copyright 2016 Lukas Geiger
<https://github.com/electron/node-abi#readme>
<https://registry.npmjs.org/node-abi/-/node-abi-3.77.0.tgz>

MIT node-abi-3.80.0.tgz Get the Node ABI for a given target and runtime, and vice versa.
<https://index.mend.io/gri/app/reader/resource/content/asString/24ef9cb8-6cae-4c5d-8fec-4a140dd90bba> 2016 Copyright 2016 Lukas Geiger
<https://github.com/electron/node-abi#readme>
<https://registry.npmjs.org/node-abi/-/node-abi-3.80.0.tgz>

MIT node-addon-api-7.1.1 License File (node-addon-api-7.1.1/package/LICENSE.md) 2017 Copyright 2017 Node.js API collaborators" (<https://github.com/nodejs/node-addon-api#collaborators>)
<https://github.com/nodejs/node-addon-api>
<https://registry.npmjs.org/node-addon-api/-/node-addon-api-7.1.1.tgz> nodejs

MIT node-addon-api-7.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ade4b42d-aba7-4406-b2de-aef6c8ac5b25> 2017 Copyright 2017 Node.js API collaborators" (<https://github.com/nodejs/node-addon-api#collaborators>)
<https://github.com/nodejs/node-addon-api>
<https://registry.npmjs.org/node-addon-api/-/node-addon-api-7.1.1.tgz>

MIT node-cache-5.1.2.tgz Simple and fast NodeJS internal caching. Node internal in memory cache like memcached.
<https://index.mend.io/gri/app/reader/resource/content/asString/eb212d43-8eaf-4a0b-a8e0-c88724428147> "2019 Copyright 2019 mpneuried 2019 Copyright 2019 Mathias Peter and the node-cache maintainers,
<https://github.com/node-cache/node>" <https://github.com/node-cache/node-cache> <https://registry.npmjs.org/node-cache/-/node-cache-5.1.2.tgz>

MIT node-eta-0.9.0.tgz Estimated time to arrival
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d1ca5fe5-6552-4abb-9314-208261781b9e>
<https://github.com/titarenko/eta> <https://registry.npmjs.org/node-eta/-/node-eta-0.9.0.tgz>

MIT node-fetch-2.6.7.tgz A light-weight module that brings window.fetch to node.js <https://github.com/node-fetch/node-fetch/blob/main/LICENSE.md> 2016 Copyright 2016 David Frank
<https://github.com/bitinn/node-fetch>
<https://registry.npmjs.org/node-fetch/-/node-fetch-2.6.7.tgz>

MIT node-gyp-11.0.0 Node.js native addon build tool License File
 (node-gyp-11.0.0/package/README.md) 2012 Copyright 2012 Nathan
 Rajlich <nathan@tootallnate.net> [https://github.com/nodejs/node-](https://github.com/nodejs/node-gyp#readme)
[gyp#readme https://registry.npmjs.org/node-gyp/-/node-gyp-11.0.0.tgz](https://registry.npmjs.org/node-gyp/-/node-gyp-11.0.0.tgz)
 nodejs

MIT node-gyp-8.4.1.tgz Node.js native addon build tool
[https://index.mend.io/gri/app/reader/resource/content/asString/6948](https://index.mend.io/gri/app/reader/resource/content/asString/69481c38-c3ca-45e0-b3de-364effea7ac4)
 1c38-c3ca-45e0-b3de-364effea7ac4 2012 Copyright 2012 Nathan Rajlich
 <nathan@tootallnate.net> <https://github.com/nodejs/node-gyp#readme>
<https://registry.npmjs.org/node-gyp/-/node-gyp-8.4.1.tgz>

MIT node-saml-4.0.5.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/4b87](https://index.mend.io/gri/app/reader/resource/content/asString/4b87ce53-157b-4e9e-95cb-869ac874ba3c)
 ce53-157b-4e9e-95cb-869ac874ba3c "2011 Copyright 2011 Michael Bosworth
 2012 Copyright 2012 Henri Bergius" [https://github.com/node-saml/node-](https://github.com/node-saml/node-saml#readme)
[saml#readme https://registry.npmjs.org/@node-saml/node-saml/-/node-saml-](https://registry.npmjs.org/@node-saml/node-saml/-/node-saml-4.0.5.tgz)
 4.0.5.tgz

MIT node-saml-5.1.0.tgz SAML 2.0 implementation for Node.js
[https://index.mend.io/gri/app/reader/resource/content/asString/540c](https://index.mend.io/gri/app/reader/resource/content/asString/540ccdb6-3f6b-4734-942f-64bb21555ffc)
 cdb6-3f6b-4734-942f-64bb21555ffc "2011 Copyright 2011 Michael Bosworth
 2012 Copyright 2012 Henri Bergius" [https://github.com/node-saml/node-](https://github.com/node-saml/node-saml#readme)
[saml#readme https://registry.npmjs.org/@node-saml/node-saml/-/node-saml-](https://registry.npmjs.org/@node-saml/node-saml/-/node-saml-5.1.0.tgz)
 5.1.0.tgz

MIT node-vault-0.10.2.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/8c64](https://index.mend.io/gri/app/reader/resource/content/asString/8c64112b-7175-4514-bb96-c3f46916364f)
 112b-7175-4514-bb96-c3f46916364f 2015 Copyright 2015 Krispin Schulz
<https://github.com/krispln/node-vault>
<https://registry.npmjs.org/node-vault/-/node-vault-0.10.2.tgz>

MIT normalize-path-3.0.0.tgz Normalize slashes in a file path to be
 posix/unix-like forward slashes. Also condenses repeat slashes to a
 single slash and removes and trailing slashes, unless disabled.
[https://index.whitesourcesoftware.com/gri/app/reader/resource/conte](https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/de1519c9-2912-4e4b-9a0e-d23a400a99c6)
 nt/asString/de1519c9-2912-4e4b-9a0e-d23a400a99c6 "2014-2018 Copyright
 2014-2018 Jon Schlinkert 2018 Copyright 2018 [Jon
 Schlinkert] (<https://github.com/jonschlinkert>) 2018 Copyright 2018 Jon
 Schlinkert" (<https://github.com/jonschlinkert>) "
<https://github.com/jonschlinkert/normalize-path>
[https://registry.npmjs.org/normalize-path/-/normalize-path-](https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz)
 3.0.0.tgz

MIT npm-run-path-5.3.0.tgz
[https://index.mend.io/gri/app/reader/resource/content/asString/386f](https://index.mend.io/gri/app/reader/resource/content/asString/386f97b1-7d69-4202-a466-b50aff7dfe80)
 97b1-7d69-4202-a466-b50aff7dfe80 Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/npm-run-path#readme>
<https://registry.npmjs.org/npm-run-path/-/npm-run-path-5.3.0.tgz>

MIT number-is-nan-1.0.1.tgz ES2015 Number.isNaN() ponyfill
<https://github.com/sindresorhus/number-is-nan> "Copyright Sindre

Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/number-is-nan#readme> <https://registry.npmjs.org/number-is-nan/-/number-is-nan-1.0.1.tgz>

MIT number-skeleton-1.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/620eeeda-b9f5-4cd3-aaaa-c45bae6902ea> Copyright OpenJS Foundation and contributors, <https://openjsf.org/>
<http://messageformat.github.io/messageformat/api/number-skeleton/>
<https://registry.npmjs.org/@messageformat/number-skeleton/-/number-skeleton-1.2.0.tgz>

MIT numeral-2.0.6.tgz Format and manipulate numbers.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/49f10370-53ef-475e-ab53-c46d719060f5> "2012 Copyright 2012 Adam Draper 2016 Copyright 2016 Adam Draper" <http://numeraljs.com>
<https://registry.npmjs.org/numeral/-/numeral-2.0.6.tgz>

MIT object.assign-4.1.7.tgz ES6 spec-compliant Object.assign shim.
From <https://github.com/es-shims/es6-shim>
<https://index.mend.io/gri/app/reader/resource/content/asString/07eb4d-86c3-4efe-b2e8-6f36325034f0> 2014 Copyright 2014 Jordan Harband
<https://github.com/ljharb/object.assign#readme>
<https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz>

MIT object.fromentries-2.0.8.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3189ea70-58a2-4445-aa8f-c35edf4cf2ae> 2018 Copyright 2018 Jordan Harband <https://github.com/es-shims/Object.fromEntries#readme>
<https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz>

MIT object-assign-4.1.1.tgz ES2015 `Object.assign()` ponyfill
<https://github.com/sindresorhus/object-assign/tree/v4.1.1>"Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)" <https://github.com/sindresorhus/object-assign#readme> <https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz>

MIT object-hash-1.3.1.tgz Generate hashes from javascript objects in node and the browser.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3dd45dc1-c8b9-452f-a766-35b915cad8c9> 2014 Copyright 2014 object-hash contributors <https://github.com/puleos/object-hash>
<https://registry.npmjs.org/object-hash/-/object-hash-1.3.1.tgz>

MIT object-hash-2.2.0.tgz Generate hashes from javascript objects in node and the browser.
<https://index.mend.io/gri/app/reader/resource/content/asString/9defab44-57f2-4ad0-acb6-27db3eb81f8b> 2014 Copyright 2014 object-hash contributors <https://github.com/puleos/object-hash>
<https://registry.npmjs.org/object-hash/-/object-hash-2.2.0.tgz>

MIT object-inspect-1.13.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e5ba6659-3b16-4ede-b802-4721359b7593> 2013 Copyright 2013 James Halliday
<https://github.com/inspect-js/object-inspect>
<https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.1.tgz>

MIT object-inspect-1.13.4.tgz string representations of objects in node and the browser
<https://index.mend.io/gri/app/reader/resource/content/asString/9c279833-0212-437f-a127-ef5ddb60a2c8> 2013 Copyright 2013 James Halliday
<https://github.com/inspect-js/object-inspect>
<https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz>

MIT object-is-1.1.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/303d05e7-a3bf-475c-b5bd-379bd2e66ed2> 2014 Copyright 2014 Jordan Harband
<https://github.com/es-shims/object-is>
<https://registry.npmjs.org/object-is/-/object-is-1.1.6.tgz>

MIT object-keys-1.1.1.tgz An Object.keys replacement, in case Object.keys is not available. From <https://github.com/es-shims/es5-shim>
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0d2e8d42-7418-43dd-8735-93f8ed6d4aa2> 2013 Copyright 2013 Jordan Harband <https://github.com/ljharb/object-keys#readme>
<https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz>

MIT once-1.1.2.tgz Creates a Promise that waits for a single event
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a97365cb-a4fe-414f-8903-f8f6f7b50b1d> 2020 Nathan Rajlich
<https://github.com/TooTallNate/once#readme>
<https://registry.npmjs.org/@tootallnate/once/-/once-1.1.2.tgz>

MIT one-time-1.0.0.tgz Run the supplied function exactly one time (once)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/51d59757-d719-423e-af9f-7a1037ba6b22> 2015 Copyright 2015 Unshift.io, Arnout Kazemier, the Contributors
<https://github.com/3rd-Eden/one-time#readme>
<https://registry.npmjs.org/one-time/-/one-time-1.0.0.tgz>

MIT on-finished-2.3.0.tgz Execute a callback when a request closes, finishes, or errors
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/920d4a2c-aele-4c4e-bae9-8db3b215187b> "2013 Copyright 2013 Jonathan Ong <me@jongleberry.com> 2014 Copyright 2014 Douglas Christopher Wilson <doug@somethingdoug.com>" <https://github.com/jshttp/on-finished>
<https://registry.npmjs.org/on-finished/-/on-finished-2.3.0.tgz>

MIT on-finished-2.4.1.tgz Execute a callback when a request closes, finishes, or errors
<https://index.mend.io/gri/app/reader/resource/content/asString/74b5>

a00d-e70a-4c42-9eb7-8259d3b938ea "2013 Copyright 2013 Jonathan Ong
<me@jongleberry.com> 2014 Copyright 2014 Douglas Christopher Wilson
<doug@somethingdoug.com>" <https://github.com/jshttp/on-finished#readme>
<https://registry.npmjs.org/on-finished/-/on-finished-2.4.1.tgz>

MIT on-headers-1.0.2.tgz Execute a listener when a response is about
to write headers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b40e016d-b4d5-4bde-a5a6-481c892e2d2c> 2014 Copyright 2014
Douglas Christopher Wilson <https://github.com/jshttp/on-headers#readme>
<https://registry.npmjs.org/on-headers/-/on-headers-1.0.2.tgz>

MIT on-headers-1.1.0.tgz Execute a listener when a response is about
to write headers <https://www.npmjs.com/package/on-headers/v/1.1.0> 2014
Copyright 2014 Douglas Christopher Wilson
<https://github.com/jshttp/on-headers#readme>
<https://registry.npmjs.org/on-headers/-/on-headers-1.1.0.tgz>

MIT ono-7.1.3.tgz Throw better errors.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0c127266-82ac-4eef-ac7d-e2834330c0a9> 2015 Copyright 2015
James Messinger <https://jstools.dev/ono>
<https://registry.npmjs.org/@jsdevtools/ono/-/ono-7.1.3.tgz>

MIT open-10.2.0.tgz Open stuff like URLs, files, executables. Cross-
platform.
<https://index.mend.io/gri/app/reader/resource/content/asString/b001f7c6-196b-4790-8646-38fd7dc8fb66> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/open#readme>
<https://registry.npmjs.org/open/-/open-10.2.0.tgz>

MIT open-8.4.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b1032e92-5089-497d-bb3c-1489b555d90a> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/open#readme>
<https://registry.npmjs.org/open/-/open-8.4.2.tgz>

MIT openapi-schemas-2.1.0.tgz JSON Schemas for every version of the
OpenAPI Specification
<https://index.mend.io/gri/app/reader/resource/content/asString/3e70e077-81a9-4397-9a8d-d3ab009a3dfd> 2019 Copyright 2019 James Messinger
<https://apitools.dev/openapi-schemas>
<https://registry.npmjs.org/@apidevtools/openapi-schemas/-/openapi-schemas-2.1.0.tgz>

MIT own-keys-1.0.1.tgz Robustly get an object's own property keys
(strings and symbols), including non-enumerables when possible
<https://index.mend.io/gri/app/reader/resource/content/asString/68a4d855-c86f-4b89-845d-42ad86af3d06> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/own-keys#readme>
<https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz>

MIT package-1.0.1.tgz Easy package.json exports.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/a5839303-4a3c-45cf-8de3-9a09224bd2a3> 2012 Copyright 2012
Veselin Todorov <http://github.com/vesln/package>
<https://registry.npmjs.org/package/-/package-1.0.1.tgz>

MIT pako-1.0.11.tgz zlib port to javascript - fast, modularized, with browser support
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ca9f367c-bf6e-4780-8ddd-7baac1f7f1f0> 2014-2017 Copyright 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn
<https://github.com/nodeca/pako> <https://registry.npmjs.org/pako/-/pako-1.0.11.tgz>

MIT pako-2.0.4.tgz TypeScript definitions for pako
<https://index.mend.io/gri/app/reader/resource/content/asString/871be945-0e76-42af-8544-dfc7f493d4b9> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/pako> <https://registry.npmjs.org/@types/pako/-/pako-2.0.4.tgz>

MIT pako-2.1.0.tgz
<https://github.com/nodeca/pako/blob/master/LICENSE> 2014-2017
Copyright 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn
<https://github.com/nodeca/pako#readme>
<https://registry.npmjs.org/pako/-/pako-2.1.0.tgz>

MIT papaparse-5.5.3.tgz Fast and powerful CSV parser for the browser that supports web workers and streaming large files. Converts CSV to JSON and JSON to CSV.
<https://index.mend.io/gri/app/reader/resource/content/asString/dbd17fb8-549f-4b6c-a94d-c78c5012855e> "2013 Copyright 2013 Matt 2015 Copyright 2015 Matthew Holt" <https://www.papaparse.com/>
<https://registry.npmjs.org/papaparse/-/papaparse-5.5.3.tgz>

MIT parent-module-1.0.1.tgz Get the path of the parent module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/99fdee40-818f-48e1-9876-7ba0d0f2720a> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/parent-module#readme>
<https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz>

MIT parse-4.3.6.tgz fast-csv parsing package
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c83e213e-dfbb-43b2-8fcd-e7f1336c64a6> 2011-2019 Copyright 2011-2019 C <http://c2fo.github.com/fast-csv/packages/parse>
<https://registry.npmjs.org/@fast-csv/parse/-/parse-4.3.6.tgz>

MIT parse5-5.1.1.tgz HTML parser and serializer.
<https://github.com/inikulin/parse5/blob/master/LICENSE> "2013-2019 Copyright 2013-2019 Ivan Nikulin 2013-2019 Copyright 2013-2019 Ivan Nikulin (ifaaan@gmail.com, <https://github.com/inikulin>)"

<https://github.com/inikulin/parse5>
<https://registry.npmjs.org/parse5/-/parse5-5.1.1.tgz>

MIT parse5-6.0.1.tgz HTML parser and serializer.
<https://index.mend.io/gri/app/reader/resource/content/asString/fc3f4a06-3b3f-4a82-b976-6264051782ca> 2013-2019 Copyright 2013-2019 Ivan Nikulin (ifaaan@gmail.com, <https://github.com/inikulin>)
<https://github.com/inikulin/parse5>
<https://registry.npmjs.org/parse5/-/parse5-6.0.1.tgz>

MIT parse5-htmlparser2-tree-adapter-6.0.1.tgz htmlparser2 tree adapter for parse5.
<https://index.mend.io/gri/app/reader/resource/content/asString/3de3924b-5ec1-46ba-94ec-cbbef8f00b18> 2013-2019 Copyright 2013-2019 Ivan Nikulin (ifaaan@gmail.com, <https://github.com/inikulin>)
<https://github.com/inikulin/parse5>
<https://registry.npmjs.org/parse5-htmlparser2-tree-adapter/-/parse5-htmlparser2-tree-adapter-6.0.1.tgz>

MIT parse-json-4.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a3fc5e9e-53d3-422e-a10d-658f32d51cec> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/parse-json> <https://registry.npmjs.org/@types/parse-json/-/parse-json-4.0.2.tgz>

MIT parse-json-5.2.0.tgz Parse JSON with more helpful errors
<https://index.mend.io/gri/app/reader/resource/content/asString/9018e729-4ff6-46a4-a651-5cbc45720ddd> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/parse-json#readme>
<https://registry.npmjs.org/parse-json/-/parse-json-5.2.0.tgz>

MIT parse-ms-1.0.1.tgz Parse milliseconds into an object
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c9fea044-4591-4c72-8d35-a7c1eafa450b> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
<https://github.com/sindresorhus/parse-ms#readme>
<https://registry.npmjs.org/parse-ms/-/parse-ms-1.0.1.tgz>

MIT parser-5.1.1.tgz An AST parser for ICU MessageFormat strings
<https://index.mend.io/gri/app/reader/resource/content/asString/1c0fa855-049a-480a-865f-074712c39e13> Copyright OpenJS Foundation and contributors, <https://openjsf.org/>
<http://messageformat.github.io/messageformat/api/parser/>
<https://registry.npmjs.org/@messageformat/parser/-/parser-5.1.1.tgz>

MIT parser-7.28.4.tgzA JavaScript parser
<https://index.mend.io/gri/app/reader/resource/content/asString/9867052e-2918-4958-921c-5d71b872ab0f> 2012-2014 Copyright 2012-2014 by various contributors <https://babel.dev/docs/en/next/babel-parser>
<https://registry.npmjs.org/@babel/parser/-/parser-7.28.4.tgz>

MIT parse-srcset-1.0.2.tgz A spec-conformant JavaScript parser for the HTML5 srcset attribute
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c6af70fc-1744-4f58-a87c-01b1254a19c1> 2014 Copyright 2014 Alex Bell <https://github.com/albell/parse-srcset#readme>
<https://registry.npmjs.org/parse-srcset/-/parse-srcset-1.0.2.tgz>

MIT parseurl-1.3.3.tgz parse a url with memoization
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/186349cc-8ddc-460d-9cce-7faca54497ec> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/pillarjs/parseurl#readme>
<https://registry.npmjs.org/parseurl/-/parseurl-1.3.3.tgz>

MIT passport-0.6.0.tgz Simple, unobtrusive authentication for Node.js.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4d7bbb6f-7add-4834-a8b8-68dffafa67da> "2011-2021 Copyright 2011-2021 Jared Hanson 2011-2021 Copyright 2011-2021 Jared Hanson <"
<https://www.passportjs.org/> <https://registry.npmjs.org/passport/-/passport-0.6.0.tgz>

MIT passport-0.7.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/2dd2ba0c-eb3e-4635-a133-3f03ff3700ee> "2011-2021 Copyright 2011-2021 Jared Hanson 2011-2021 Copyright 2011-2021 Jared Hanson <"
<https://www.passportjs.org/> <https://registry.npmjs.org/passport/-/passport-0.7.0.tgz>

MIT passport-1.0.17.tgz TypeScript definitions for passport
<https://index.mend.io/gri/app/reader/resource/content/asString/2e8f5893-5b9b-47c8-8940-381894585ca1> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/passport> <https://registry.npmjs.org/@types/passport/-/passport-1.0.17.tgz>

MIT passport-local-1.0.0.tgz Local username and password authentication strategy for Passport.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2dcd31b8-f193-448d-bf71-17afea77ec96> "2011-2014 Copyright 2011-2014 Jared Hanson
<<http://jaredhanson.net/>> 2011-2014 Copyright 2011-2014 Jared Hanson < 2011-2014 Copyright 2011-2014 Jared Hanson"
<https://registry.npmjs.org/passport-local/-/passport-local-1.0.0.tgz> <https://registry.npmjs.org/passport-local/-/passport-local-1.0.0.tgz>

MIT passport-saml-4.0.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/307adeel-3f9f-4893-bela-b86e23f1ff2a> "Copyright Notices 2011 Copyright 2011 Michael Bosworth 2012 Copyright 2012 Henri Bergius"

<https://github.com/node-saml/passport-saml#readme>
<https://registry.npmjs.org/@node-saml/passport-saml/-/passport-saml-4.0.4.tgz>

MIT passport-saml-5.1.0.tgz SAML 2.0 authentication strategy for Passport
<https://index.mend.io/gri/app/reader/resource/content/asString/2cb092f9-7f01-4afd-b709-f77d6ceb27b8> "Copyright Notices
2011 Copyright 2011 Michael Bosworth 2012 Copyright 2012 Henri Bergius"
<https://github.com/node-saml/passport-saml#readme>
<https://registry.npmjs.org/@node-saml/passport-saml/-/passport-saml-5.1.0.tgz>

MIT passport-strategy-0.2.36.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6799602f-403a-4558-alac-091a78545d26> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/passport-strategy> <https://registry.npmjs.org/@types/passport-strategy/-/passport-strategy-0.2.36.tgz>

MIT passport-strategy-0.2.38.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/311dc2cf-27aa-4549-bc39-a17600a48fad> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/passport-strategy> <https://registry.npmjs.org/@types/passport-strategy/-/passport-strategy-0.2.38.tgz>

MIT passport-strategy-1.0.0.tgz An abstract class implementing Passport's strategy API.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/94da19fb-4627-4653-9dfd-265968f78d18> "2011-2013 Copyright
2011-2013 Jared Hanson < 2011-2013 Copyright 2011-2013 Jared Hanson 2011-2013 Copyright 2011-2013 Jared Hanson
<[http://jaredhanson.net/] (http://jaredhanson.net/)>"
<https://registry.npmjs.org/passport-strategy/-/passport-strategy-1.0.0.tgz> <https://registry.npmjs.org/passport-strategy/-/passport-strategy-1.0.0.tgz>

MIT path-0.12.7.tgz Node.JS path module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e5b21830-ale6-4960-88dc-d83f3bba9aed> Copyright Joyent, Inc. and other Node contributors
<http://nodejs.org/docs/latest/api/path.html>
<https://registry.npmjs.org/path/-/path-0.12.7.tgz>

MIT path-is-absolute-1.0.1.tgz Node.js 0.12 path.isAbsolute() ponyfill
<https://github.com/sindresorhus/path-is-absolute#readme> "Copyright
Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com>
(sindresorhus.com)" <https://github.com/sindresorhus/path-is-absolute#readme> <https://registry.npmjs.org/path-is-absolute/-/path-is-absolute-1.0.1.tgz>

MIT path-key-3.1.1.tgz Get the PATH environment variable key cross-platform
<https://github.com/sindresorhus/path-key> Copyright Sindre

Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
<https://github.com/sindresorhus/path-key#readme>
<https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz>

MIT path-key-4.0.0.tgz Get the PATH environment variable key cross-platform
<https://index.mend.io/gri/app/reader/resource/content/asString/b9be424c-069d-49c6-a14d-f6b912de4ffe> Copyright Sindre Sorhus
 <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/path-key#readme>
<https://registry.npmjs.org/path-key/-/path-key-4.0.0.tgz>

MIT path-parse-1.0.7.tgz Node.js path.parse() ponyfill
<https://index.mend.io/gri/app/reader/resource/content/asString/ab289f0d-13fb-406e-b27f-abf80b5a74e1> 2015 Copyright 2015 Javier Blanco
<https://github.com/jbgutierrez/path-parse#readme>
<https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz>

MIT path-to-regexp-0.1.12.tgz Express style path to RegExp utility
<https://index.mend.io/gri/app/reader/resource/content/asString/2d84ea95-6a9e-4a53-b2b0-8a5fcb533c62> 2014 Copyright 2014 Blake Embrey
 (hello@blakeembrey.com) <https://github.com/pillarjs/path-to-regexp#readme>
<https://registry.npmjs.org/path-to-regexp/-/path-to-regexp-0.1.12.tgz>

MIT path-to-regexp-1.9.0.tgz Express style path to RegExp utility
<https://index.mend.io/gri/app/reader/resource/content/asString/b6c09aa0-b3de-4e48-96d1-6dff907145ab> 2014 Copyright 2014 Blake Embrey
 (hello@blakeembrey.com) <https://github.com/pillarjs/path-to-regexp#readme>
<https://registry.npmjs.org/path-to-regexp/-/path-to-regexp-1.9.0.tgz>

MIT path-to-regexp-6.3.0.tgz Express style path to RegExp utility
<https://index.mend.io/gri/app/reader/resource/content/asString/b980e542-49b8-4310-b3bf-0c40a4127fac> 2014 Copyright 2014 Blake Embrey
 (hello@blakeembrey.com) <https://github.com/pillarjs/path-to-regexp#readme>
<https://registry.npmjs.org/path-to-regexp/-/path-to-regexp-6.3.0.tgz>

MIT path-type-4.0.0.tgz Check if a path is a file, directory, or symlink
<https://www.npmjs.com/package/path-type/v/4.0.0> "Copyright Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/path-type#readme>
<https://registry.npmjs.org/path-type/-/path-type-4.0.0.tgz>

MIT pause-0.0.1.tgz Pause streams... <https://github.com/stream-utils/pause> 2012 Copyright 2012 TJ Holowaychuk <tj@vision-media.ca>
<https://registry.npmjs.org/pause/-/pause-0.0.1.tgz>
<https://registry.npmjs.org/pause/-/pause-0.0.1.tgz>

MIT pause-stream-0.0.11.tgz a ThroughStream that strictly buffers all readable events when paused.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/71bdbf77-7d81-4fe1-98e7-49e038556169> 2013 Copyright 2013

Dominic Tarr <https://registry.npmjs.org/pause-stream/-/pause-stream-0.0.11.tgz> <https://registry.npmjs.org/pause-stream/-/pause-stream-0.0.11.tgz>

MIT pdf-lib-1.17.1.tgz Create and modify PDF files with JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/94da4df0-f36e-4ec4-9eb3-bbd3664bdb36> 2019 Copyright 2019 Andrew Dillon <https://pdf-lib.js.org/>
<https://registry.npmjs.org/pdf-lib/-/pdf-lib-1.17.1.tgz>

MIT pend-1.2.0.tgz dead-simple optimistic async helper
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/eee50057-ec9c-4726-be86-832a9e2677e0> 2014 Copyright 2014 Andrew Kelley <https://registry.npmjs.org/pend/-/pend-1.2.0.tgz>
<https://registry.npmjs.org/pend/-/pend-1.2.0.tgz>

MIT performance-now-2.1.0.tgz Implements performance.now (based on process.hrtime). <https://github.com/braveg1rl/performance-now> "2013 Copyright 2013 Braveg1rl 2017 Copyright 2017 Braveg1rl"
<https://github.com/braveg1rl/performance-now>
<https://registry.npmjs.org/performance-now/-/performance-now-2.1.0.tgz>

MIT pify-2.3.0.tgz Promisify a callback-style function
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f89eda48-b1a9-4e05-953d-6e659c2fffe1> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)" <https://github.com/sindresorhus/pify>
<https://registry.npmjs.org/pify/-/pify-2.3.0.tgz>

MIT pify-3.0.0.tgz Promisify a callback-style function
<https://github.com/sindresorhus/pify#readme> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/pify#readme>
<https://registry.npmjs.org/pify/-/pify-3.0.0.tgz>

MIT pinkie-2.0.4.tgz Itty bitty little widdle twinkie pinkie ES2015 Promise implementation
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2dea250a-73e0-49d6-ad44-756b1c281e9b> "Copyright Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop) Copyright Vsevolod Strukchinsky" <https://registry.npmjs.org/pinkie/-/pinkie-2.0.4.tgz> <https://registry.npmjs.org/pinkie/-/pinkie-2.0.4.tgz>

MIT pinkie-promise-2.0.1.tgz ES2015 Promise ponyfill
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8f7b07c0-78fa-4063-8dc1-4ae925f183f4> "Copyright Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop) Copyright Vsevolod Strukchinsky" <https://github.com/floatdrop/pinkie-promise>
<https://registry.npmjs.org/pinkie-promise/-/pinkie-promise-2.0.1.tgz>

MIT pkginfo-0.3.1.tgz An easy way to expose properties on a module from a package.json
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7eef05ed-2234-4ada-a149-efea87f7cb73> 2010 Copyright 2010 Charlie Robbins <https://github.com/indexzero/node-pkginfo#readme>
<https://registry.npmjs.org/pkginfo/-/pkginfo-0.3.1.tgz>

MIT plur-1.0.0.tgz Naively pluralize a word
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/38c8be77-78a7-47bb-9911-7353bbb4cb2a> "Copyright Sindre Sorhus
 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/plur>
<https://registry.npmjs.org/plur/-/plur-1.0.0.tgz>

MIT plur-2.1.2.tgz Pluralize a word
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0e48a91d-b069-4e7a-a504-22d34e8f1fab> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/plur>
<https://registry.npmjs.org/plur/-/plur-2.1.2.tgz>

MIT p-map-4.0.0.tgz Map over promises concurrently
<https://github.com/sindresorhus/p-map/blob/main/license> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/p-map#readme>
<https://registry.npmjs.org/p-map/-/p-map-4.0.0.tgz>

MIT possible-typed-array-names-1.1.0.tgz A simple list of possible Typed Array names.
<https://index.mend.io/gri/app/reader/resource/content/asString/5e62abaa-13a3-4f59-a907-0f92547aaa44> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/possible-typed-array-names#readme>
<https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-array-names-1.1.0.tgz>

MIT postcss-8.4.31.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6a4f3923-e93d-467c-97e8-40676667f4f1> 2013 Copyright 2013 Andrey Sitnik <andrey@sitnik.ru> <https://postcss.org/>
<https://registry.npmjs.org/postcss/-/postcss-8.4.31.tgz>

MIT postcss-8.4.35.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ec286310-c077-4f22-90df-453bdd6ce5e5> 2013 Copyright 2013 Andrey Sitnik <andrey@sitnik.ru> <https://postcss.org/>
<https://registry.npmjs.org/postcss/-/postcss-8.4.35.tgz>

MIT postcss-8.5.3.tgz Tool for transforming styles with JS plugins
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e47e4258-ad7f-48b8-a2a4-14e38054c042> 2013 Copyright 2013 Andrey Sitnik <andrey@sitnik.ru> <https://postcss.org/>
<https://registry.npmjs.org/postcss/-/postcss-8.5.3.tgz>

MIT postcss-8.5.6.tgz Tool for transforming styles with JS plugins
<https://index.mend.io/gri/app/reader/resource/content/asString/238b583e-3d80-43c4-8636-b5d387fa275a> 2013 Copyright 2013 Andrey Sitnik
<andrey@sitnik.ru> <https://postcss.org/>
<https://registry.npmjs.org/postcss/-/postcss-8.5.6.tgz>

MIT prebuild-install-7.1.3.tgz A command line tool to easily install
prebuilt binaries for multiple version of node/iojs on a specific
platform
<https://index.mend.io/gri/app/reader/resource/content/asString/1cc3c723-cc1a-42e5-bc7b-d4428bdf13fe> 2015 Copyright 2015 Mathias Buus
<https://github.com/prebuild/prebuild-install>
<https://registry.npmjs.org/prebuild-install/-/prebuild-install-7.1.3.tgz>

MIT pretty-format-27.5.1.tgz Stringify any JavaScript value.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/60ddaa82-4455-464e-ac73-ba9e9974271c> Copyright Facebook,
Inc. and its affiliates <https://github.com/facebook/jest#readme>
<https://registry.npmjs.org/pretty-format/-/pretty-format-27.5.1.tgz>

MIT pretty-ms-2.1.0.tgz Convert milliseconds to a human readable
string: 1337000000 → 15d 11h 23m 20s
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/42246f91-9950-4707-8297-62b7fa147ele> "Copyright Sindre
Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/pretty-ms>
<https://registry.npmjs.org/pretty-ms/-/pretty-ms-2.1.0.tgz>

MIT prismjs-1.30.0.tgz Lightweight, robust, elegant syntax
highlighting. A spin-off project from Dabblet.
<https://index.mend.io/gri/app/reader/resource/content/asString/f6125002-d503-4998-a5fd-9ca16eaac253> 2012 Copyright 2012 Lea Verou
<https://github.com/PrismJS/prism#readme>
<https://registry.npmjs.org/prismjs/-/prismjs-1.30.0.tgz>

MIT private-theming-5.15.14.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0feb6e47-a729-4868-8cae-48e42fcc5f21> 2014 Copyright 2014 Call-Em-All
<https://github.com/mui/material-ui/tree/master/packages/mui-private-theming> <https://registry.npmjs.org/@mui/private-theming/-/private-theming-5.15.14.tgz>

MIT process-0.11.10.tgz process information for node.js and browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/50cf8a4c-0a51-47e0-9d56-afb8269e3d35> 2013 Copyright 2013
Roman Shtylman <shtylman@gmail.com> <https://github.com/shtylman/node-process#readme> <https://registry.npmjs.org/process/-/process-0.11.10.tgz>

MIT process-nextick-args-2.0.1.tgz process.nextTick but always with
args <https://github.com/calvinmetcalf/process-nextick-args> 2015

Copyright 2015 Calvin Metcalf

<https://github.com/calvinmetcalf/process-nexttick-args>

<https://registry.npmjs.org/process-nexttick-args/-/process-nexttick-args-2.0.1.tgz>

MIT promise-8.3.0.tgz Bare bones Promises/A+ implementation

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fadfd894-ed7a-4989-ba10-0098f7d191cb> 2014 Copyright 2014

Forbes Lindesay <https://github.com/then/promise#readme>

<https://registry.npmjs.org/promise/-/promise-8.3.0.tgz>

MIT promise-retry-1.1.1.tgz Retries a function that returns a promise, leveraging the power of the retry module.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/aae46527-3bf7-40a6-a92a-79522bb176f7> 2014 Copyright 2014

IndigoUnited [https://github.com/IndigoUnited/node-promise-](https://github.com/IndigoUnited/node-promise-retry#readme)

[retry#readme](https://github.com/IndigoUnited/node-promise-retry#readme) [https://registry.npmjs.org/promise-retry/-/promise-](https://registry.npmjs.org/promise-retry/-/promise-retry-1.1.1.tgz)

[retry-1.1.1.tgz](https://registry.npmjs.org/promise-retry/-/promise-retry-1.1.1.tgz)

MIT promise-retry-2.0.1.tgz Retries a function that returns a promise, leveraging the power of the retry module.

<https://index.mend.io/gri/app/reader/resource/content/asString/f547d2bf-9a4c-42a6-84be-42e729009b75> 2014 Copyright 2014 IndigoUnited

<https://github.com/IndigoUnited/node-promise-retry#readme>

<https://registry.npmjs.org/promise-retry/-/promise-retry-2.0.1.tgz>

MIT promisify-1.1.3.tgz Promisify an entire class or object

<https://index.mend.io/gri/app/reader/resource/content/asString/49714ea9-b11d-4047-8ac5-ed726defb915> 2020-2022 Copyright 2020-2022 Michael

Garvin <https://github.com/wraithgar/gar-promisify#readme>

<https://registry.npmjs.org/@gar/promisify/-/promisify-1.1.3.tgz>

MIT properties-reader-2.2.0.tgz Properties file reader for Node.js

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/12bea831-aecd-44c6-a854-0c302bf098cf> 2013 Copyright 2013

Steve King <https://github.com/steveukx/properties#readme>

<https://registry.npmjs.org/properties-reader/-/properties-reader-2.2.0.tgz>

MIT property-expr-2.0.6.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/02f08e80-c1ec-49a5-b5a2-35c3123d78e9> 2014 Copyright 2014 Jason Quense

<https://github.com/jquense/expr#readme>

<https://registry.npmjs.org/property-expr/-/property-expr-2.0.6.tgz>

MIT prop-types-15.7.13.tgz TypeScript definitions for prop-types

<https://index.mend.io/gri/app/reader/resource/content/asString/773eebc1-e7b2-46a1-af0f-cb26ff02e329> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/prop-types> [https://registry.npmjs.org/@types/prop-types/-/prop-](https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.13.tgz)

[types-15.7.13.tgz](https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.13.tgz)

MIT prop-types-15.7.9.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/855c05ac-6356-484f-8b78-056fcada2cd0> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/prop-types> <https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.9.tgz>

MIT prop-types-15.8.1.tgz Runtime type checking for React props and similar objects.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f1169d24-3260-4531-a69e-00ff00f88118> 2013 Copyright 2013 Facebook, Inc <https://facebook.github.io/react/>
<https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz>

MIT proxy-addr-2.0.7.tgz Determine address of proxied request
<https://index.mend.io/gri/app/reader/resource/content/asString/e686c098-3507-4da9-b3ff-e1040b7b48cd> 2014-2016 Copyright 2014-2016 Douglas Christopher Wilson <https://github.com/jshttp/proxy-addr#readme>
<https://registry.npmjs.org/proxy-addr/-/proxy-addr-2.0.7.tgz>

MIT proxy-from-env-1.1.0.tgz Offers getProxyForUrl to get the proxy URL for a URL, respecting the *_PROXY (e.g. HTTP_PROXY) and NO_PROXY environment variables.
<https://index.mend.io/gri/app/reader/resource/content/asString/fbde6a68-b05c-489d-9134-67d9375af229> 2016-2018 Copyright 2016-2018 Rob Wu <rob@robwu.nl> <https://github.com/Rob--W/proxy-from-env#readme>
<https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-1.1.0.tgz>

MIT psl-1.15.0.tgz Domain name parser based on the Public Suffix List
<https://index.mend.io/gri/app/reader/resource/content/asString/811867af-402a-47da-906b-83a8622bca20> "2014-2024 Copyright 2014-2024 Lupo Montero
2017 Copyright 2017 Lupo Montero lupomontero@gmail.com"
<https://github.com/lupomontero/psl#readme>
<https://registry.npmjs.org/psl/-/psl-1.15.0.tgz>

MIT pump-1.0.3.tgz pipe streams together and close all of them if one of them closes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5886295f-1ea4-41d0-8fef-58ae43b7060b> 2014 Copyright 2014 Mathias Buus <https://github.com/mafintosh/pump#readme>
<https://registry.npmjs.org/pump/-/pump-1.0.3.tgz>

MIT pump-3.0.0.tgz pipe streams together and close all of them if one of them closes <https://github.com/mafintosh/pump> 2014 Copyright 2014 Mathias Buus <https://github.com/mafintosh/pump#readme>
<https://registry.npmjs.org/pump/-/pump-3.0.0.tgz>

MIT pump-3.0.3.tgz pipe streams together and close all of them if one of them closes
<https://index.mend.io/gri/app/reader/resource/content/asString/ac55ed82-32db-4f69-90a2-4cc48135dcef> 2014 Copyright 2014 Mathias Buus

<https://github.com/mafintosh/pump#readme>
<https://registry.npmjs.org/pump/-/pump-3.0.3.tgz>

MIT punycode-2.3.1.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/1520e265-d31c-4eee-aaf2-0300bfa70e8c> Copyright Mathias Bynens
<<https://mathiasbynens.be/>> <https://mths.be/punycode>
 <https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz>

MIT q-1.5.0.tgz A library for promises (CommonJS/Promises/A,B,D)
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/41ddbe3d-9356-4e03-89d3-4b0ea110e17c> "2009-2017 Copyright
2009-2017 Kristopher Michael Kowal and contributors 2009-2017 Copyright
2009-2017 Kristopher Michael Kowal" <https://github.com/kriskowal/q>
 <https://registry.npmjs.org/q/-/q-1.5.0.tgz>

MIT q-1.5.1.tgz A library for promises (CommonJS/Promises/A,B,D)
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b5c04547-94e1-4599-a915-c49067b682f7> "2009-2017 Copyright
2009-2017 Kristopher Michael Kowal and contributors 2009-2017 Copyright
2009-2017 Kristopher Michael Kowal" <https://github.com/kriskowal/q>
 <https://registry.npmjs.org/q/-/q-1.5.1.tgz>

MIT qs-6.14.0.tgz TypeScript definitions for qs
 <https://index.mend.io/gri/app/reader/resource/content/asString/351f3e5a-90f1-4cd7-bdf3-2a97ed729b4e> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/qs> <https://registry.npmjs.org/@types/qs/-/qs-6.14.0.tgz>

MIT querystringify-2.2.0.tgz Querystringify - Small, simple but
powerful query string parser.
 <https://index.mend.io/gri/app/reader/resource/content/asString/4bb2ff46-504d-4362-a928-406973488f10> 2015 Copyright 2015 Unshift.io, Arnout
Kazemier, the Contributors <https://github.com/unshiftio/querystringify>
 <https://registry.npmjs.org/querystringify/-/querystringify-2.2.0.tgz>

MIT quill-delta-3.6.3.tgz Format for representing rich text documents
and changes.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/288d9b08-392e-43a3-a62e-a496f2e68627> 2014 Copyright 2014
Jason Chen <https://github.com/quilljs/delta>
 <https://registry.npmjs.org/quill-delta/-/quill-delta-3.6.3.tgz>

MIT raf-3.4.1.tgz requestAnimationFrame polyfill for node and the
browser
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/36cd4fd9-94d5-401b-bc4e-6de74c26f0a2> 2013 Copyright 2013
Chris Dickinson <chris@neversaw.us>
 <https://github.com/chrisdickinson/raf#readme>
 <https://registry.npmjs.org/raf/-/raf-3.4.1.tgz>

MIT raf-3.4.3.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/1b90>

41a1-27d6-4367-a3c8-fd0d2e4a40a9 Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/s/raf> <https://registry.npmjs.org/@types/raf/-/raf-3.4.3.tgz>

MIT raf-schd-4.0.3.tgz A scheduler based on requestAnimationFrame
<https://index.mend.io/gri/app/reader/resource/content/asString/72e3ab90-95f1-45cc-bd06-f7440dd4b879> 2021 Copyright 2021 Alex Reardon
<https://github.com/alexreardon/raf-schd#readme>
<https://registry.npmjs.org/raf-schd/-/raf-schd-4.0.3.tgz>

MIT random-bytes-1.0.0.tgz URL and cookie safe UUIDs
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9c7b36f7-04fb-48f3-9254-ded3ef44fa10> 2016 Copyright 2016 Douglas Christopher Wilson <doug@somethingdoug.com>
<https://github.com/crypto-utils/random-bytes>
<https://registry.npmjs.org/random-bytes/-/random-bytes-1.0.0.tgz>

MIT range-parser-1.2.1.tgz Range header field string parser
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62c976a4-2fa8-44b0-92b2-ad93a088c042> "2012-2014 Copyright 2012-2014 TJ Holowaychuk <tj@vision-media.ca> 2015-2016 Copyright 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com>
<https://github.com/jshttp/range-parser#readme>
<https://registry.npmjs.org/range-parser/-/range-parser-1.2.1.tgz>

MIT range-parser-1.2.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9e1c780c-a4c3-4297-b1ff-43a8a750ab85> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/s/range-parser> <https://registry.npmjs.org/@types/range-parser/-/range-parser-1.2.7.tgz>

MIT raw-body-2.5.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/77a6e4db-e9fd-4551-9262-c68af8a43f1f> "2013-2014 Copyright 2013-2014 Jonathan Ong <me@jongleberry.com> 2014-2022 Copyright 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>" <https://github.com/stream-utils/raw-body#readme> <https://registry.npmjs.org/raw-body/-/raw-body-2.5.2.tgz>

MIT rc-1.2.8.tgz hardwired configuration loader
<https://www.npmjs.org/package/rc> "2013 Copyright 2013 Dominic Tarr 2011 Copyright 2011 Dominic Tarr"
<https://github.com/dominictarr/rc#readme>
<https://registry.npmjs.org/rc/-/rc-1.2.8.tgz>

MIT react-11.11.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1d40815f-182d-416c-9ade-97e084aeb615> Copyright Emotion team and other contributors
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/react/-/react-11.11.4.tgz>

MIT react-12.1.5.tgz Simple and complete React DOM testing utilities that encourage good testing practices.
<https://index.mend.io/gri/app/reader/resource/content/asString/8cce5f750-ea0b-4c01-b5f0-e85afd0ef7c2> 2017 Copyright 2017 Kent C. Dodds
<https://github.com/testing-library/react-testing-library#readme>
<https://registry.npmjs.org/@testing-library/react/-/react-12.1.5.tgz>

MIT react-17.0.2.tgz React is a JavaScript library for building user interfaces.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e6454496-888a-41e1-a2f4-56ef9a955fa9> Copyright Facebook, Inc. and its affiliates
<https://reactjs.org/>
<https://registry.npmjs.org/react/-/react-17.0.2.tgz>

MIT react-18.2.31.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/fa983d8b-606a-4a10-8166-f18046fcc8df> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>
<https://registry.npmjs.org/@types/react/-/react-18.2.31.tgz>

MIT react-19.1.13.tgz TypeScript definitions for react
<https://index.mend.io/gri/app/reader/resource/content/asString/1d8ae2e2-466d-46a0-9689-5ee47e50ee8c> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>
<https://registry.npmjs.org/@types/react/-/react-19.1.13.tgz>

MIT react-19.1.16.tgz TypeScript definitions for react
<https://index.mend.io/gri/app/reader/resource/content/asString/6c30af6d-5abe-40da-b407-d8f0bf87ecc1> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>
<https://registry.npmjs.org/@types/react/-/react-19.1.16.tgz>

MIT react-19.1.5.tgz TypeScript definitions for react
<https://index.mend.io/gri/app/reader/resource/content/asString/1dbb5b7f-e72f-4160-9e09-5b1e97b039c7> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>
<https://registry.npmjs.org/@types/react/-/react-19.1.5.tgz>

MIT react-19.2.2.tgz TypeScript definitions for react
<https://index.mend.io/gri/app/reader/resource/content/asString/0f7d57d3-f821-47c0-9af8-f93299a5108c> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>
<https://registry.npmjs.org/@types/react/-/react-19.2.2.tgz>

MIT react-chartjs-2-2.11.1.tgz react-chartjs-2
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5fea01c1-24af-46a1-8607-8635504fb14f> 2017 Copyright 2017 Jeremy Ayerst
<https://github.com/reactchartjs/react-chartjs-2>

<https://registry.npmjs.org/react-chartjs-2/-/react-chartjs-2-2.11.1.tgz>

MIT react-codemirror2-7.3.0.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/ccc8b5f5-63cf-4889-859e-63b6c0100bd1> "2020 Copyright 2020 Sal Niro Copyright 2020 "scniro" (<https://github.com/scniro>)"
<https://github.com/scniro/react-codemirror2#readme>
<https://registry.npmjs.org/react-codemirror2/-/react-codemirror2-7.3.0.tgz>

MIT react-csv-2.2.2.tgz Build CSV files on the fly basing on Array/literal object of data

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d2591ade-da4d-4fb4-9e71-bb2828717aee> 2019 Copyright 2019 react-csv <https://github.com/react-csv/react-csv#readme>
<https://registry.npmjs.org/react-csv/-/react-csv-2.2.2.tgz>

MIT react-dom-17.0.2.tgz React package for working with the DOM.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/986dee9c-ecfc-4bf6-bdc4-600718833ceb> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/>
<https://registry.npmjs.org/react-dom/-/react-dom-17.0.2.tgz>

MIT react-dom-17.0.26.tgz TypeScript definitions for react-dom

<https://index.mend.io/gri/app/reader/resource/content/asString/8d7d8586-943e-4207-8ffc-518d07a1a434> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-dom> <https://registry.npmjs.org/@types/react-dom/-/react-dom-17.0.26.tgz>

MIT react-dom-19.1.9.tgz TypeScript definitions for react-dom

<https://index.mend.io/gri/app/reader/resource/content/asString/a031d346-43ed-430a-876e-103886d01181> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-dom> <https://registry.npmjs.org/@types/react-dom/-/react-dom-19.1.9.tgz>

MIT react-dom-2.0.9.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/f01e6d65-7fe8-441c-8c4f-c009a244bffe> 2021 Copyright 2021 Floating UI contributors <https://floating-ui.com/docs/react-dom>
<https://registry.npmjs.org/@floating-ui/react-dom/-/react-dom-2.0.9.tgz>

MIT react-error-boundary-3.1.4.tgz Simple reusable React error boundary component

<https://index.mend.io/gri/app/reader/resource/content/asString/6a813ad9-b370-4c65-b152-a185a645654b> 2020 Copyright 2020 Brian Vaughn
<https://github.com/bvaughn/react-error-boundary#readme>
<https://registry.npmjs.org/react-error-boundary/-/react-error-boundary-3.1.4.tgz>

MIT react-fast-compare-2.0.4.tgz Fastest deep equal comparison for React. Perfect for shouldComponentUpdate. Also really fast general-purpose deep comparison
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dbfa0607-af12-4c2e-a577-9f71a9b128ed> "2018 Copyright 2018 Formidable Labs 2017 Copyright 2017 Evgeny Poberezkin"
<https://github.com/FormidableLabs/react-fast-compare>
<https://registry.npmjs.org/react-fast-compare/-/react-fast-compare-2.0.4.tgz>

MIT react-fast-compare-3.2.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f66817c7-15d6-4485-a930-3e62613180a1> "2018 Copyright 2018 Formidable Labs 2017 Copyright 2017 Evgeny Poberezkin"
<https://github.com/FormidableLabs/react-fast-compare>
<https://registry.npmjs.org/react-fast-compare/-/react-fast-compare-3.2.2.tgz>

MIT react-helmet-6.1.0.tgz A document head manager for React
<https://index.mend.io/gri/app/reader/resource/content/asString/304b744d-b926-4c63-948d-c3fbd319a832> 2015 Copyright 2015 NFL
<https://github.com/nfl/react-helmet#readme>
<https://registry.npmjs.org/react-helmet/-/react-helmet-6.1.0.tgz>

MIT react-highlight-words-0.16.0.tgz React component to highlight words within a larger body of text
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9fbfcc22-f142-40bb-b7c8-9394f4013438> 2015 Copyright 2015 Treasure Data
<https://github.com/bvaughn/react-highlight-words#readme>
<https://registry.npmjs.org/react-highlight-words/-/react-highlight-words-0.16.0.tgz>

MIT react-hooks-7.0.2.tgz Simple and complete React hooks testing utilities that encourage good testing practices.
<https://index.mend.io/gri/app/reader/resource/content/asString/e818dc2c-29fd-4f63-b38a-f602532a123d> 2019 Copyright 2019 Michael Peyper
<https://github.com/testing-library/react-hooks-testing-library#readme> <https://registry.npmjs.org/@testing-library/react-hooks/-/react-hooks-7.0.2.tgz>

MIT react-il8next-11.18.6.tgz Internationalization for react done right. Using the il8next il8n ecosystem.
<https://index.mend.io/gri/app/reader/resource/content/asString/3d92efad-ced5-49ba-95c7-5673fec6f8e8> 2022 Copyright 2022 il8next
<https://github.com/il8next/react-il8next>
<https://registry.npmjs.org/react-il8next/-/react-il8next-11.18.6.tgz>

MIT react-infinite-scroll-component-6.1.0.tgz An Infinite Scroll component in react.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b9d669fa-81cc-4b1f-9707-0bf0d7c0d125> 2019 Copyright 2019
<https://github.com/ankeetmaini/react-infinite-scroll-component>

infinite-scroll-component#readme <https://registry.npmjs.org/react-infinite-scroll-component/-/react-infinite-scroll-component-6.1.0.tgz>

MIT react-is-16.13.1.tgz Brand checking of React Elements.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d712df06-7435-4d20-b998-0a4733f57ff0> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/>
<https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz>

MIT react-is-17.0.2.tgz Brand checking of React Elements.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/abda474b-358a-4ec0-ae61-c59d818373f6> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/>
<https://registry.npmjs.org/react-is/-/react-is-17.0.2.tgz>

MIT react-is-18.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/c9b07b71-d107-4110-8549-1148fe3595a1> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/react-is/-/react-is-18.3.1.tgz>

MIT react-lifecycles-compat-3.0.4.tgz Backwards compatibility polyfill for React class components
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/acee6dc4-d78c-4bb9-a0c3-39b4a9747a01> 2013 Copyright 2013 Facebook, Inc <https://github.com/reactjs/react-lifecycles-compat#readme> <https://registry.npmjs.org/react-lifecycles-compat/-/react-lifecycles-compat-3.0.4.tgz>

MIT react-lines-ellipsis-0.14.1.tgz Simple multiline ellipsis component for React.JS
<https://index.mend.io/gri/app/reader/resource/content/asString/6f291f90-c6be-4074-ba40-9f493ba474ec> 2016 Copyright 2016 xiaody <https://github.com/xiaody/react-lines-ellipsis#readme>
<https://registry.npmjs.org/react-lines-ellipsis/-/react-lines-ellipsis-0.14.1.tgz>

MIT react-moment-1.1.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a3fe79ad-f008-4d10-81e7-ff187415b772> 2017 Copyright 2017 Sean Hickey <https://github.com/headzoo/react-moment#readme>
<https://registry.npmjs.org/react-moment/-/react-moment-1.1.3.tgz>

MIT react-property-2.0.0.tgz HTML and SVG DOM property configs used by React.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1f782175-c70d-4142-846f-d9b3fbe62eae>
<https://github.com/remarkablemark/react-dom-core#readme>
<https://registry.npmjs.org/react-property/-/react-property-2.0.0.tgz>

MIT react-redux-7.1.28.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7f6cc298-75a6-440e-bf7d-e54ead11f0c9> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-redux> <https://registry.npmjs.org/@types/react-redux/-/react-redux-7.1.28.tgz>

MIT react-redux-7.1.34.tgz TypeScript definitions for react-redux
<https://index.mend.io/gri/app/reader/resource/content/asString/3037ce6d-636e-462d-8b13-21f78ba9d9e9> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-redux> <https://registry.npmjs.org/@types/react-redux/-/react-redux-7.1.34.tgz>

MIT react-redux-7.2.9.tgz Official React bindings for Redux
<https://www.npmjs.org/package/react-redux> 2015 Copyright 2015 Dan Abramov <https://github.com/reduxjs/react-redux>
<https://registry.npmjs.org/react-redux/-/react-redux-7.2.9.tgz>

MIT react-router-5.3.4.tgz Declarative routing for React
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/76219657-e71c-49d6-88ce-59cd0b28ff63> "2015-2019 Copyright 2015-2019 React Training 2020-2022 Copyright 2020-2022 Remix Software"
<https://reactrouter.com/> <https://registry.npmjs.org/react-router/-/react-router-5.3.4.tgz>

MIT react-router-dom-5.3.4.tgz DOM bindings for React Router
<https://index.mend.io/gri/app/reader/resource/content/asString/7dbf485a-37ac-4bd3-bf72-67479ec4f268> "2015-2019 Copyright 2015-2019 React Training 2020-2022 Copyright 2020-2022 Remix Software"
<https://reactrouter.com/> <https://registry.npmjs.org/react-router-dom/-/react-router-dom-5.3.4.tgz>

MIT react-shallow-renderer-16.15.0.tgz React package for shallow rendering.
<https://index.mend.io/gri/app/reader/resource/content/asString/2b4b0665-7d68-4384-8137-b824cc22d8a8> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/react-shallow-renderer/-/react-shallow-renderer-16.15.0.tgz>

MIT react-side-effect-2.1.2.tgz Create components whose prop changes map to a global side effect
<https://index.mend.io/gri/app/reader/resource/content/asString/dea8f81b-c734-4b92-ab49-cc3e6144c4cf> 2015 Copyright 2015 Dan Abramov
<https://github.com/gaearon/react-side-effect>
<https://registry.npmjs.org/react-side-effect/-/react-side-effect-2.1.2.tgz>

MIT react-simple-code-editor-0.11.3.tgz Simple no-frills code editor with syntax highlighting
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5f4c750f-d17a-4fb5-a605-563731e92980> Copyright Permission
<https://github.com/satya164/react-simple-code-editor#readme>

<https://registry.npmjs.org/react-simple-code-editor/-/react-simple-code-editor-0.11.3.tgz>

MIT react-split-pane-0.1.92.tgz React split-pane component
<https://index.mend.io/gri/app/reader/resource/content/asString/fefb53fd-0d58-4d8b-90ff-95ad7069f1c7> 2015 Copyright 2015 tomkp
<https://github.com/tomkp/react-split-pane>
<https://registry.npmjs.org/react-split-pane/-/react-split-pane-0.1.92.tgz>

MIT react-style-proptypes-3.2.2.tgz validates style objects by ensuring they only have valid keys
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9122eeeb-7543-4a92-9f21-fd3f0e27b17f> 2016 Copyright 2016 Frankie Bagnardi <f.bagnardi@gmail.com> <https://github.com/brigand/react-style-proptypes#readme> <https://registry.npmjs.org/react-style-proptypes/-/react-style-proptypes-3.2.2.tgz>

MIT react-test-renderer-17.0.2.tgz React package for snapshot testing.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f6dcc60c-2b11-45ca-971c-d94cf150dac5> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/>
<https://registry.npmjs.org/react-test-renderer/-/react-test-renderer-17.0.2.tgz>

MIT react-test-renderer-19.1.0.tgz TypeScript definitions for react-test-renderer
<https://index.mend.io/gri/app/reader/resource/content/asString/ca7d401b-a96b-42f9-977d-27b0442a4913> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-test-renderer> <https://registry.npmjs.org/@types/react-test-renderer/-/react-test-renderer-19.1.0.tgz>

MIT react-to-pdf-0.0.14.tgz Create pdf documents from React Components
<https://index.mend.io/gri/app/reader/resource/content/asString/798c4fb3-6608-45ea-a2f5-025c4740b07a> 2018 Copyright 2018 Marcos Andrei Ivanechtchuk <https://github.com/ivmarcos/react-to-pdf#readme>
<https://registry.npmjs.org/react-to-pdf/-/react-to-pdf-0.0.14.tgz>

MIT react-transition-group-4.4.10.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/581a945f-5df6-4661-b5e5-2191af28a0e7> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-transition-group> <https://registry.npmjs.org/@types/react-transition-group/-/react-transition-group-4.4.10.tgz>

MIT readable-stream-1.0.34.tgz Streams2, a user-land copy of the stream library from Node.js v0.10.x
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b8192471-c56e-4443-badd-2390d352a26a> Copyright Joyent, Inc. and other Node contributors <https://registry.npmjs.org/readable->

stream/-/readable-stream-1.0.34.tgz
<https://registry.npmjs.org/readable-stream/-/readable-stream-1.0.34.tgz>

MIT readable-stream-1.1.14.tgz Streams3, a user-land copy of the stream library from Node.js v0.11.x
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f8da38fa-88af-44c6-8d8d-db2021e1b694> Copyright Joyent, Inc. and other Node contributors <https://registry.npmjs.org/readable-stream/-/readable-stream-1.1.14.tgz>
<https://registry.npmjs.org/readable-stream/-/readable-stream-1.1.14.tgz>

MIT readable-stream-2.3.8.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d5763b19-0f81-4c9c-8c91-cl20d66de3e4> Copyright Node.js contributors <https://github.com/nodejs/readable-stream#readme>
<https://registry.npmjs.org/readable-stream/-/readable-stream-2.3.8.tgz>

MIT readable-stream-3.6.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4805dea2-81dd-4230-85d6-00084585fffd3> Copyright Node.js contributors <https://github.com/nodejs/readable-stream#readme>
<https://registry.npmjs.org/readable-stream/-/readable-stream-3.6.2.tgz>

MIT readable-stream-4.0.15.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/b0afd0c2-49c5-4cd4-85a5-161b6e52ebc6> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/readable-stream>
<https://registry.npmjs.org/@types/readable-stream/-/readable-stream-4.0.15.tgz>

MIT readable-stream-4.0.21.tgz TypeScript definitions for readable-stream
<https://index.mend.io/gri/app/reader/resource/content/asString/40c67ee7-90aa-429b-b4ff-79a72fc0437e> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/readable-stream>
<https://registry.npmjs.org/@types/readable-stream/-/readable-stream-4.0.21.tgz>

MIT readable-stream-4.0.22.tgz TypeScript definitions for readable-stream
<https://index.mend.io/gri/app/reader/resource/content/asString/9ccd4df-2813-4f00-bcfb-47b1de7503f6> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/readable-stream>
<https://registry.npmjs.org/@types/readable-stream/-/readable-stream-4.0.22.tgz>

MIT readable-stream-4.5.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/1b47a501-f36f-4dd4-843c-017ad355a55b> Copyright Node.js contributors
<https://github.com/nodejs/readable-stream>

<https://registry.npmjs.org/readable-stream/-/readable-stream-4.5.2.tgz>

MIT readable-stream-4.7.0.tgz Node.js Streams, a user-land copy of the stream library from Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/f2a51fa8-98da-4a8c-9f89-e9ca206dcacd> Copyright Node.js contributors
<https://github.com/nodejs/readable-stream>
<https://registry.npmjs.org/readable-stream/-/readable-stream-4.7.0.tgz>

MIT redux-4.2.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/f8c51e04-bcff-476c-8584-59ebae20e5ed> 2015 Copyright 2015 Dan Abramov
<http://redux.js.org> <https://registry.npmjs.org/redux/-/redux-4.2.1.tgz>

MIT redux-form-8.3.10.tgz A higher order component decorator for forms using Redux and React
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f5843f27-a286-4a6b-bbf8-07648ffe49bc> 2015 Copyright 2015 Erik Rasmussen <https://redux-form.com/>
<https://registry.npmjs.org/redux-form/-/redux-form-8.3.10.tgz>

MIT redux-observable-1.2.0.tgz RxJS based middleware for Redux. Compose and cancel async actions and more.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2cba4241-1ec8-4904-a7d5-332fa347baa2> 2016-2018 Copyright 2016-2018 Ben Lesh, Jay Phelps, and redux-observable contributors
<https://github.com/redux-observable/redux-observable#README.md>
<https://registry.npmjs.org/redux-observable/-/redux-observable-1.2.0.tgz>

MIT redux-thunk-2.4.2.tgz Thunk middleware for Redux.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/71075933-7727-42aa-8c7e-0e598016a3bf> 2015 Copyright 2015 Dan Abramov <https://github.com/reduxjs/redux-thunk>
<https://registry.npmjs.org/redux-thunk/-/redux-thunk-2.4.2.tgz>

MIT referrer-policy-1.2.0.tgz Middleware to set the Referrer-Policy HTTP header
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5a13cbb0-1612-4a67-a111-59b5740b21fc> 2016-2019 Copyright 2016-2019 Evan Hahn <https://helmetjs.github.io/docs/referrer-policy/>
<https://registry.npmjs.org/referrer-policy/-/referrer-policy-1.2.0.tgz>

MIT reflect.getprototypeof-1.0.10.tgz An ES2015 mostly-spec-compliant `Reflect.getPrototypeOf` sham/polyfill/replacement that works in as many engines as possible
<https://index.mend.io/gri/app/reader/resource/content/asString/bbf59da9-78c2-4d8e-922e-e0f498c286c2> 2021 Copyright 2021 ECMAScript Shims
<https://github.com/es-shims/Reflect.getPrototypeOf>

<https://registry.npmjs.org/reflect.getprototypeof/-/reflect.getprototypeof-1.0.10.tgz>

MIT regedit-5.1.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e25f5e47-96f6-4cf4-a025-a35dfa806a07> 2014 Copyright 2014 ironSource
<https://github.com/kessler/node-regedit>
<https://registry.npmjs.org/regedit/-/regedit-5.1.3.tgz>

MIT regenerator-runtime-0.13.11.tgz Runtime for Regenerator-compiled generator and async functions.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fb1d89f2-2a0d-46ec-be4e-adad17535c45> 2014 Copyright 2014 Facebook, Inc
<https://github.com/facebook/regenerator/tree/main#readme>
<https://registry.npmjs.org/regenerator-runtime/-/regenerator-runtime-0.13.11.tgz>

MIT regenerator-runtime-0.14.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e6129d14-2441-4842-8595-7b7b969dcddc> "2015 Copyright 2015 ECMAScript 2014 Copyright 2014 Facebook, Inc"
<https://github.com/facebook/regenerator/tree/main#readme>
<https://registry.npmjs.org/regenerator-runtime/-/regenerator-runtime-0.14.0.tgz>

MIT regexp.prototype.flags-1.5.4.tgz ES6 spec-compliant RegExp.prototype.flags shim.
<https://index.mend.io/gri/app/reader/resource/content/asString/db66a46f-dc14-429c-a3d8-cel65bd72f45> 2014 Copyright 2014 Jordan Harband
<https://github.com/es-shims/RegExp.prototype.flags#readme>
<https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.flags-1.5.4.tgz>

MIT repeat-string-1.6.1.tgz Repeat the given string n times. Fastest implementation for repeating a string.
<https://github.com/jonschlinkert/repeat-string/tree/1.6.1> "2016 Copyright 2016 [Jon Schlinkert] (<http://github.com/jonschlinkert>) 2016 Copyright 2016 Jon Schlinkert" (<http://github.com/jonschlinkert>) 2014-2015 Copyright 2014-2015 Jon Schlinkert 2014-2016 Copyright 2014-2016 Jon Schlinkert" <https://github.com/jonschlinkert/repeat-string>
<https://registry.npmjs.org/repeat-string/-/repeat-string-1.6.1.tgz>

MIT require-directory-2.1.1.tgz Recursively iterates over specified directory, require()'ing each file, and returning a nested hash structure containing those modules.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f70f2ea-f516-4277-b47c-15cef3f9aaf6> 2011 Copyright 2011 Troy Goode <troygoode@gmail.com> <https://github.com/troygoode/node-require-directory/> <https://registry.npmjs.org/require-directory/-/require-directory-2.1.1.tgz>

MIT require-from-string-2.0.2.tgz Require module from string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9f70f2ea-f516-4277-b47c-15cef3f9aaf6>

nt/asString/26b990b6-b828-402a-97f0-4cab4710a800 "Copyright Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop) Copyright Vsevolod Strukchinsky" <https://github.com/floatdrop/require-from-string#readme> <https://registry.npmjs.org/require-from-string/-/require-from-string-2.0.2.tgz>

MIT requirejs-2.3.7.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6f8ef1a0-dd82-4bbe-a487-87e69a35295d> Copyright jQuery Foundation and other contributors, <https://jquery.org/>
<http://github.com/jrburke/r.js>
<https://registry.npmjs.org/requirejs/-/requirejs-2.3.7.tgz>

MIT requires-port-1.0.0.tgz Check if a protocol requires a certain port number to be added to an URL.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b645de20-4393-48f5-875f-e5f472cd7cd9> 2015 Copyright 2015 Unshift.io, Arnout Kazemier, the Contributors
<https://github.com/unshiftio/requires-port>
<https://registry.npmjs.org/requires-port/-/requires-port-1.0.0.tgz>

MIT resolve-1.22.10.tgz resolve like require.resolve() on behalf of files asynchronously and synchronously
<https://index.mend.io/gri/app/reader/resource/content/asString/c055afe5-c121-4eb2-ad54-38947318b037> 2012 Copyright 2012 James Halliday
<https://github.com/browserify/resolve#readme>
<https://registry.npmjs.org/resolve/-/resolve-1.22.10.tgz>

MIT resolve-from-4.0.0.tgz Resolve the path of a module like `require.resolve()` but from a given path
<https://github.com/sindresorhus/resolve-from/blob/main/license>
"Copyright Sindre Sorhus Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/resolve-from#readme>
<https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz>

MIT resolve-pathname-3.0.0.tgz Resolve URL pathnames using JavaScript
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cbcb03af-2c2d-486c-83a3-fd11eaedac46> "Copyright Michael Jackson 2016-2018 2016-2018 Copyright 2016-2018 Michael Jackson"
<https://github.com/mjackson/resolve-pathname#readme>
<https://registry.npmjs.org/resolve-pathname/-/resolve-pathname-3.0.0.tgz>

MIT resolve-uri-3.1.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/33ce0006-82ae-41a4-b746-577fc91cec6a> 2019 Copyright 2019 Justin Ridgewell
<jridgewell@google.com> <https://github.com/jridgewell/resolve-uri#readme> <https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz>

MIT response-time-2.3.4.tgz Response time for Node.js servers
<https://index.mend.io/gri/app/reader/resource/content/asString/06e9a327-6c4d-4c3d-8951-1b9a86d91c85> "2014 Copyright 2014 Jonathan Ong
<me@jongleberry.com>
2014-2015 Copyright 2014-2015 Douglas Christopher Wilson
<doug@somethingdoug.com>" <https://github.com/expressjs/response-time#readme> <https://registry.npmjs.org/response-time/-/response-time-2.3.4.tgz>

MIT retry-0.10.1.tgz Abstraction for exponential and custom retry strategies for failed operations.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b617fd9a-7b4a-4bcd-a7e6-579788aef7a8> 2011 Copyright 2011
(c) <https://github.com/tim-kos/node-retry>
<https://registry.npmjs.org/retry/-/retry-0.10.1.tgz>

MIT retry-0.12.0.tgz Abstraction for exponential and custom retry strategies for failed operations.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b0a8b5f4-8869-44de-9485-clbd7f0096db> 2011 Copyright 2011
Tim Koschützki & Felix Geisendörfer <https://github.com/tim-kos/node-retry>
<https://registry.npmjs.org/retry/-/retry-0.12.0.tgz>

MIT rfcd-1.3.0.tgz Really Fast Deep Clone
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f82782b9-f8ef-4bba-8b85-5076b48904bb> 2019 Copyright 2019
"David Mark Clements <david.mark.clements@gmail.com>"
<https://github.com/davidmarkclements/rfcd#readme>
<https://registry.npmjs.org/rfcd/-/rfcd-1.3.0.tgz>

MIT rfcd-1.4.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/36bd36af-bb76-41b7-8302-1be2944ffc44> 2019 Copyright 2019 David Mark Clements
<david.mark.clements@gmail.com>"
<https://github.com/davidmarkclements/rfcd#readme>
<https://registry.npmjs.org/rfcd/-/rfcd-1.4.1.tgz>

MIT rgbcolor-1.0.1.tgz A module to parse color values
<https://github.com/yetzt/node-rgbcolor/blob/master/LICENSE.md> 2016
Copyright 2016 Stoyan Stefanov, <http://phpied.com/>
<https://github.com/yetzt/node-rgbcolor#readme>
<https://registry.npmjs.org/rgbcolor/-/rgbcolor-1.0.1.tgz>

MIT right-align-0.1.3.tgz Right-align the text in a string.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/876459d6-17bf-4337-81b3-4fde57819cbb> 2015 Copyright 2015
Jon Schlinkert <https://github.com/jonschlinkert/right-align>
<https://registry.npmjs.org/right-align/-/right-align-0.1.3.tgz>

MIT rndm-1.2.0.tgz random string generator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f3d94b87-1dfa-4987-81a1-6f1c4588bf7d> 2014 Copyright 2014
Jonathan Ong me@jongleberry.com <https://github.com/crypto-utils/rndm#readme>
<https://registry.npmjs.org/rndm/-/rndm-1.2.0.tgz>

MIT run-applescript-7.1.0.tgz Run AppleScript and get the result
<https://index.mend.io/gri/app/reader/resource/content/asString/47248234-f578-49cf-a230-73c20ecf50d1> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/run-applescript#readme>
<https://registry.npmjs.org/run-applescript/-/run-applescript-7.1.0.tgz>

MIT runtime-3.0.1.tgz Runtime components of messageformat
<https://index.mend.io/gri/app/reader/resource/content/asString/c59a8ebe-ac74-41ea-8eb2-ac15b367cd49> Copyright OpenJS Foundation and contributors, <https://openjsf.org/> <https://messageformat.github.io/>
<https://registry.npmjs.org/@messageformat/runtime/-/runtime-3.0.1.tgz>

MIT runtime-3.0.2.tgz Runtime components of messageformat
<https://index.mend.io/gri/app/reader/resource/content/asString/1b09b106-bccd-4f70-b21f-4666ecd5e9be> Copyright OpenJS Foundation and contributors, <https://openjsf.org/> <https://messageformat.github.io/>
<https://registry.npmjs.org/@messageformat/runtime/-/runtime-3.0.2.tgz>

MIT runtime-7.26.10.tgz babel's modular runtime helpers
<https://index.mend.io/gri/app/reader/resource/content/asString/9c536623-49e0-412c-b069-b9e8476c703a> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-runtime>
<https://registry.npmjs.org/@babel/runtime/-/runtime-7.26.10.tgz>

MIT runtime-7.27.1.tgz babel's modular runtime helpers
<https://index.mend.io/gri/app/reader/resource/content/asString/530c74ed-9192-4592-af05-dc7d8aacbd35> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-runtime>
<https://registry.npmjs.org/@babel/runtime/-/runtime-7.27.1.tgz>

MIT runtime-7.28.4.tgz babel's modular runtime helpers
<https://index.mend.io/gri/app/reader/resource/content/asString/e949fa2b-8033-4b0c-a413-b260bd107d65> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-runtime>
<https://registry.npmjs.org/@babel/runtime/-/runtime-7.28.4.tgz>

MIT rxios-1.1.2.tgz Reactive wrapper for axios
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ae51f767-5685-4254-94bf-7f6bb36a5ef6> 2017 Copyright 2017 David Guijarro <https://github.com/davguij/rxios#readme>
<https://registry.npmjs.org/rxios/-/rxios-1.1.2.tgz>

MIT rxios-2.0.0.tgz A RxJS wrapper for axios
<https://index.mend.io/gri/app/reader/resource/content/asString/661084c4-0ff3-4d4f-98ea-11bd5424a0cd> 2019 Copyright 2019 David Guijarro
<https://github.com/davguij/rxios#readme>
<https://registry.npmjs.org/rxios/-/rxios-2.0.0.tgz>

MIT safe-array-concat-1.1.3.tgz `Array.prototype.concat`, but made safe by ignoring Symbol.isConcatSpreadable
<https://index.mend.io/gri/app/reader/resource/content/asString/2c58bf94-6180-44f5-87a1-18a3243bd6c0> 2023 Copyright 2023 Jordan Harband
<https://github.com/ljharb/safe-array-concat#readme>
<https://registry.npmjs.org/safe-array-concat/-/safe-array-concat-1.1.3.tgz>

MIT safe-buffer-5.1.2.tgz Safer Node.js Buffer API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/35854ba9-cb33-4c0e-8187-f8af9891ed9e> "Copyright Feross Aboukhadijeh Copyright Feross Aboukhadijeh" (<http://feross.org>)
<https://github.com/feross/safe-buffer>
<https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.1.2.tgz>

MIT safe-buffer-5.2.1.tgz Safer Node.js Buffer API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7d35aaad-e42d-4d41-807f-c00b49bde49d> Copyright Feross Aboukhadijeh
<https://github.com/feross/safe-buffer>
<https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.2.1.tgz>

MIT safe-push-apply-1.0.0.tgz Push an array of items into an array, while being robust against prototype modification
<https://index.mend.io/gri/app/reader/resource/content/asString/c30b2058-4898-4019-b20d-elc3967c29dc> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/safe-push-apply#readme>
<https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz>

MIT safer-buffer-2.1.2.tgz Modern Buffer API polyfill without footguns
<https://github.com/ChALkeR/safer-buffer#readme> 2018 Copyright 2018 Nikita Skovoroda <chalkerx@gmail.com>
<https://github.com/ChALkeR/safer-buffer#readme>
<https://registry.npmjs.org/safer-buffer/-/safer-buffer-2.1.2.tgz>

MIT safe-regex-test-1.1.0.tgz Give a regex, get a robust predicate function that tests it against a string.
<https://index.mend.io/gri/app/reader/resource/content/asString/6b35ef03-1cbd-4ef5-8e8c-7e21e9b3fccf> 2022 Copyright 2022 Jordan Harband
<https://github.com/ljharb/safe-regex-test#readme>
<https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz>

MIT safe-stable-stringify-2.5.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/dc7c7e77-1alc-45cf-ab6e-e4611948a6ff> Copyright Ruben Bridgewater
<https://github.com/BridgeAR/safe-stable-stringify#readme>
<https://registry.npmjs.org/safe-stable-stringify/-/safe-stable-stringify-2.5.0.tgz>

MIT sanitize-html-2.12.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/2c27bb89-c837-4934-b0aa-ec6901134eac> 2013-2015 Copyright 2013-2015 P'unk

Avenue LLC <https://github.com/apostrophecms/sanitize-html#readme>
<https://registry.npmjs.org/sanitize-html/-/sanitize-html-2.12.1.tgz>

MIT `sanitize-html-2.17.0.tgz` Clean up user-submitted HTML, preserving allowlisted elements and allowlisted attributes on a per-element basis
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0bd8fbb-aa2f-4a7a-a83b-f5c9b05d8397> 2013-2015 Copyright 2013-2015 P'unk Avenue LLC <https://github.com/apostrophecms/sanitize-html#readme> <https://registry.npmjs.org/sanitize-html/-/sanitize-html-2.17.0.tgz>

MIT `sax-1.3.0.tgz`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d3801661-f30e-4d70-ad29-ef4bf9459e6f> "2010-2022 Copyright 2010-2022 Mathias Bynens <<https://mathiasbynens.be/>> 2010-2022 Copyright 2010-2022 Isaac Z. Schlueter and Contributors" <https://github.com/isaacs/sax-js#readme>
<https://registry.npmjs.org/sax/-/sax-1.3.0.tgz>

MIT `sax-1.4.1.tgz`
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cc76d0c0-8ce6-4f1f-b024-a2f80cdb3ae7> "2010-2024 Copyright 2010-2024 Mathias Bynens <<https://mathiasbynens.be/>> 2010-2024 Copyright 2010-2024 Isaac Z. Schlueter and Contributors"
<https://github.com/isaacs/sax-js#readme>
<https://registry.npmjs.org/sax/-/sax-1.4.1.tgz>

MIT `scheduler-0.16.5.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/52197a85-083e-4f77-8ed3-14f5dfdfb005> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/scheduler> <https://registry.npmjs.org/@types/scheduler/-/scheduler-0.16.5.tgz>

MIT `scheduler-0.20.2.tgz` Cooperative scheduler for the browser environment.
<https://index.mend.io/gri/app/reader/resource/content/asString/025a192d-748c-4608-94d3-58893944a5a2> Copyright Facebook, Inc. and its affiliates <https://reactjs.org/> <https://registry.npmjs.org/scheduler/-/scheduler-0.20.2.tgz>

MIT `seek-bzip-1.0.6.tgz` a pure-JavaScript Node.JS module for random-access decoding bzip2 data
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dc4ea5e5-34f3-4f0c-aa0b-88e8bce1869f> "2012-2015 Copyright 2012-2015 Eli Skeggs Copyright © 2011 Kevin Kwok Permission is hereby granted, free of charge 2013-2015 Copyright 2013-2015 C 2012-2015 Copyright 2012-2015 Eli Skeggs 2011 Copyright 2011 Kevin Kwok"
<https://github.com/cscott/seek-bzip#readme>
<https://registry.npmjs.org/seek-bzip/-/seek-bzip-1.0.6.tgz>

MIT `send-0.17.4.tgz`
<https://index.mend.io/gri/app/reader/resource/content/asString/1519>

6295-2d05-4298-b19a-1b977d1343e0 Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/send>
<https://registry.npmjs.org/@types/send/-/send-0.17.4.tgz>

MIT send-0.17.5.tgz TypeScript definitions for send
<https://index.mend.io/gri/app/reader/resource/content/asString/24b48887-0efa-4a39-b24b-5ae38a82c271> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/send>
<https://registry.npmjs.org/@types/send/-/send-0.17.5.tgz>

MIT send-0.17.6.tgz TypeScript definitions for send
<https://index.mend.io/gri/app/reader/resource/content/asString/a8039487-0541-44f6-af95-c8780cbf48d8> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/send>
<https://registry.npmjs.org/@types/send/-/send-0.17.6.tgz>

MIT send-0.19.0.tgz Better streaming static file server with Range and conditional-GET support
<https://index.mend.io/gri/app/reader/resource/content/asString/7870da20-967e-4f1b-b157-8ac94eb372e2> "2012 Copyright 2012 TJ Holowaychuk
2014-2022 Copyright 2014-2022 Douglas Christopher Wilson"
<https://github.com/pillarjs/send#readme>
<https://registry.npmjs.org/send/-/send-0.19.0.tgz>

MIT send-1.2.0.tgz TypeScript definitions for send
<https://index.mend.io/gri/app/reader/resource/content/asString/b92ce568-65b6-4f77-ac5b-c07acdf5c40a> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/send>
<https://registry.npmjs.org/@types/send/-/send-1.2.0.tgz>

MIT send-1.2.1.tgz TypeScript definitions for send
<https://index.mend.io/gri/app/reader/resource/content/asString/94921e9b-e87b-4691-af35-6edb63fd40e3> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/send>
<https://registry.npmjs.org/@types/send/-/send-1.2.1.tgz>

MIT serialize-1.1.4.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/57888804-03d7-40cd-98af-5d35268f37c9> Copyright Emotion
team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/serialize/-/serialize-1.1.4.tgz>

MIT serve-static-1.15.10.tgz TypeScript definitions for serve-static
<https://index.mend.io/gri/app/reader/resource/content/asString/ba69c2b5-b95e-44de-b79a-42864db5463e> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/serve-static>
<https://registry.npmjs.org/@types/serve-static/-/serve-static-1.15.10.tgz>

MIT serve-static-1.15.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/de7ab43a-7ela-4cf7-ae77-4847c5ff87ca> Copyright Microsoft Corporation

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/serve-static> <https://registry.npmjs.org/@types/serve-static/-/serve-static-1.15.5.tgz>

MIT [serve-static-1.15.8.tgz](#) TypeScript definitions for serve-static
<https://index.mend.io/gri/app/reader/resource/content/asString/7e605fb0-1e97-4bbe-bb04-70736ec59b44> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/serve-static> <https://registry.npmjs.org/@types/serve-static/-/serve-static-1.15.8.tgz>

MIT [serve-static-1.15.9.tgz](#) TypeScript definitions for serve-static
<https://index.mend.io/gri/app/reader/resource/content/asString/cel53dba-b2ac-44c4-aa92-963be3865708> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/serve-static> <https://registry.npmjs.org/@types/serve-static/-/serve-static-1.15.9.tgz>

MIT [serve-static-1.16.0.tgz](#) Serve static files
<https://index.mend.io/gri/app/reader/resource/content/asString/17bd52a9-5215-450d-9155-3e6c0659c141> "2010 Copyright 2010 Sencha Inc 2011 Copyright 2011 LearnBoost 2011 Copyright 2011 TJ Holowaychuk 2014-2016 Copyright 2014-2016 Douglas Christopher Wilson"
<https://github.com/expressjs/serve-static#readme>
<https://registry.npmjs.org/serve-static/-/serve-static-1.16.0.tgz>

MIT [serve-static-1.16.2.tgz](#) Serve static files
<https://index.mend.io/gri/app/reader/resource/content/asString/23d299b5-68b8-461c-b870-7d1ab75c9e3a> "2010 Copyright 2010 Sencha Inc 2011 Copyright 2011 LearnBoost 2011 Copyright 2011 TJ Holowaychuk 2014-2016 Copyright 2014-2016 Douglas Christopher Wilson"
<https://github.com/expressjs/serve-static#readme>
<https://registry.npmjs.org/serve-static/-/serve-static-1.16.2.tgz>

MIT [set-function-length-1.2.1.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/068a33a7-2b1d-4be8-a655-c40867636d8b> Copyright Jordan Harband and contributors
<https://github.com/ljharb/set-function-length#readme>
<https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.1.tgz>

MIT [set-function-length-1.2.2.tgz](#)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0939e178-ecc5-4f33-976a-31f4193c7c4d> Copyright Jordan Harband and contributors
<https://github.com/ljharb/set-function-length#readme> <https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.2.tgz>

MIT [set-function-name-2.0.2.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/6a7b98c5-b78e-4b14-a3e5-faefb3c103c2> Copyright Jordan Harband and contributors
<https://github.com/ljharb/set-function-name#readme>

<https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.tgz>

MIT setimmediate-1.0.5.tgz A shim for the setImmediate efficient script yielding API

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/15187928-c633-4fe3-ad59-9fb9432fb252> 2012 Copyright 2012 Barnesandnoble.com, llc, Donavon West, and Domenic Denicola
<https://github.com/yuzujs/setImmediate#readme>
<https://registry.npmjs.org/setimmediate/-/setimmediate-1.0.5.tgz>

MIT set-proto-1.0.0.tgz Robustly set the [[Prototype]] of an object
<https://index.mend.io/gri/app/reader/resource/content/asString/37a2eebe-6829-4de4-a924-988ba092744e> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/set-proto#readme>
<https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz>

MIT sha.js-2.4.12.tgzStreamable SHA hashes in pure javascript
<https://index.mend.io/gri/app/reader/resource/content/asString/562a6783-b819-473e-87ec-5e9b72c22f17> "2013-2018 Copyright 2013-2018 sha.js contributors
1998-2009 Copyright 1998-2009 Paul Johnston" <https://github.com/crypto-browserify/sha.js>
<https://registry.npmjs.org/sha.js/-/sha.js-2.4.12.tgz>

MIT sha256-file-1.0.0.tgz return an sha256sum of a given file
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/65fb42e6-5af7-4cb8-af78-ed5bc4f655df> "2015 Copyright 2015 Rory Bradford 2018 Copyright 2018 Souta Ozaki"
<https://github.com/so-ta/sha256-file>
<https://registry.npmjs.org/sha256-file/-/sha256-file-1.0.0.tgz>

MIT shebang-command-2.0.0.tgz Get the command from a shebang
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2bb9182d-3e99-4d42-9cfe-5617a80cc5b8> Copyright Kevin Mårtensson <kevinmartensson@gmail.com> (github.com/kevva)
<https://github.com/kevva/shebang-command#readme>
<https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz>

MIT shebang-regex-3.0.0.tgz Regular expression for matching a shebang line
<https://www.npmjs.com/package/shebang-regex> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/shebang-regex#readme>
<https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz>

MIT sheet-1.2.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4cdf7b37-b0f5-4d01-9cd6-04fab35879a4> Copyright Emotion team and other contributors
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/sheet/-/sheet-1.2.2.tgz>

MIT side-channel-1.0.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/720fdd59-5a31-4dde-a2c7-fealb3af3004> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/side-channel#readme>
<https://registry.npmjs.org/side-channel/-/side-channel-1.0.6.tgz>

MIT side-channel-1.1.0.tgz Store information about any JS value in a side channel. Uses WeakMap if available.
<https://index.mend.io/gri/app/reader/resource/content/asString/299199ba-5f0a-4851-992c-8e34e97bdc57> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/side-channel#readme>
<https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz>

MIT side-channel-list-1.0.0.tgz Store information about any JS value in a side channel, using a linked list
<https://index.mend.io/gri/app/reader/resource/content/asString/elca4ca4-9e98-43e5-8ab0-5a069ee6109b> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/side-channel-list#readme>
<https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.0.tgz>

MIT side-channel-map-1.0.1.tgz Store information about any JS value in a side channel, using a Map
<https://index.mend.io/gri/app/reader/resource/content/asString/a80785a6-c3ae-43b7-a91e-db77c01ec6cd> 2024 Copyright 2024 Jordan Harband
<https://github.com/ljharb/side-channel-map#readme>
<https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz>

MIT side-channel-weakmap-1.0.2.tgz Store information about any JS value in a side channel. Uses WeakMap if available.
<https://index.mend.io/gri/app/reader/resource/content/asString/2690296c-54ad-465c-9535-31c1b2a7f195> 2019 Copyright 2019 Jordan Harband
<https://github.com/ljharb/side-channel-weakmap#readme>
<https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz>

MIT simple-concat-1.0.1.tgz Super-minimalist version of `concat-stream`. Less than 15 lines!
<https://index.mend.io/gri/app/reader/resource/content/asString/51b99a55-c3a6-491c-b4f0-4d64c80bdc91> Copyright Feross Aboukhadijeh
<https://github.com/feross/simple-concat>
<https://registry.npmjs.org/simple-concat/-/simple-concat-1.0.1.tgz>

MIT simple-get-4.0.1.tgz Simplest way to make http get requests. Supports HTTPS, redirects, gzip/deflate, streams in < 100 lines.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7bf9a08e-edc1-481a-a76d-330ab7e64135> Copyright Feross Aboukhadijeh
<https://github.com/feross/simple-get>
<https://registry.npmjs.org/simple-get/-/simple-get-4.0.1.tgz>

MIT simple-swizzle-0.2.4.tgz Simply swizzle your arguments
<https://index.mend.io/gri/app/reader/resource/content/asString/9181c14d-ede8-438c-b8e6-1ef7d925d473> 2015 Copyright 2015 Josh Junon
<https://github.com/qix-/node-simple-swizzle#readme>
<https://registry.npmjs.org/simple-swizzle/-/simple-swizzle-0.2.4.tgz>

MIT smart-buffer-4.2.0.tgz smart-buffer is a Buffer wrapper that adds automatic read & write offset tracking, string operations, data insertions, and more.
<https://index.mend.io/gri/app/reader/resource/content/asString/c7c94f95-3219-4bb2-8028-f3c441645006> 2013-2017 Copyright 2013-2017 Josh Glazebrook
<https://github.com/JoshGlazebrook/smart-buffer/>
<https://registry.npmjs.org/smart-buffer/-/smart-buffer-4.2.0.tgz>

MIT socket.io-4.8.1.tgz node.js realtime framework server
<https://index.mend.io/gri/app/reader/resource/content/asString/2176aff7-624f-4ea4-8b8a-8b75d9f77c86> "2014-2015 Copyright 2014-2015 Automattic <dev@cloudup.com> 2014 Copyright 2014 Guillermo Rauch and Socket.IO contributors"
<https://github.com/socketio/socket.io/tree/main/packages/socket.io#readme>
<https://registry.npmjs.org/socket.io/-/socket.io-4.8.1.tgz>

MIT socket.io-adapter-2.5.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/9e58e25a-66a3-473f-b211-1e370ba96207> 2014 Copyright 2014 Guillermo Rauch <guillermo@learnboost.com>
<https://github.com/socketio/socket.io-adapter#readme>
<https://registry.npmjs.org/socket.io-adapter/-/socket.io-adapter-2.5.5.tgz>

MIT socket.io-client-4.8.1.tgz Realtime application framework client
<https://index.mend.io/gri/app/reader/resource/content/asString/3edd2c2b-488f-4c32-9af5-0c7950ed91bb> "2014-2015 Copyright 2014-2015 Automattic <dev@cloudup.com> 2014 Copyright 2014 Guillermo Rauch and Socket.IO contributors"
<https://github.com/socketio/socket.io/tree/main/packages/socket.io-client#readme>
<https://registry.npmjs.org/socket.io-client/-/socket.io-client-4.8.1.tgz>

MIT socket.io-parser-4.2.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/5e0e9b17-3660-4d33-8f94-4f37560333e0> 2014 Copyright 2014 Guillermo Rauch <guillermo@learnboost.com>
<https://github.com/socketio/socket.io-parser#readme>
<https://registry.npmjs.org/socket.io-parser/-/socket.io-parser-4.2.4.tgz>

MIT socks-2.8.7.tgz Fully featured SOCKS proxy client supporting SOCKSv4, SOCKSv4a, and SOCKSv5. Includes Bind and Associate functionality.
<https://index.mend.io/gri/app/reader/resource/content/asString/89624b8b-27ee-4cb4-ae30-c6410c706ac9> 2013 Copyright 2013 Josh Glazebrook

<https://github.com/JoshGlazebrook/socks/>
<https://registry.npmjs.org/socks/-/socks-2.8.7.tgz>

MIT socks-proxy-agent-6.2.1.tgz A SOCKS proxy `http.Agent`
implementation for HTTP and HTTPS
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d204aal6-19f7-4c6f-aaab-434adfd49bf5> "2013 Copyright 2013
Nathan Rajlich <nathan@tootallnate.net>
2013 Copyright 2013 Nathan Rajlich ""nathan@tootallnate.net""
(mailto:nathan@tootallnate.net)" <https://github.com/TooTallNate/node-socks-proxy-agent#readme> <https://registry.npmjs.org/socks-proxy-agent/-/socks-proxy-agent-6.2.1.tgz>

MIT sourcemap-codec-1.5.5.tgz Encode/decode sourcemap mappings
<https://index.mend.io/gri/app/reader/resource/content/asString/278b03ad-837b-4600-a0a5-87be32402adf> 2024 Copyright 2024 Justin Ridgewell
<justin@ridgewell.name>
<https://github.com/jridgewell/sourcemaps/tree/main/packages/sourcemap-codec> <https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz>

MIT spec-1.0.0.tgz A standard interface for TypeScript schema
validation libraries
<https://index.mend.io/gri/app/reader/resource/content/asString/489503ad-661e-46b9-aefd-5b1019e7f438> 2024 Copyright 2024 Colin McDonnell
<https://standardschema.dev> <https://registry.npmjs.org/@standard-schema/spec/-/spec-1.0.0.tgz>

MIT split-1.0.1.tgz split a Text Stream into a Line Stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/daed71ea-6347-4c77-9710-f7049428fa4c> 2011 Copyright 2011
Dominic Tarr <http://github.com/dominictarr/split>
<https://registry.npmjs.org/split/-/split-1.0.1.tgz>

MIT sql-highlight-6.1.0.tgz A simple and lightweight library for
highlighting SQL queries written in pure JavaScript
<https://index.mend.io/gri/app/reader/resource/content/asString/9b4cd923-cf67-49bc-98d4-5ce941c61310> 2018 Copyright 2018 Malcolm Nihlén
<https://github.com/scriptcoded/sql-highlight#readme>
<https://registry.npmjs.org/sql-highlight/-/sql-highlight-6.1.0.tgz>

MIT sqlite-async-1.1.1.tgz ES6 Promise-based interface to the sqlite3
module.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7db07089-4bca-4068-9004-fb61ee144177> 2020 Copyright 2020
Frank Hellwig <https://github.com/fhellwig/sqlite-async#readme>
<https://registry.npmjs.org/sqlite-async/-/sqlite-async-1.1.1.tgz>

MIT sshpk-1.18.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/11ce18d9-30ed-4cf5-9ae6-b8eeeebb57a2> Copyright Joyent, Inc

<https://github.com/arekinath/node-sshpk#readme>
<https://registry.npmjs.org/sshpk/-/sshpk-1.18.0.tgz>

MIT stable-0.1.8.tgz A stable array sort for JavaScript
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c22e4ab9-1192-4f30-8b81-5857526fae8b> 2018 Copyright 2018
Angry Bytes and contributors <https://github.com/Two-Screen/stable#readme>
 <https://registry.npmjs.org/stable/-/stable-0.1.8.tgz>

MIT stackblur-canvas-2.7.0.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/ef0815de-3824-46fe-bdec-411d9491d9aa> 2010 Copyright 2010 Mario Klingemann
 <http://www.quasimondo.com/StackBlurForCanvas/StackBlurDemo.html>
 <https://registry.npmjs.org/stackblur-canvas/-/stackblur-canvas-2.7.0.tgz>

MIT stack-parser-0.0.1.tgz Error stack parser.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5493760a-08c1-48d7-8eb1-80d14eb4c2c9> 2012 Copyright 2012
Ivan Zhidkov <scaryzet@gmail.com> <https://registry.npmjs.org/stack-parser/-/stack-parser-0.0.1.tgz> <https://registry.npmjs.org/stack-parser/-/stack-parser-0.0.1.tgz>

MIT stack-trace-0.0.10.tgz Get v8 stack traces as an array of CallSite objects.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/82f03a10-d344-4b91-b4c1-8a105cf482e0> 2011 Copyright 2011
Felix Geisendörfer (felix@debuggable.com)
 <https://github.com/felixge/node-stack-trace>
 <https://registry.npmjs.org/stack-trace/-/stack-trace-0.0.10.tgz>

MIT standard-fonts-1.0.0.tgz Metrics for the Standard 14 PDF fonts and their encodings
 <https://index.mend.io/gri/app/reader/resource/content/asString/8f875a9f-bbd5-4de7-aae7-2d3d1e8b5ac8> "2018 Copyright 2018 Andrew Dillon
2015-2018 Copyright 2015-2018 Christopher Brown"
 <https://github.com/Hopding/standard-fonts>
 <https://registry.npmjs.org/@pdf-lib/standard-fonts/-/standard-fonts-1.0.0.tgz>

MIT statuses-1.5.0.tgz HTTP status utility
 <https://github.com/jshttp/statuses#readme> "2014 Copyright 2014
Jonathan Ong <me@jongleberry.com> 2016 Copyright 2016 Douglas Christopher
Wilson <doug@somethingdoug.com>"
 <https://github.com/jshttp/statuses#readme>
 <https://registry.npmjs.org/statuses/-/statuses-1.5.0.tgz>

MIT statuses-2.0.1.tgz HTTP status utility
 <https://index.mend.io/gri/app/reader/resource/content/asString/7d397974-db00-4f16-a8e0-24d56c23bf7b> "2014 Copyright 2014 Jonathan Ong
<me@jongleberry.com>

2016 Copyright 2016 Douglas Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/statuses#readme>
<https://registry.npmjs.org/statuses/-/statuses-2.0.1.tgz>

MIT stop-iteration-iterator-1.1.0.tgz Firefox 17-26 iterators throw a StopIteration object to indicate "done". This normalizes it.
<https://index.mend.io/gri/app/reader/resource/content/asString/22d98976-8a01-4332-8994-43638eca7a75> 2023 Copyright 2023 Jordan Harband
<https://github.com/ljharb/stop-iteration-iterator#readme>
<https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-iterator-1.1.0.tgz>

MIT stoppable-1.1.0.tgz [![Build Status](https://travis-ci.org/hunterloftis/stoppable.svg?branch=master)](https://travis-ci.org/hunterloftis/stoppable)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e635284e-d480-4d91-9ea1-1935420cfe6f> 2017 Copyright 2017 Hunter Loftis <hunter@hunterloftis.com>
<https://github.com/hunterloftis/stoppable>
<https://registry.npmjs.org/stoppable/-/stoppable-1.1.0.tgz>

MIT stream-combiner-0.2.2.tgz [![npm version](https://img.shields.io/npm/v/stream-combiner.svg)](https://npmjs.org/package/stream-combiner) [![Travis CI](https://travis-ci.org/dominictarr/stream-combiner.svg)](https://travis-ci.org/dominictarr/stream-combiner)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/43c2066d-1349-43ea-8bef-10bf28ae5e8d> 2012 Copyright 2012 Dominic Tarr'
<https://github.com/dominictarr/stream-combiner>
<https://registry.npmjs.org/stream-combiner/-/stream-combiner-0.2.2.tgz>

MIT stream-length-1.0.2.tgz For a given Buffer or Stream, this module will attempt to determine the total length of the stream contents. It currently supports Buffers, `fs` streams, `http` responses, and `request` objects, and allows for specifying custom stream types.
<https://opensource.org/license/mit/>
<https://github.com/joepie91/node-stream-length>
<https://registry.npmjs.org/stream-length/-/stream-length-1.0.2.tgz>

MIT streamsearch-1.1.0.tgz Streaming Boyer-Moore-Horspool searching for node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/2b7df63a-78f3-47bf-9698-7d840e5e6598> Copyright Brian White
<https://github.com/mscdex/streamsearch#readme>
<https://registry.npmjs.org/streamsearch/-/streamsearch-1.1.0.tgz>

MIT stream-slicer-0.0.6.tgz Slice another stream via a transform stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d027dca3-b089-4044-abe5-fe4cc85475c6>
<https://registry.npmjs.org/stream-slicer/-/stream-slicer-0.0.6.tgz>

<https://registry.npmjs.org/stream-slicer/-/stream-slicer-0.0.6.tgz>

MIT string.prototype.trim-1.2.10.tgz ES5 spec-compliant shim for String.prototype.trim
<https://index.mend.io/gri/app/reader/resource/content/asString/b8f7dc33-9da0-40f9-9dde-01cfb01c6564> 2015 Copyright 2015 Jordan Harband
<https://github.com/es-shims/String.prototype.trim#readme>
<https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-1.2.10.tgz>

MIT string.prototype.trimend-1.0.9.tgz ES2019 spec-compliant String.prototype.trimEnd shim.
<https://index.mend.io/gri/app/reader/resource/content/asString/0ec3946c-ac25-4adf-9b36-0bde134ff57c> 2017 Copyright 2017 Khaled Al-Ansari
<https://github.com/es-shims/String.prototype.trimEnd#readme>
<https://registry.npmjs.org/string.prototype.trimend/-/string.prototype.trimend-1.0.9.tgz>

MIT string.prototype.trimstart-1.0.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ab65d8cb-656e-412a-83dd-bfe4163e231c> 2017 Copyright 2017 Khaled Al-Ansari
<https://github.com/es-shims/String.prototype.trimStart#readme>
<https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tgz>

MIT string_decoder-0.10.31.tgz The string_decoder module from Node core
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9aab1300-e73f-4203-8bdb-4b2826079f38> Copyright Joyent, Inc. and other Node contributors
https://github.com/rvagg/string_decoder
https://registry.npmjs.org/string_decoder/-/string_decoder-0.10.31.tgz

MIT string_decoder-1.1.1.tgz The string_decoder module from Node core
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fld2f836-272f-4b49-b1e2-774cec167b48> Copyright Node.js contributors
https://github.com/nodejs/string_decoder
https://registry.npmjs.org/string_decoder/-/string_decoder-1.1.1.tgz

MIT string_decoder-1.3.0.tgz The string_decoder module from Node core
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4af29e9e-244d-473e-9b1f-f4c8562c1004> Copyright Node.js contributors
https://github.com/nodejs/string_decoder
https://registry.npmjs.org/string_decoder/-/string_decoder-1.3.0.tgz

MIT string-length-1.0.1.tgz Get the real length of a string - by correctly counting astral symbols and ignoring ansi escape codes
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4af29e9e-244d-473e-9b1f-f4c8562c1004>

nt/asString/fd0710d2-f0a5-45a6-b59d-95484acbca3e "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/sindresorhus/string-length
https://registry.npmjs.org/string-length/-/string-length-1.0.1.tgz

MIT string-width-1.0.2.tgz Get the visual width of a string - the number of columns required to display it
https://github.com/sindresorhus/string-width/blob/main/license
"Copyright Sindre Sorhus Copyright Sindre Sorhus
<sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/sindresorhus/string-width#readme
https://registry.npmjs.org/string-width/-/string-width-1.0.2.tgz

MIT string-width-4.2.3.tgz Get the visual width of a string - the number of columns required to display it
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/11316d61-cc20-4ae1-a0e3-ddfd902aaef5 Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
https://github.com/sindresorhus/string-width#readme
https://registry.npmjs.org/string-width/-/string-width-4.2.3.tgz

MIT string-width-5.1.2.tgz Get the visual width of a string - the number of columns required to display it
https://index.mend.io/gri/app/reader/resource/content/asString/f5b50f8f-6971-4ed6-8bcb-720217de1b23 Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
https://github.com/sindresorhus/string-width#readme
https://registry.npmjs.org/string-width/-/string-width-5.1.2.tgz

MIT strip-ansi-3.0.1.tgz Strip ANSI escape codes
https://github.com/nodejs/node/blob/master/LICENSE "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
https://github.com/chalk/strip-ansi
https://registry.npmjs.org/strip-ansi/-/strip-ansi-3.0.1.tgz

MIT strip-ansi-6.0.1.tgz Strip ANSI escape codes from a string
https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c75451df-f284-4417-a515-51788e4e4cea Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)
https://github.com/chalk/strip-ansi#readme
https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz

MIT strip-ansi-7.1.2.tgz Strip ANSI escape codes from a string
https://index.mend.io/gri/app/reader/resource/content/asString/c107aefb-8d22-4136-ae6a-5cf432ee587e Copyright Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
https://github.com/chalk/strip-ansi#readme
https://registry.npmjs.org/strip-ansi/-/strip-ansi-7.1.2.tgz

MIT strip-bom-2.0.0.tgz Strip UTF-8 byte order mark (BOM) from a string/buffer
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/098b2788-21fe-4d93-878e-f63c22b2e75d> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/strip-bom>
<https://registry.npmjs.org/strip-bom/-/strip-bom-2.0.0.tgz>

MIT strip-dirs-2.1.0.tgz Remove leading directory components from a path, like tar's --strip-components option
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8b84f030-7f0e-447d-9681-aa5f473fa35b> 2014-2016 Copyright 2014-2016 Shinnosuke Watanabe <https://github.com/shinnn/node-strip-dirs#readme> <https://registry.npmjs.org/strip-dirs/-/strip-dirs-2.1.0.tgz>

MIT strip-indent-1.0.1.tgz Strip leading whitespace from every line in a string
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/c39206b4-7e7e-4682-8d1b-c950e2733bf6> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/strip-indent>
<https://registry.npmjs.org/strip-indent/-/strip-indent-1.0.1.tgz>

MIT strip-json-comments-2.0.1.tgz Strip comments from JSON. Lets you use comments in your JSON files!
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5efab063-bb0e-4c52-aa08-b55445dad13a> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)"
<https://github.com/sindresorhus/strip-json-comments#readme>
<https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-2.0.1.tgz>

MIT strnum-1.0.5.tgz Parse String to Number based on configuration
<https://index.mend.io/gri/app/reader/resource/content/asString/06fe8d7f-27db-4ef6-a0b3-95df7d0bff6e> 2021 Copyright 2021 Natural Intelligence <https://github.com/NaturalIntelligence/strnum#readme>
<https://registry.npmjs.org/strnum/-/strnum-1.0.5.tgz>

MIT styled-11.11.5.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/7fe22a88-94be-4a82-8aa0-8c51a5e23e62> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/styled/-/styled-11.11.5.tgz>

MIT styled-engine-5.15.14.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/272672af-431b-47ab-a2fc-37846617069e> 2014 Copyright 2014 Call-Em-All

<https://mui.com/system/styled/>
<https://registry.npmjs.org/@mui/styled-engine/-/styled-engine-5.15.14.tgz>

MIT style-to-js-1.1.1.tgz Parses CSS inline style to JavaScript object (camelCased).

<https://index.mend.io/gri/app/reader/resource/content/asString/76326428-1019-45bc-8c59-46d03e2321fb> 2020 Copyright 2020 Menglin "Mark" Xu <mark@remarkablemark.org> <https://github.com/remarkablemark/style-to-js#readme> <https://registry.npmjs.org/style-to-js/-/style-to-js-1.1.1.tgz>

MIT style-to-object-0.3.0.tgz Converts inline style to object.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/156086ae-5b8d-48eb-9dbc-baf92bb5acf1> 2017 Copyright 2017 Menglin "Mark" Xu <mark@remarkablemark.org>
<https://github.com/remarkablemark/style-to-object#readme>
<https://registry.npmjs.org/style-to-object/-/style-to-object-0.3.0.tgz>

MIT stylis-4.2.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a8578cbc-53c9-4d49-ab02-bb2d22878629> 2016 Copyright 2016 Sultan Tarimo
<https://github.com/thysultan/stylis.js>
<https://registry.npmjs.org/stylis/-/stylis-4.2.0.tgz>

MIT summernote-0.9.1.tgz Super simple WYSIWYG editor
<https://index.mend.io/gri/app/reader/resource/content/asString/a98f1107-e189-4984-933b-13e6ddaac241> 2015 Copyright 2015 Summernote Team
(<https://github.com/orgs/summernote/people>)
<https://registry.npmjs.org/summernote/-/summernote-0.9.1.tgz>
<https://registry.npmjs.org/summernote/-/summernote-0.9.1.tgz>

MIT suneditor-2.47.5.tgz Vanilla javascript based WYSIWYG web editor, with no dependencies
<https://index.mend.io/gri/app/reader/resource/content/asString/8f4a3e38-9698-4af5-943d-08cd7a5b2705> 2017 Copyright 2017 JiHong.Lee
<http://suneditor.com> <https://registry.npmjs.org/suneditor/-/suneditor-2.47.5.tgz>

MIT suneditor-2.47.8.tgz Vanilla JavaScript WYSIWYG web editor (2.x legacy version, actively maintained)
<https://index.mend.io/gri/app/reader/resource/content/asString/2ac20213-b28d-4958-bfb6-072d0637fc51> 2017 Copyright 2017 JiHong.Lee
<http://suneditor.com> <https://registry.npmjs.org/suneditor/-/suneditor-2.47.8.tgz>

MIT suneditor-react-2.16.5.tgz A React Component for Suneditor
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/221a5bff-e02f-4416-a6d7-3a4cea0bb26b>
<https://github.com/mkhstar/suneditor-react#readme>
<https://registry.npmjs.org/suneditor-react/-/suneditor-react-2.16.5.tgz>

MIT supports-color-2.0.0.tgz Detect whether a terminal supports color <https://github.com/nodejs/node/blob/master/LICENSE> "Copyright Sindre Sorhus Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)" <https://github.com/chalk/supports-color> <https://registry.npmjs.org/supports-color/-/supports-color-2.0.0.tgz>

MIT supports-color-5.5.0.tgz Detect whether a terminal supports color <https://github.com/chalk/supports-color#readme> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) <https://github.com/chalk/supports-color#readme> <https://registry.npmjs.org/supports-color/-/supports-color-5.5.0.tgz>

MIT supports-color-7.2.0.tgz Detect whether a terminal supports color <https://index.mend.io/gri/app/reader/resource/content/asString/af568ae6-579d-4a07-bcf6-ea5076ae6287> Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) <https://github.com/chalk/supports-color#readme> <https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz>

MIT supports-preserve-symlinks-flag-1.0.0.tgz Determine if the current node version supports the `--preserve-symlinks` flag. <https://github.com/inspect-js/node-supports-preserve-symlinks-flag/blob/main/LICENSE> 2022 Copyright 2022 Inspect JS <https://github.com/inspect-js/node-supports-preserve-symlinks-flag#readme> <https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz>

MIT svg-pathdata-6.0.3.tgz Manipulate SVG path data (path[d] attribute content) simply and efficiently. <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0460954a-fd62-4a8e-93ec-cd8a8e67ee06> 2017 Copyright 2017 Nicolas Froidure <https://github.com/nfroidure/svg-pathdata#readme> <https://registry.npmjs.org/svg-pathdata/-/svg-pathdata-6.0.3.tgz>

MIT swagger-jsdoc-6.2.8.tgz Generates swagger doc based on JSDoc <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6054ald3-9926-490b-b0e3-1b1f410a5419> "2015 Copyright 2015 devlouis 2015 Copyright 2015 Surnet 2013 Copyright 2013 Fliptoo <fliptoo.studio@gmail.com>" <https://github.com/Surnet/swagger-jsdoc> <https://registry.npmjs.org/swagger-jsdoc/-/swagger-jsdoc-6.2.8.tgz>

MIT swagger-methods-3.0.2.tgz HTTP methods that are supported by Swagger 2.0 <https://index.mend.io/gri/app/reader/resource/content/asString/b1739a39-1a36-4fd7-847d-0754208681ae> 2015 Copyright 2015 James Messinger <https://github.com/APIDevTools/swagger-methods> <https://registry.npmjs.org/@apidevtools/swagger-methods/-/swagger-methods-3.0.2.tgz>

MIT swagger-parser-10.0.3.tgz Swagger 2.0 and OpenAPI 3.0 parser and validator for Node and browsers
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3ae96248-c39b-4086-9d8b-7860311f498b> 2015 Copyright 2015 James Messinger <https://apitools.dev/swagger-parser/>
<https://registry.npmjs.org/@apidevtools/swagger-parser/-/swagger-parser-10.0.3.tgz>

MIT swagger-ui-express-4.6.3.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3a666980-58b8-4bca-bfb7-fcd69f424eb4> 2018 Copyright 2018 Scott IT London
<https://github.com/scottiel984/swagger-ui-express>
<https://registry.npmjs.org/swagger-ui-express/-/swagger-ui-express-4.6.3.tgz>

MIT system-5.15.15.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ae50199e-87b2-41c9-95f0-ded6a7870a2b> 2014 Copyright 2014 Call-Em-All
<https://mui.com/system/getting-started/>
<https://registry.npmjs.org/@mui/system/-/system-5.15.15.tgz>

MIT tar-fs-1.16.6.tgz filesystem bindings for tar-stream
<https://index.mend.io/gri/app/reader/resource/content/asString/162b04b0-e8e2-48d9-9202-0861fac5a184> 2014 Copyright 2014 Mathias Buus
<https://github.com/mafintosh/tar-fs>
<https://registry.npmjs.org/tar-fs/-/tar-fs-1.16.6.tgz>

MIT tar-fs-2.1.3.tgz filesystem bindings for tar-stream
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6170alf4-f634-4edd-b736-b20e38ce9609> 2014 Copyright 2014 Mathias Buus
<https://github.com/mafintosh/tar-fs>
<https://registry.npmjs.org/tar-fs/-/tar-fs-2.1.3.tgz>

MIT tar-fs-2.1.4.tgz filesystem bindings for tar-stream
<https://index.mend.io/gri/app/reader/resource/content/asString/156b17a2-fda4-45a2-8a2f-8473e4fc9bd0> 2014 Copyright 2014 Mathias Buus
<https://github.com/mafintosh/tar-fs>
<https://registry.npmjs.org/tar-fs/-/tar-fs-2.1.4.tgz>

MIT targz-1.0.1.tgz TarGz for NodeJS
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e3f851a0-07b3-415f-814b-c7e39f17c18e> 2015 Copyright 2015 Miska Kaipiainen <https://github.com/miskun/targz#readme>
<https://registry.npmjs.org/targz/-/targz-1.0.1.tgz>

MIT tarn-3.0.2.tgz Simple and robust resource pool for node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/0be3f62d-ef74-4828-b014-fd0e3cb1268c> 2015 Copyright 2015 Vincit Oy
<https://github.com/vincit/tarn.js#readme>
<https://registry.npmjs.org/tarn/-/tarn-3.0.2.tgz>

MIT tar-stream-1.6.2.tgz tar-stream is a streaming tar parser and generator and nothing else. It is streams2 and operates purely using

streams which means you can easily extract/parse tarballs without ever hitting the file system.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/dba5a143-82cf-4c98-a391-c7ac955355a6> 2014 Copyright 2014 Mathias Buus <https://github.com/mafintosh/tar-stream>
<https://registry.npmjs.org/tar-stream/-/tar-stream-1.6.2.tgz>

MIT tar-stream-2.2.0.tgz tar-stream is a streaming tar parser and generator and nothing else. It is streams2 and operates purely using streams which means you can easily extract/parse tarballs without ever hitting the file system.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3951c7f9-66db-423d-b6ee-eb713d3e8ee3> 2014 Copyright 2014 Mathias Buus <https://github.com/mafintosh/tar-stream>
<https://registry.npmjs.org/tar-stream/-/tar-stream-2.2.0.tgz>

MIT tedious-18.6.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/ddcf147c-5ea5-49d5-a1d5-bc775de1bb8b> "2010-2018 Copyright 2010-2018 Mike D Pilsbury 2010-2021 Copyright 2010-2021 Mike D Pilsbury"
<https://github.com/tediousjs/tedious>
<https://registry.npmjs.org/tedious/-/tedious-18.6.1.tgz>

MIT template-7.27.2.tgz Generate an AST from a string template.
<https://index.mend.io/gri/app/reader/resource/content/asString/892bf2c0-05ad-4028-97dd-c4e405a42259> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-template>
<https://registry.npmjs.org/@babel/template/-/template-7.27.2.tgz>

MIT temporary-0.0.8.tgz The lord of tmp.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e920a30f-12c5-426f-be78-f08d45cd8583> 2012 Copyright 2012 Veselin Todorov <http://github.com/vesln/temporary>
<https://registry.npmjs.org/temporary/-/temporary-0.0.8.tgz>

MIT temporary-1.1.0.tgz The lord of tmp.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6cbd791a-8ab0-4c32-aa38-dc852e5caecb> 2012 Copyright 2012 Veselin Todorov <https://github.com/vesln/temporary>
<https://registry.npmjs.org/temporary/-/temporary-1.1.0.tgz>

MIT text-hex-1.0.0.tgz Generate a hex color from the given text
<https://github.com/3rd-Eden/text-hex> "2014-2015 Copyright 2014-2015 Arnout Kazemier <opensource@3rd-Eden.com>" 2014-2015 Copyright 2014-2015 Arnout Kazemier <opensource@3rd-Eden.com>" <https://github.com/3rd-Eden/text-hex>
<https://registry.npmjs.org/text-hex/-/text-hex-1.0.0.tgz>

MIT text-segmentation-1.0.3.tgz text-segmentation =====
<https://index.mend.io/gri/app/reader/resource/content/asString/9b5800e6-a8b8-4837-882e-81203aed75f5> 2021 Copyright 2021 Niklas von Hertzen
<https://github.com/niklasvh/text-segmentation>
<https://registry.npmjs.org/text-segmentation/-/text-segmentation-1.0.3.tgz>

MIT text-table-0.2.0.tgz borderless text tables with alignment
<https://github.com/substack/text-table/blob/master/LICENSE>
 Copyright James Halliday <https://github.com/substack/text-table>
<https://registry.npmjs.org/text-table/-/text-table-0.2.0.tgz>

MIT thenify-3.3.1.tgz Promisify a callback-based function
<https://index.mend.io/gri/app/reader/resource/content/asString/a0094431-43e7-42f3-b229-7c24858f3746> 2014-2016 Copyright 2014-2016 Jonathan Ong
 me@jongleberry.com and contributors
<https://github.com/thenables/thenify#readme>
<https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz>

MIT thenify-all-1.6.0.tgz Promisifies all the selected functions in an object
<https://github.com/thenables/thenify-all> 2014 Copyright 2014 Jonathan Ong
 me@jongleberry.com
<https://github.com/thenables/thenify-all>
<https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz>

MIT throttle-debounce-2.3.0.tgz Throttle and debounce functions.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7fa577c1-fe40-4960-826c-0ea42a1424b8> "2010 Copyright 2010 Cowboy"
 Ben Alman (Dual licensed under the MIT and GPL licenses.
<http://benalman.com/about/license/>) 2010 Copyright 2010 Cowboy"
 Ben Alman
 2010 Copyright 2010 "Cowboy" Ben Alman Copyright Ivan Nikolić
 "http://ivannikolic.com" (<http://ivannikolic.com>) 2010 Copyright 2010
 "Cowboy" Ben Alman (Dual licensed under the MIT and GPL licenses.
<http://benalma.com> <https://github.com/niksy/throttle-debounce#readme>
<https://registry.npmjs.org/throttle-debounce/-/throttle-debounce-2.3.0.tgz>

MIT through-2.3.8.tgz simplified stream construction
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/83fd39ca-7cb8-4bc9-af06-0695d0d9f0e7> 2011 Copyright 2011
 Dominic Tarr <https://github.com/dominictarr/through>
<https://registry.npmjs.org/through/-/through-2.3.8.tgz>

MIT through2-0.6.5.tgz A tiny wrapper around Node streams2
 Transform to avoid explicit subclassing noise
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cd2a9807-080a-4361-8d1d-55921b10112c> "2013 Copyright 2013
 Rod Vagg (the "Original Author") 2013 Copyright 2013 Rod Vagg
 "@rvagg" (<https://twitter.com/rvagg>) and licenced under the MIT licence
 2013 Copyright 2013 Rod Vagg [rvagg] (<https://twitter.com/rvagg>) and
 licenced under the MIT licence" <https://github.com/rvagg/through2>
<https://registry.npmjs.org/through2/-/through2-0.6.5.tgz>

MIT time-grunt-2.0.0.tgz Display the elapsed execution time of grunt tasks
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d7b53b83-e31a-403d-b347-0f02ff16c292> "Copyright Sindre
 Sorhus

Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/time-grunt#readme>
 <https://registry.npmjs.org/time-grunt/-/time-grunt-2.0.0.tgz>

MIT time-zone-0.1.0.tgz Pretty time zone: `+2` or `-9:30`
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/edbccc12-419b-4e9d-8ed1-01900572c80e> "Copyright Sindre Sorhus
Copyright Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com) "
 <https://github.com/sindresorhus/time-zone#readme>
 <https://registry.npmjs.org/time-zone/-/time-zone-0.1.0.tgz>

MIT tiny-invariant-1.3.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/ef962025-5fa2-4058-9139-282c874d964a> 2019 Copyright 2019 Alexander Reardon
 <https://github.com/alexreardon/tiny-invariant#readme>
 <https://registry.npmjs.org/tiny-invariant/-/tiny-invariant-1.3.2.tgz>

MIT tiny-invariant-1.3.3.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/37b27346-bf01-452d-9ef8-70a8f857a472> 2019 Copyright 2019 Alexander Reardon
 <https://github.com/alexreardon/tiny-invariant#readme>
 <https://registry.npmjs.org/tiny-invariant/-/tiny-invariant-1.3.3.tgz>

MIT tiny-warning-1.0.3.tgz A tiny warning function
 <https://index.mend.io/gri/app/reader/resource/content/asString/fc17c2fd-00e4-4118-9930-37aae4948919> 2019 Copyright 2019 Alexander Reardon
 <https://registry.npmjs.org/tiny-warning/-/tiny-warning-1.0.3.tgz>
 <https://registry.npmjs.org/tiny-warning/-/tiny-warning-1.0.3.tgz>

MIT tmp-0.2.3.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/cfelb3ed-0a1a-4272-b7ac-ad66fc4605aa> 2014 Copyright 2014 KARASZI István
 <http://github.com/raszi/node-tmp> <https://registry.npmjs.org/tmp/-/tmp-0.2.3.tgz>

MIT tmp-0.2.5.tgz Temporary file and directory creator
 <https://index.mend.io/gri/app/reader/resource/content/asString/9b35e6a7-6faa-4e8d-ab3d-ea05129da60c> 2014 Copyright 2014 KARASZI István
 <http://github.com/raszi/node-tmp> <https://registry.npmjs.org/tmp/-/tmp-0.2.5.tgz>

MIT to-buffer-1.1.1.tgz Pass in a string, get a buffer back. Pass in a buffer, get the same buffer back
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/8fdb0c13-4d88-4933-bf1a-b678be14b57b> 2016 Copyright 2016 Mathias Buus
 <https://github.com/mafintosh/to-buffer>
 <https://registry.npmjs.org/to-buffer/-/to-buffer-1.1.1.tgz>

MIT to-buffer-1.2.1.tgz Pass in a string, array, Buffer, Data View, or Uint8Array, and get a Buffer back. <https://www.npmjs.com/package/to-buffer>

buffer/v/1.2.1 2016 Copyright 2016 Mathias Buus

<https://github.com/browserify/to-buffer>

<https://registry.npmjs.org/to-buffer/-/to-buffer-1.2.1.tgz>

MIT to-buffer-1.2.2.tgz Pass in a string, array, Buffer, Data View, or Uint8Array, and get a Buffer back.

<https://index.mend.io/gri/app/reader/resource/content/asString/178843ff-1b7d-43ef-be05-4f4e4df762c1>

2016 Copyright 2016 Mathias Buus

<https://github.com/browserify/to-buffer>

<https://registry.npmjs.org/to-buffer/-/to-buffer-1.2.2.tgz>

MIT toidentifier-1.0.0.tgz Convert a string of words to a JavaScript identifier

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0cabe63-abd7-41d3-9824-15bf3d31dfd9>

2016 Copyright 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

<https://github.com/component/toidentifier#readme>

<https://registry.npmjs.org/toidentifier/-/toidentifier-1.0.0.tgz>

MIT toidentifier-1.0.1.tgz Convert a string of words to a JavaScript identifier

<https://index.mend.io/gri/app/reader/resource/content/asString/0eec46b9-85e5-44bc-8266-1b07af56a404>

2016 Copyright 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

<https://github.com/component/toidentifier#readme>

<https://registry.npmjs.org/toidentifier/-/toidentifier-1.0.1.tgz>

MIT toposort-2.0.2.tgz Topological sort of directed asycyclic graphs (like dependecy lists)

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e65b83d5-68a7-43ae-aabe-8eead198a53a>

2012 Copyright 2012 by Marcel Klehr <mklehr@gmx.net>

<https://github.com/marcelklehr/toposort#readme>

<https://registry.npmjs.org/toposort/-/toposort-2.0.2.tgz>

MIT tr46-0.0.3.tgz An implementation of the Unicode TR46 spec

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b13567ee-e6d6-4b9f-8122-e93cddc7072f>

2016 Sebastian Mayr

<https://github.com/Sebmaster/tr46.js#readme>

<https://registry.npmjs.org/tr46/-/tr46-0.0.3.tgz>

MIT trace-mapping-0.3.31.tgz Trace the original position through a source map

<https://index.mend.io/gri/app/reader/resource/content/asString/146ac3d4-4b7a-4ef7-aedb-075d5c30dcbe>

2024 Copyright 2024 Justin Ridgewell <justin@ridgewell.name>

<https://github.com/jridgewell/sourcemap/tree/main/packages/trace-mapping>

<https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz>

MIT traverse-7.28.4.tgz The Babel Traverse module maintains the overall tree state, and is responsible for replacing, removing, and

adding nodes

<https://index.mend.io/gri/app/reader/resource/content/asString/780cb7ab-6755-45a2-8405-955fd29694b3> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-traverse>
<https://registry.npmjs.org/@babel/traverse/-/traverse-7.28.4.tgz>

MIT triple-beam-1.3.5.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/7511b7b4-da30-4648-abc3-451567436807> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/triple-beam> <https://registry.npmjs.org/@types/triple-beam/-/triple-beam-1.3.5.tgz>

MIT triple-beam-1.4.1.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/36d935a8-68c9-4f57-8483-33d6d944a1a6> 2017 Copyright 2017 winstonjs
<https://github.com/winstonjs/triple-beam#readme>
<https://registry.npmjs.org/triple-beam/-/triple-beam-1.4.1.tgz>

MIT truncate-utf8-bytes-1.0.2.tgz Truncate string to given length in bytes
<https://github.com/parshap/truncate-utf8-bytes/blob/master/package.json>
<https://github.com/parshap/truncate-utf8-bytes#readme>
<https://registry.npmjs.org/truncate-utf8-bytes/-/truncate-utf8-bytes-1.0.2.tgz>

MIT ts-http-runtime-0.3.1.tgz Isomorphic client library for making HTTP requests in node.js and browser.

<https://index.mend.io/gri/app/reader/resource/content/asString/ba9f3d79-fca9-4328-9dce-bbd5f283ee2e> "2018 Copyright 2018 Microsoft Copyright Microsoft Corporation" <https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/ts-http-runtime/>
<https://registry.npmjs.org/@typespec/ts-http-runtime/-/ts-http-runtime-0.3.1.tgz>

MIT ts-http-runtime-0.3.2.tgz Isomorphic client library for making HTTP requests in node.js and browser.

<https://index.mend.io/gri/app/reader/resource/content/asString/3c493968-7fbc-4653-a9a9-4370c76643c4> Copyright Microsoft Corporation
<https://github.com/Azure/azure-sdk-for-js/blob/main/sdk/core/ts-http-runtime/> <https://registry.npmjs.org/@typespec/ts-http-runtime/-/ts-http-runtime-0.3.2.tgz>

MIT tsscmp-1.0.6.tgz Timing safe string compare using double HMAC

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/885b84c1-ccbf-4dde-ad6b-213fd563f89a> "Copyright 2016 2016 Copyright 2016 (c)" <https://github.com/suryagh/tsscmp#readme>
<https://registry.npmjs.org/tsscmp/-/tsscmp-1.0.6.tgz>

MIT tv4-1.3.0.tgz A public domain JSON Schema validator for JavaScript

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e169ea33-6f6d-4fdc-9cc6-99d7ff20e3d3> Unspecified Copyright

<https://github.com/geraintluff/tv4><https://registry.npmjs.org/tv4/-/tv4-1.3.0.tgz>

MIT tweetnacl-0.14.5.tgz Port of TweetNaCl cryptographic library to JavaScript <https://github.com/dominictarr/tweetnacl/blob/master/LICENSE>
Copyright Unspecified Copyright <https://tweetnacl.js.org>
<https://registry.npmjs.org/tweetnacl/-/tweetnacl-0.14.5.tgz>

MIT typedarray-0.0.6.tgz TypedArray polyfill for old browsers
<https://github.com/substack/typedarray/tree/0.0.6> "2012 Copyright
2012 Joshua Bell 2010 Copyright 2010 Linden Research, Inc"
<https://github.com/substack/typedarray>
<https://registry.npmjs.org/typedarray/-/typedarray-0.0.6.tgz>

MIT typed-array-buffer-1.0.3.tgz Get the ArrayBuffer out of a
TypedArray, robustly.
<https://index.mend.io/gri/app/reader/resource/content/asString/4ed24c35-5ccd-48ab-9224-dd2b0deb0ddf> 2023 Copyright 2023 Jordan Harband
<https://github.com/inspect-js/typed-array-buffer#readme>
<https://registry.npmjs.org/typed-array-buffer/-/typed-array-buffer-1.0.3.tgz>

MIT typed-array-byte-length-1.0.3.tgz Robustly get the byte length of a
Typed Array
<https://index.mend.io/gri/app/reader/resource/content/asString/5c231d48-3a46-4350-a721-e32df5a35606> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/typed-array-byte-length#readme>
<https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-length-1.0.3.tgz>

MIT typed-array-byte-offset-1.0.4.tgz Robustly get the byte offset of a
Typed Array
<https://index.mend.io/gri/app/reader/resource/content/asString/afcb67a-2f35-4c81-81d5-7a9b60d047a3> 2020 Copyright 2020 Inspect JS
<https://github.com/inspect-js/typed-array-byte-offset#readme>
<https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-offset-1.0.4.tgz>

MIT typed-array-length-1.0.7.tgz Robustly get the length of a Typed
Array
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/40ee6c98-5afd-424b-8a07-0f0f6e727a42> 2020 Copyright 2020
Inspect JS <https://github.com/inspect-js/typed-array-length#readme>
<https://registry.npmjs.org/typed-array-length/-/typed-array-length-1.0.7.tgz>

MIT type-is-1.6.18.tgz Infer the content-type of a request.
<https://github.com/jshttp/type-is#readme> "2014 Copyright 2014
Jonathan Ong <me@jongleberry.com> 2014-2015 Copyright 2014-2015 Douglas
Christopher Wilson <doug@somethingdoug.com>"
<https://github.com/jshttp/type-is#readme>
<https://registry.npmjs.org/type-is/-/type-is-1.6.18.tgz>

MIT typeorm-0.3.105.tgz <https://github.com/typeorm/typeorm/blob/master/LICENSE>

MIT typeorm-0.3.17.tgz <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0f8554b0-8575-4b4e-8fe2-dcc7df57a91d> 2015-2022 Copyright 2015-2022 TypeORM. <http> <https://typeorm.io>
 <https://registry.npmjs.org/typeorm/-/typeorm-0.3.17.tgz>

MIT typeorm-0.3.27.tgz Data-Mapper ORM for TypeScript and ES2021+. Supports MySQL/MariaDB, PostgreSQL, MS SQL Server, Oracle, SAP HANA, SQLite, MongoDB databases.
 <https://index.mend.io/gri/app/reader/resource/content/asString/037ba2c5-3263-422e-838c-54933fbc414> <https://typeorm.io>
 <https://registry.npmjs.org/typeorm/-/typeorm-0.3.27.tgz>

MIT types-7.2.14.tgz <https://index.mend.io/gri/app/reader/resource/content/asString/f6888082-b45a-4d6f-8d08-6ed45a8b0620> 2014 Copyright 2014 Call-Em-All
 <https://github.com/mui/material-ui/tree/master/packages/mui-types>
 <https://registry.npmjs.org/@mui/types/-/types-7.2.14.tgz>

MIT types-7.28.4.tgz Babel Types is a Lodash-esque utility library for AST nodes
 <https://index.mend.io/gri/app/reader/resource/content/asString/5a2abe41-f70e-4a83-96e8-8b9e15a6c045> 2014 Copyright 2014 Sebastian McKenzie and other contributors <https://babel.dev/docs/en/next/babel-types>
 <https://registry.npmjs.org/@babel/types/-/types-7.28.4.tgz>

MIT uglify-to-browserify-1.0.2.tgz A transform to make UglifyJS work in browserify.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/65f926ea-344a-417b-8789-e00d0883c02e> 2013 Copyright 2013 Forbes Lindesay <https://github.com/ForbesLindesay/uglify-to-browserify>
 <https://registry.npmjs.org/uglify-to-browserify/-/uglify-to-browserify-1.0.2.tgz>

MIT uid-safe-2.1.5.tgz URL and cookie safe UUIDs
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/0c26a09d-6fbf-4313-9303-38d83f032afc> "2014 Copyright 2014 Jonathan Ong <me@jongleberry.com> 2015-2017 Copyright 2015-2017 Douglas Christopher Wilson <doug@somethingdoug.com>" <https://github.com/crypto-utils/uid-safe#readme> <https://registry.npmjs.org/uid-safe/-/uid-safe-2.1.5.tgz>

MIT unbox-primitive-1.1.0.tgz Unbox a boxed JS primitive value.
 <https://index.mend.io/gri/app/reader/resource/content/asString/bc1f9d33-9024-4f46-93c8-d2c4e6c8cd72> 2019 Copyright 2019 Jordan Harband
 <https://github.com/ljharb/unbox-primitive#readme>
 <https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz>

MIT unbzip2-stream-1.4.3.tgz streaming unbzip2 implementation in pure javascript for node and browsers
<https://index.mend.io/gri/app/reader/resource/content/asString/ce56b015-59c8-46f6-9469-27e6172221c1> "2017 Copyright 2017 by Jan Boelsche (jan@lagomorph.de) 2011 Copyright 2011 by antimatter15 (antimatter15@gmail.com)" <https://github.com/regular/unbzip2-stream#readme> <https://registry.npmjs.org/unbzip2-stream/-/unbzip2-stream-1.4.3.tgz>

MIT underscore-1.12.1.tgz JavaScript's functional programming helper library.
<https://index.mend.io/gri/app/reader/resource/content/asString/dc7a0c31-8a6b-4258-9f2b-239741e45ade> 2009-2020 Copyright 2009-2020 Jeremy Ashkenas <https://underscorejs.org>
<https://registry.npmjs.org/underscore/-/underscore-1.12.1.tgz>

MIT underscore-1.13.0.tgz TypeScript definitions for underscore
<https://index.mend.io/gri/app/reader/resource/content/asString/abab5115-799f-41bd-b9dd-7d4200863019> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/underscore> <https://registry.npmjs.org/@types/underscore/-/underscore-1.13.0.tgz>

MIT underscore-1.13.6.tgz JavaScript's functional programming helper library.
<https://index.mend.io/gri/app/reader/resource/content/asString/2964e6dd-814f-4b23-9a09-475992a5503c> 2009-2022 Copyright 2009-2022 Jeremy Ashkenas <https://underscorejs.org>
<https://registry.npmjs.org/underscore/-/underscore-1.13.6.tgz>

MIT underscore-1.13.7.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0ccb4b46-3ec8-45d4-8c19-006986d5dee3> 2009-2022 Copyright 2009-2022 Jeremy Ashkenas <https://underscorejs.org>
<https://registry.npmjs.org/underscore/-/underscore-1.13.7.tgz>

MIT undici-types-5.25.3.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ffd13954-30e4-441a-821b-0f75fa4ffdcbb> Copyright Matteo Collina and Undici contributors <https://undici.nodejs.org>
<https://registry.npmjs.org/undici-types/-/undici-types-5.25.3.tgz>

MIT undici-types-5.26.5.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e02ab7db-ebe4-49ff-85d4-3e1c99381988> Copyright Matteo Collina and Undici contributors <https://undici.nodejs.org>
<https://registry.npmjs.org/undici-types/-/undici-types-5.26.5.tgz>

MIT undici-types-6.19.8.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3788b31f-6886-4f4c-88e2-a4d110d92874> Copyright Matteo Collina and Undici contributors <https://undici.nodejs.org>

<https://registry.npmjs.org/undici-types/-/undici-types-6.19.8.tgz>

MIT undici-types-6.20.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/474f57f4-002e-4a2a-b4ef-67d96901b81d> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-6.20.0.tgz>

MIT undici-types-7.10.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/51e5a0c7-c6e2-429c-b9b3-e74398d5b4c5> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-7.10.0.tgz>

MIT undici-types-7.11.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/005c7295-5fce-421e-93d4-d74841f3647d> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-7.11.0.tgz>

MIT undici-types-7.12.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/340ed865-8844-41cf-b435-ecd98b7f597c> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-7.12.0.tgz>

MIT undici-types-7.13.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/61be3595-8cb3-4b96-aa2e-d33895db8779> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-7.13.0.tgz>

MIT undici-types-7.14.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/45d2b622-0cc3-4345-947d-6c104b5859eb> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-7.14.0.tgz>

MIT undici-types-7.16.0.tgz A stand-alone types package for Undici
 <https://index.mend.io/gri/app/reader/resource/content/asString/0059d439-c36a-401e-9f5a-c735ca01ca75> Copyright Matteo Collina and Undici
contributors <https://undici.nodejs.org>
 <https://registry.npmjs.org/undici-types/-/undici-types-7.16.0.tgz>

MIT unitless-0.8.1.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/0003>

954b-6108-4929-bc92-c4c67051f9c0 "Copyright Emotion team and other contributors 2016 Copyright 2016 Kye Hohenberger"
<https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/unitless/-/unitless-0.8.1.tgz>

MIT universalify-0.1.2.tgz Make a callback- or promise-based function support both promises and callbacks.
<https://github.com/RyanZim/universalify#readme> 2017 Copyright 2017 Ryan Zimmerman <opensrc@ryanzim.com>
<https://github.com/RyanZim/universalify#readme>
<https://registry.npmjs.org/universalify/-/universalify-0.1.2.tgz>

MIT universalify-0.2.0.tgz Make a callback- or promise-based function support both promises and callbacks.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/e827638e-2ff3-466e-afe4-5da02d1c1489> 2017 Copyright 2017 Ryan Zimmerman <opensrc@ryanzim.com>
<https://github.com/RyanZim/universalify#readme>
<https://registry.npmjs.org/universalify/-/universalify-0.2.0.tgz>

MIT universalify-2.0.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/4d329fca-3677-4ac1-8cb0-cda2f8c97812> 2017 Copyright 2017 Ryan Zimmerman <opensrc@ryanzim.com> <https://github.com/RyanZim/universalify#readme>
<https://registry.npmjs.org/universalify/-/universalify-2.0.1.tgz>

MIT unpipe-1.0.0.tgz Unpipe a stream from all destinations
<https://github.com/stream-utils/unpipe> 2015 Copyright 2015 Douglas Christopher Wilson <doug@somethingdoug.com> <https://github.com/stream-utils/unpipe>
<https://registry.npmjs.org/unpipe/-/unpipe-1.0.0.tgz>

MIT unzipper-0.10.14.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/12cf176d-658f-4442-be19-9d20e62606da> 2012-2013 Copyright 2012-2013 Near Infinity Corporation <https://github.com/ZJONSSON/node-unzipper#readme>
<https://registry.npmjs.org/unzipper/-/unzipper-0.10.14.tgz>

MIT unzipper-0.9.15.tgz Unzip cross-platform streaming API
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b16dbaf5-55f4-43fe-ae0f-37adc852a093> 2012-2013 Copyright 2012-2013 Near Infinity Corporation <https://github.com/ZJONSSON/node-unzipper#readme> <https://registry.npmjs.org/unzipper/-/unzipper-0.9.15.tgz>

MIT upng-1.0.1.tgz Small, fast and advanced PNG / APNG encoder and decoder
<https://index.mend.io/gri/app/reader/resource/content/asString/581b4cbd-8057-4d9c-9f33-efab6aab15b2> 2017 Copyright 2017 Photopea

<https://registry.npmjs.org/@pdf-lib/upng/-/upng-1.0.1.tgz>
<https://registry.npmjs.org/@pdf-lib/upng/-/upng-1.0.1.tgz>

MIT url-parse-1.5.10.tgz Small footprint URL parser that works seamlessly across Node.js and browser environments
<https://index.mend.io/gri/app/reader/resource/content/asString/5a85d21f-ba4d-4471-b749-4993238a69ee> 2015 Copyright 2015 Unshift.io, Arnout Kazemier, the Contributors <https://github.com/unshiftio/url-parse#readme> <https://registry.npmjs.org/url-parse/-/url-parse-1.5.10.tgz>

MIT use-insertion-effect-with-fallbacks-1.0.1.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/802b6a1e-8ef3-4de2-9836-0972e920f32f> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/use-insertion-effect-with-fallbacks/-/use-insertion-effect-with-fallbacks-1.0.1.tgz>

MIT use-memo-one-1.1.3.tgz useMemo and useCallback but with a stable cache
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fd807241-220b-4039-9e56-9080bff7151e> 2019 Copyright 2019 Alexander Reardon <https://github.com/alexreardon/use-memo-one#readme> <https://registry.npmjs.org/use-memo-one/-/use-memo-one-1.1.3.tgz>

MIT utf8-byte-length-1.0.4.tgz Get utf8 byte length of string
<https://github.com/parshap/utf8-byte-length/blob/master/LICENSE>
<https://github.com/parshap/utf8-byte-length#readme>
<https://registry.npmjs.org/utf8-byte-length/-/utf8-byte-length-1.0.4.tgz>

MIT utf8-byte-length-1.0.5.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7025c8a0-c4cc-41e4-a17d-eaa4f5c8e96f> "2004 Copyright 2004 Sam Hocevar <sam@hocevar.net> 2023 Copyright 2023 Carl Xiong & Parsha Pourkhomami" <https://github.com/parshap/utf8-byte-length#readme> <https://registry.npmjs.org/utf8-byte-length/-/utf8-byte-length-1.0.5.tgz>

MIT util-0.10.4.tgz Node.JS util module
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7dd8ea9a-7c65-4152-8624-9a83a2481b4e> Copyright Joyent, Inc. and other Node contributors <https://github.com/defunctzombie/node-util> <https://registry.npmjs.org/util/-/util-0.10.4.tgz>

MIT util-deprecate-1.0.2.tgz The Node.js `util.deprecate()` function with browser support
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/5c67ad93-45b3-4c29-94d5-2e3a73b2ffe7> "2014 Copyright 2014 Nathan Rajlich <nathan@tootallnate.net> (mailto:nathan@tootallnate.net) 2014 Copyright 2014 Nathan Rajlich <nathan@tootallnate.net>" <https://github.com/TooTallNate/util-deprecate>

<https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz>

MIT utils-0.2.2.tgz

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ae25f8a3-4203-44cd-ae38-d7d9714a9686> 2021 Copyright 2021 Floating UI contributors <https://floating-ui.com>
<https://registry.npmjs.org/@floating-ui/utils/-/utils-0.2.2.tgz>

MIT utils-1.2.1.tgz internal utils for emotion

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/76965272-8f17-49d8-b26f-3cd7cc04de50> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme> <https://registry.npmjs.org/@emotion/utils/-/utils-1.2.1.tgz>

MIT utils-5.15.14.tgz

<https://index.mend.io/gri/app/reader/resource/content/asString/047c26ea-3ce8-4fc7-8e38-d62e9366d546> 2014 Copyright 2014 Call-Em-All
<http://private> package <https://registry.npmjs.org/@mui/utils/-/utils-5.15.14.tgz>

MIT utils-merge-1.0.1.tgz merge() utility function

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/d0957645-209e-4286-b26a-63d5d97d558b> "2013-2017 Copyright 2013-2017 Jared Hanson < 2013-2017 Copyright 2013-2017 Jared Hanson <<http://jaredhanson.net/>] (<http://jaredhanson.net/>)> 2013-2017 Copyright 2013-2017 Jared Hanson" <https://github.com/jaredhanson/utils-merge#readme> <https://registry.npmjs.org/utils-merge/-/utils-merge-1.0.1.tgz>

MIT utrie-1.0.2.tgz Unicode Trie

<https://index.mend.io/gri/app/reader/resource/content/asString/887fb62e-1d52-4a58-8514-f147b507c714> 2021 Copyright 2021 Niklas von Hertzen
<https://github.com/niklasvh/utrie>
<https://registry.npmjs.org/utrie/-/utrie-1.0.2.tgz>

MIT uuid-11.1.0.tgz RFC9562 UUIDs

<https://index.mend.io/gri/app/reader/resource/content/asString/692a82ee-f182-4968-a04e-144ea5b54d9a> 2010-2020 Copyright 2010-2020 Robert Kieffer and other contributors <https://github.com/uuidjs/uuid#readme>
<https://registry.npmjs.org/uuid/-/uuid-11.1.0.tgz>

MIT uuid-3.4.0.tgz RFC4122 (v1, v4, and v5) UUIDs

<https://github.com/uuidjs/uuid#readme> 2010-2016 Copyright 2010-2016 Robert Kieffer and other contributors
<https://github.com/uuidjs/uuid#readme>
<https://registry.npmjs.org/uuid/-/uuid-3.4.0.tgz>

MIT uuid-8.3.2.tgz RFC4122 (v1, v4, and v5) UUIDs

<https://index.mend.io/gri/app/reader/resource/content/asString/1f23fe37-51f1-42b8-9d83-226e12746c21> 2010-2020 Copyright 2010-2020 Robert

Kieffer and other contributors <https://github.com/uuidjs/uuid#readme>
<https://registry.npmjs.org/uuid/-/uuid-8.3.2.tgz>

MIT [uuid-9.0.1.tgz](#)
<https://index.mend.io/gri/app/reader/resource/content/asString/f3d03dd5-f059-433a-b84e-0afd6d584609> 2010-2020 Copyright 2010-2020 Robert Kieffer and other contributors <https://github.com/uuidjs/uuid#readme>
<https://registry.npmjs.org/uuid/-/uuid-9.0.1.tgz>

MIT [validator-13.11.0.tgz](#)
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6caed8af-1379-4a62-9d11-d9ccad2e27d6> "2018 Copyright 2018 Chris O'Hara <cohara87@gmail.com>
minify"" : ""uglifyjs validator.js -o validator.min.js --compress --mangle --comments /Copyright/"" ,"
<https://github.com/validatorjs/validator.js>
<https://registry.npmjs.org/validator/-/validator-13.11.0.tgz>

MIT [validator-13.15.10.tgz](#) TypeScript definitions for validator
<https://index.mend.io/gri/app/reader/resource/content/asString/f66be4e6-4457-414f-863e-e299fa9828d1> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/validator> <https://registry.npmjs.org/@types/validator/-/validator-13.15.10.tgz>

MIT [validator-13.15.15.tgz](#) String validation and sanitization
<https://index.mend.io/gri/app/reader/resource/content/asString/3c867949-9ce0-4aa9-a8e6-3a5082149288> 2018 Copyright 2018 Chris O'Hara <cohara87@gmail.com> <https://github.com/validatorjs/validator.js>
<https://registry.npmjs.org/validator/-/validator-13.15.15.tgz>

MIT [validator-13.15.23.tgz](#) String validation and sanitization
<https://index.mend.io/gri/app/reader/resource/content/asString/ade1bc9f-b034-4b36-aead-cl8492544713> 2018 Copyright 2018 Chris O'Hara <cohara87@gmail.com> <https://github.com/validatorjs/validator.js>
<https://registry.npmjs.org/validator/-/validator-13.15.23.tgz>

MIT [validator-13.15.3.tgz](#) TypeScript definitions for validator
<https://index.mend.io/gri/app/reader/resource/content/asString/5f3789b8-007f-429f-aec2-91954571dd04> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/validator> <https://registry.npmjs.org/@types/validator/-/validator-13.15.3.tgz>

MIT [value-equal-1.0.1.tgz](#) Are these two JavaScript values equal?
<https://github.com/mjackson/value-equal#readme> 2016-2018 Copyright 2016-2018 Michael Jackson
<https://github.com/mjackson/value-equal#readme>
<https://registry.npmjs.org/value-equal/-/value-equal-1.0.1.tgz>

MIT [vary-1.1.2.tgz](#) Manipulate the HTTP Vary header
<https://github.com/jshttp/vary#readme> 2014-2017 Copyright 2014-2017 Douglas Christopher Wilson <https://github.com/jshttp/vary#readme>
<https://registry.npmjs.org/vary/-/vary-1.1.2.tgz>

MIT verror-1.10.0.tgz richer JavaScript errors
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/1ffc7d92-ff4a-49af-8d25-9baf586d9510> 2016 Copyright 2016 Joyent, Inc <https://github.com/davepacheco/node-verror>
<https://registry.npmjs.org/verror/-/verror-1.10.0.tgz>

MIT void-elements-3.1.0.tgz Array of "void elements" defined by the HTML specification.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/9ab2a4d8-54a2-4aea-a134-30baecce89a3> 2014 Copyright 2014 hemanth <https://github.com/jadejs/void-elements>
<https://registry.npmjs.org/void-elements/-/void-elements-3.1.0.tgz>

MIT weak-memoize-0.3.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e6b9e53a-bd44-4677-801d-d117ef00c040> Copyright Emotion team and other contributors <https://github.com/emotion-js/emotion/tree/main#readme>
<https://registry.npmjs.org/@emotion/weak-memoize/-/weak-memoize-0.3.1.tgz>

MIT whatwg-url-5.0.0.tgz An implementation of the WHATWG URL Standard's URL API and parsing machinery
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/al3c367fe-1aeb-4775-9546-99b13bf778ce> 2015-2016 Copyright 2015-2016 Sebastian Mayr <https://github.com/jsdom/whatwg-url#readme>
<https://registry.npmjs.org/whatwg-url/-/whatwg-url-5.0.0.tgz>

MIT which-boxed-primitive-1.1.1.tgz Which kind of boxed JS primitive is this?
<https://index.mend.io/gri/app/reader/resource/content/asString/0da942b7-2895-4d57-8413-3e93171c67c2> 2019 Copyright 2019 Jordan Harband <https://github.com/inspect-js/which-boxed-primitive#readme>
<https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitive-1.1.1.tgz>

MIT which-builtin-type-1.2.1.tgz What is the type of this builtin JS value?
<https://index.mend.io/gri/app/reader/resource/content/asString/80508956-c904-4728-a8dd-1887a130652e> 2020 Copyright 2020 ECMAScript Shims <https://github.com/inspect-js/which-builtin-type#readme>
<https://registry.npmjs.org/which-builtin-type/-/which-builtin-type-1.2.1.tgz>

MIT which-collection-1.0.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e4a6347f-98c6-4d80-a0ba-89b6ddcf7b1a> 2019 Copyright 2019 Inspect JS <https://github.com/inspect-js/which-collection#readme>
<https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz>

MIT which-typed-array-1.1.19.tgz Which kind of Typed Array is this JavaScript value? Works cross-realm, without `instanceof`, and despite

Symbol.toStringTag.

<https://index.mend.io/gri/app/reader/resource/content/asString/888e81c5-f326-4808-b475-7c32c19e4ed9> 2015 Copyright 2015 Jordan Harband
<https://github.com/inspect-js/which-typed-array#readme>
<https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.19.tgz>

MIT window-size-0.1.0.tgz Reliable way to to get the height and width of the terminal/console in a node.js environment.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/af456bf6-6e78-485f-9825-5899fbf4659c> 2014 Copyright 2014 Jon Schlinkert <https://github.com/jonschlinkert/window-size>
<https://registry.npmjs.org/window-size/-/window-size-0.1.0.tgz>

MIT winston-2.4.7.tgz A multi-transport async logging library for Node.js

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/97159c54-524e-4fff-bd58-802b3083e049> 2010 Copyright 2010 Charlie Robbins <https://github.com/winstonjs/winston#readme>
<https://registry.npmjs.org/winston/-/winston-2.4.7.tgz>

MIT winston-3.17.0.tgz A logger for just about everything.

<https://index.mend.io/gri/app/reader/resource/content/asString/6adebf24-32b9-413e-bd8d-1a42106d8059> 2010 Copyright 2010 Charlie Robbins
<https://github.com/winstonjs/winston#readme>
<https://registry.npmjs.org/winston/-/winston-3.17.0.tgz>

MIT winston-3.18.3.tgz A logger for just about everything.

<https://index.mend.io/gri/app/reader/resource/content/asString/48a16abf-6494-4e04-82b3-6339967ab3dc> 2010 Copyright 2010 Charlie Robbins
<https://github.com/winstonjs/winston#readme>
<https://registry.npmjs.org/winston/-/winston-3.18.3.tgz>

MIT winston-compat-0.1.5.tgz Core functionality from winston < 3.0.0 commonly used by user-created transports.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/cell13835-984b-49e6-b1a0-1ec05e84f2aa> 2015 Copyright 2015 Charlie Robbins & the contributors <https://github.com/winstonjs/winston-compat#readme>
<https://registry.npmjs.org/winston-compat/-/winston-compat-0.1.5.tgz>

MIT winston-daily-rotate-file-3.10.0.tgz A transport for winston which logs to a rotating file each day.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b2b35ec2-54b2-4b9c-9dd5-525ce0268864> 2015 Copyright 2015 winstonjs <https://github.com/winstonjs/winston-daily-rotate-file#readme>
<https://registry.npmjs.org/winston-daily-rotate-file/-/winston-daily-rotate-file-3.10.0.tgz>

MIT winston-daily-rotate-file-4.7.1.tgz A transport for winston which logs to a rotating file each day.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/3e06d454-c848-42f7-b913-3e4e8bd4ba3b> 2015 Copyright 2015 winstonjs <https://github.com/winstonjs/winston-daily-rotate-file#readme>

<https://registry.npmjs.org/winston-daily-rotate-file/-/winston-daily-rotate-file-4.7.1.tgz>

MIT winston-transport-4.9.0.tgz Base stream implementations for winston@3 and up.

<https://index.mend.io/gri/app/reader/resource/content/asString/7bfe9dc1-fe83-4df9-8524-8833f0441748> 2015 Copyright 2015 Charlie Robbins & the contributors <https://github.com/winstonjs/winston-transport#readme>
<https://registry.npmjs.org/winston-transport/-/winston-transport-4.9.0.tgz>

MIT wordwrap-0.0.3.tgz Wrap those words. Show them at what columns to start and stop.

<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/7a885be4-64bc-4184-8c3b-98a91ad222d0> James Halliday
<https://github.com/substack/node-wordwrap#readme>
<https://registry.npmjs.org/wordwrap/-/wordwrap-0.0.3.tgz>

MIT wrap-ansi-7.0.0.tgz Wordwrap a string with ANSI escape codes
<https://index.mend.io/gri/app/reader/resource/content/asString/dbb81d3e-5d81-42ac-a8e8-c29a416b35c3> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/wrap-ansi#readme>
<https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-7.0.0.tgz>

MIT wrap-ansi-8.1.0.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/62421107-d3c7-4bf7-b461-a4b09107b1ed> Copyright Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/chalk/wrap-ansi#readme>
<https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-8.1.0.tgz>

MIT wrap-ansi-cjs-7.0.0.tgz
<https://www.npmjs.com/package/wrap-ansi/v/7.0.0>

MIT ws-8.17.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/52c104cc-1a88-4974-b03e-86eef8f3cb75> "2013 Copyright 2013 Arnout Kazemier and contributors 2011 Copyright 2011 Einar Otto Stangvik <einaros@gmail.com> 2016 Copyright 2016 Luigi Pinca and contributors 2011 Copyright 2011 Einar Otto Stangvik <einaros@gmail.com>"
<https://github.com/websockets/ws> <https://registry.npmjs.org/ws/-/ws-8.17.1.tgz>

MIT wsl-utils-0.1.0.tgz Utilities for working with Windows Subsystem for Linux (WSL)
<https://index.mend.io/gri/app/reader/resource/content/asString/3a703259-a3c3-45d7-a3ba-159d98029280> Copyright Sindre Sorhus
<sindresorhus@gmail.com> (<https://sindresorhus.com>)
<https://github.com/sindresorhus/wsl-utils#readme>
<https://registry.npmjs.org/wsl-utils/-/wsl-utils-0.1.0.tgz>

MIT xml2js-0.4.12.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0d830ca0-f1f4-481c-ad5a-fcd24105ff25> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/xml2js> <https://registry.npmjs.org/@types/xml2js/-/xml2js-0.4.12.tgz>

MIT xml2js-0.4.14.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e682aea5-cece-488e-8207-fe279112e6f4> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/xml2js> <https://registry.npmjs.org/@types/xml2js/-/xml2js-0.4.14.tgz>

MIT xml2js-0.5.0.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/0d9fefcd-79f1-46c7-b5d5-7c48b35b6f6d> Copyright parser, for whatever reason?
<https://github.com/Leonidas-from-XIV/node-xml2js>
<https://registry.npmjs.org/xml2js/-/xml2js-0.5.0.tgz>

MIT xml2js-0.6.2.tgz
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/06651091-ff87-49c6-b9c8-40cb3319bc9d> Copyright parser, for whatever reason? <https://github.com/Leonidas-from-XIV/node-xml2js>
<https://registry.npmjs.org/xml2js/-/xml2js-0.6.2.tgz>

MIT xmlbuilder-11.0.1.tgz An XML builder for node.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/86aaa5a1-60c1-4dcf-b865-3684dbd75e84> 2013 Copyright 2013 Ozgur Ozcitak <http://github.com/oozcitak/xmlbuilder-js>
<https://registry.npmjs.org/xmlbuilder/-/xmlbuilder-11.0.1.tgz>

MIT xmlbuilder-15.1.1.tgz An XML builder for node.js
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/ace52af8-a085-48ad-993c-86b06fcl6d30> 2013 Copyright 2013 Ozgur Ozcitak <http://github.com/oozcitak/xmlbuilder-js>
<https://registry.npmjs.org/xmlbuilder/-/xmlbuilder-15.1.1.tgz>

MIT xmlchars-2.2.0.tgz Utilities for determining if characters belong to character classes defined by the XML specs.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/4dce133e-5480-473f-970e-1b30471ce5e8> Copyright Louis-Dominique Dubeau and contributors to xmlchars
<https://github.com/lddubeau/xmlchars#readme>
<https://registry.npmjs.org/xmlchars/-/xmlchars-2.2.0.tgz>

MIT xml-crypto-1.4.6.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/3cc58c7d-383d-4f26-829d-b450962b32a3> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/xml-crypto> <https://registry.npmjs.org/@types/xml-crypto/-/xml-crypto-1.4.6.tgz>

MIT xml-crypto-3.2.1.tgz Xml digital signature and encryption library for Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/115fd569-faab-4690-b905-bb2509160dea> Copyright Yaron Naveh
<yaronn01@gmail.com> <https://github.com/node-saml/xml-crypto#readme>
<https://registry.npmjs.org/xml-crypto/-/xml-crypto-3.2.1.tgz>

MIT xml-crypto-6.1.2.tgz Xml digital signature and encryption library for Node.js
<https://index.mend.io/gri/app/reader/resource/content/asString/f79e42c4-d4d1-4cad-9168-7db920a8ff38> Copyright Yaron Naveh
<yaronn01@gmail.com> <https://github.com/node-saml/xml-crypto#readme>
<https://registry.npmjs.org/xml-crypto/-/xml-crypto-6.1.2.tgz>

MIT xmldom-0.8.10.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/cd4074ac-61c7-4461-a0b7-98bed148e171> "2019 Copyright 2019 present
Christopher J. Brody and other contributors, as listed in:
<https://github.com/xmldom/xmldom/> 2012-2017 Copyright 2012-2017 jindw
<jindw@xidea.org> and other contributors"
<https://github.com/xmldom/xmldom>
<https://registry.npmjs.org/@xmldom/xmldom/-/xmldom-0.8.10.tgz>

MIT xmldom-0.8.11.tgz A pure JavaScript W3C standard-based (XML DOM Level 2 Core) DOMParser and XMLSerializer module.
<https://index.mend.io/gri/app/reader/resource/content/asString/430b4a33-31f1-480d-802f-9e62f1cba4f8> "2019 Copyright 2019 present
Christopher J. Brody and other contributors, as listed in:
<https://github.com/xmldom/xmldom/graphs/contributors> 2012-2017 Copyright 2012-2017 jindw
<jindw@xidea.org> and other contributors"
<https://github.com/xmldom/xmldom>
<https://registry.npmjs.org/@xmldom/xmldom/-/xmldom-0.8.11.tgz>

MIT xml-encryption-1.2.2.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/e2880b08-d037-47eb-bc3b-39c1118679a0> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/xml-encryption> <https://registry.npmjs.org/@types/xml-encryption/-/xml-encryption-1.2.2.tgz>

MIT xml-encryption-1.2.4.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/6c472a7c-6a40-414d-b103-85cbb28569d9> Copyright Microsoft Corporation
<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/xml-encryption> <https://registry.npmjs.org/@types/xml-encryption/-/xml-encryption-1.2.4.tgz>

MIT xml-encryption-3.1.0.tgz [![Build Status](https://travis-ci.org/auth0/node-xml-encryption.png)](https://travis-ci.org/auth0/node-xml-encryption)
<https://index.mend.io/gri/app/reader/resource/content/asString/fead5a8-602d-4654-8cdd-bcd98f20e1f7> 2015 Copyright 2015 Auth0, Inc
<https://github.com/auth0/node-xml-encryption#readme>

<https://registry.npmjs.org/xml-encryption/-/xml-encryption-3.1.0.tgz>

MIT xml-escape-1.1.0.tgz Escape XML
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b9f7ef34-580e-4ea8-8970-0c1356b5c3a1> 2014 Copyright 2014 Michael Hernandez
<https://github.com/miketheprogrammer/xml-escape>
<https://registry.npmjs.org/xml-escape/-/xml-escape-1.1.0.tgz>

MIT xml-formatter-3.6.4.tgz Converts a XML string into a human readable format (pretty print) while respecting the xml:space attribute
<https://index.mend.io/gri/app/reader/resource/content/asString/8391cbb2-9307-490b-a6e2-e9eb8f0042d6> 2019 Copyright 2019 Chris Bottin
(<https://github.com/chrisbottin>) <https://github.com/chrisbottin/xml-formatter#readme> <https://registry.npmjs.org/xml-formatter/-/xml-formatter-3.6.4.tgz>

MIT xmlhttprequest-ssl-2.1.2.tgz XMLHttpRequest for Node
<https://index.mend.io/gri/app/reader/resource/content/asString/08023933-04d1-4245-be6b-04a7dbcfe7af> 2010 Copyright 2010 passive.ly LLC
<https://github.com/mjwwit/node-XMLHttpRequest#readme>
<https://registry.npmjs.org/xmlhttprequest-ssl/-/xmlhttprequest-ssl-2.1.2.tgz>

MIT xml-js-1.6.11.tgz A convertor between XML text and Javascript object / JSON text.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/b674f06a-0060-4a9e-8700-9815c772e09c> 2016-2017 Copyright 2016-2017 Yousuf Almarzooqi
<https://github.com/nashwaan/xml-js#readme>
<https://registry.npmjs.org/xml-js/-/xml-js-1.6.11.tgz>

MIT xml-parser-xo-4.1.3.tgz Parse a XML string into a proprietary syntax tree
<https://index.mend.io/gri/app/reader/resource/content/asString/8c7bfde2-0984-433f-9d25-3960d6a0c735> 2020 Copyright 2020 Chris Bottin
(<https://github.com/chrisbottin>) <https://github.com/chrisbottin/xml-parser#readme> <https://registry.npmjs.org/xml-parser-xo/-/xml-parser-xo-4.1.3.tgz>

MIT xpath-0.0.27.tgz DOM 3 XPath implementation and helper for node.js.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/869be53b-bfcf-4e37-9400-9f002d765b3f> 2018 Cameron McCormack
<https://github.com/goto100/xpath#readme>
<https://registry.npmjs.org/xpath/-/xpath-0.0.27.tgz>

MIT xpath-0.0.32.tgz DOM 3 XPath implementation and helper for node.js.
<https://index.mend.io/gri/app/reader/resource/content/asString/3084e9f2-b606-4c74-8c11-36f45400181c> 2018 Copyright 2018 Cameron McCormack
<https://github.com/goto100/xpath#readme>
<https://registry.npmjs.org/xpath/-/xpath-0.0.32.tgz>

MIT xpath-0.0.33.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/a7b7b39b-5255-4d07-8067-76b5e6d44cb3> 2018 Copyright 2018 Cameron McCormack

<https://github.com/goto100/xpath#readme>
<https://registry.npmjs.org/xpath/-/xpath-0.0.33.tgz>

MIT xpath-0.0.34.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/88dda3b5-8745-4705-9320-4c7b4edf0c36> 2018 Copyright 2018 Cameron McCormack
 <https://github.com/goto100/xpath#readme>
 <https://registry.npmjs.org/xpath/-/xpath-0.0.34.tgz>

MIT xtend-4.0.2.tgz extend like a boss
 <https://index.mend.io/gri/app/reader/resource/content/asString/8d8cae6a-7f42-4f26-aecb-23d0ec6d0dc9> 2012-2014 Copyright 2012-2014 Raynos
 <https://github.com/Raynos/xtend>
 <https://registry.npmjs.org/xtend/-/xtend-4.0.2.tgz>

MIT x-xss-protection-1.3.0.tgz Middleware to set the X-XSS-Protection header
 <https://index.mend.io/gri/app/reader/resource/content/asString/4770d45f-c305-4d43-84ad-61d4ae6f9c5e> 2014-2019 Copyright 2014-2019 Evan Hahn, Adam Baldwin <https://helmetjs.github.io/docs/xss-filter/>
 <https://registry.npmjs.org/x-xss-protection/-/x-xss-protection-1.3.0.tgz>

MIT yargs-16.2.0.tgz yargs the modern, pirate-themed, successor to optimist.
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/2ee89830-9573-435a-9f59-c9fbb409b9ee> 2010-2014 Copyright 2010-2014 Contributors <https://yargs.js.org/>
 <https://registry.npmjs.org/yargs/-/yargs-16.2.0.tgz>

MIT yargs-17.7.2.tgz
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/972ba506-949f-4beb-9f35-f4630a6f5a83> 2010-2014 Copyright 2010-2014 Contributors <https://yargs.js.org/>
 <https://registry.npmjs.org/yargs/-/yargs-17.7.2.tgz>

MIT yauzl-2.10.0.tgz yet another unzip library for node
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/f4b9afda-ac81-4cb4-a4bb-4e2c4b20db93> 2014 Copyright 2014 Josh Wolfe <https://github.com/thejoshwolfe/yauzl>
 <https://registry.npmjs.org/yauzl/-/yauzl-2.10.0.tgz>

MIT yauzl-2.10.2.tgz
 <https://index.mend.io/gri/app/reader/resource/content/asString/8f40e2c1-727f-4430-a215-62ae45a696ed> Copyright Microsoft Corporation
 <https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/yauzl> <https://registry.npmjs.org/@types/yauzl/-/yauzl-2.10.2.tgz>

MIT yup-0.29.3.tgz Dead simple Object schema validation
 <https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/fa355fb6-22e1-464b-a792-29c8b9cb3494> "2012 Copyright 2012 It is

2014 Copyright 2014 Jason Quense" <https://github.com/jquense/yup>
<https://registry.npmjs.org/yup/-/yup-0.29.3.tgz>

MIT zip-stream-4.1.1.tgz
<https://index.mend.io/gri/app/reader/resource/content/asString/43f14e71-2546-4546-8a7f-cfb75e3fab0c> 2014 Copyright 2014 Chris Talkington,
contributors <https://github.com/archiverjs/node-zip-stream>
<https://registry.npmjs.org/zip-stream/-/zip-stream-4.1.1.tgz>

MIT z-schema-5.0.5.tgz JSON schema validator
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/20e3ea37-9223-4df2-8cb3-e808de93fcfa> 2014 Copyright 2014
Martin Zagora and other contributors <https://github.com/zaggino/z-schema>
<https://registry.npmjs.org/z-schema/-/z-schema-5.0.5.tgz>

MIT X11 buffers-0.1.1.tgz Treat a collection of Buffers as a single
contiguous partially mutable Buffer. [https://github.com/substack/node-](https://github.com/substack/node-buffers/)
[buffers/](https://github.com/substack/node-buffers/) Copyright James Halliday
<https://registry.npmjs.org/buffers/-/buffers-0.1.1.tgz>
<https://registry.npmjs.org/buffers/-/buffers-0.1.1.tgz>

MIT X11 mkdirp-0.5.6.tgz Recursively mkdir, like `mkdir -p`
<https://index.mend.io/gri/app/reader/resource/content/asString/b20f6f08-f0ee-4bde-bef2-72f7248dff8d> 2010 Copyright 2010 James Halliday
(mail@substack.net) <https://github.com/substack/node-mkdirp#readme>
<https://registry.npmjs.org/mkdirp/-/mkdirp-0.5.6.tgz>

MIT X11 optimist-0.3.7.tgz Light-weight option parsing with an
argv hash. No optstrings attached.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/6c63efa8-fc9f-47f7-a9e2-9dd09bd2f9e6> 2010 Copyright 2010
James Halliday (mail@substack.net) [https://registry.npmjs.org/optimist/-](https://registry.npmjs.org/optimist/-/optimist-0.3.7.tgz)
[/optimist-0.3.7.tgz](https://registry.npmjs.org/optimist/-/optimist-0.3.7.tgz) [https://registry.npmjs.org/optimist/-/optimist-](https://registry.npmjs.org/optimist/-/optimist-0.3.7.tgz)
[0.3.7.tgz](https://registry.npmjs.org/optimist/-/optimist-0.3.7.tgz)

MIT X11 traverse-0.3.9.tgz Traverse and transform objects by
visiting every node on a recursive walk
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/670cf35c-3c78-4d6b-9d90-7cdb9c7f561c> 2010 Copyright 2010
James Halliday (mail@substack.net) [https://registry.npmjs.org/traverse/-](https://registry.npmjs.org/traverse/-/traverse-0.3.9.tgz)
[/traverse-0.3.9.tgz](https://registry.npmjs.org/traverse/-/traverse-0.3.9.tgz) [https://registry.npmjs.org/traverse/-/traverse-](https://registry.npmjs.org/traverse/-/traverse-0.3.9.tgz)
[0.3.9.tgz](https://registry.npmjs.org/traverse/-/traverse-0.3.9.tgz)

MIT X11 wordwrap-0.0.2.tgz Wrap those words. Show them at what
columns to start and stop.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/57c8eadd-64ed-4979-b283-47a1ac92f318> Unspecified Copyright
<https://registry.npmjs.org/wordwrap/-/wordwrap-0.0.2.tgz>
<https://registry.npmjs.org/wordwrap/-/wordwrap-0.0.2.tgz>

MIT X11 yargs-3.10.0.tgz Light-weight option parsing with an argv
hash. No optstrings attached.
<https://index.whitesourcesoftware.com/gri/app/reader/resource/content/asString/57c8eadd-64ed-4979-b283-47a1ac92f318>

nt/asString/ff76893c-be87-4db7-905e-fc12b6619b24 "copyright 2015
Missing
Copyright 2010 James Halliday (mail@substack.net)"
https://github.com/bcoe/yargs#readme
https://registry.npmjs.org/yargs/-/yargs-3.10.0.tgz

Node.js npm-conf-1.1.4.tgz
https://raw.githubusercontent.com/nodejs/node/master/LICENSE

Python 2.0 argparse-2.0.1.tgz CLI arguments parser. Native port of
python's argparse.
https://index.mend.io/gri/app/reader/resource/content/asString/81b3
49ae-dc78-4b52-aaf9-ad44c97680b3 Copyright (c) null null
https://github.com/nodeca/argparse#readme
https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz

Suspected ISC string-width-cjs-4.2.3.tgz
https://www.npmjs.com/package/string-width-cjs

Unicode make-plural-7.4.0.tgz
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/1546478c-a444-4ed8-9cbd-7d88103e12da "Copyright Eemeli Aro
<eemeli@gmail.com> 1991-2020 Copyright 1991-2020 Unicode, Inc"
https://github.com/eemeli/make-plural#readme
https://registry.npmjs.org/make-plural/-/make-plural-7.4.0.tgz

Unlicense big-integer-1.6.51.tgz An arbitrary length integer library for
Javascript
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/e4c24377-d057-430e-93d7-334b423455d7
https://github.com/peterolson/BigInteger.js#readme
https://registry.npmjs.org/big-integer/-/big-integer-1.6.51.tgz

Unlicense big-integer-1.6.52.tgz
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/9c0f63ae-d7ad-4285-a91a-bfd30alb5c9c
https://github.com/peterolson/BigInteger.js#readme
https://registry.npmjs.org/big-integer/-/big-integer-1.6.52.tgz

Unlicense robust-predicates-3.0.2.tgz
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte
nt/asString/755b1d70-82a1-4465-8cf1-277cc9467703 Unspecified Copyright
https://github.com/mourner/robust-predicates#readme
https://registry.npmjs.org/robust-predicates/-/robust-predicates-
3.0.2.tgz

Unlicense text-encoding-0.5.5.tgz Polyfill for the Encoding Living
Standard's API.
https://index.whitesourcesoftware.com/gri/app/reader/resource/conte

nt/asString/7e42a22b-71e1-48a3-a919-c57d1f549a2c
https://github.com/inexorabletash/text-encoding
https://registry.npmjs.org/text-encoding/-/text-encoding-0.5.5.tgz

W3C Software Notice and Document License (2015-05-13) trusted-types-
2.0.7.tgz https://www.npmjs.com/package/trusted-types Copyright
Microsoft Corporation
https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/
s/trusted-types https://registry.npmjs.org/@types/trusted-types/-
/trusted-types-2.0.7.tgz

<< End WebUI 25-09 Server Libraries >>

=====
APPENDIX: License Details
=====

<<Begin Apache License >>

Version 2.0, January 2004
http://www.

Apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use,
reproduction,
and distribution as defined by Sections 1 through 9 of this
document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making
modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
<<End Apache License>>

<<Begin Blue Oak Model License>>
Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <<https://blueoakcouncil.org/license/1.0.0>>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.
<<End Blue Oak Model License>>

<<Begin BSD License>>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD License>>

<<Begin BSD 2 License>>

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD 2 License>>

<<Begin BSD 3 License>>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<<End BSD 3 License>>

<<Begin BSD Zero License >>

License Text:

Copyright (C) 2006 by Rob Landley <rob@landley.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End BSD Zero License >>

<<Begin CC0 License >>

License Text:

Creative Commons CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;

ii. moral rights retained by the original author(s) and/or performer(s);

iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;

iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;

v. rights protecting the extraction, dissemination, use and reuse of data in a Work;

vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's

Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

<<End CC0 License >>

<<Begin CC by 1.0>>

CC BY 1.0

License Text:

Font Awesome Free License

Font Awesome Free is free, open source, and GPL friendly. You can use it for commercial projects, open source projects, or really almost whatever you want.

Full Font Awesome Free license: <https://fontawesome.com/license/free>.

Icons: CC BY 4.0 License (<https://creativecommons.org/licenses/by/4.0/>)
In the Font Awesome Free download, the CC BY 4.0 license applies to all icons packaged as SVG and JS file types.

Fonts: SIL OFL 1.1 License (<https://scripts.sil.org/OFL>)
In the Font Awesome Free download, the SIL OFL license applies to all icons packaged as web and desktop font files.

Code: MIT License (<https://opensource.org/licenses/MIT>)
In the Font Awesome Free download, the MIT license applies to all non-font and non-icon files.

Attribution
Attribution is required by MIT, SIL OFL, and CC BY licenses. Downloaded Font Awesome Free files already contain embedded comments with sufficient attribution, so you shouldn't need to do anything additional when using these files normally.

We've kept attribution comments terse, so we ask that you do not actively work to REMOVE them from files, especially code. They're a great way for folks to learn about Font Awesome.

Brand Icons
All brand icons are trademarks of their respective owners. The use of these trademarks does not indicate endorsement of the trademark holder by Font Awesome, nor vice versa. **Please do not use brand logos for any purpose except to represent the company, product, or service to which they refer.**

<<End CC by 1.0>>

<<Begin CC by 3.0 License>>

<https://creativecommons.org/licenses/by/3.0/legalcode>

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work,

or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered an Adaptation for the purpose of this License.

"Collection" means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.

"Distribute" means to make available to the public the original and copies of the Work or Adaptation, as appropriate, through sale or other transfer of ownership.

"Licensor" means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.

"Original Author" means, in the case of a literary or artistic work, the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians, dancers, and other persons who act, sing, deliver, declaim, play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.

"Work" means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

"Publicly Perform" means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.

"Reproduce" means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.

2. Fair Dealing Rights. Nothing in this License is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections;

to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked "The original work was translated from English to Spanish," or a modification could indicate "The original work has been modified.";

to Distribute and Publicly Perform the Work including as incorporated in Collections; and, to Distribute and Publicly Perform Adaptations.

For the avoidance of doubt:

Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;

Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,

Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, REMOVE from the Collection any credit as required by Section 4(b), as requested. If You create an Adaptation, upon notice from any Licensor You must, to the extent practicable, REMOVE from the Adaptation any credit as required by Section 4(b), as requested.

If You Distribute, or Publicly Perform the Work or any Adaptations or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution ("Attribution Parties") in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and (iv) , consistent with Section 3(b), in the case of an Adaptation, a credit identifying the use of the Work in the Adaptation (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). The credit required by this Section 4 (b) may be implemented in any reasonable manner; provided, however, that in the case of a Adaptation or Collection, at a minimum such credit will appear, if a credit for all contributing authors of the Adaptation or Collection appears, then as part of these credits and in a manner at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.

Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or

Publicly Perform the Work either by itself or as part of any Adaptations or Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the Work which would be prejudicial to the Original Author's honor or reputation. Licensor agrees that in those jurisdictions (e.g. Japan), in which any exercise of the right granted in Section 3(b) of this License (the right to make Adaptations) would be deemed to be a distortion, mutilation, modification or other derogatory action prejudicial to the Original Author's honor and reputation, the Licensor will waive or not assert, as appropriate, this Section, to the fullest extent permitted by the applicable national law, to enable You to reasonably exercise Your right under Section 3(b) of this License (right to make Adaptations) but not otherwise.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensors shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensors and You.

The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.

<<End CC by 3.0 License>>

<<Begin CC by 4.0 License>>

License Text:

Creative Commons Attribution 4.0 International

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors

should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors :
wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason—for example, because of any applicable exception or limitation to copyright—then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public : wiki.creativecommons.org/Considerations_for_licensees

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 - Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws

fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.

e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.

f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.

g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.

h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.

i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.

j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.

k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 - Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:

A. reproduce and Share the Licensed Material, in whole or in part; and
B. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)(4) never produces Adapted Material.

5. Downstream recipients.

A. Offer from the Licensor - Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

B. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 - License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

A. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

B. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

C. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.

3. If requested by the Licensor, You must REMOVE any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.

4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 - Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
 - b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
 - c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.
- For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 - Disclaimer of Warranties and Limitation of Liability.

- a. Unless otherwise separately undertaken by the Licensor, to the extent possible, the Licensor offers the Licensed Material as-is and as-available, and makes no representations or warranties of any kind concerning the Licensed Material, whether express, implied, statutory, or other. This includes, without limitation, warranties of title, merchantability, fitness for a particular purpose, non-infringement, absence of latent or other defects, accuracy, or the presence or absence of errors, whether or not known or discoverable. Where disclaimers of warranties are not allowed in full or in part, this disclaimer may not apply to You.
 - b. To the extent possible, in no event will the Licensor be liable to You on any legal theory (including, without limitation, negligence) or otherwise for any direct, special, indirect, incidental, consequential, punitive, exemplary, or other losses, costs, expenses, or damages arising out of this Public License or use of the Licensed Material, even if the Licensor has been advised of the possibility of such losses, costs, expenses, or damages. Where a limitation of liability is not allowed in full or in part, this limitation may not apply to You.
 - c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.
- #### Section 6 - Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
 - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or

- 2. upon express reinstatement by the Licensor.
 - c. For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.
 - d. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
 - e. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.
- Section 7 - Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
 - b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.
- Section 8 - Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
 - b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
 - c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
 - d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.
- Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the "Licensor." The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.
<<End CC by 4.0 License>>

<<Begin ISC License>>

ISC

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End ISC License>>

<<Begin MIT License>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<<End MIT License>>

<<Begin MIT/X11 License>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

<<End MIT License>>

<<Begin Node.js License>>

Node.js is licensed for use as follows:

"""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

"""

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

"""

Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
"""

The Node.js license applies to all parts of Node.js that are not externally maintained libraries.

For full list of externally maintained libraries see:
<https://raw.githubusercontent.com/nodejs/node/master/LICENSE>

<<End Node.js License>>

<<Begin Python 2.0 License>>
A. HISTORY OF THE SOFTWARE
=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see

<https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby

grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using

this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly,

prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be

bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathemat
ISCh Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<<End Python 2.0 License>>

<<Begin Unlicense License>>

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org/>>
<<End Unlicense License>>

<<End of License Details>>
<<END OF BigFix Patch>>
<<END OF BigFix Remediate>>
<<END OF BigFix Compliance>>
<<END OF NOTICES>>